

| TObject | | |
|--------------------|----------------------|-----------------|
| fUniqueID | kIsReferenced | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPickSingleKey | |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanUpOnHeap | fgIsA | |
| kObjInCanvas | kNotDeleted | |
| | | |
| @-TObject | GetOption | operator new |
| MakeZombie | GetObjectIn | operator new@ |
| DoError | GetTitle | operator delete |
| TObject | HandleTime | operator delete |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete |
| AppendPad | InheritsFrom | GetBit |
| Browse | Inspect | SetBit |
| ClassName | IsFolder | ResetBit |
| Clear | IsEqual | TestBit |
| Clone | IsSortable | TestBits |
| Compare | IsOnHeap | InvertBit |
| Copy | IsZombie | Info |
| Delete | Notify | Warning |
| DistanceTo | Primitive | Error |
| Draw | Paint | SysError |
| DrawClass | Pop | Fatal |
| DrawClone | Print | AbstractMethod |
| Dump | Read | MayNotUse |
| Execute | RecursiveRe | GetDtorOnly |
| Execute | SavePrimitive | GetDtorOnly |
| ExecuteEvent | GetDrawOpti | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyl | |
| GetDrawOpti | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new@ | ShowMembers |
| GetIconName | operator new@ | [@] |

| TNamed | |
|--------------|--|
| fName | |
| fTitle | |
| fgIsA | |
| | |
| @-TNamed | |
| TNamed | |
| TNamed | |
| TNamed | |
| TNamed | |
| operator= | |
| Clear | |
| Clone | |
| Compare | |
| Copy | |
| FillBuffer | |
| GetName | |
| GetTitle | |
| Hash | |
| IsSortable | |
| SetName | |
| SetNameTitle | |
| SetTitle | |
| Is | |
| Print | |
| Sizeof | |
| Class | |
| Class_Name | |
| IsA | |
| ShowMembers | |

| TDirectory | | |
|-----------------|-----------------|-----------------|
| fModified | fBufferSize | fList |
| fWritable | fSeekDir | fKeys |
| fDateC | fSeekParent | fUUID |
| fDateM | fSeekKeys | kCloseDirectory |
| fNbytesKey | fFile | fgIsA |
| fNbytesName | fMother | |
| | | |
| @-TDirectory | GetObjectCrea | ReadKeys |
| cd1 | GetObjectUr | RemoveRemo |
| Cd1 | GetBufferSize | Save |
| TDirectory | GetCreationDate | Self |
| operator= | GetFile | SetBufferSize |
| TDirectory | GetKey | SetWritable |
| TDirectory | GetList | SetModified |
| Append | GetListOfKe | GetMother |
| Add | GetModification | GetDate |
| AppendKey | GetMother | Write |
| Browse | GetNbytesKey | Write |
| Build | GetNkeys | WriteTObject |
| Clear | GetSeekDir | WriteObjectAny |
| Close | GetSeekParent | WriteObjectAny |
| Copy | GetSeekKey | WriteDirHeader |
| cd | GetPath | WriteKeys |
| DeleteAll | GetUUID | Cd |
| Delete | IsFolder | DecodeNameCy |
| Draw | IsModified | EncodeNameCy |
| FillBuffer | IsWritable | Class |
| FindKey | Is | Class_Name |
| FindKeyAnymkdir | | IsA |
| FindObject | Paint | ShowMembers |
| FindObject | Print | Streamer |
| FindObjectA | Purge | StreamerNvirtu |
| Get | pwd | |
| GetObjectCrea | ReadAll | |

| TROOT | | |
|-------------------|-------------------------|------------------|
| fLinesProcessed | fBatch | fGlobalFunction |
| fgDirLevel | fEditHistogram | fFiles |
| fgRootInit | fFromPopUp | fMappedFiles |
| fgMemCheck | fMustClean | fSockets |
| fConfigOpti | fReadingObjec | fCanvases |
| fVersion | fForceStyle | fStyles |
| fVersionInt | fInterrupt | fFunctions |
| fVersionDate | fEditorMode | fTasks |
| fVersionTime | fPrimitive | fColors |
| fBuiltDate | fSelectPad | fGeometries |
| fBuiltTime | fClasses | fBrowsers |
| fTimer | fIdMap | fSpecials |
| fApplicationTypes | | fCleanups |
| fInterpreter | fGlobals | fMessageHandlers |
| | | |
| @-TROOT | GetBuiltTime | GetGlobalFunc |
| AuthCleanup | GetVersionDate | GetGlobalFunc |
| InitSystem | GetVersionTime | GetGeometries |
| InitThreads | GetVersionInt | GetSelectedBatch |
| FindSTLClass | GetVersion | GetSelectedBatch |
| LoadClass | GetListOfClasses | SetInterrupt |
| operator new | GetListOfClasses | SetTypes |
| AddClass | GetListOfTypes | SetRootFolder |
| AddClassGetEditor | GetListOfClasses | SetUUIDs |
| Browse | GetListOfGlobalFunction | SetMustClean |
| ClassSaved | GetListOfFiles | IgnoreInclude |
| FindObject | GetListOfMappedFiles | SetSelectedPad |
| FindObject | GetListOfFolders | SetStyle |
| FindObjectAny | GetListOfCalculated | SetInterruptTime |
| FindSpecial | GetListOfStyles | SetLineStyle |
| FindObjectC | GetNameOfFull | Procserv |
| FindObjectP | GetNameOfGeom | tries |
| ForceStyle | GetListOfBrowser | Class |
| FromPopUp | GetListOfSpecial | Macro |
| GetPluginManager | GetListOfMacro | IncreaseDirLevel |
| GetApplication | GetListOfMessage | IndentLevel |
| GetInterpreter | GetListOfStream | MustClean |
| GetClass | GetListOfMessages | PrintMem |
| GetClass | GetListOfClasses | SetLineStyle |
| GetColor | GetListOfColors | LineStyle |
| GetConfigOpti | GetListOfBrowsers | Class |
| GetCutClass | SetType | ReadingObject |
| GetDefCanvas | SetFile | RefreshBrowser |
| GetEditHistogram | GetFile | RemoveClass |
| GetEditorMode | GetStyle | Reset |
| GetForceStyle | GetFunctionSave | Context |
| GetMakeDefCanvas | GetGlobal | SetApplication |
| GetBuiltDate | GetGlobal | SetBatch |