TObject

fUniqueID | kIsReferenced | kZombie
fBits | kHasUUID | kBitMask
fgDtorOnly | kCannotPick | kSingleKey
fgObjectStat | kNoContextMenu | kOverwrite
kCanDelete | kInvalidObject | kWriteDelete
kMustCleanup | kIsOnHeap | fgIsA
kObjInCanvas | kNotDeleted

@~TObject | GetOption | operator new
MakeZombie | GetObjectInfo | operator new@[]
DoError | GetTitle | operator delete
TObject | HandleTimer | operator delete@
TObject | Hash | operator delete@[]
operator= | InheritsFrom | operator delete@[]@
AppendPad | InheritsFrom | SetBit
Browse | Inspect | SetBit
ClassName | IsFolder | ResetBit
Clear | IsEqual | TestBit
Clone | IsSortable | TestBits
Compare | IsOnHeap | InvertBit
Copy | IsZombie | Info
Delete | Notify | Warning
DistancetoPrimitive | Paint | Error
Draw | Pop | SysError
DrawClass | Print | Fatal
DrawClone | RecursiveRemove | AbstractMethod
Dump | Read | MayNotUse
Execute | SavePrimitive | GetDtorOnly
Execute | SetDrawOption | SetDtorOnly
ExecuteEvent | SetUniqueID | GetObjectStat
FindObject | UseCurrentStyle | SetObjectStat
FindObject | Write | Class_Name
GetDrawOption | Write | IsA
GetUniqueID | operator new | ShowMembers
GetName | operator new@[@]
GetIconName

TNamed

fName
fTitle
fgIsA

@~TNamed
TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

TDirectory

fModified | fBufferSize | fList
fWritable | fSeekDir | fKeys
fDatimeC | fSeekParent | fUUID
fDatimeM | fSeekKeys | kCloseDirectory
fNbytesKeys | fFile | fgIsA
fNbytesName | fMother

@~TDirectory | GetObjectChecked | ReadKeys
cd1 | GetObjectUnchecked | RecursiveRemove
Cd1 | GetBufferSize | Save
TDirectory | GetCreationDate | SaveSelf
operator= | GetFile | SetBufferSize
TDirectory | GetKey | SetWritable
TDirectory | GetList | SetModified
Append | GetListOfKeys | SetMother
Add | GetModificationDate | TomDate
AppendKey | GetMother | Write
Browse | GetNbytesKeys | Write
Build | GetNkeys | WriteTObject
Clear | GetSeekDir | WriteObjectAny
Close | GetSeekParent | WriteObjectAny
Copy | GetSeekKeys | WriteDirHeader
cd | GetPath | WriteKeys
DeleteAll | GetUUID | Cd
Delete | IsFolder | DecodeNameCycle
Draw | IsModified | EncodeNameCycle
FillBuffer | IsWritable | Class
FindKey | Is | Class_Name
FindKeyAny | mkdir | IsA
FindObject | Paint | ShowMembers
FindObject | Print | Streamer
FindObjectAny | Purge | StreamerNVirtual
Get | pwd
GetObjectChecked | ReadAll

TFile

fSumBuffer | fWritten | fIsRootFile
fSum2Buffer | fNProcessIDs | fgBytesWrite
fBytesWrite | fRealName | fgBytesRead
fBytesRead | fOption | kRecovered
fBEGIN | fUnits | kHasReferences
fEND | fFree | kDevNull
fSeekFree | fClassIndex | kWriteError
fSeekInfo | fCache | kBeg
fD | fProcessIDs | kCur
fVersion | fOffset | kEnd
fCompress | fArchive | kStartBigFile
fNbytesFree | fArchiveOffset | fgIsA
fNbytesInfo | fIsArchive

@~TFile | GetErrno | ReadStreamerInfo
Init | ResetErrno | Recover
GetRelOffset | GetFd | ReOpen
ReadBufferViaCache | GetListOfProcessIDs | SeekIDs
WriteBufferViaCache | GetListOfFree | SetCompressionLevel
SysOpen | GetNfree | SetEND
SysClose | GetNProcessIDs | SetOption
SysRead | GetOption | ShowStreamerInfo
SysWrite | GetBytesRead | Sizeof
SysSeek | GetBytesWrite | SumBuffer
SysStat | GetVersion | UseCache
SysSync | GetRecordHeader | WriteBuffer
TFile | GetNbytesInfo | Write
operator= | GetNbytesFree | Write
TFile | GetSeekFree | WriteFree
TFile | GetSeekInfo | WriteHeader
Close | GetSize | WriteStreamerInfo
Copy | GetStreamerInfoList | Uplist
Delete | IncrementProcessIDs | GetFileBytesRead
Draw | IsArchive | GetFileBytesWritten
DrawMap | IsOpen | SetFileBytesRead
FillBuffer | Is | SetFileBytesWritten
Flush | MakeFree | Class
GetArchive | MakeProject | Class_Name
GetBestBuffer | Map | IsA
GetClassIndex | Paint | ShowMembers
GetCompressionLevel | PointLevel
GetCompressionLevel | ReadBuffer
GetEND | ReadFree