

| TObject               |                  |                     | TNamed       |              | TKey             |                  | TKeyXML          |                  |
|-----------------------|------------------|---------------------|--------------|--------------|------------------|------------------|------------------|------------------|
| fUniqueID             | kIsReferenced    | kZombie             | fName        | fSeekPdir    | fVersion         | fSeekKey         | fFile            |                  |
| fBits                 | kHasUUID         | kBitMask            | fTitle       | fClassName   | fNbytes          | fLeft            | fXML             |                  |
| fgDtorOnly            | kCannotPick      | kSingleKey          | fObjlen      | fBuffer      | fObjlen          | fBufferRef       | fKeyNode         |                  |
| fgObjectStat          | kNoContextMenu   | kOverwrite          | fDatime      | fSeekPdir    | fKeylen          | fSeekKey         | fIsA             |                  |
| kCanDelete            | kInvalObject     | kWriteDelete        | fCycle       | @~TKeyXML    | fIsA             |                  |                  |                  |
| kMustCleanup          | kIsOnHeap        | fIsA                | fSeekKey     | TKeyXML      |                  |                  |                  |                  |
| kObjInCanvas          | kNotDeleted      |                     |              | TKeyXML      |                  |                  |                  |                  |
| @~TObject             |                  |                     | @~TNamed     |              | @~TKey           |                  | @~TKeyXML        |                  |
| MakeZombie            | GetOption        | operator new        | TNamed       | GetVersion   | Create           | GetSeekKey       | TKeyXML          | TKeyXML          |
| DoError               | GetObjectInfo    | operator new@[@]    | operator=    | Read         | GetSeekPdir      | GetSeekPdir      | TKeyXML          | TKeyXML          |
| TObject               | SetTitle         | operator delete     | Clear        | TKey         | Hash             | Hash             | Browse           | Browse           |
| TObject               | HandleTimer      | operator delete@[@] | Clone        | TKey         | IsFolder         | IsFolder         | Delete           | Delete           |
| operator=             | operator delete  | operator delete@[@] | Compare      | TKey         | Keep             | Keep             | DeleteBuffer     | DeleteBuffer     |
| AppendPad             | InheritsFrom     | InheritsFrom        | Copy         | TKey         | Is               | Is               | FillBuffer       | FillBuffer       |
| Browse                | Inspect          | SetBit              | FillBuffer   | TKey         | Print            | Print            | GetBuffer        | GetBuffer        |
| ClassName             | IsFolder         | ResetBit            | GetName      | Read         | Read             | Read             | GetSeekKey       | GetSeekKey       |
| Clear                 | isEqual          | TestBit             | GetTitle     | Browse       | ReadObj          | ReadObj          | GetSeekPdir      | GetSeekPdir      |
| Clone                 | IsSortable       | TestBits            | Hash         | Delete       | ReadObjectAny    | ReadObjectAny    | Keep             | Keep             |
| Compare               | IsOnHeap         | InvertBit           | IsSortable   | DeleteBuffer | ReadBuffer       | ReadBuffer       | Read             | Read             |
| Copy                  | IsZombie         | Info                | SetName      | FillBuffer   | ReadFile         | ReadFile         | ReadObj          | ReadObj          |
| Delete                | Notify           | Warning             | SetNameTitle | GetClassName | SetBuffer        | SetBuffer        | ReadObjectAny    | ReadObjectAny    |
| DistantcetoPrimitives |                  | Error               | SetTitle     | GetIconName  | SetParent        | SetParent        | ReadBuffer       | ReadBuffer       |
| Draw                  | Paint            | SysError            | Is           | SetTitle     | Sizeof           | Sizeof           | SetBuffer        | SetBuffer        |
| DrawClass             | Pop              | Fatal               | Print        | GetBuffer    | WriteFile        | WriteFile        | SetParent        | SetParent        |
| DrawClone             | Print            | AbstractMethod      | Sizeof       | GetBufferRef | Class            | Class            | Sizeof           | Sizeof           |
| Dump                  | Read             | MayNotUse           | Class        | GetCycle     | Class_Name       | Class_Name       | WriteFile        | WriteFile        |
| Execute               | RecursiveRemove  | GetDtorOnly         | Class_Name   | GetDatime    | IsA              | IsA              | KeyNode          | KeyNode          |
| Execute               | SavePrimitive    | SetDtorOnly         | IsA          | GetKeep      | ShowMembers      | ShowMembers      | SetXML           | SetXML           |
| ExecuteEvent          | SetDrawOption    | GetObjectStat       | ShowMembers  | GetKeylen    | Streamer         | Streamer         | Read             | Read             |
| FindObject            | SetUniqueId      | SetObjectStat       |              | GetNbytes    | StreamerNVirtual | StreamerNVirtual | StoreObject      | StoreObject      |
| FindObject            | UseCurrentStyle  | Class               |              | GetObjlen    |                  |                  | ObjNode          | ObjNode          |
| GetDrawOption         | Write            | Class_Name          |              |              |                  |                  | BlockNode        | BlockNode        |
| GetUniqueId           | Write            | IsA                 |              |              |                  |                  | Class            | Class            |
| GetName               | operator new     | ShowMembers         |              |              |                  |                  | Class_Name       | Class_Name       |
| GetIconName           | operator new@[@] |                     |              |              |                  |                  | IsA              | IsA              |
|                       |                  |                     |              |              |                  |                  | ShowMembers      | ShowMembers      |
|                       |                  |                     |              |              |                  |                  | Streamer         | Streamer         |
|                       |                  |                     |              |              |                  |                  | StreamerNVirtual | StreamerNVirtual |