

Interfacing the DP8420A/21A/22A to the NS32008/016/C016/ 032/132

National Semiconductor
Application Note 542
Joe Tate and Rusty Meier
May 1989



Interfacing the DP8420A/21A/22A to the
NS32008/016/C016/032/132

INTRODUCTION

This application note explains interfacing the DP8420A/21A/22A to the National Semiconductor 32C016. Two different designs are shown and explained. It is assumed the reader is familiar with the NS32C016 access cycles and the DP8420A/21A/22A modes of operation. This application note is written for the NS32C016, but is also valid for the NS32008/016/032/132.

DESIGN DESCRIPTION

This design is a simple circuit to interface the DP8420A/21A/22A to the NS32C016 and up to 32 Mbytes of DRAM. The DP8420A/21A/22A is operated in mode 0. An access cycle begins when the 32C016 asserts the \overline{ADS} signal and places a valid address on the bus. The \overline{ADS} signal places a group of 74AS373 fall-through latches in fall-through mode and \overline{ADS} negated latches the address to guarantee the address is valid throughout the entire access. The \overline{ADS} signal is inverted to produce the signal ALE to the DP8420A/21A/22A. On the next rising clock edge, after the ALE signal is asserted, the DP8420A/21A/22A will assert \overline{RAS} . After guaranteeing the row address hold time, tRAH, the DP8420A/21A/22A will place the column address on the DRAM address bus, guarantee the column address setup time and assert \overline{CAS} . The transceivers are enabled by \overline{CS} and \overline{AS} . After tCAC, the DRAM will place the data on the bus. The DP8420A/21A/22A will also take care of refresh access arbitration and will hold off the access by asserting the \overline{CWAIT} signal to the NS32C201 TCU.

Timing parameters are referenced to the numbers shown in the DP8420A/21A/22A data sheet. Times beginning with a "\$" refer to the DP8420A/21A/22A data sheet. Times beginning with a "#" refer to the NS32C016 data sheet. Times beginning with a "!" refer to the NS32C201 data sheet in the 1986 Series 32000® data book. Equations given allow the user the calculation timing based on his frequency and application. The clock to the DELCLK has been chosen to be a multiple of 2MHz. If you do not have a clock, which is a multiple of 2 MHz, the \overline{ADS} to \overline{CAS} time must be recalculated.

DESIGN TIMING PARAMETERS

Clock Period = $T_{cp10} = 100 \text{ ns @ } 10 \text{ MHz}$
 = $T_{cp15} = 66 \text{ ns @ } 15 \text{ MHz}$

\$300: \overline{CS} asserted to CLK High
 = $T_1 - (\text{PHI1 to address} + \text{AS373 in to Out} + \text{AS138 Decoder} + \text{CTTL to PHI1 Max} + \text{Inverter})$
 = $T_{cp} - \#t_{ALV} - t_{phl} - t_{phl} - t_{PCr}$
 = $100 \text{ ns} - 50 \text{ ns} - 6 \text{ ns} - 9 \text{ ns} - 2 \text{ ns}$
= **33 ns @ 10 MHz**
 = $66 \text{ ns} - 35 \text{ ns} - 6 \text{ ns} - 9 \text{ ns} - 2 \text{ ns}$
= **14 ns @ 15 MHz**

\$301b: ALE Setup to CLK High
 = $T_1 - \text{Inverter Max} - \text{PHI1 to } \overline{ADS} - \text{CTTL to PHI1}$
 = $T_{cp} - t_{phl} - \#t_{ADSa} - t_{PCr}$
 = $100 \text{ ns} - 5 \text{ ns} - 35 \text{ ns} - 2 \text{ ns}$
= **55 ns @ 10 MHz**
 = $66 \text{ ns} - 5 \text{ ns} - 26 \text{ ns} - 2 \text{ ns}$
= **33 ns @ 15 MHz**

\$302: ALE Pulse Width
 = $T_1 - \text{Inverter Max} - \text{PHI1 to } \overline{ADS} - \text{CTTL to PHI1}$
 = $\#t_{ADSw}$
= **30 ns @ 10 MHz**
= **25 ns @ 15 MHz**

\$303 & \$304: Address Setup to CLK
 = $T_1 - \text{PHI1 to Address} + \text{AS373 in to out} + \text{CTTL to PHI1 Max}$
 = $T_{cp} - \#t_{ADSa} - t_{phl} - t_{PCr}$
 = $100 \text{ ns} - 50 \text{ ns} - 6 \text{ ns} - 2 \text{ ns}$
= **42 ns @ 10 MHz**
 = $66 \text{ ns} - 35 \text{ ns} - 6 \text{ ns} - 2 \text{ ns}$
= **23 ns @ 15 MHz**

\$309: ALE Negated Held from CLK High
 = $\text{Min CLK to } \overline{ADS} + \text{Min Inverter} - \text{CTTL to PHI1 Max}$
 = $\text{Min CLK to } \overline{ADS} + 1 \text{ ns} - 2 \text{ ns}$
= **Min CLK to } \overline{ADS} - 1 \text{ ns @ } 10 \text{ MHz}**
= **Min CLK to } \overline{ADS} - 1 \text{ ns @ } 15 \text{ MHz}**

* no time is specified for CLK to \overline{ADS} min.*

\$310: \overline{WIN} Setup to CLK High to Guarantee \overline{CAS} is Delayed
 = $T_1 + T_2 - \text{PHI1 to CTTL R.E.} - \text{DDIN Signal Valid} - 74AS04$
 = $2T_{cp} - t_{PCr} - \#t_{DDINv} - t_{phl}$
 = $200 \text{ ns} - 2 \text{ ns} - 45 \text{ ns} - 5 \text{ ns}$
= **148 @ 10 MHz**
 = $66 \text{ ns} + 66 \text{ ns} - 2 \text{ ns} - 38 \text{ ns} - 5 \text{ ns}$
= **87 ns @ 15 MHz**

Series 32000® is a registered trademark of National Semiconductor Corporation.

\$315: $\overline{\text{AREQ}}$ Negated to CLK High that Starts Access $\overline{\text{RAS}}$

$$= T4 + T1 - \text{PHI1 to CTTL R.E.} - \text{PHI1 to TSO High}$$

$$= 2T_{cp} - t_{PCr} - t_{Tr}$$

$$= 200 \text{ ns} - 2 \text{ ns} - 18 \text{ ns}$$

$$= \mathbf{180 \text{ ns @ 10 MHz}}$$

$$= 66 \text{ ns} + 66 \text{ ns} - 2 \text{ ns} - 10 \text{ ns}$$

$$= \mathbf{120 \text{ ns @ 15 MHz}}$$

CWAIT TIMING

!tCWs(W): $\overline{\text{CWAIT}}$ Setup for WAIT STATES

$$= \text{Min PHI1 Pulse Width} + \text{Min Clock Overlap} - \text{PHI1 to TSO} - 74AS32$$

$$= !T_{clw}(1) + !t_{nOVL} - !t_{Tf} - t_{phl}$$

$$= 40 \text{ ns} + 0 \text{ ns} - 12 \text{ ns} - 5 \text{ ns}$$

$$= \mathbf{23 \text{ ns @ 10 MHz}}$$

$$= 27 \text{ ns} + 0 \text{ ns} - 6 \text{ ns} - 5 \text{ ns}$$

$$= \mathbf{16 \text{ ns @ 15 MHz}}$$

*parameters \$311 & 312 & 314 ensure $\overline{\text{WAIT}}$ will already be asserted

!tCWs(W): $\overline{\text{CWAIT}}$ Setup for Termination of Access

$$= \text{Clock Period} - \text{Max to PHI to CTTL} - \text{CLK to Wait High} - 74AS32$$

$$= !T_{CP} - !t_{TCr} - \$17 - t_{phl}$$

$$= 100 \text{ ns} - 6 \text{ ns} - 31 \text{ ns} - 5 \text{ ns}$$

$$= \mathbf{58 \text{ ns @ 10 MHz}}$$

$$= 66 \text{ ns} - 2 \text{ ns} - 31 \text{ ns} - 5 \text{ ns}$$

$$= \mathbf{28 \text{ ns}}$$

tTRAC AND tCAC TIMING FOR DRAMS

Timing diagrams are supplied on page 8. Since systems and DRAM times vary, the user is encouraged to change the following equations to match his system requirements. Timing has been supplied for systems with 0 or 1 wait states. If DELCLK is not a multiple of 2 MHz the CLK to CAS delay must be recalculated.

0 Wait States

tTRAC = $T2 + T3 - \text{Max Clock Skew} - \text{CLK to } \overline{\text{RAS}} - \text{Transceiver Delay} - \text{Data Setup}$

$$= 2T_{CP} - t_{PCr} - \$307 - t_{phl} - \#t_{DIs}$$

$$= 200 \text{ ns} - 6 \text{ ns} - 26 \text{ ns} - 7 \text{ ns} - 15 \text{ ns}$$

$$= \mathbf{146 \text{ ns @ 10 MHz}}$$

$$= 2T_{cp} - t_{PCr} - \$307 - t_{phl} - \#t_{DIs}$$

$$= 132 \text{ ns} - 2 \text{ ns} - 26 \text{ ns} - 7 \text{ ns} - 10 \text{ ns}$$

$$= \mathbf{87 \text{ ns @ 15 MHz}}$$

1 Wait State

tTRAC = $T2 + T3 - \text{Max Clock Skew} - \text{CLK to } \overline{\text{RAS}} - \text{Transceiver Delay} - \text{Data Setup}$

$$= 3T_{cp} - !t_{PCr} - \$307 - t_{phl} - \#t_{DIs}$$

$$= 300 \text{ ns} - 6 \text{ ns} - 26 \text{ ns} - 7 \text{ ns} - 15 \text{ ns}$$

$$= \mathbf{246 \text{ ns @ 10 MHz}}$$

$$= 198 \text{ ns} - 2 \text{ ns} - 26 \text{ ns} - 7 \text{ ns} - 10 \text{ ns}$$

$$= \mathbf{153 \text{ ns @ 15 MHz}}$$

0 Wait States

tCAC = $T2 + T3 - \text{Max Clock Skew} - \text{CLK to } \overline{\text{RAS}} - \text{Transceiver Delay} - \text{Data Setup}$

$$= 2T_{cp} - !t_{PCr} - \$308a - t_{phl} - \#t_{DIs}$$

$$= 200 \text{ ns} - 6 \text{ ns} - 79 \text{ ns} - 7 \text{ ns} - 15 \text{ ns}$$

$$= \mathbf{93 \text{ ns @ 10 MHz}}$$

$$= 132 \text{ ns} - 2 \text{ ns} - 79 \text{ ns} - 7 \text{ ns} - 10 \text{ ns}$$

$$= \mathbf{34 \text{ ns @ 15 MHz}}$$

1 Wait States

tCAC = $T2 + T3 - \text{Max Clock Skew} - \text{CLK to } \overline{\text{CAS}} - \text{Transceiver Delay} - \text{Data Setup}$

$$= 3T_{cp} - !t_{PCr} - \$308a - t_{phl} - \#t_{DIs}$$

$$= 300 \text{ ns} - 6 \text{ ns} - 79 \text{ ns} - 7 \text{ ns} - 15 \text{ ns}$$

$$= \mathbf{193 \text{ ns @ 10 MHz}}$$

$$= 198 \text{ ns} - 2 \text{ ns} - 79 \text{ ns} - 7 \text{ ns} - 10 \text{ ns}$$

$$= \mathbf{100 \text{ ns @ 15 MHz}}$$

$\overline{\text{RAS}}$ Precharge Parameters

\$29b: $\overline{\text{AREQ}}$ Negated Setup to CLK

$$= \text{Clock Period} - \text{Clock Skew PHI1 to CTTL} - \text{PHI1 to TSO}$$

$$= T_{CP} - !t_{PCr} - !t_{Tr}$$

$$= 100 \text{ ns} - 2 \text{ ns} - 18 \text{ ns}$$

$$= \mathbf{80 \text{ ns @ 10 MHz}}$$

$$= 66 \text{ ns} - 2 \text{ ns} - 10 \text{ ns}$$

$$= \mathbf{54 \text{ ns @ 15 MHz}}$$

tTRP = $\text{Programmed Clocks} - \text{Clock Skew PHI1 to CTTL} - \text{PHI1 to TSO} - [(\overline{\text{AREQ}} \text{ to } \overline{\text{RAS}} \text{ Negated}) - (\text{CLK to } \overline{\text{RAS}} \text{ Asserted})]$


$$= 2T_{CP} - !t_{PCr} - !t_{Tr} - \$50$$

$$= 200 \text{ ns} - 2 \text{ ns} - 18 \text{ ns} - 16 \text{ ns}$$

$$= \mathbf{164 \text{ ns @ 10 MHz}}$$

RAS Low During Refresh

- tRAS = Programmed Clocks - [(CLK High to Refresh RAS Asserted) - (CLK High to Refresh RAS Negated)]
 = 2TCP - \$55
 = 200 ns - 6 ns
 = **194 ns @ 10 MHz**
 = 132 ns - 6 ns
 = **126 ns @ 15 MHz**



*LATCHES ARE NOT NEEDED IF DP8420A/21A/22A INTERNAL LATCHES ARE USED.

*Latches are not needed if DP8420A/21A/22A internal latches are used.

32C016 up to 15 MHz


TL/F/9736-1

Design Programming Bits		
Bits	Description	Value
R0, R1	$\overline{\text{RAS}}$ Low During Refresh = 2T $\overline{\text{RAS}}$ Precharge Time = 2T	R0 = 0 R1 = 1
R2, R3	$\overline{\text{WAIT}}$ Generation Mode during Non-Burst Access	R2 = u R3 = u
R4, R5	$\overline{\text{WAIT}}$ During Burst	R4 = 0 R5 = 0
R6	ADD Wait States with $\overline{\text{WAITIN}}$	R6 = x
R7	$\overline{\text{WAIT}}$ Mode Selected	R7 = 0
R8	Non-Interleaved Mode	R8 = 1
R9	Staggered or all $\overline{\text{RAS}}$ Refresh	R9 = u
C0, C1, C2	Divisor for DELCLK *Use a Multiple of 2 MHz External Clock	C0 = * C1 = * C2 = *
C3	+ 30 REFRESH	C3 = *
C4, C5, C6	$\overline{\text{RAS}}$, $\overline{\text{CAS}}$ Configuration Mode **Choose an all $\overline{\text{CAS}}$ Mode, Tie a $\overline{\text{CAS}}$ to Each Nibble	C4 = ** C5 = ** C6 = **
C7	Select 0 ns Column Address Setup	C7 = 1
C8	Select 15 ns Row Address Hold	C8 = 1
C9	$\overline{\text{CAS}}$ is Delayed During Writes	C9 = 1
B0	Latches are Fall-Through	B0 = 1
B1	Access Mode 0	B1 = 0
$\overline{\text{ECAS0}}$	Non-Extend $\overline{\text{CAS}}$ Mode	$\overline{\text{ECAS0}}$ = 0

x = don't care
u = user defined


R2 = 0	R3 = 1	for 0 WAIT STATES
R2 = 1	R3 = 0	for 1 WAIT STATE
R9 = 0		all $\overline{\text{RAS}}$ refresh
R9 = 1		staggered refresh

Design Timing # 1



TL/F/8736-2


Design Timing # 2



TL/F/9786-3

Access # 3 Access/Refresh Arbitration

**DRAM Speed Versus Processor Speed (DRAM Speed
References the RAS Access Time, t_{RAC} , of the DRAM
Using DP8422A-25 Timing Specifications)**



TL/F/9736-4

LIFE SUPPORT POLICY

Lit. # 100542

NATIONAL'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF THE PRESIDENT OF NATIONAL SEMICONDUCTOR CORPORATION. As used herein:

1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury to the user.
2. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.



National Semiconductor Corporation
1111 West Bardin Road
Arlington, TX 76017
Tel: 1(800) 272-9959
Fax: 1(800) 737-7018

National Semiconductor Europe
Fax: (+49) 0-180-530 85 86
Email: cnjwge@tevm2.nsc.com
Deutsch Tel: (+49) 0-180-530 85 85
English Tel: (+49) 0-180-532 78 32
Français Tel: (+49) 0-180-532 93 58
Italiano Tel: (+49) 0-180-534 16 80

National Semiconductor Hong Kong Ltd.
19th Floor, Straight Block,
Ocean Centre, 5 Canton Rd.
Tsimshatsui, Kowloon
Hong Kong
Tel: (852) 2737-1600
Fax: (852) 2736-9960

National Semiconductor Japan Ltd.
Tel: 81-043-299-2309
Fax: 81-043-299-2408