


**IBM Displaywriter System
Operator Reference Package
Index** Textpack 4/Reportpack



IBM

**IBM Displaywriter System
Operator Reference Package
Index** Textpack 4/Reportpack



First Edition (February, 1982)

Changes are periodically made to the information herein; these changes will be incorporated in new editions of this publication.

Publications are not stocked at the address below. Requests for copies of IBM publications and for technical information about the system should be made to your IBM representative or to the branch office serving your locality.

This publication could contain technical inaccuracies or typographical errors. Use the Reader's Comment Form at the back of this publication to make comments about this publication. If the form has been removed, address your comments to IBM Corporation, Information Development, Department 95H, Building 998, 11400 Burnet Road, Austin, Texas, 78758. IBM may use and distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

© Copyright International Business Machines Corporation, 1982

Index

A

abbreviations

menu bypass RG 2-18

active math format RG 2-112, RG 2-113,
RG 3-33

ADD key RG 1-17, RG 3-149, RG 3-150,
RG 3-151

add records

update file RG 3-257

add text RG 3-2

adding numbers RG 3-149, RG 3-150

negative RG 3-149

using column add RG 3-151

using row add RG 3-152

additional updates from combined

program diskette

menu RG 2-24

address,return WS-T 10-20

adjust display screen RG 1-9

adjust line endings RG 3-2

adjust page endings RG 3-3

alarm (see audible tones)

aligning a number at a decimal

tab stop RG 3-154

alignment of lines RG 3-145

alignment of columns

using Column Layout RG 3-49 to
3-57

text columns RG 3-50

text tables RG 3-248

alignment at tabs RG 3-244

center RG 3-246, RG 3-10

colon RG 3-247

comma RG 3-245

decimal RG 3-245

indented RG 3-247

left RG 3-244

normal RG 3-244

required tab RG 3-247

right RG 3-246

alternate format RG 2-87, RG 3-11,
WS-T 3-11, WS-T 10-22

changing

at the beginning of the document

for envelopes WS-T 10-4

on the program diskette WS-T 3-8,
WS-T 3-9

changing defaults

for documents WS-T 3-9

for envelopes WS-T 3-11

defaults RG 2-85, RG 3-11, RG 3-97

for bound copies WS-T 9-11

personalizing (see changing)

using (see choosing)

(see also formats and individual
work sample)

alternate keyboards RG 1-34

menu RG 2-163

(see also keyboard arrangements)

alternating headers and footers RG 3-13

menu RG 2-25, RG 2-26

And key (&) RG 1-30

selecting records RG 3-255

application keys RG 3-223

arithmetic (see math)

arrangements of keyboards RG 1-34,
RG 3-40

audible tones RG 1-34

auto adjust RG 2-163, RG 3-4

auto carrier return RG 2-163, RG 3-4

automatic feed RG 2-118, RG 2-120,

RG 2-131, RG 2-133, RG 2-98

automatic handling device

(see IBM Sheet-Feed Paper Handler)

average RG 2-113

figuring RG 3-161

inserting into a column RG 3-162

inserting into text RG 3-161

RG - Operator Reference Guide

PG - Printer Guide

WS-T - Work Station Procedures Guide, Textpack 4

WS-R - Work Station Procedures Guide, Reportpack

B

backspace (see BKSP key)
back up diskette WS-T 2-6
basic assurance test RG 1-39
batch menu access RG 3-5
batching work WS-T 2-1
beep (see audible tones)
begin keep RG 2-103, RG 3-131
begin spelling check RG 3-131,
RG 3-227
begin table RG 3-49 to 3-52,
RG 3-53, RG 3-54, RG 3-61, RG 3-250
BEGIN UND key RG 1-20, RG 3-253
begin using alternate format RG 2-88,
RG 3-35
begin using document format RG 2-88,
RG 3-35
bibliography WS-T 9-36
BKSP key RG 1-20, RG 3-7
REQD RG 1-20, RG 1-29, RG 3-212
blind carbon copies WS-T 10-12
blind carbon copy list WS-T 10-14
block overstrike (see overstrike)
blue button (see cancel button) PG 4,
PG 5
bond paper (see standard processing)
bottom margin text (see footers)
bound copies WS-T 9-11
boundary keys
down RG 1-24, RG 1-32
left RG 1-24, RG 1-32
right RG 1-24, RG 1-32
up RG 1-24, RG 1-32

C

cancel on error RG 2-131, RG 2-132,
RG 2-118, RG 2-119
cancel print job
how to RG 3-96
menu RG 2-141
cancel button PG 4, PG 5, PG 39
cancelled print job WS-T 5-11
CANCL key RG 1-17, RG 1-27, RG 3-8

carbon copies WS-T 10-8, WS-T 10-12
blind WS-T 10-12
carbon copies and
envelopes WS-T 10-12
cardholder PG 6, PG 7, PG 16, PG 41
care/cleaning
of display RG 1-9
of printer PG 33
carrier return RG 1-20
required RG 3-217
center alignment at tab RG 3-10,
RG 3-246
centered column RG 2-44, RG 2-57,
RG 3-49
centered headings over columns
RG 3-52, RG 3-53
centering RG 3-9
cover sheet on a page WS-T 9-25
table of contents WS-T 9-29
center tab RG 3-10, RG 3-246
change alternate format RG 2-59
how to RG 3-11
(see also formats)
menu RG 2-87
change alternate format defaults
RG 2-59, RG 2-154, WS-T 3-11
how to RG 3-19, RG 1-36, RG 3-11
(see also formats)
menu RG 2-85
change alternating headers and
footers RG 3-13
menu RG 2-25, RG 2-26
change character order for sorting
how to RG 3-18
menu RG 2-28
change check document defaults RG 2-154,
RG 3-18
menu RG 2-29
change diskette name RG 2-161,
how to RG 3-19
menu RG 2-31, RG 2-32
change document comment
how to RG 3-98
menu RG 2-59
change document format RG 2-154,
RG 2-59
how to RG 3-20

RG - Operator Reference Guide
PG - Printer Guide
WS-T - Work Station Procedures Guide, Textpack 4
WS-R - Work Station Procedures Guide, Reportpack

(see also formats)
 menu RG 2-87
 change document format defaults
 RG 2-154, WS-T 3-9
 how to RG 3-19, RG 1-36, RG 3-97
 menu RG 2-85
 of letters and other documents
 WS-T 3-9
 (see also formats)
 change document name RG 2-161
 how to RG 3-22
 menu RG 2-33
 change field description defaults
 how to RG 3-22
 menu RG 2-34
 change field order
 duplicate selected records RG 3-104
 change font light PG 39
 change format
 math RG 2-36, RG 3-32
 (see also format changes)
 change header and footer
 how to RG 3-23
 (see also change alternating header
 and footer)
 menu RG 2-95, RG 2-96
 change line format RG 2-106, RG 2-85,
 RG 2-87, RG 2-88, RG 2-90
 how to RG 3-27
 menu RG 2-106
 change margins and tabs RG 2-108,
 RG 2-85, RG 2-87, RG 2-88, RG 2-90
 how to RG 3-146, RG 3-241
 menu RG 2-108
 change math format RG 3-33, RG 3-162
 menu RG 2-36
 change math format defaults RG 2-154,
 RG 3-32
 menu RG 2-36
 change page format RG 2-85, RG 2-87,
 RG 2-88
 how to RG 3-34
 menu RG 2-127
 change paginate document defaults
 RG 2-154, RG 3-38
 menu RG 2-38
 change printer description RG 2-154
 how to RG 3-38
 menu RG 2-133
 change printer ribbon PG 8, PG 43
change printer ribbon message PG 8,
 PG 43
 change printing order RG 2-141
 how to RG 3-96
 menu RG 2-40
 change sign RG 2-113, RG 3-40, RG 3-162
 change tabs (see change margins
 and tabs)
 change text (see revise document)
 change typestyle RG 2-106, RG 2-88,
 RG 2-90, RG 3-251, RG 2-163
 change work station description
 RG 2-154
 how to RG 3-40
 menu RG 2-163
 keyboard arrangements RG 1-34
 listing RG C-1
 KYB CHG key RG 1-18, RG 3-143
 changing defaults (see change
 alternate format defaults and
 change document format defaults)
 changing paper WS-T 5-5
 character deleting RG 3-89
 character, exact RG 2-94, RG 3-119
 character field RG 3-111
 character order
 change for sorting RG 3-18
 menu RG 2-28
 character spacing, conversion
 ruler WS-T 3-2, WS-T 3-3
 characters per inch PG 10
 (see also IBM Conversion Ruler)
 character string RG 3-118
 check document task RG 2-148
 how to RG 3-42
 menu RG 2-41
 automatic mode RG 3-43
 prompted mode RG 3-42
 check spelling of word
 menu RG 2-43
 checking subtotals and
 grandtotals WS-T 13-18
 CHG FMT key RG 1-23, RG 2-88,
 RG 2-90, RG 2-92, RG 3-42

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

choices on a menu
 cancel RG 2-2
 change RG 2-2
 description RG 2-2
 enter RG 2-2
 choose sort order
 how to RG 3-47
 menu RG 2-146
 in duplicate selected records RG 3-104
 in merge file/text RG 3-176
 in output file RG 3-195
 choose spelling language
 dictionary RG 3-48
 choosing from a menu RG 2-2
 clean display RG 1-9
 cleaning the cardholder PG 33
 cleaning the element PG 33
 cleaning the printer cover PG 33
 clear supplement RG 2-148
 how to RG 3-48
 clearing a total RG 3-155
 clearing tabs RG 2-108, RG 3-244
 cm/mm, conversion ruler WS-T 3-2
 code, display RG 2-145, RG 3-219
 CODE key RG 1-19, RG 1-28, RG 1-15
 CODE + BKSP (see REQD BKSP key)
 CODE + hyphen (see REQUIRED
 hyphen)
 CODE + space (see REQUIRED
 space)
 CODE + tab (see REQUIRED tabs)
 colon alignment at tab RG 3-247
 COLUMN ADD key RG 1-18, RG 3-151
 column insert instructions
 RG 2-44, RG 3-57
 COLUMN key RG 3-49, RG 1-23
 column layout RG 3-49, WS-T 13-13
 column headings WS-T 13-5
 creating a table
 one column at a time RG 3-51
 one line at a time RG 3-51
 creating centered headings
 heading longer than column
 RG 3-53
 heading shorter than column
 RG 3-52
 existing table RG 3-59
 menu RG 2-57, RG 2-57
 columns
 dual language WS-T 13-29
 magazine formats WS-T 13-27
 text tables RG 3-248, WS-T 13-31
 using column layout
 copying RG 3-55, RG 3-80
 deleting RG 3-57
 inserting RG 3-57
 moving RG 3-190, RG 3-191
 revising RG 3-59
 shifting left RG 3-62
 shifting right RG 3-61
 combine feature selection
 menu RG 2-45, RG 2-46
 combine language selection
 menu RG 2-48, RG 2-49
 combined program diskette RG 3-62,
 WS-T 3-14
 creating RG 3-62
 duplicating (see duplicate program
 diskette)
 storing documents on RG 3-65
 updating
 for a new level textpack RG 3-66
 to add a feature or a
 language RG 3-69
 using RG 3-65
 combining documents RG 3-100
 comma alignment at tab RG 3-245
 comma separator (,) RG 1-19, RG 3-166
 comment (see document comment)
 comparison of textpacks RG 1-6
 condense diskette
 how to RG 3-72
 menu RG 2-51
 conditional text instructions
 RG 3-136, RG 3-172, WS-R 35
 CONSTNT key RG 1-17, RG 3-73
 constant math
 entering a constant RG 3-156
 figuring a percentage using
 constant RG 3-158
 using a constant RG 3-157
 contents (see diskette contents)
 continue printing with element
 now on printer RG 2-141

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

how to RG 3-73
 continuous form paper insertion
 PG 24
 CONTROL key RG 1-17, RG 1-27, RG 3-74
 conversion ruler WS-T 3-1, WS-T 3-2
 conversion rules
 menu RG 2-53
 selecting menu RG 3-77
 conversion table RG A-1
 convert document to file RG 3-75
 from CPU to Displaywriter WS-R 9
 from OS/6 to Displaywriter WS-R 39
 menu RG 2-55
 converting files
 from CPU to Displaywriter WS-R 9
 from OS/6 to Displaywriter WS-R 39
 copies (see print quantity)
 copies, carbon WS-T 10-8, WS-T 10-12
 copy average into total RG 2-113,
 RG 3-164
 copy constant into total RG 2-113,
 RG 3-163
 COPY key RG 3-79, RG 1-22
 copy total into constant RG 2-113,
 RG 3-163
 copying RG 3-79
 copying a column RG 3-55, RG 3-80
 copying a diskette (see duplicate
 diskette)
 copying a document (see duplicate
 document)
 copying the name and address
 to an envelope WS-T 10-25
 count records
 update file RG 3-260
 cover inserts PG 59
 cover sheet WS-T 9-20
 CR (see carrier return)
 create column layout RG 2-57
 create document RG 2-157
 how to RG 3-81
 menu RG 2-59
 create field description
 add to existing file RG 3-85
 menu RG 2-79
 new file RG 3-83
 create file description RG 3-83

menu RG 2-58
 create new combined program
 diskette RG 2-154 (see also
 combined program diskette)
 create or revise footer
 how to RG 3-23
 (see create or revise
 alternating header and footer)
 (see also instructions and
 INSTR key)
 menu RG 2-96
 create or revise header
 how to RG 3-23
 (see also create or revise
 alternating header and footer)
 (see also instructions and
 INSTR key)
 menu RG 2-96
 create paragraph library RG 3-184
 CTR key RG 1-19, RG 3-9
 cursor RG 1-12
 scale line cursor RG 1-12
 cursor movement keys RG 1-24, RG 1-32,
 RG 1-13
 cut sheet paper insertion PG 53
 without a paper support table PG 53
 remove PG 53
 with IBM sheet feed attached PG 98

D

dashes (see hyphen)
 data lost (see recover documents)
 data security WS-T 4-6, RG ii
 decimal aligned column RG 2-44,
 RG 2-57, RG 3-49, RG 3-54
 decimal alignment at tab RG 3-245
 decimal point character RG 2-36,
 RG 3-49, RG 3-33
 decimal tab WS-T 13-4
 underlining columns using WS-T 13-4
 (see also decimal alignment
 at tab)
 defaults RG 1-36, RG 2-152, RG 3-19
 change alternate format defaults

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

RG 2-85
 how to RG 3-11
 menu RG 2-59
 change document format defaults
 RG 2-85
 how to RG 3-19
 menu RG 2-59
 document/alternate formats RG 3-19
 header/footer RG 2-95
 IBM-supplied RG 1-36, RG 2-85
 keyboard arrangement RG 1-34
 work station description RG 3-40
 defaults, program diskette RG 1-36,
 RG 2-85
 definitions of terms and abbreviations
 RG Glossary
 DEL key RG 1-22, RG 1-30, RG 3-88
 delete a file from the diskette
 (see delete document task RG 3-87)
 delete document RG 2-161
 how to RG 3-88
 menu RG 2-61
 delete field description
 existing file RG 3-86
 menu RG 2-62
 new file RG 8-84
 delete file fields from record selection
 frame RG 3-93
 delete records
 update file RG 3-260
 delete text (see DEL key)
 deleting
 a column RG 3-88
 a section of text RG 3-91
 fields, using file duplication WS-R 45
 lines RG 3-90
 one character RG 3-89
 same word throughout the document
 RG 3-118
 spell highlighting RG 3-124
 through the end of page RG 3-91
 words RG 3-90
 deleting fields
 using file duplication WS-R 45
 description
 keys RG 1-14, RG 1-16
 menus RG 2-1
 diagnostic mode PG 39
 dictionary hyphenation RG 2-29,
 RG 2-98, RG 3-94
 direction keys (see cursor-movement
 keys)
 directory listings WS-T 13-21
 diskette RG 1-36
 back-up (data security) RG ii,
 WS-T 4-6
 condense RG 3-72
 contents
 display index RG 2-63, 2-157,
 RG 2-141, RG 3-95
 print index RG 2-141, RG 3-207,
 WS-T 4-9
 Diskette 1 RG 1-36
 Diskette 2D RG 1-36
 duplicate
 program RG 2-70, RG 3-102
 work RG 2-161, RG 2-66, RG 3-99
 erase
 program RG 2-76, RG 2-154,
 RG 3-110
 work RG 2-74, RG 2-75, RG 2-152,
 RG 2-161, RG 3-108
 filing devices WS-T 4-6
 handling RG 1-41
 initialize RG 3-108
 insert RG 1-37, RG 1-41
 load (see insert and IPL)
 memory record RG 1-37
 name RG 1-11, RG 1-36
 how to RG 3-108
 menu RG 2-74, RG 2-75, RG 2-68
 change diskette name RG 2-154
 how to RG 3-19
 menu RG 2-31, RG 2-32
 naming and filing WS-T 4-2
 daily WS-T 4-2
 filed by department/author WS-T 4-4
 filed by document/format WS-T 4-4
 filed by operator WS-T 4-4
 problem determination RG 1-37
 program RG 1-36, RG 1-34
 recover RG 3-210
 remove RG 1-38
 slot RG 1-35, RG 2-32, RG 2-75,

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

RG 2-138
 unit RG 1-35
 dual RG 1-35
 single RG 1-35
 unload (see remove)
 use to IPL RG 1-39
 work RG 1-36, WS-T 4-2
 display codes RG 2-145, RG 3-219
 display index of diskette contents
 RG 2-157, RG 2-141
 how to RG 3-95
 menu RG 2-63
 display module RG 1-9
 format RG 1-10
 how to adjust RG 1-9
 how to clean RG 1-9
 display print queue or cancel print job
 RG 2-141
 how to RG 3-96
 menu RG 2-65
 display records
 revise or display RG 3-259
 display station RG 1-8
 display symbol RG 1-11, RG B-1
 DIVIDE key RG 1-18, RG 3-149, RG 3-155
 dividing RG 3-155, RG 3-73
 division of numbers RG 3-155
 document
 assembly (see Merge—Paragraph
 Library)
 check spelling RG 3-42
 coding WS-T 4-1
 comment RG 2-59, RG 3-97, WS-T 4-9
 create RG 2-59, RG 2-161, RG 3-81
 delete RG 2-61, RG 3-87
 duplicate RG 2-68, RG 3-99
 format RG 2-87, RG 2-59, RG 3-97
 WS-T 10-1
 defaults RG 2-85, RG 3-97,
 RG 3-11
 measurements chart WS-T 3-5
 name RG 1-10, RG 3-98
 change document name RG 2-161
 how to RG 3-22
 menu RG 2-33
 normal end (see END key)
 numbering RG 3-23
 (see also INSTR key)
 paginate RG 3-203
 print document task RG 3-205
 PRINT key RG 3-207
 recover RG 3-210
 renumber RG 3-23, RG 3-211
 review RG 3-217
 revise RG 3-217
 samples WS-T 7-1
 made up of repetitive paragraphs
 WS-T 12-1
 multi-page
 bibliography WS-T 9-26
 cover sheet WS-T 9-20
 letters (see letter
 and envelopes)
 manual pagination WS-T 9-17
 table of contents WS-T 9-23
 tables and columns WS-T 13-6,
 WS-T 13-7
 document to file
 converting RG 3-75
 menu RG 2-55
 conversion rules
 menu RG 2-53
 documents, combining RG 3-100
 documents with footnotes WS-T 9-27
 tables with flush right margins
 WS-T 13-10
 double spacing RG 3-27, RG 2-106
 double underline RG 3-254, WS-T 13-5
 equal sign key RG 3-254
 KYB CHG key RG 3-255, RG 3-256
 IBM 5215 RG 3-255
 IBM 5218 RG 3-256
 underline key RG 3-254
 down, 1/2 RG 1-20, RG 3-125
 dual diskette unit RG 1-35
 dual language columns WS-T 13-33
 duplicate data from combined
 program diskette RG 2-24, RG 3-98
 duplicate diskette RG 2-161
 how to RG 3-99
 menu RG 2-66
 duplicate document RG 2-161
 how to RG 3-99
 menu RG 2-68

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

- combine documents RG 3-100
- duplicate machine setup RG 2-154
 - how to RG 3-101
- duplicate program diskette RG 2-154, WS-T 3-16
 - how to RG 3-102
 - menu RG 2-70
- duplicate selected records RG 3-103
 - menu RG 2-72
- duplicate spelling supplement RG 2-154, RG 3-105
- duplicating
 - personalized formats WS-T 3-7
- duplicating fields
 - duplicate selected records RG 3-103
- duplication of files
 - creating backup diskettes WS-R 11

E

- electronics module RG 1-14
- element PG 6, PG 10
 - remove element PG 11
- element description PG 10
- element release lever PG 10, PG 11
- element removal PG 11
- elite, conversion ruler WS-T 3-3
- end keep RG 2-103, RG 3-131
- END key RG 1-17, RG 1-27, RG 3-107
- end spelling check RG 3-131, 3-227
- end table RG 3-49, RG 3-253, RG B-2
- END UND key RG 1-20, RG 3-253
- enter ID RG 2-1, RG 2-2
- ENTER key RG 1-20, RG 1-29, RG 3-108
- enter YOUR CHOICE RG 2-2
- envelope size RG 2-127, RG 3-34
- envelopes WS-T 10-4, WS-T 10-17
 - changing alternate format WS-T 3-11, WS-T 10-4
 - choosing alternate format WS-T 10-4
 - copying the name and address from the letter to the envelope WS-T 10-22
 - with typed return addresses WS-T 10-20

- envelopes processing (see standard processing)
- Equal key (=) RG 1-30
 - selecting records RG 3-223
- equal sign key
 - used to double underline RG 3-254
- erase (see DEL key)
- erase a document (see delete document)
- erase or initialize (name) diskette
 - how to RG 3-108, RG 3-109
 - menu RG 2-74, RG 2-75
- erase program diskette RG 2-154
 - how to RG 3-110
 - menu RG 2-76
- error
 - cancel printing RG 2-65, RG 2-141, RG 3-96
 - error document RG 3-76, RG 3-77
 - error file
 - duplicating selected records RG 3-103
 - exact character RG 2-94, RG 3-119
 - exit tray PG 96

F

- feature diskette tasks
 - menu sequence RG 2-13
- feature tasks
 - menu RG 2-78
 - menu sequence RG 2-13
- field description
 - creating a field description
 - existing file RG 3-85
 - menu RG 2-79
 - new file RG 3-83
 - deleting a field description
 - existing field RG 3-86
 - menu RG 2-62
 - new field RG 3-84
 - revising a field description
 - existing file RG 3-84
 - menu RG 2-143
 - new file RG 3-86
- field description defaults
 - changing defaults RG 3-22

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

menu RG 2-34
 field headings/names
 printing a list of field names
 WS-R 15
 field length
 maximum RG 3-111, RG 3-112
 field or variable empty RG 3-172
 field or variable not empty RG 3-173
 field type
 character field RG 3-111
 math field RG 3-111
 text field RG 3-112
 fields
 checking spelling WS-R 91
 deleting fields WS-R 45
 making major revisions WS-R 81
 rearranging fields for revision
 WS-R 19
 sorting on more than five WS-R 77
 using Global Replace/Delete WS-R 81
 file description
 create RG 3-83
 menu RG 2-58
 revise RG 3-85
 menu RG 2-144
 file listing
 in a letter WS-R 71
 file report instructions
 menu RG 2-81
 page heading RG 3-135
 record detail RG 3-135
 record group definition RG 3-135,
 RG 3-171
 record group summary RG 3-135,
 RG 3-171
 report preface RG 3-135
 report summary RG 3-135, RG 3-171
 file reports RG 3-169
 page numbering WS-R 87
 preventing separation of groups
 WS-R 49
 printing a group on each page WS-R 57
 file setup
 store/recall
 menu RG 2-150
 recall file setup RG 3-209,
 RG 3-215
 store file setup RG 3-214,
 RG 3-232
 files
 adding records WS-R 19
 backing up files WS-R 11
 condensing WS-R 7
 converting from CPU to Displaywriter
 WS-R 9
 converting from OS/6 to Displaywriter
 WS-R 39
 deleting fields WS-R 45
 duplication of files WS-R 11
 outputting to diskette WS-R 13
 printing using different formats
 WS-R 63
 rearranging fields for revision
 WS-R 19
 revising records WS-R 19
 sorting on more than five fields
 WS-R 77
 fill-in
 document WS-T 9-15, WS-T 14-26
 used with form letter in merge task
 creating RG 3-179
 merging with shell RG 3-180
 used with paragraph library in merge
 creating RG 3-183
 merging with shell RG 3-183
 used with paragraph library that
 contains variable names
 creating RG 3-185
 merging with shell RG 3-186
 filled in forms WS-T 14-17
 filing devices WS-T 4-6
 FIND key RG 1-24, RG 1-33, RG 3-113
 finish a document (see END key)
 first footer line RG 2-25, RG 2-26
 RG 2-95, RG 2-96
 first header line RG 2-25, RG 2-26
 RG 2-95, RG 2-96
 first status line information RG B-1,
 RG 1-10
 first typing line, first page RG 2-127,
 RG 3-34
 first typing line, following pages
 RG 2-127, RG 3-34
 flush left column RG 2-44, RG 2-57,

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

RG 3-54
 flush right column RG 2-44, RG 2-57,
 RG 3-54
 footers WS-T 9-15
 change alternating footer RG 3-13,
 RG 2-26, RG 2-85, RG 2-87, RG 2-88
 change footer RG 3-23, RG 2-85,
 RG 2-87, RG 2-88, RG 2-96
 create or revise footer RG 3-23,
 RG 2-95, RG 2-96, RG 2-85, RG 2-87,
 RG 2-88
 format RG 3-23
 menu RG 2-25, RG 2-26
 (see also instructions and INSTR key)
 footnotes WS-T 9-27 (see also footers)
 form letters
 using the merge task RG 3-177
 forms
 using a file to print forms WS-R 43
 format changes RG 3-114, RG 2-7
 multiple format changes at the
 same location RG 3-115
 (see also CHG FMT key)
 format selection
 menu sequence using CHG FMT
 RG 2-7
 menus RG 2-85, RG 2-87, RG 2-88,
 RG 2-90, RG 2-92
 formats RG 3-114
 alternate RG 2-87, RG 3-13,
 WS-T 3-11, WS-T 10-22
 changing at the beginning of the
 document RG 3-19, RG 3-20,
 WS-T 10-4
 changing defaults WS-T 3-9,
 WS-T 3-11
 default formats WS-T 3-9, WS-T 3-11
 defaults RG 1-36, RG 2-2, RG 2-85,
 WS-T 10-4
 description RG 3-114
 document RG 2-87, RG 3-20
 footer RG 2-95, RG 2-96, RG 3-23,
 RG 3-13, RG 2-25, RG 2-26
 format changes RG 3-114
 header RG 2-95, RG 2-96, RG 3-23,
 RG 3-13, RG 2-25, RG 2-26
 line RG 2-106, RG 3-27

page RG 2-127, RG 3-34
 samples WS-T 6-4
 standardizing WS-T 3-7
 typestyle RG 1-12, RG 2-92,
 RG 3-251
 formats WS-T 2-4, WS-T 3-4
 forms WS-T 14-1
 changing tab settings in
 middle of a form WS-T 14-15
 choosing paper size WS-T 14-5
 conversion ruler WS-T 14-4
 filled in WS-T 14-17
 line spacing WS-T 14-3
 measuring for tabs and margins
 WS-T 14-2, WS-T 14-4, WS-T 14-21
 preparing your own WS-T 14-7
 special considerations WS-T 14-5
 using merge WS-T 14-20
 with named variables WS-T 14-9
 with stop codes WS-T 14-10
 forms, filled in WS-T 14-17
 from diskette name RG 2-51, RG 2-66
 from program diskette name RG 2-70
 function RG 1-10, RG 1-15
 functional comparison of textpacks
 RG 1-6

G

GET key RG 1-23, RG 3-116, WS-T 12-15
 menu RG 2-93
 insert included text RG 3-117,
 WS-T 12-21
 ghost cursor (see scale line cursor)
 global changes WS-T 9-1
 GLOBAL key RG 1-25, RG 3-118,
 WS-T 9-1
 global replace/delete RG 3-118
 automatic RG 3-123
 cancelling RG 3-124
 menu RG 2-94
 prompted RG 3-121
 cancelling RG 3-123
 GO TO key RG 1-25, RG 3-124
 go to task selection RG 2-148,

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

RG 2-154, RG 2-157, RG 2-161
 grand-total RG 3-154, WS-T 13-18
 Greater Than key (>) RG 1-30
 selecting records RG 3-224
 green button (see start button) PG 5
 green light (see ready light) PG 5
 grouping information
 preventing separation of groups
 WS-R 49
 printing a group on each page
 WS-R 57
 groups of keys RG 1-16

H

half-justify RG 2-106, RG 3-29,
 WS-T 7-3, WS-T 7-4
 half index down key (1/2 ↓) RG 1-20,
 RG 3-125, WS-T 14-5
 half index up key (1/2 ↑) RG 1-19,
 RG 3-125, WS-T 14-5
 header and footer RG 3-23, WS-T 9-15,
 WS-T 12-24
 additional considerations WS-T 9-5
 menu RG 2-95, RG 2-96
 (see also alternating header and
 footer)
 headers
 change header and footer
 how to RG 3-25
 create or revise header RG 3-23
 menu RG 2-95, RG 2-96,
 RG 2-25, RG 2-26
 (see also instructions and
 INSTR key)
 headings
 change from page to page WS-T 13-5
 multi-page tables WS-T 13-7
 headings, centered over columns
 RG 3-52, RG 3-53
 highlight
 cursor in text RG 1-11
 OVERSTRIKE RG 3-196
 prompt line RG 1-10
 scale line cursor RG 1-12

text
 check document task RG 3-42
 COPY RG 3-79
 DEL RG 3-88
 MOVE RG 3-189
 YOUR CHOICE RG 2-1
 how-to steps RG 3-1, RG 2-1
 hyphen
 coded, noncoded RG 2-163
 required RG 2-163, RG 3-126
 syllable RG 2-163, RG 3-126
 hyphenate and paginate document
 RG 3-127
 menu RG 2-98
 hyphenating words RG 3-126
 hyphenation RG 3-126
 dictionary RG 3-94
 hyphenation/pagination (in spelling
 tasks) RG 2-29, RG 2-41, RG 3-129

I

IBM Conversion Ruler WS-T 3-1,
 WS-T 3-2, WS-T 14-3
 IBM DIRECT WS-T 4-8
 IBM ID Labels WS-T 4-7
 IBM licensed program products RG 1-36
 IBM 5215 Selectric Element Printer
 WS-T 14-5, WS-T 14-6, WS-T 14-18
 IBM 5215 "Selectric" Element Printer
 Features PG 5, PG 6
 IBM 5218 Printwheel Printer PG 37
 totypes PG 121
 IBM sheet feed paper handler PG 89,
 WS-T 5-13
 installation PG 89
 IBM-supplied defaults RG 1-36, RG 2-1
 IBM tractor feed PG 59
 IBM 5218 Printwheel Printer
 WS-T 5-1, WS-T 14-5, WS-T 14-6
 ID RG 2-1
 Ignore Character key RG 1-30
 selecting records RG 3-225
 Ignore Rest key RG 1-30
 selecting records RG 3-226

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

impression control - PG 6
 inches WS-T 3-2
 include
 instruction RG 3-129, RG 3-138,
 WS-T 9-13, WS-T 12-6, WS-T 12-21,
 WS-T 12-30, WS-T 12-43
 menu RG 2-100
 resolve during Get RG 3-117
 indented document samples WS-T 8-1
 indented paragraphs WS-T 8-2
 with a heading in the left margin
 WS-T 8-7
 with more than one indent level
 WS-T 8-5
 with numbers WS-T 8-3
 with Roman numerals WS-T 8-4
 with the first line at the left
 margin WS-T 8-6
 with the right margin moved in
 WS-T 8-8
 indented text RG 3-247, WS-T 8-1
 index of diskette contents RG 3-95,
 WS-T 5-9
 display index RG 3-95
 menu RG 2-63
 print index RG 3-207
 INDEX key RG 1-20, RG 1-29
 initial program load (IPL) RG 1-39,
 RG 3-129
 initialize diskette
 how to RG 3-108
 menu RG 2-74, RG 2-75
 insert diskette RG 1-37
 insert included text RG 2-93,
 RG 3-116
 inserting a column RG 3-57, RG 2-44
 inserting paper PG 7
 inserting paper in a pinfeed platen
 PG 24
 inserting text RG 3-2
 inserting the total RG 3-151
 into a column after using
 column add RG 3-153
 into a column after using
 row add RG 3-153
 into a document RG 3-151
 INSERT/REPLACE key RG 1-20, RG 3-130

install a new ribbon PG 8, PG 44
 install a used ribbon PG 9
 INSTR key RG 1-23, RG 1-30, RG 3-131
 in a file text field
 RG 3-138
 when creating or revising a document
 RG 3-131
 when typing a header or footer
 RG 3-138
 instructions
 menu RG 2-102, RG 2-103
 menu sequences
 when creating or revising a header
 or footer RG 2-10
 when creating or revising text
 RG 2-9
 (see also INSTR key)
 invalid choice RG 2-1
 IPL RG 1-39, RG 3-129
 ITEM RG 2-1
 item count RG 2-113, RG 3-151

J

job (see document)
 job priorities WS-T 5-5
 justified documents WS-T 7-3, WS-T 7-4
 justify/half-justify RG 2-106,
 RG 3-139, WS-T 7-3, WS-T 7-4

K

keep instructions RG 2-103, WS-T 9-3
 (see also begin keep or end keep)
 keeping a group of words together
 on a line WS-T 7-5
 keeping a section of text together
 during pagination WS-T 9-3
 key RG 1-14
 cursor movement RG 1-13
 groups RG 1-16
 KEY SAVE key RG 1-18, RG 3-140
 KEY PLAYBCK key RG 1-18, RG 3-141,

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

WS-T 13-21
 keyboard RG 1-14
 arrangements RG 1-34
 listing RG C-1
 change (see KYB CHG)
 defaults RG 3-20, RG 3-11
 ID number RG 1-12, PG 27, PG 30
 module RG 1-14
 key groups RG 1-16
 keystroke save RG 3-140
 changing saved keystrokes RG 3-142
 correcting mistakes during RG 3-141
 playing back saved keystrokes
 RG 3-142
 saving keystrokes RG 3-140
 kind of match RG 2-94, RG 3-118
 kind of search RG 2-94, RG 3-118
 kind of spelling check RG 2-29,
 RG 2-41, RG 3-143
 KYB CHG key RG 1-18, RG 1-27,
 RG 1-34, RG 3-143
 change work station description
 RG 3-40
 double underlining RG 3-254,
 RG 3-255
 keyboard arrangements RG 1-34
 listing RG C-1

L

language for spelling check instruction
 menu RG 2-105
 how to use RG 3-132, RG 3-229
 last typing line RG 2-127, RG 3-34,
 RG 3-36
 LAYOUT key RG 1-23, RG 2-44, RG 2-57,
 RG 3-49, RG 3-50, RG 3-51, RG 3-52,
 RG 3-53, RG 3-56 to RG 3-60
 Text Tables 3-248
 leaving a menu RG 2-3
 left alignment at tab RG 3-244
 left margin (see margins)
 left margin, temporary (see indented
 tabs)
 Less Than key (<) RG 1-31

 selecting records RG 3-224
 letter and envelope WS-T 10-1
 copying the name and address from
 the letter to the envelope
 WS-T 10-22
 using the alternate for the
 envelope WS-T 10-4
 using document format for the
 envelope WS-T 10-1
 using document format for the
 letter WS-T 10-1
 using merge WS-T 12-47
 letter with blind carbon copies
 and envelopes WS-T 10-12
 letter with carbon copies and
 envelopes WS-T 10-8
 letters
 containing file listings WS-R 71
 letters, form (see also repetitive
 documents)
 using the merge task RG 3-177 to
 3-189
 licensed program products RG 1-36
 LINE ADJ key RG 1-22, RG 3-145
 line
 adjust endings RG 2-106, RG 2-129,
 RG 2-38, RG 3-3
 alignment RG 2-106, RG 3-2
 format
 change line format RG 2-85,
 RG 2-87, RG 2-88, RG 3-27
 how to RG 3-28
 menu RG 2-106
 length (see margins)
 number RG 1-11
 prompt RG 1-14
 scale RG 1-12
 spacing RG 2-106, RG 3-27
 status RG 1-10, RG B-1
 lines
 deleting RG 3-90
 overstriking RG 3-198
 lines/cm or inches RG 2-106, RG 3-31
 list of variable names WS-T 12-26
 load PG 49
 load diskette RG 1-37
 load paper in printer message PG 7

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

load paper light PG 39
 load program RG 1-39, RG 3-129
 load supplement RG 2-148
 how to RG 3-145
 loading paper into the IBM tractor
 feed PG 65
 look at document (see review
 document)
 lost data (see recover documents)

M

machine setup
 duplicate machine setup RG 2-154
 how to RG 3-101
 (see also formats)
 update RG 2-24, RG 3-262
 maintaining the printer PG 33
 manual feed RG 2-118, RG 2-120,
 RG 2-127, RG 2-131, RG 2-134
 manually loading paper with the
 tractor feed attached PG 75
 manually paginating
 a document WS-T 9-17
 a table WS-T 13-5
 margin text (see headers and footers)
 margins
 creating a more even
 right margin WS-T 7-3
 flush right margins WS-T 13-10
 how to change RG 3-146
 left WS-T 7-3
 menu RG 2-108
 right WS-T 7-3, WS-T 8-8
 (see also formats)
 math RG 3-149 to 3-164
 adding RG 3-150, RG 3-159
 using column add RG 3-151
 using row add RG 3-152
 aligning numbers at a
 decimal tab stop RG 3-154
 average RG 2-113
 figuring RG 3-161
 inserting into a column RG 3-162
 inserting into text RG 3-161

clearing a total RG 3-155
 constant RG 3-156
 dividing RG 3-155, RG 3-157
 field RG 3-111
 format RG 2-112
 grand-total RG 3-154
 inserting the total
 into a column after using
 column add RG 3-153
 into a column after using
 row add RG 3-153
 into a document RG 3-151
 instruction
 menu RG 2-110
 to use RG 3-134, RG 3-174
 item count RG 2-113, RG 3-151
 multiplying RG 3-155, RG 3-157
 negative numbers RG 3-149
 percentages RG 3-158
 figuring RG 3-159
 figuring and adding to the total
 RG 3-159
 figuring and subtracting from
 the total RG 3-160
 figuring using the constant
 RG 3-158
 inserting into text RG 3-151
 requests RG 2-113, RG 3-162
 subtotal RG 3-154
 subtracting RG 3-150, RG 3-160
 math defaults RG 3-33
 menu RG 2-112
 math field RG 3-111
 math format selection
 menu RG 2-112
 math format selections RG 2-112
 math instruction
 menu RG 2-110
 to use RG 3-134, RG 3-174
 MATH REQUEST key RG 1-17, RG 2-113,
 RG 3-162
 math requests RG 2-113, RG 3-162
 maximum field length RG 3-111,
 RG 3-112
 menu area RG 1-13
 menu bypass RG 3-164
 abbreviations RG 2-18

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

- using RG 3-164, RG 3-165
- menu listing RG 2-20
- names RG 2-21
 - individual menus RG 2-24
- menus RG 2-1, RG 2-3
 - abbreviations RG 2-18
 - bypassing RG 3-5, RG 3-164
 - description RG 2-1
 - how to choose from RG 2-2
 - how to leave RG 2-3
- menu sequences RG 2-3
- merge
 - changing headers and footers WS-T 12-24
 - cycle 1 WS-T 11-13, WS-T 11-14
 - cycle 2 WS-T 11-13, WS-T 11-20
 - documents WS-T 12-24
 - getting variable name for frequently used form letters RG 3-181
 - merging shell with fill-in RG 3-180
 - form letters with variable names RG 3-177
 - creating shell RG 3-178
 - creating variable name RG 3-178
 - changing variable name RG 3-179
 - with stop codes WS-T 11-3
 - creating fill-in RG 3-179
 - paragraph library
 - creating RG 3-184
 - creating fill-in RG 3-185
 - creating shell RG 3-184
 - merging shell and fill-in RG 3-186
 - paragraphs with variable
 - creating variable name RG 3-186
 - creating fill-in RG 3-187
 - information RG 3-186
 - merging shell and fill-in RG 3-188
 - restarting cancelled merge job RG 3-189
 - typing forms WS-T 14-20
- merge file/text task RG 3-167
 - adding conditional text RG 3-172
 - file reports RG 3-169
 - creating a shell document RG 3-169
 - menu RG 2-115
 - merging a shell document with the file RG 3-176
 - multi-column file listing RG 3-174
 - creating a shell document RG 3-175
 - repetitive letters RG 3-167
 - creating a shell document RG 3-168
 - merge tasks RG 3-177
 - menu RG 2-117
 - menu sequence RG 2-15
 - merge with named variables RG 3-177 to 3-189
 - menu RG 2-118
 - merge with switch codes RG 2-120
 - merging to create letters WS-T 12-47
 - merging to create envelopes WS-T 12-47
 - message
 - audible tone RG 1-34
 - line RG 1-10, RG 1-14
 - message key (see MSG key)
 - metric conversion table RG A-1
 - module
 - display RG 1-9
 - electronics RG 1-14
 - keyboard RG 1-14
 - MOVE key RG 1-22, RG 1-30, RG 3-189
 - moving columns RG 3-190
 - to a different table RG 2-191
 - within the same table RG 3-190
 - moving file fields RG 3-193
 - moving tabs RG 2-108, RG 3-243
 - moving text RG 3-190
 - movement keys
 - cursor RG 1-24
 - screen RG 1-24, RG 3-220
 - MSG key RG 1-18, RG 1-27, RG 3-193
 - multi-column file listing
 - creating the shell document RG 3-175
 - menu RG 2-123
 - merging the shell document with a file RG 2-176
 - uses RG 3-135
 - multi-line variable information
 - WS-T 14-8, WS-T 14-9
 - keeping text together during

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

pagination WS-T 9-3
 multi-page document samples WS-T 9-1
 bibliography WS-T 9-36
 cover sheet WS-T 9-20
 footnotes WS-T 9-27
 headings WS-T 13-7
 letter (see letter and envelope)
 table of contents WS-T 9-23
 tables and columns WS-T 13-7
 with manual pagination WS-T 9-17
 multiplying numbers RG 3-155, RG 3-157
 MULTIPLY key RG 1-17, 3-155

N

name
 change diskette name RG 2-161
 how to RG 3-19
 menu RG 2-31, RG 2-32
 change document name RG 2-161
 how to RG 3-22
 menu RG 2-33
 diskette RG 1-11
 how to RG 3-108, RG 3-109
 menu RG 2-74, RG 2-75
 document RG 1-11, RG 3-81
 change document name RG 2-161
 how to RG 3-22
 menu RG 2-33
 name and address from the
 envelope WS-T 10-22
 name of program diskette to be erased
 RG 2-76
 named variables WS-T 11-12, WS-T 11-16
 naming and filing
 work diskettes WS-T 4-2
 negative numbers
 leading and trailing characters
 RG 2-36
 how to type RG 3-149
 NEXT VARIABL key RG 1-20, RG 1-29,
 RG 3-193, RG 3-194
 new document name RG 2-33
 new name for diskette RG 2-31,
 RG 2-32

new program diskettes WS-T 3-16
 noncoded carrier return RG 2-163,
 RG 3-4, RG 3-40
 noncoded hyphen RG 2-163, RG 3-126,
 RG 3-40
 nontyping area RG B-2
 normal end of document (see END key)
 Not Equal key (≠) RG 1-31
 selecting records RG 3-224
 number
 of copies (see print quantity)
 document RG 3-203
 line RG 1-11
 of positions past decimal RG 2-112,
 RG 3-32, RG 3-33, RG 3-162,
 RG 3-163
 page RG 1-11, RG 2-102, RG 3-202
 preserve page RG 3-203
 system page RG 1-11, RG 3-203,
 RG 2-102
 typestyle RG 2-90, RG 2-106,
 RG 3-251
 numbered paragraphs WS-T 8-3
 numbers (see also math)
 aligned in tables using column
 layout RG 3-49
 leading and trailing characters
 RG 2-36
 negative RG 3-149
 using decimal alignment RG 3-245
 numbers with graphics WS-T 3-7
 whole numbers and graphics WS-T 13-8

O
 on line light PG 39
 on/off switch PG 5, RG 1-14
 optional features PG 13
 (see pinfeed platen, roll paper
 holder, paper rack)
 Or key (|) RG 1-31
 selecting records RG 3-224
 ordering
 IBM supplies RG 1-2
 training and reference materials

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

RG 1-3
 original documents WS-T 2-3
 outline format WS-T 8-4
 output file task RG 3-194
 menu RG 2-125
 selecting records and fields RG 3-196
 sorting output RG 3-195
 to diskette RG 3-195
 to printer RG 3-194
 outputting files
 to diskette WS-R 13
 convert document to file task
 RG 3-77
 merge file/text task RG 3-176
 output file task RG 3-195
 to printer
 merge file/text task RG 3-176
 output file task RG 3-194
 using different formats WS-R 63
 overstrike RG 3-196
 character RG 3-196
 deleting overstrike instruction
 RG 3-201
 deleting text that has been
 overstruck RG 3-201
 line RG 3-198
 section of text RG 3-199
 text through the end of a page
 RG 3-199
 word RG 3-197
 several words RG 3-198
 OVERSTRIKE key RG 1-22, RG 3-196
 overview of system RG 1-1

P

page
 change page format
 how to RG 3-33
 menu RG 2-127
 characters surrounding the
 number WS-T 9-8
 deleting text through the
 end of a page RG 3-91
 number RG 2-102, RG 3-23

numbering RG 3-203,
 WS-T 9-7, WS-T 9-9
 overstriking text through
 the end of a page RG 3-199
 starting over with page 1 in
 each section WS-T 9-9
 with another character or word
 PAGE END key (see also formats)
 RG 1-23, RG 3-201
 REQD RG 1-23, RG 3-213
 menu RG 2-127
 page format RG 2-127
 page heading instruction RG 3-135
 page numbering (see also system
 page number) WS-T 9-7, WS-T 9-9
 characters surrounding the
 number WS-T 9-8
 file reports WS-R 87
 starting over with page 1
 in each section WS-T 9-9
 paginate document RG 3-203
 menu RG 2-129
 paginate document defaults WS-T 3-11
 paginate from page RG 2-129
 paginate, hyphenate, spell check
 from page RG 2-98
 paginate on exact line count RG 3-204,
 RG 2-29, RG 2-163
 paginating
 automatically WS-T 3-11, WS-T 3-18,
 WS-T 13-6
 manually WS-T 9-17, WS-T 13-5
 a table WS-T 13-6
 multipage tables WS-T 13-7
 repetitive paragraphs
 documents made up with STOP codes
 WS-T 12-5, WS-T 12-18
 tables with separate headings
 WS-T 13-6

paper
 advance PG 38
 bail PG 5, PG 7
 bail lever PG 5, PG 7
 bar PG 17 to 19, PG 7
 clamps PG 25
 edge guide PG 95
 guide PG 5, PG 7

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

guide rollers PG 23, PG 28
 handling RG 2-133, RG 2-98
 handling devices WS-T 4-7, WS-T 5-13
 insertion PG 7
 insertion gate PG 97, PG 98
 misfeed PG 100
 or envelope size RG 2-127
 release lever PG 2, PG 3, PG 5,
 PG 13
 removal PG 7
 return PG 38
 separator PG 21, PG 22
 separator gate PG 24
 size WS-T 14-5
 specifications PG 127
 stacker PG 29
 support table PG 2, PG 3, PG 5
 tear bar PG 13
 paper path
 input jam PG 101
 output jam PG 100
 paragraph indent (see indented
 paragraphs)
 paragraph library
 for use with merge
 creating RG 3-184, WS-T 12-8
 creating a reference copy WS-T 12-8
 creating fill-in document RG 3-185
 creating shell document RG 3-184
 merging shell and fill-in RG 3-186
 more than ten paragraphs WS-T 12-30
 with named variables WS-T 12-5
 with STOP codes WS-T 12-11
 with variable information
 creating fill-in document
 RG 3-187
 creating shell document RG 3-187
 creating variable name in
 paragraph RG 3-186
 merging shell and fill-in
 RG 3-188
 restarting a cancelled merge
 document RG 3-189
 paragraphs, repetitive WS-T 12-1
 with STOP codes WS-T 12-5
 with variable names WS-T 12-5
 pattern letters (see repetitive
 documents)
 percent available RG 2-63
 percent unusable RG 2-63
 percentages RG 3-158
 figuring RG 3-159
 figuring and adding to the total
 RG 3-159
 figuring and subtracting from
 the total RG 3-160
 figuring using the constant
 RG 3-158
 inserting into text RG 3-151
 personalized
 setup RG 1-36
 math defaults RG 3-33
 personalizing
 document format WS-T 3-9
 program diskette defaults WS-T 3-8
 pica, conversion ruler WS-T 3-3
 pinfeed platen PG 13
 install a pinfeed platen PG 13
 pitch RG 1-12, PG 10
 to change (see change line format)
 pitch (15) WS-T 3-3
 pitch indicator PG 10, PG 47
 planning your work WS-T 2-1
 plastic strip PG 96
 platen PG 13
 platen knobs PG 5, PG 14, PG 20
 platen release levers PG 15
 positive numbers
 leading and trailing characters
 RG 2-36
 POSSIBLE CHOICES RG 2-1, RG 2-2
 power light PG 5
 power on light PG 31
 power switch RG 1-14, RG 1-39,
 PG 38
 prepare diskette for typing RG 1-36
 how to RG 3-108
 menu RG 2-74, RG 2-75
 preserve page numbers RG 3-203
 print document RG 2-157, RG 2-141
 how to RG 3-205
 menu RG 2-131
 change printing order RG 2-40
 how to RG 3-96

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

(see also PRINT key)
 menu RG 2-40
 print document options WS-T 5-3
 print footer on RG 2-95, RG 2-96,
 RG 2-25, RG 2-26
 how to RG 3-23, RG 3-13
 print from page RG 2-131, RG 3-205
 print header on RG 2-95, RG 2-96
 RG 2-25, RG 2-26
 how to RG 3-23, RG 3-13
 print index of diskette contents
 RG 2-161
 example RG 3-207
 print job
 cancel RG 2-65, RG 3-96
 display RG 2-65, RG 3-96
 PRINT key RG 1-18, RG 3-207,
 WS-T 5-1 (see also print document)
 print merged document RG 2-118,
 RG 2-120, RG 3-180, RG 3-186,
 RG 3-188
 print numbers on document
 RG 3-23, RG 3-138, RG 3-203
 (see also INSTR key and
 instructions menu sequences)
 print paginated pages RG 2-29,
 RG 2-98, RG 3-208
 print quantity RG 2-131
 print queue WS-T 5-3
 description RG 2-65
 display RG 3-96
 menu RG 2-65
 (see also print document)
 print test PG 39
 print through page RG 2-131
 printer description
 how to change RG 3-38
 menu RG 2-133
 printer element descriptions
 non-U.S. PG 30 to 32
 U.S. PG 27 to 29
 printer exception light PG 39
 printer features PG 2
 IBM 5215 "Selectric" Element Printer
 PG 5
 IBM 5218 Printwheel Printer PG 38,
 PG 39

printer message description
 PG 115 to 118
 printer model RG 2-133
 printer schedule WS-T 5-4
 printer sharing WS-T 4-4, WS-T 5-1
 printers
 changing paper WS-T 5-5
 IBM 5215 Selectric Element
 Printer WS-T 5-1
 IBM 5218 Printwheel Printer 2-172
 releasing WS-T 5-1, WS-T 5-11
 printing WS-T 5-1
 a document RG 3-207, RG 3-208
 a reference copy of
 the shell document with
 stop codes WS-T 11-5
 files using different formats
 WS-R 63
 paper source RG 2-133
 the repetitive document with stop
 codes WS-T 11-9
 printwheel PG 41, PG 47
 cartridge PG 41, PG 47
 descriptions PG 47
 insert PG 50
 remove PG 48
 printwheel printer message
 descriptions PG 125
 printwheel printer paper
 specifications PG 127
 procedures
 for tracking shell documents WS-R 23
 for tracking stored file setups
 WS-R 23
 program diskette RG 1-36,
 WS-T 3-1, WS-T 3-8, WS-T 3-9,
 WS-T 3-13
 combined WS-T 3-14
 default charts WS-T 3-17, WS-T 3-18,
 WS-T 3-19
 defaults RG 1-36, RG 2-1
 changing WS-T 3-11
 alternate format
 document format WS-T 3-9
 duplicate label WS-T 3-16
 formats
 new WS-T 3-16

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

how to
 duplicate RG 2-70, RG 3-102
 erase RG 2-76, RG 3-110
 menu sequences RG 2-12, RG 2-13
 store supplement on RG 2-148,
 RG 3-233
 name RG 1-36
 preparing another WS-T 3-13
 program diskette tasks
 menu RG 2-135
 menu sequence RG 2-13
 program product RG 1-36
 prompt line RG 1-10, RG 1-14
 prompted mode RG 2-94, RG 3-121
 proportional spacing RG 3-209
 proportional/vertical spacing (6)
 WS-T 3-3
 PSM RG 3-209
 PSM Value Chart RG E-1
 putting together a document
 made up repetitive paragraphs
 with STOP codes WS-T 12-18

Q

quantity (see print quantity)
 queue, print RG 2-65, WS-T 5-6
 WS-T 5-7
 queuing WS-T 5-6, WS-T 5-7
 queuing rush documents WS-T 5-6
 quick reference RG 3-1

R

ready light PG 5, PG 39
 rearranging fields
 when adding records WS-R 19
 when revising records WS-R 19
 recall document (see revise document)
 recall file setup RG 3-209, RG 3-215
 menu RG 2-150
 record detail instruction RG 3-135
 record document (see END key)

record group definition instruction
 RG 3-135, RG 3-171
 record group summary instruction
 RG 3-135, RG 3-171
 record selection
 by last name WS-R 67
 using alphabetic comparison WS-R 67
 recover documents RG 2-161
 how to RG 3-210
 menu RG 2-137, RG 2-138
 red light (see power light) PG 5
 reference copy
 of repetitive documents WS-T 11-5
 of repetitive paragraphs WS-T 12-1
 with STOP codes WS-T 12-11
 (see also paragraph library)
 of the shell document WS-T 11-7
 reference materials RG 1-3
 reference steps RG 3-1
 regular hyphen RG 2-163, RG 3-126
 re-IPL RG 1-38, RG 3-129
 related publications RG i
 release PG 39
 release printer RG 2-141, RG 3-211,
 WS-T 5-11
 remove diskette RG 1-38
 remove paper, how to PG 7
 remove printer element PG 11
 remove printer ribbon PG 8
 removing the tractor feed from
 the printer PG 77
 renumber document RG 2-129
 (see also paginate document)
 renumber records RG 3-261
 re-order number PG 47
 repetitive documents (see also merge)
 repetitive documents WS-T 11-1,
 WS-T 11-9
 variable names WS-T 14-24
 with stop codes WS-T 11-9
 repetitive letters RG 3-167 (see also
 merge file/text)
 repetitive paragraphs (see also merge—
 paragraph library)
 repetitive paragraphs
 containing a GET instruction
 WS-T 12-21

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

creating a reference copy WS-T 12-8
 putting together a document
 using GET WS-T 12-15
 with STOP codes WS-T 12-11,
 WS-T 12-18
 replace mode (see INSERT/REPLACE key)
 replace with RG 2-94, RG 3-211
 REPLY key RG 1-18, RG 1-27, RG 3-212
 report preface instruction RG 3-135
 report summary instruction RG 3-135,
 RG 3-171
 Reportpack feature diskette
 file task selection menu RG 2-83
 menu sequence RG 2-16
 Reportpack program diskette
 menu RG 2-139
 menu sequence RG 2-17
 REQD BKSP key RG 1-20, RG 1-29, RG 3-212
 REQD PAGE END RG 1-23, RG 1-31, RG 3-213
 REQST key RG 1-17, RG 1-27, WS-T 5-2,
 WS-T 5-9
 how to use RG 3-213
 menu RG 2-141
 menu sequence RG 2-8
 request key (see REQST key)
 request printer RG 2-141, RG 3-215
 request tasks RG 2-141
 (see also REQST key)
 REQUEST TASKS menu RG 2-141
 menu sequences RG 2-8
 REQUIRED
 carrier return RG 2-163
 hyphen RG 2-163
 return (see REQUIRED carrier return)
 space RG 1-19, RG 1-28, RG 3-216
 tabs RG 1-19, RG 1-28, RG 3-211
 restarting a cancelled merge job
 RG 3-189
 RET (carrier return) RG 1-20, RG 1-29,
 RG 3-3
 retrieve information WS-T 2-20
 return address WS-T 10-20
 return all formats to starting choice
 RG 2-88
 return line format, margins and tabs
 to starting choice RG 2-88, RG 2-90
 return typestyle to starting choice
 RG 2-92
 reverse index (see half up and half
 down)
 review document RG 3-217
 revise column RG 3-59
 revise document RG 3-217, WS-T 2-3
 how to RG 3-217
 menu RG 2-59
 (see also INSTR, CHG FMT, MOVE
 COPY, DEL, add text and BKSP)
 revise file description RG 3-85
 menu RG 2-144
 revise header/footer
 (see change header and footer task)
 (see also change alternating header
 and footer task)
 revise layout of a table RG 3-59
 revise or display records
 update file task RG 3-259
 revising records
 checking spelling WS-R 91
 rearranging fields for revision
 WS-R 19
 update file task RG 3-259
 using Global Replace/Delete WS-R 81
 ribbon cartridge PG 6, PG 8, PG 11,
 PG 41, PG 43
 ribbon guide PG 8, PG 9
 ribbon installation PG 8
 ribbon light PG 5, PG 7, PG 39
 ribbon load lever PG 8, PG 9
 ribbon/stencil control PG 6
 right alignment at tab RG 3-246
 right margin (see margins)
 roll paper holder PG 30, PG 31
 ROW ADD key RG 1-18, RG 3-152
 ruler, conversion WS-T 3-3
 rush documents WS-T 5-6, WS-T 5-7

S

scale line RG 1-10
 scale line cursor RG 1-12
 screen down key RG 3-221
 screen format (see SCREEN FORMAT key)

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

SCREEN FORMAT key RG 1-18
 how to use RG 3-219
 menu RG 2-145
 screen left key RG 3-221
 screen movement RG 3-220
 screen movement keys RG 1-24
 screen right key RG 3-220
 screen up key RG 3-222
 scrolling RG 1-13
 search for RG 2-94, RG 3-118
 security of data RG ii
 segmenting RG 1-13
 selecting records RG 3-223
 application keys RG 3-223
 by last name WS-R 67
 examples RG 3-223
 selecting on more than one field
 RG 3-226
 using alphabetic comparison WS-R 67
 separate pages (see REQD PAGE END)
 sequences of menus RG 2-11
 serial numbers RG 1-1, PG 33
 setting margins RG 2-108, RG 3-146
 setting tabs RG 2-106, RG 3-240
 setting up procedures WS-T 2-1
 batch your work WS-T 2-1
 setup
 duplicate machine setup RG 3-101
 personalized RG 1-36, RG 2-1
 system RG 1-1
 setup light PG 39
 sheet feed paper
 handling PG 89
 installing PG 89
 loading PG 92
 paper trays PG 92
 removing PG 102
 shell document WS-T 9-14, WS-T 11-3,
 WS-T 11-5, WS-T 11-6
 as a form letter in merge
 creating RG 3-178
 merging with fill-in RG 3-180
 in merge file/text
 creating a shell
 for a file report RG 3-169
 for a multi-column file listing
 RG 3-175
 for repetitive letters RG 3-168
 merging a shell document with a file
 RG 3-176
 used with paragraph library
 creating RG 3-184
 merging with fill-in RG 3-186
 used with paragraphs containing
 variable information
 creating RG 3-187
 merging with fill-in RG 3-188
 sign, change RG 3-40
 signals (tones) RG 1-34
 single diskette unit RG 1-35
 skip to line instruction RG 3-137
 slot RG 1-35, RG 1-37, RG 2-32,
 RG 2-75, RG 2-138
 sort order menu RG 2-146
 sorting a file
 changing character order RG 3-18
 menu RG 2-28
 choosing sort order RG 3-47
 in duplicate selected records
 RG 3-104
 in merge file/text RG 3-176
 in output file task RG 3-195
 menu RG 2-146
 on more than five fields WS-R 77
 sound shield PG 5, PG 39
 space bar RG 1-19, RG 1-28
 (see also REQUIRED space)
 spacing of lines RG 2-106
 special projects diskettes WS-T 4-9
 spell check function RG 3-227
 identifying portions of a document
 that should not be spell checked
 RG 3-227
 kind of spelling check RG 2-29,
 RG 2-41, RG 3-143
 spell checking a multi-language
 document RG 3-229
 spell checking selected pages
 RG 3-228
 SPELL key RG 1-22, RG 3-230, WS-T 5-2
 SPELLING LANGUAGE DICTIONARIES menu
 RG 2-148
 menu sequence RG 2-6
 spelling language dictionary RG 3-232

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

choose RG 2-148
 spelling language supplements
 updating RG 2-24
 (see also combined program diskette)
 spelling tasks RG 2-161, RG 3-227
 menu RG 2-148
 menu sequences RG 2-14
 standard paragraphs (see paragraph library)
 standard processing WS-T 2-2
 bond paper WS-T 2-2
 envelopes WS-T 2-2
 letterhead WS-T 2-2
 standardizing formats WS-T 3-7
 start button PG 5, PG 39
 start printer RG 2-141, RG 3-232
 statistical typing (see decimal alignment, tables and columns)
 status lines
 description RG 1-10
 function and symbol listing RG B-1
 stencil (see ribbon/stencil control)
 PG 6
 STOP button RG 1-20, RG 1-29,
 PG 5, PG 39
 stop code RG 1-20, RG 3-232
 stop codes WS-T 11-3, WS-T 11-5,
 WS-T 11-9, WS-T 14-19
 stop code letters (see repetitive documents)
 store document (see END key)
 store file setup RG 3-214, RG 3-232
 menu RG 2-150
 store supplement on Languagepack 2
 diskette RG 3-233
 creating a stored supplement
 RG 3-234
 deleting a stored supplement
 RG 3-235
 replacing a stored supplement
 RG 3-235
 store supplement on program diskette
 RG 2-148, RG 3-236
 creating a stored supplement
 RG 3-237
 deleting a stored supplement
 RG 3-238
 replacing a stored supplement
 RG 3-237
 stored paragraphs (see repetitive paragraphs)
 subscript (see half ↓) RG 1-20,
 RG 1-28, RG 3-125
 substitute code RG 3-238, RG B-4
 subtotals WS-T 13-18
 subtotaling and grand totaling
 RG 3-154
 SUBTRACT key RG 1-18
 subtracting RG 3-239, RG 3-40
 summary math instruction RG 3-136
 menu RG 2-151
 superscript RG 1-19, RG 1-28, RG 3-125,
 (see also half ↑)
 supplement
 clear RG 3-48
 duplicating RG 3-105
 load RG 3-145
 store RG 3-233, RG 3-236
 (see also store supplement on
 program diskette or store
 supplement on Languagepack 2
 diskette)
 supplemental dictionary WS-T 3-12,
 WS-T 4-9
 stored on Program Diskette WS-T 3-12
 (see also store supplement on
 program diskette or store
 supplement on Languagepack 2
 diskette)
 supplies RG 1-2, PG 105, WS-T 4-8
 surrounding page numbers with
 text WS-T 9-8
 switch button RG 1-20, RG 1-29
 switch code RG 1-20, RG 3-239
 switch codes WS-T 11-2
 converting switch codes on mag cards
 WS-T 11-12
 syllable hyphen RG 3-126
 symbol RG 1-11, RG B-1
 system RG 1-1
 overview RG 1-1
 page number RG 1-11, RG 2-102,
 RG 3-202
 using GET menu RG 2-93

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

using INCLUDE menu RG 2-100
using merge tasks RG 2-118,
RG 2-3, RG 3-181, RG 3-185,
RG 3-187, RG 3-189
page number for spelling check
RG 2-41
setup RG 1-1

T

tab alignment RG 3-240
tab indent (see REQUIRED tabs)
table, conversion RG A-1
table of contents WS-T 9-23
tables
 creating one column at a time
 RG 3-51
 creating one line at a time
 RG 3-50
 text RG 3-248
 using column layout WS-T 13-13
 with a flush right margin WS-T 13-10
 (see also column layout)
tabs RG 1-19, RG 3-240 to 3-247
 alignment
 center RG 3-246
 colon RG 3-247
 comma RG 3-245
 decimal RG 3-245
 indented RG 3-247
 left RG 3-244
 normal RG 3-242
 required RG 3-247
 right RG 3-246, WS-T 13-10
 clearing RG 3-244
 for forms WS-T 14-14, WS-T 14-15
 menu RG 2-108
 moving RG 3-243
 in column layout RG 3-59
 REQD RG 1-19, RG 3-247
 setting RG 3-242
 using RG 3-240, RG 3-241
tabular work (see tabs)
 (also see column layout)
TASK SELECTION menu RG 2-152

menu sequences RG 2-5
tasks RG 2-1, RG 3-1
template
 Textpack 4 RG 1-16
 Reportpack RG 1-26
temporary left margin (see REQUIRED
 tabs)
tension bar lever PG 66
terms and abbreviations
 definitions RG Glossary
text
 column RG 2-44, RG 2-57, RG 3-248
 copying RG 3-56
 deleting RG 3-57
 moving RG 3-189
 overstriking RG 3-196
text field (files) RG 3-112
text tables RG 3-248
textpack program diskette tasks
 menu RG 2-154
 menu sequence RG 2-12
thousands separator RG 2-36, RG 3-32
to diskette name RG 2-51, RG 2-66,
 RG 2-70
top margin text (see headers)
topic selection
 description of topics WS-R 1
 listing of topics WS-R 1
total RG 3-151, RG 3-154
 clearing RG 3-155
tractor feed PG 59
training materials RG 1-3
triple spacing RG 3-27, RG 3-29
type an ID RG 2-2
type size PG 10
type YOUR CHOICE RG 2-2
types of work WS-T 2-3
typestyle RG 1-12, RG 3-251
 change RG 2-92, RG 2-163, RG 3-40,
 listing RG D-1
 part number RG 2-92, RG 2-106,
 PG 10, PG 47
typestyle for the 5215 printer
 PG 109, RG D-1
typestyle for the 5218 printwheel
 printer PG 121
typestyle name PG 10, PG 47

RG - Operator Reference Guide
PG - Printer Guide
WS-T - Work Station Procedures Guide, Textpack 4
WS-R - Work Station Procedures Guide, Reportpack

typestyle number PG 47
 typing a document RG 3-81
 typing alternating formats
 for bound copies WS-T 9-11
 typing and menu area RG 1-13
 typing columns WS-T 13-4
 typing tasks RG 2-154
 menu RG 2-157
 menu sequence RG 2-6

U

unit, diskette RG 1-35
 underline RG 3-251
 underline key RG 3-251
 underlining RG 3-251, WS-T 13-4
 double underlining WS-T 13-5
 underlining columns and spaces
 WS-T 13-4
 underlining columns with decimal tab
 WS-T 13-4
 underscore (see underlining)
 unload diskette (see remove diskette)
 up, 1/2 RG 1-19, RG 3-125
 update
 machine setups RG 2-24, RG 3-262
 spelling language supplements
 RG 2-24, RG 3-261
 (see also combined program diskette)
 update combined program diskette
 RG 2-154 (see also combined program
 diskette)
 update file tasks
 add records RG 3-257
 count records RG 3-260
 delete records RG 3-260
 menu RG 2-160
 revise or display records RG 3-259
 renumber records RG 3-261
 used ribbon installation PG 9
 using format samples WS-T 6-4
 using tab alignment RG 3-244

V

variable information WS-T 11-7,
 WS-T 12-13, WS-T 14-7, WS-T 14-8
 VARIABL key RG 1-20, RG 3-262
 VARIABLE menu RG 2-160
 variable names WS-T 11-16, WS-T 14-9,
 WS-T 14-24
 changing RG 3-179
 creating RG 3-184
 in form letter RG 3-177 to 3-183
 creating RG 3-178
 in merge file/text
 typing variable names RG 3-168
 using the variable menu to type
 variable names RG 3-168
 in paragraph library RG 3-183 to
 3-189
 list of WS-T 12-26
 storing and "getting" WS-R 93
 variable sheet WS-T 2-4
 vertical spacing, conversion ruler
 WS-T 3-3
 vertical spacing (24), conversion ruler
 WS-T 3-3

W

whole numbers and graphics WS-T 13-8
 widow line RG 3-204, RG 2-130, RG 2-38
 wire brackets (see roll paper holder)
 PG 18
 wire loops PG 63
 word
 deleting RG 3-89
 deleting throughout a document
 RG 3-91
 hyphenating RG 3-126
 search RG 2-94, RG 3-118
 WORD UND key RG 1-20, RG 1-29, RG 3-252
 words
 keeping together on a line WS-T 7-5
 work diskettes
 document coding WS-T 4-1
 back up WS-T 4-6

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

filing devices	WS-T 4-6	work station	RG 1-8
naming and filing	WS-T 4-2	description menu	RG 2-163
daily	WS-T 4-2		
filed by department/author	WS-T 4-2, WS-T 4-4		
filed by document/format	WS-T 4-4	Y	
filed by operator	WS-T 4-4		
procedures	WS-T 4-1	YOUR CHOICE	RG 2-1
repetitive projects	WS-T 4-4		
special projects	WS-T 4-3		
updating	WS-T 4-9		
work diskette tasks		Z	
menu	RG 2-161		
menu sequences	RG 2-11	zero index carrier return	RG 3-262
work samples		zone width	RG 3-263
how to use	WS-T 6-1	(see also hyphenation)	
work samples handbook	WS-T 6-1		

RG - Operator Reference Guide
 PG - Printer Guide
 WS-T - Work Station Procedures Guide, Textpack 4
 WS-R - Work Station Procedures Guide, Reportpack

READER'S COMMENT FORM

S544-2098-0

IBM Displaywriter System
Operator Reference Package
Index Textpack 4/Reportpack

Your comments assist us in improving the usefulness of our publications; they are an important part of the input used in preparing updates to the publications. IBM may use and distribute any of the information you supply in any way it believes appropriate without incurring any obligation whatever. You may, of course, continue to use the information you supply.

Please do not use this form for technical questions about the system or for requests for additional publications; this only delays the response. Instead, direct your inquiries or requests to your IBM representative or the IBM branch office serving your locality.

Corrections or clarifications needed:

Page	Comment
------	---------

Cut or Fold Along Line

Please indicate your name and address in the space below if you wish a reply.

Thank you for your cooperation. No postage stamp necessary if mailed in the U.S.A.
(Elsewhere, an IBM office or representative will be happy to forward your comments.)

• • • Cut or Fold Along Line • • •

Reader's Comment Form

Fold and tape

Please Do Not Staple

Fold and tape




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 40 ARMONK, NEW YORK

POSTAGE WILL BE PAID BY ADDRESSEE

International Business Machines Corporation
Department 95H, Building 998
11400 Burnet Rd.
Austin, Texas 78758



Fold and tape

Please Do Not Staple

Fold and tape



International Business Machines Corporation
Office Products Division
Parson's Pond Drive
Franklin Lakes, N.J. 07417

IBM General Business Group/International
421 Boston Post Road, Port Chester, N.Y., U.S.A. 10573



International Business Machines Corporation
Office Products Division
Parson's Pond Drive
Franklin Lakes, N.J. 07417

IBM General Business Group/International
421 Boston Post Road, Port Chester, N.Y., U.S.A. 10573