Drying of chillies (Practical Action Brief)

From Appropedia

This page, Drying of chillies (Practical Action Brief), includes work from a Technical Brief created by Practical Action.

Contents

- 1 DRYING OF CHILLIES
- 2 Harvesting
- 3 Cleaning

- 4 Drying
- 5 Drying during the dry season
- 6 Drying during the wet season
- 7 Over drying
- 8 Grading
- 9 Grinding
- 10 Manual grinding mills
- 11 Mechanical grinding mills
- 12 Packaging
- 13 Storage
- 14 References and further reading
- 15 Equipment suppliers

DRYING OF CHILLIES

Harvesting

By definition 'processing' does not involve harvesting. However, one cannot produce a good quality product from badly harvested materials. Correct harvesting techniques could be said to be the most important factor in the production of a high quality final product.

For processing, chillies should not be picked until it starts going red.

Cleaning

The crop should be cleaned before processing. The first stage is to remove dust and dirt using a winnowing basket. This can be made locally from bamboo, palm or other leaves. Someone used to this work can remove the dust, dirt and stones quickly and efficiently (eg they could clean 100kg of chillies in an eight hour day). Small machines are available for cleaning but they are rarely cost effective.

After winnowing the crop needs to be washed in water, all that is needed are two or three 15 litre buckets. For larger quantities a 1m³ sink/basin

with a plughole needs to be constructed. This can be made out of concrete. However, the water must be changed regularly to prevent recontamination by dirty water. Only potable water should be used.

Drying

This is by far the most important section in the process. The inability to adequately dry the produce will, at the very least slow down the whole process and possibly lead to mould growth or discolouration. Any produce with even a trace of mould cannot be used for processing. The sale value of mouldy chilli can be less than 50% the normal value. In extreme cases the whole crop can be lost.




Figure 1: A cabinet solar dryer

Drying during the dry season

During the dry season, sun drying is usually adequate to dry the produce. The simplest and cheapest method is to lay the produce on mats in the sun. However, there are problems associated with this method. Dust and dirt are blown onto the crop and unexpected rain storms can re-wet the crop.




Figure 2: The 'Exell Solar Dryer'

A solar dryer avoids these problems. The simplest type is the cabinet solar dryer, see Figure 1, which can be constructed out of locally available materials (eg bamboo, coir fibre or nylon weave).

For larger units (over 30kg/day an 'Exell Solar Dryer' could be used, see Figure 2. However, the construction costs are greater and a full financial evaluation should therefore be made to ensure that a higher income

from better quality spices can justify the additional expense.

Drying during the wet season

During the wet season or times of high humidity, which often coincides with the harvest of the spices, a solar dryer or sun drying can not be used effectively.

An artificial dryer, which uses a cheap energy source is necessary. This may be a wood or husk burning dryer or a combined wood burning and solar dryer. Figures 3-6 show a combined wood burning and solar drier which is based on the McDowell Dryer and has been used in Sri Lanka.

Over drying

Care needs to be taken to prevent over drying of the crops. A drier

operator will soon learn how to assess the moisture content of the crops by hand. The final moisture content should be 10% wet basis.

Grading

In some cases the crop needs to be graded, eg high quality packaged products. Chillie is graded by colour and size this is done by hand. The brighter the colour red the better.





Figure 3: A combined wood burning and solardrier

Grinding

Grinding may also add value but must be done carefully as there are difficulties. A whole, intact product can be easily assessed for quality


whereas a ground product is more difficult. There is a market resistance to ground produce due to fear of adulteration. This can only be overcome by producing a consistently high quality product and gaining the confidence of customers. There are basically two types of grinders - manual grinders and mechanical grinders. A grinding mill has to be placed in a separate and well-ventilated room because of dust.



Manual grinding mills

There are many manual grinders that could be used to grind chillie (see equipment suppliers of the Small-scale Spice Processing Technical Brief).

An experienced operator can grind about 20kg in an eight hour day. However, this is hard and



boring work. A treadle or bicycle could easily be attached to the grinder which will make the work easier. With this system one person could grind about 30kg in one day.

Work needs to be done to find out the degree of fineness the consumer wants. The grinding mills then need to be set so that they produce the desired ground product.

For small-scale production, (up to 100kg/day) a series of these grinders is all that is needed. For larger scale production units, a mechanical grinder would be required.

Figure 6

Figure 5

Mechanical grinding mills

Horizontal plate, vertical plate or hammer mills are suitable for grinding

chillies. A grinding mill has to be placed in a separate and well-ventilated room because of the dust.

As above the grinding mill needs to be adjusted so that it grinds the chillies to the desired fineness.

Packaging

Packaging material

Packaging of these products, especially if they are ground requires polypropylene. Polythene cannot be used as the flavour components diffuse through it.

Simple sealing

The bags can be sealed simply by folding the polypropylene over a hacksaw blade and drawing it slowly over the flame of a candle. However, this is extremely uncomfortable as the hacksaw blade heats up and burns the hands of the operator. However, this is a very

common technique.

Sealing machines

A sealing machine will speed this operation up considerably and produce a much tidier finish (which is very important).

The cheapest sealing machines have no timing mechanism to show when the bag is sealed and they have a tendency to overheat.

Sealing machines with timers are desirable. The machines come in many sizes. For most work an 8 inch (20cm) sealer is sufficient. Eye catching labels should be sealed above the product in a separate compartment and holed so the package can be hung-up in the shop.

Storage

A well designed and secure store is essential.

The optimal conditions for a store are: low temperature, low humidity and free from pests. The store should be located in a shaded, dry place. To keep humidity as low as possible only fully dried products should be stored in it. The produce should be checked regularly and if it has absorbed too much moisture it should be dried again.

To prevent pests entering, the roof should be completely sealed. Mosquito netting should be placed over the windows and doors should be close fitting.

References and further reading

Small-scale spice processing, (Practical Action Technical Brief)
Drying technologies, Practical Action Technical Brief
Drying of foods Practical Action Technical Brief
Solar drying Practical Action Technical Brief

Equipment suppliers

Note: This is a selective list of suppliers and does not imply ITDG endorsement.

Drying Equipment

Bombay Industrial Engineers 430 Hind Rajasthan Centre D.S. Phalke Road Dadar (C.Rly.) Mumbai - 400 014 Maharashtra India

Tel: +91 (0)22 2411 39 99 / 2411 42 75

Tray, tunnel, drum and fluid bed driers are available.

Ashoka Industries Kirama Walgammulla Sri Lanka

Tel: +94 71 764725

The dryer uses paddy husk or saw dust as fuel.

Capacity: 15-75 kg/10 hours

Udaya Industries Uda Aludeniya

Weligalla

Gampola

Sri Lanka

Tel: +94 8 388586 Fax: +94 8 388909

Multi purpose dryers available for a wide range of food and agricultural

products including; Cereals, Fruit, Herbs, spices, Vegetables.

Bay Hiap Thai Company Ltd Wernakorn

Kasem, Bangkok Wernakorn Kasem, Bangkok Thailand

Tel: +66 2 2212432 / 2213670

Dried Chilli Roasting Machine 50 kg/hour

Gas powered

Sealing machines

Doboy Limited 2 Blaydon Road Sandy **SG19 1RB** United Kingdom

Tel: + 44 (0)1767 82911

Fax: +44 (0)1767 291763

Hulme Martin Limited

6 Brownlow Mews Guilford Street London WC1N 2LD

Tel: +44 (0)20 7242 5448 Fax: +44 (0)20 7242 2044

Orbit Equipments PVT. Ltd. Block No.1 Venkat Reddy Complex Tarbund X Roads Secunderabad - 560 009 India

Telephone: +91 (0)40 2817296

Fax: +91 (0)40 2813877

Packaging machines such as heat sealers, carton-sealing machines, stretch wrapping machines, case packers and palletisers.

Retrieved from

"http://www.appropedia.org/Drying_of_chillies_(Practical_Action_Brief)" Categories: PATB | Food and agriculture

- [1 watching user]
- Page was last modified 06:07, 10 June 2010. Based on work by Chriswaterquy's bot, Fatima Hashmi.

Text is available under CC-BY-SA