








E


8












































Three vertical analog meters are arranged in a column. Each meter has a black face with a white needle and scale. The top meter has markings 0, 1, and 2. The middle meter has markings 1 and 2. The bottom meter has markings 1, 2, 3, 5, and 6.

Two square meters are arranged vertically. The top meter has a scale with a 'V' and a needle pointing to the right. The bottom meter has a scale with an 'A' and a needle pointing to the right.

MANSFELD
42V- 42V-
Fernbetätigung

A rectangular panel with a white background and a black border. It features three black oval buttons. The top two buttons are labeled '42V-' and are flanked by vertical metal sliders. The bottom button is labeled 'Fernbetätigung'. The brand name 'MANSFELD' is printed at the top.

8

VSB. Transformatorenwerke
Dachauheim 11, Vögl
Niederösterreich, Austria

Schweißapparat


| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | |
| 0.00 | 0.01 | 0.02 | 0.03 | 0.04 | 0.05 | 0.06 | 0.07 | 0.08 | 0.09 | 0.10 | 0.11 | 0.12 | 0.13 | 0.14 | 0.15 | 0.16 | 0.17 | 0.18 | 0.19 | 0.20 | 0.21 | 0.22 | 0.23 | 0.24 | 0.25 | 0.26 | 0.27 | 0.28 | 0.29 | 0.30 | 0.31 | 0.32 | 0.33 | 0.34 | 0.35 | 0.36 | 0.37 | 0.38 | 0.39 | 0.40 | 0.41 | 0.42 | 0.43 | 0.44 | 0.45 | 0.46 | 0.47 | 0.48 | 0.49 | 0.50 |

1000




Two circular buttons are arranged horizontally. Above the left button is a small black rectangle with a white minus sign '-'. Above the right button is a small black rectangle with a white plus sign '+'. The buttons themselves are black with a silver-colored center.









GENERATOR






GLEICHRICHTER





TRAFO





 VOLLISOLIERTER ELEKTRODENHALTER ERFORDERLICH!


















ZIS 707


↑ ↓


1 2 3 4 5 6 7 8 9 10 11

Gas → Befestigung













CO₂













- CO
- SiO₂/MnO







E



CO₂



