IBM Netfinity 6000R Delivers Leadership Performance for SAP R/3 Two-Tier SD Benchmark on a Four-Way Intel-Based Server

June 13, 2000 ... The IBM* Netfinity* 6000R, announced worldwide in May, has demonstrated leadership performance in benchmark testing, running the SAP** R/3 Two-Tier Centralized Sales and Distribution (SD) Benchmark on a four-way, Intel-based server. The Netfinity 6000R server, DB2* Universal Database V6.1 and Microsoft** Windows** 2000 Advanced Server, achieved 185 SD Benchmark users with 1.57 seconds average dialog response time. The measured throughput of 58,000 dialog steps per hour represents 19,330 fully processed order line items per hour.

The Benchmark Environment

The hardware configuration for the 185 SD benchmark user run consisted of one database server, an IBM Netfinity 6000R server with four 700MHz Intel** Pentium** III Xeon** processors with 2MB L2 cache, 4GB of main memory, and 327GB of total disk space running Windows 2000 Advanced Server, DB2 UDB V6.1 and SAP's R/3 SD Benchmark, Release 4.6 B. The measured throughput was 58,000 dialog steps per hour with an average CPU utilization of 85 percent for the central server. The central installation server ran Microsoft Windows 2000 Advanced Server.

This benchmark fully complies with SAP's issued benchmark regulations and has been audited and certified by SAP. Details can be obtained from IBM and SAP AG. The benchmark was performed at IBM's Netfinity Server Performance Laboratory in Research Triangle Park, NC, by IBM engineers.

Certification Number	200014	
Hardware Partner	International Business Machines Corporation	
Contact Name/Tel./Mail ID	Param Singh / paramjit @ us.ibm.com	
R/3 Release	4.6 B	
DBMS Version	DB2 UDB V6.1	
Date	May 31, 2000	
Location	Research Triangle Park, NC, USA	
Lead Engineers	IBM: Param Singh	
Published	June 13, 2000	

1. General Information about Benchmark Environment

2. Detailed Hardware and System Software Configuration

Central Server				
System Name / Model	IBM Netfinity 6000R			
Processor Type / Clock Rate / Number of Processors	Intel Pentium III Xeon 700MHz / 4			
Cache Size / Level	2MB / Level 2			
Memory	4GB			
Operating System	Windows 2000 Advanced Serv	Windows 2000 Advanced Server		
Database System	DB2 UDB V6.1			
Number of Disks	36 External, Total Disk Space: 327GB			
I/O Subsystem				
Controller Number	Number of Disk Drives	RAID Level	Contents	
1st ServeRAID-3HB Ch. 1	10 x 9.1GB External Drives	0	DB2, SAP, W2K S/W AND PAGEFILE	
1st ServeRAID-3HB Ch. 2	10 x 9.1GB External Drives 0 SAPDATA			
1st ServeRAID-3HB Ch. 3	6 x 9.1GB External Drives	5	LOG FLE	
2nd ServeRAID-3HB Ch. 1	10 x 9.1GB External Drives	0	PAGEFILES	

Benchmark Driver (1)		
System Name / Model	IBM RS/6000* PowerPC* Model F50	
Processor Type / Clock Rate / Number of Processors	IBM PowerPC 166MHz / 4	
Memory	3072MB	
Operating System	AIX*	
Number of Disks	4	

Network Configuration			
Туре	100Mbps Switched Ethernet		
Number of Segments	1 Segment Attached to a Switched Hub		
Speed	100Mbps Full-Duplex Ethernet		

3. Detailed R/3 Configuration

SAP R/3 Configuration		
SAP R/3 Version (Application)	SAP R/3 4.6 B	
SAP R/3 Version (Kernel)	SAP R/3 4.6 KERNEL 161	
Number of benchmark clients used	185	

R/3 Module	Simulated Benchmark Users	Dialog Step / Hour	-	Average** CPU Utilization of Database Server	Average DB Response Time (seconds)
SD	185	58,000	1.57	85%	Dialog: 0.049 Update: 0.266

** as in SAP Operating System Monitor *** as in SAP Workload Monitor

Hardware Disclosure				
Quantity	Part Number	Description		
Database Servers (1	Database Servers (1)			
1	8682-2RY	IBM Netfinity 6000R		
8	00N7944	IBM Netfinity 700MHz/2MB L2 Cache Processor		
8	33L3117	100MHz ECC SDRAM RDIMM		
2	37L6086	IBM ServeRAID-3HB Ultra2 SCSI Adapter		
1	34L0901	Ethernet 10/100 PCI Adapter		
4	3520-2RU	IBM Netfinity EXP15 Rack Storage Enclosure with Redundant Power		
36	36K9748	9.1GB 10K-3 Wide Ultra2 SCSI Hard Disk Drive		
1	9306900	IBM Netfinity Rack		
1	94G6669	Side Panel Kit		



The SAP standard 4.6 B application benchmark performed on May 31, 2000 by IBM in Poughkeepsie, USA, was certified on June 13, 2000 with the following data:

Number of benchmark users & comp.: Average dialog response time:	185 SD (Sales & Distribution) 1.57 seconds
Throughput:	
Processed Order Line items / hour:	19,330
Dialog steps / hour:	58,000
SAPS:	970
Average DB request time (dia/upd):	0.049 sec / 0.266 sec
CPU utilization central server:	85%
Operating System central:	Windows 2000
RDBMS:	DB2 UDB V6.1
R/3 Release:	4.6 B
Total disk space:	327 GB

Configuration:

1 Central Server: IBM Netfinity 6000R, 4-processors SMP, Pentium III Xeon 700 MHz, 2 MB L2 cache, 4 GB main memory



THE INFORMATION CONTAINED IN THIS DOCUMENT IS DISTRIBUTED ON AN AS IS BASIS WITHOUT ANY WARRANTY EITHER EXPRESSED OR IMPLIED. The use of this information or the implementation of any of these techniques is the customer's responsibility and depends on the customer's ability to evaluate and integrate them into the customer's operational environment. While each item has been reviewed by IBM for accuracy in a specific situation, there is no guarantee that the same or similar results will be obtained elsewhere. Customers attempting to adapt these techniques to their own environment do so at their own risk. This publication was produced in the United States. IBM may not offer the products, services, or features discussed in this document in other countries, and the information is subject to change without notice. Consult your local IBM representative for information on products and services available in your area.

*IBM, DB2, Netfinity, RS/6000, PowerPC and AIX are trademarks or registered trademarks of International Business Machines Corporation.

**Intel, Pentium and Xeon are trademarks or registered trademarks of Intel Corporation.

Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation. Other company, product, or service names, which may be denoted by two asterisks (), may be trademarks or service marks of others.

Published by the IBM Netfinity Server Performance Laboratory, IBM Corp.

© Copyright International Business Machines Corporation 2000. All rights reserved.

Permission is granted to reproduce this document in whole or in part, provided the copyright notice as printed above is set forth in full text at the beginning or end of each reproduced document or portion thereof. Note to U.S. Government Users — Documentation related to restricted rights — Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.