

InfoPrint Manager for Windows
PTF UO00782 (May 2008)
Release Notes

Version 2 Release 2

Note:

Before using this information and the product it supports, read the information in “Notices” on page 5.

These release notes apply to InfoPrint Manager for Windows, Version 2 Release 2 Modification 0 with PTF UO00782 (May 2008).

Internet

Visit our home page: <http://www.infoprint.com>

You can send comments by e-mail to printpub@us.ibm.com or by mail to:

InfoPrint® Solutions Company
6300 Diagonal Hwy 002J
Boulder, CO 80301-9270
U.S.A.

© Copyright InfoPrint Solutions Company 2008. All rights reserved.

Contents

About PTF UO00782 (May 2008)	1
Known problems and work arounds	1
Use Java 1.4.2 available on Common Clients Service CD only	1
Certain flags on the sap2afp tranform obsolete	1
Interaction between job-retry-count-limit and job-retry-interval attributes	1
Unreadable Japanese in InfoPrint Manager GUIs with Vista	1
Limitations:	2
Installing this PTF	2
IBM Personal Communicator 6.2.1	2
Indexed Multiple Data Sets	2
Longer processing for color text that uses embedded fonts	2
APARs included in PTF UO00782	2
Notices	5
Trademarks	6

About PTF UO00782 (May 2008)

PTF UO00782 (May 2008) for InfoPrint® Manager for Windows® Version 2 Release 2, is documented by Release Notes only. Changes reflected here for the InfoPrint Manager manuals will be published in the next edition of the manuals.

The information is available at the InfoPrint Solutions Company home page on the web at <http://www.infoprint.com>.

This PTF adds support for the InfoPrint EMP156 printer. The InfoPrint EMP156 boasts a robust design to meet the needs of a production cutsheet environment and supports volumes of up to 4.5 million impressions per month. Optional high capacity input feeder and output container stackers offer maximum application flexibility.

Note: With PTF UO00601 in November 2007, InfoPrint Manager added support for SAP OTF Unicode data. The *InfoPrint Manager: SAP R/3 Planning and Configuration Guide*, S550-1051-00, was published in November 2007, and it describes the changes.

Important

All InfoPrint Manager servers should be upgraded at the same time. Do not forget to also upgrade any secondary InfoPrint Manager servers.

Known problems and work arounds

Use Java 1.4.2 available on Common Clients Service CD only

For PTF UO00782, Java 1.4.2 can only be installed from the Common Clients Service CD. In previous PTFs, Java 1.4.2 was included on the Base Server Service CD and the Common Clients Service CD.

Note: You should use the IBM Java 1.4.2 Run Time from our Common Clients Service CD instead of other versions even if the versions were downloaded from the IBM site.

Certain flags on the sap2afp tranform obsolete

The **-d**, **-P**, and **-S** flags have been removed from the **sap2afp** transform. These changes will be published in the next available *InfoPrint Manager: Reference*.

Interaction between job-retry-count-limit and job-retry-interval attributes

The **job-retry-count-limit** actual destination attribute should not be set to a large value if the **job-retry-interval** actual destination attribute is set to a small value because several processes start and stop on each retry. After a period of time, such retries could result in the InfoPrint Manager Server stopping or the Windows operating system becoming unresponsive.

Unreadable Japanese in InfoPrint Manager GUIs with Vista

If you are using the Windows Vista operating system with the InfoPrint Manager GUIs, you might see unreadable Japanese. To correct this, install IBM Java 5.0 from the Common Client CD-ROM available with this PTF.

Limitations:

Installing this PTF

If the license agreement doesn't display when you are installing this PTF, remove the Service CD-ROM, and reinsert it. The installation of the PTF cannot proceed until you have accepted the license agreement.

IBM Personal Communicator 6.2.1

Windows 2003 64-bit operating system does not support IBM Personal Communicator 6.2.1, which is used with PSF Direct.

Indexed Multiple Data Sets

MVS Download cannot be used with multiple data sets that have already been indexed (contain AFP TLEs).

Longer processing for color text that uses embedded fonts

When transforming PDF with color text that uses embedded font subsets for black and white or color AFP output, the rip processing can take longer. If you use **savevm=false**, this performance will improve. However, we recommend using the current default of **savevm=true** because in some cases, PDF input files with many embedded font subsets might fail to transform. The **savevm** option appears on the **ps2afp/pdf2afp** command line as: **-pragma pdf2psoptions=savevm=true**.

APARs included in PTF UO00782

PTF UO00782 includes resolution for these APARs:

APAR	Description
IO08528	With a large number of small pcl jobs, a few will fail (randomly).
IO08554	Macros in a PCL file may not be honored by the pcl2afp transform.
IO08818	Add support for processing PjL FORMLINES command.
IO08849	IPDS DPF psecs in overlays not nested.
IY97278	Lines drawn before a Bezier curve are not displayed.
IZ12665	Adobe dropping characters.
IZ16773	Default color fidelity should not report errors.
IZ16828	NACKs received during TM1_job_end cause premature end of job.
IZ16828.1	NACKs received during TM1_job_end cause premature end of job.
IZ17056	A retained job with invalid tray causes the pdserver to crash.
IZ17676	When processing an asynchronous NACK during end-of-job processing, the PSF stack of most recently loaded resources could get out of sync with the printer. Purge all resources instead of cleaning up individual resources.
IZ17676.1	Eliminate assert in fix for end-of-job corrupt HAIDs.
IZ17692	Double ripping on IPM with PU7.
IZ18176	Audit CMR not applied to tiff image job ICC1.
IZ18740	Check for invalid socket descriptor in socket_select().
IZ19254	5010-397 - messages sent to another pdserver instead of sapcbd.
IZ19580	Multiple OTF shaded box commands produce shaded first box only.

APAR	Description
IZ20353	pdserver hangs if a job object fails to release the queue.
IZ20756	While the PSF subcomponent of Infoprint Manager is shutting down, the Secondary Print Process ain3dtcp discovers a NACK from the device. When it tries to communicate with the Primary Print Process, ainmain, it cannot, resulting in the error message: 0420-052 ERROR: The device support process ended unexpectedly. Return code=606
IZ21693	IPM GUI columns out of order.
IZ21857	Win spooler crashes on Win 2000 PTF UO00688.
IZ21949	Error in GUI when changing attributes on LD sharing DJ.
IZ21280	Produce job messages for printer config. changes.
PK50766	CMR fixes & chgs for mvs ptf.
PK50767	Rollup MVS changes from IDSS.

Notices

This information was developed for products and services offered in the U.S.A.

InfoPrint Solutions Company may not offer the products, services, or features discussed in this document in other countries. Consult your local InfoPrint Solutions Company representative for information on the products and services currently available in your area. Any reference to an InfoPrint Solutions Company product, program, or service is not intended to state or imply that *only* that InfoPrint Solutions Company product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any InfoPrint Solutions Company intellectual property rights may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-InfoPrint Solutions Company product, program, or service.

InfoPrint Solutions Company may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

InfoPrint Solutions Company, LLC
6300 Diagonal Hwy 002J
Boulder, CO 80301-9270
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the InfoPrint Solutions Company Intellectual Property Department in your country or send inquiries, in writing, to:

InfoPrint Solutions Company, LLC
6300 Diagonal Hwy 002J
Boulder, CO 80301-9270
U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INFOPRINT SOLUTIONS COMPANY PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. InfoPrint Solutions Company may make improvements and/or changes in the product(s) described in this publication at any time without notice.

Any references in this information to non-InfoPrint Solutions Company Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this InfoPrint Solutions Company product and use of those Web sites is at your own risk.

InfoPrint Solutions Company may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

InfoPrint Solutions Company, LLC
6300 Diagonal Hwy 002J
Boulder, CO 80301-9270
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by InfoPrint Solutions Company under terms of the InfoPrint Solutions Company Customer Agreement, InfoPrint Solutions Company International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-InfoPrint Solutions Company products was obtained from the suppliers of those products, their published announcements or other publicly available sources. InfoPrint Solutions Company has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-InfoPrint Solutions Company products. Questions on the capabilities of non-InfoPrint Solutions Company products should be addressed to the suppliers of those products.

All statements regarding InfoPrint Solutions Company's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

References in this document to InfoPrint Solutions Company products, product features, programs or services do not imply that InfoPrint Solutions Company intends to make such products, product features, programs or services available in all countries in which InfoPrint Solutions Company operates or does business.

Trademarks

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both:

AFP
AFP Color Consortium
AFP Color Management Architecture

CMOCA
Color Management Object Content Architecture
InfoPrint
Infoprint
Intelligent Printer Data Stream
IPDS
Mixed Object Document Content Architecture

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

AIX
DB2
IBM
POWER
RETAIN

Adobe and PostScript are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Linux is a trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft® and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.