



JES2 & WLM Initiators

SHARE 96, Session 2666

February 28, 2001

Chip Wood
JES2 Design/Development/Service
Poughkeepsie, NY



chipwood@us.ibm.com

Permission is granted to SHARE Inc. to publish
this presentation in the SHARE proceedings. IBM
retains its right to distribute copies of this
presentation to whomever it chooses.

Related Sessions



- [2666](#) - JES2 and WLM Initiators
- Wed. 1:30
- [2667](#) - JES2 and WLM Initiators User Experiences
- Wed. 3:00
- [2668](#) - JES2 and WLM Initiators BOF
- Wed. 6:00

WLM Batch Initiator Support



- Batch Initiators may be managed by WLM on a job class basis
 - WLM determines how many initiators in each service class on each system
 - **JOBCLASS(x) MODE=WLM**
 - Jobs in WLM-mode job classes queued by WLM service class
- Traditional JES-managed initiators still exist but will not select from WLM job classes
 - Initiators controlled by operator/automation
 - **JOBCLASS(x) MODE=JES**

JES vs. WLM initiators



■ JES initiators:

- Run under JES2
- Consume job numbers
- Select jobs from **MODE=JES** jobclass, based on **job class** in order of priority
- Use \$SI, \$PI, \$ZI, \$TI to control (operator command or automation)
- Call \$EXIT 14 and 49
- Run in goal mode or compatibility mode

■ WLM initiators

- Run under MASTER
- Don't consume job numbers
- Select jobs from **MODE=WLM** jobclass, based on **service class** in order of arrival time
- Started and stopped by WLM based on goals and capacity
- Call \$EXIT 49 only
- Run in goal mode only
- \$ACTIVATE required!

Other differences



- To limit the systems on which jobs of a particular class can run:
 - **JES Initiators**
 - ▶ Start initiators for that class only on the desired systems
 - **WLM Initiators**
 - ▶ The scope of a service class is sysplex-wide
 - ▶ Jobs in a service class may be run wherever there is capacity
 - ▶ Use SYSAFF or SCHENV to limit the systems on which job can run

Other differences



- To limit the number of jobs concurrently running in a particular job class:
 - **JES Initiators**
 - ▶ Start a limited number of initiators selecting that class
 - **WLM initiators**
 - ▶ WLM will continue to start initiators if there is work to do and capacity exists
 - ▶ Use job class limits to prevent additional jobs from running
 - ▶ **JOBCLASS XEQCOUNT=MAX=nn**
 - ▶ Also honored for JES initiators

Other differences



- Jobs issue **\$HASP373** message when selected for execution by an initiator
 - **JES Initiators**
 - ▶ **\$HASP373** *jobname* **STARTED - INIT** *nnnn* - **CLASS** *class* - **SYS** *sys*
 - **WLM Initiators**
 - ▶ **\$HASP373** *jobname* **STARTED - WLM INIT - SRVCLASS** *srvclass* - **SYS** *sys*

Initiator commands



- **\$DI, \$TI, \$PI, \$SI, \$ZI**
- Operate on JES controlled initiators only
- \$SCAN driven as of R4
 - Initiators may be referenced by name or number (by default name=number)
 - Beware when using numerical names
 - Ranges work differently in R4 from prior releases
- Most operands may be used as filters
- **INELIGIBLE_CLASS** keyword displays classes from which work will not be selected because the job class is held or WLM-managed

\$SXEQ/\$PXEQ



- **\$P XEQ** prevents new jobs from entering execution on this MAS member
 - JES-managed initiators
 - WLM-managed initiators
 - **\$HASP222** message displayed (highlighted) while in this state
- **\$S XEQ** undoes **\$P XEQ**
- Allows executing jobs to quiesce so system can (eventually) be shut down cleanly
- **\$P/\$PXEQ** status displayed on **\$D MEMBER**

\$\$ J



- Schedules job for immediate execution
 - Pre-execution jobs only!
 - Job must be in WLM-mode job class, with WLM in GOAL mode
 - Job holds are released
 - Job class holds and limits are ignored
 - ★ As of [OW38962](#), **\$\$J** honored after **\$PXEQ** when issued from \$PXEQ'ed member
 - Designed for occasional use
- WLM selects system from list of systems where job is eligible to run, based on current workload
- WLM starts an initiator on that system specifically for this job

Job Selection Exits



- **\$EXIT 14** (existing exit)
 - "QGET" exit
 - Allows installation to replace job work select algorithm
 - Not called for WLM initiator selection
 - Must return an UPDATE mode JQA (**\$QG2**)
- **\$EXIT 49** (new exit)
 - "QGOT" exit
 - Allows installation choice to accept or reject selected job ("veto" exit)
 - Not called when **\$EXIT 14** selects job
 - Input is an UPDATE mode JQA

WLM Service Class



- Every job is classified and assigned to a WLM service class based on:
 - **Job class**
 - **Priority**
 - **Accounting information** from job card
 - **Performance group**
 - **Owning userid**
 - **Scheduling environment** as of OS/390 R10
 - **Node name (XCF group name)** as of OS/390 R10
- WLM Initiators select jobs from **MODE=WLM** job classes, based on their service class
 - WLM and JES mode job classes should not share service classes

WLM Service Class (continued)



■ Prior to execution

- Service class determines how long until job is selected by a WLM initiator
- Time job is eligible to run, but not selected, is tracked (Queue delay)
- If goals are not being met, WLM may start more inits in a service class (based on capacity, defined goals, etc.)

■ During execution


- Service class determines how resources (such as CPU) are assigned to the running job
- Applies to both WLM and JES mode jobs

WLM Service Class (continued)



- Jobs in **MODE=WLM** job classes are queued within a service class in **arrival time** order
 - Priority affects which queue the job is on, but not its location within the queue
 - **\$TJ,P=+nnn** does not make job the next to execute
 - Use **\$SJ, \$TJ,SRVCLASS=**, or make priority 15 its own SRVCLASS
- Priority aging:
 - Jobs in **MODE=JES** job classes are priority aged
 - Increase to next priority results in reclassification
 - Jobs in **MODE=WLM** job classes are **not** priority aged

Service Class Queues



Service class queues



- Use **\$QJQE** macro to run service class queues
 - Returns JQAs for each job on queue

```

LABEL      $QJQE      SRVCLASS=(R2),      Points to service class
                                REG=(R6),      Return JQA addr in R6
                                MODE=READ,      Read mode only
                                LOOP=LBLLOOP,     Loop label (within macro)
                                NOMORE=LBLDONE    When out of jobs, go here

                                USING  JQA,R6

*          Process job

          B          LBLLOOP          Loop for next job

LBLDONE    DS          0H          Here when done

```

- Can also pass WLM service class queue head obtained using the **\$DOGWSCQ** macro

Scheduling Environment



- A **Scheduling Environment** is a collection of resources in a particular state
- Schedules jobs on the right system at the right time
 - Similar to system affinity
- Specified via **// JOB SCHENV=**
- Defined and controlled by WLM
- Can be used by both WLM and JES mode jobs
- Displayable on **\$D J** command for job
- SDSF display of all scheduling environments

Scheduling Environment



- New function as of **OW38962**:
 - **JOBCLASS SCHENV=xxxxxxx** allows a default scheduling environment to be set for a job class
 - ▶ Default applied pre-conversion
 - ▶ Value overridden by // **JOB SCHENV=**
 - ▶ Value overridden by setting **JCTSCHEN** in RDR or CNVT exits (2, 3, 4, 20, 6, 44)
 - ▶ **\$TJOB,CLASS=** does not reset the SCHENV if the job has already converted
 - **\$T JOB,SCHENV=xxxxxxx** is now allowed

Resources



- Resource Elements
 - Defined in WLM policy
 - 16 character name
 - 3 possible states
 - ▶ **ON**
 - ▶ **OFF**
 - ▶ **RESET**
 - ▶ **ON** and **OFF** are only states that can be scheduled
 - Known throughout sysplex
 - State on each system is independent of state on other systems
 - Change state via **F WLM,RESOURCE=xxx,ON/OFF**

Scheduling Environments



- Scheduling environments
 - Defined in WLM policy
 - 16 character name
 - 32 character description
 - Composed of a group of resources in a specified state
 - ▶ Resources may be **ON** or **OFF**, but not **RESET**
 - Scheduling environment is available on any system where all of its resources are in the correct state.
 - Externally specified via **SCHENV** parameter on **JOB** card or via **\$TJOBnn,SCHENV=**
 - ▶ May also be set in JES2 **\$EXIT 2, 3, 4, 20, 6, or 44** by filling in **JCTSCHEN**

SDSF SE (Scheduling Environment) Panel



Display Filter View Print Options Help

```

SDSF SCHEDULING ENVIRONMENT DISPLAY MAS SYSTEMS          LINE 1-9 (105)
COMMAND INPUT ==>
NP      SCHEDULING ENV  DESCRIPTION                SYSTEMS
      DEFAULT          Default_Environment          AQTS,AQFT,AQTX,AQTY
      IMS_PROD         IMS_Production_Required      AQTS,AQFT
      IMS_PROD_A       IMS_Test_Required            AQTX,AQTY
R      QAR_DB2_OFFSHIFT QAR_DB2_Subsystem_Night     AQFT
      QAR_DB2_PRIME    QAR_DB2_Subsystem           AQFT
      SAMS_APPLICATION SAMS_Application_System     AQTS
      SAS_C_COMPILER   SAS_C_Compiler               AQTX,AQTY
      SSAR_UTILITY     SSAR                          AQFT
      VECTOR_CHEAP     Default_Environment          AQTX
  
```

- Scope can be **MAS** or **ALL**
- No overtypes
- No JES2 Dependencies (available when down)
- Prefix character **R** - **RES** panel for this SCHENV
- Prefix character **ST** - **ST** panel for this SCHENV

SDSF RES (Resource) Panel



```

Display Filter View Print Options Help
-----
SDSF RESOURCE DISPLAY ALL SYSTEMS QAR_DB2_OFFSHIFT      LINE 1-2  (2)
COMMAND INPUT ==>
NP      RESOURCE      REQSTATE  AQFT   AQTS   AQTX   AQTY
      SHIFT           OFF      OFF   OFF   OFF   OFF
      TEST_DB2_SS_QAR  ON       ON    OFF   OFF   OFF
  
```

- Access from **SE** Panel using **R** prefix action
- One column per MVS system
- Scope can be **MAS** or **ALL**
- State of resource may be overtyped
- No JES2 Dependencies (available when down)

SDSF RES (Resource) Panel



```

Display Filter View Print Options Help
-----
SDSF RESOURCE DISPLAY ALL SYSTEMS                LINE 1-9  (15)
COMMAND INPUT ==>
NP  RESOURCE                AQFT  AQTS  AQTX  AQTY
    IDTF_SUBSYSTEM          ON    ON    ON    OFF
    IMS_PROD_SS             ON    ON    OFF   OFF
    IMS_TEST_SS             OFF   OFF   ON    ON
    SHIFT                   OFF   OFF   OFF   OFF
    SAS_C_COMPILER          RESET OFF   ON    ON
    SYSTEM_AVAILABLE        ON    ON    ON    ON
    VECTOR_FACILITY         ON    ON    ON    OFF
    CHEAP_CYCLES            OFF   OFF   ON    ON
    DB2_PROD_SS_A           ON    OFF   OFF   OFF
  
```

- **RES** Panel to display all resources
- One column per MVS system
- Scope can be **MAS** or **ALL**
- State of resource may be overtyped
- No JES2 Dependencies (available when down)

WLM Commands



- **D WLM**
 - Displays information about current policy, mode, etc.
- **D WLM,SCHENV=**
 - Displays information about a particular scheduling environment
- **D WLM,RESOURCE=**
 - Displays information about a particular resource
- **F WLM,RESOURCE=xxx,ON/OFF**
 - Alters the availability of a resource
- **Tip:** Use SDSF menus to display and modify scheduling environments and resources

WLM Commands



- **F WLM,MODE=GOAL**
 - Puts WLM into GOAL mode
 - Goal mode and \$ACTIVATE are required to run WLM initiators
 - Goal mode is NOT required to use scheduling environments, but there must be an active policy
- **F WLM,MODE=COMPAT**
 - Takes WLM out of GOAL mode
- **VARY WLM,POLICY=xxxxxxx**
 - Activates new WLM policy

WLM Commands



- **RESET *jobname*,SRVCLASS=xxxxx**
 - Modifies service class of executing job to xxxxx
 - WLM issues ENF 56, intercepted by JES
 - JES2 locates job, finds new service class via **SYSEVENT REQASD**, and sets JQAWSCN
- **\$TJ(*jobname*),SRVCLASS=xxxxx**
 - Modifies service class of pre-execution or executing job to xxxxx
 - JES2 routes command to correct member, which sets service class of executing job via **IWMRESET** macro

JES2 Commands



- **\$D JOB** displays
 - SRVCLASS
 - SCHENV
 - SCHENV_AFF
 - DELAY
- **\$T JOB** modifies
 - SRVCLASS
 - CLASS/PRIORITY
 - Job is re-classified (\$CLASSIF)
 - SCHENV
 - Job is re-classified (**OS/390 R10** only)

\$DJ, DELAY



- Delays reported on **\$DJ,DELAY**
 - **HOLD** - job held via \$HJ, \$HA, TYPERRUN=HOLD, duplicate job name, or JOBCLASS QHOLD=YES
 - **SYSAFF** - member job has SYSAFF to not available
 - **SCHENV** - scheduling environment not available
 - **MEMBER_STATUS** - SCHENV + SYSAFF + BOSS + \$P + \$PXEQ
 - **LIMIT** - JOBCLASS limit prevents job from starting
 - **LOCKED** - BERT lock is held somewhere
 - **BUSY_ON_DEVICE** - job is busy on a device
 - **SPOOLS_NOT_AVAILABLE**
 - **YES** - any of the above - filter only
 - **NO** - none of the above - filter only

\$DJ,DELAY



- Delays **NOT** reported on **\$DJ,DELAY**
 - No JES2 initiators in job class on any system job can run on
 - No WLM initiators to select service class
 - Eventually, service class will no longer be meeting its goals and WLM may decide to start another init
 - Jobs are in MODE=WLM job classes but WLM is not in GOAL mode
 - All initiators are currently busy (normal queue delay)