

*Enabling JAWS for IBM SPSS Modeler
Text Analytics (Windows only)*

IBM

Contents

Enabling JAWS for IBM SPSS Modeler Text Analytics (Windows Only)	1
Enabling the Java Access Bridge	1

Enabling JAWS for IBM SPSS Modeler Text Analytics (Windows Only)

IBM® SPSS® Modeler Text Analytics offers accessibility for all users, as well as specific support for users with visual and other functional impairments. This document describes how to enable JAWS® screen-reading software to work with this product.

To enable JAWS on Microsoft Windows, you need to:

1. Enable the Java Access Bridge.

Enabling the Java Access Bridge

To enable the Java Access Bridge, you need to:

- Set the location of the Java Access Bridge.
- Replace the default Java *accessibility.properties* file.

Setting the Location of the Java Access Bridge

1. From the Start menu, open the **Control Panel**.
2. Double-click the **System** icon.
3. In the System Properties dialog box, click the **Advanced** tab.
4. Click **Environment Variables**.
5. In the Environment Variables dialog box, scroll through the System Variables list and select the **Path** variable.
6. Click **Edit**.
7. At the beginning of the Variable Value text box, type the path to the IBM SPSS Modeler Text Analytics installation folder followed by `\JRE\bin;`. For example, if IBM SPSS Modeler Text Analytics is installed in `C:\Program Files\IBM\SPSS\Modeler\16`, type:
`C:\Program Files\IBM\SPSS\Modeler\16\JRE\bin;`
8. Click **OK**.

Replacing the Java *accessibility.properties* File

1. Go to the `\JRE\lib` folder in the IBM SPSS Modeler Text Analytics installation folder. For example, if IBM SPSS Modeler Text Analytics is installed in the folder `C:\Program Files\IBM\SPSS\Modeler\16`, go to `C:\Program Files\IBM\SPSS\Modeler\16\JRE\lib`.
2. Rename the *accessibility.properties* file or move it to a different folder.
3. Go to the Accessibility folder on the CD-ROM and copy the *accessibility.properties* file.
4. Paste the file into the `\JRE\lib` folder in the IBM SPSS Modeler Text Analytics installation folder.

The Java Access Bridge will load the next time you launch IBM SPSS Modeler Text Analytics.



Printed in USA