IBM SPSS Statistics for Windows Abbreviated Installation Instructions (Network License)

The following instructions are for installing IBM® SPSS® Statistics version 20 using a network license.

During installation, you will be prompted for the following information. Contact your site administrator if you do not have the following information.

Name: Organization: License Manager Server Name or IP Address:

Installing IBM SPSS Statistics

Your administrator might have given you an installation disk or identified a network location from which to install. Check with your administrator if you do not know how you are supposed to install IBM® SPSS® Statistics.

Note: To install SPSS Statistics, you must be logged on to your computer with administrator privileges.

Running Multiple Versions and Upgrading from a Previous Release

You do not need to uninstall an old version of IBM® SPSS® Statistics before installing the new version. Multiple versions can be installed and run on the same machine. However, do not install the new version in the same directory in which a previous version is installed.

Note for IBM SPSS Statistics Developer

If you are installing IBM® SPSS® Statistics Developer, you can run the product standalone. You can also install R Essentials and Python Essentials to develop with R and Python.

Installing from a Downloaded File

Windows XP

- Double-click the file that you downloaded and extract the files to some location on your computer.
- Using Windows Explorer, browse to the location where you extracted the files and double-click setup.exe.

© Copyright IBM Corporation 1989, 2011.

► Follow the instructions that appear on the screen. See Notes for Installation for any special instructions.

Windows Vista or Windows 7

You must run the installer as administrator:

- Double-click the file that you downloaded and extract all the files to some location on your computer.
- ▶ Using Windows Explorer, browse to the location where you extracted the files.
- ▶ Right-click *setup.exe* and choose Run as Administrator.
- ► Follow the instructions that appear on the screen. See Notes for Installation for any special instructions.

Installing from the DVD/CD

Windows XP

- ► Insert the DVD/CD into your DVD/CD drive. The AutoPlay feature presents a menu.
- ► On the AutoPlay menu, click Install IBM SPSS Statistics, and then follow the instructions that appear on the screen. See Notes for Installation for any special instructions.

Windows Vista or Windows 7

You must run the AutoPlay as administrator:

- Close the AutoPlay window that automatically appeared when you inserted the DVD/CD into your DVD/CD drive.
- ▶ Using Windows Explorer, browse to the DVD/CD drive.
- ▶ Right-click *setup.exe* in the *Windows* subfolder and choose Run as Administrator.
- ► On the AutoPlay menu, click Install IBM SPSS Statistics, and then follow the instructions that appear on the screen. See Notes for Installation for any special instructions.

Installing from a Network Location

- Using Windows Explorer, browse to the location that your administrator provided for the *setup.exe* file.
- ► If your computer is running Windows Vista or 7, right-click *setup.exe* and choose Run as Administrator. Otherwise, double-click the file.
- On the AutoPlay menu, click Install IBM SPSS Statistics, and then follow the instructions that appear on the screen. See Notes for Installation for any special instructions.

Notes for Installation

This section contains special instructions for this installation.

License type. Be sure to select Network (Concurrent) License.

Help language. IBM® SPSS® Statistics provides the ability to change the user interface language. If you want the help language to always match the user interface language, select the languages that you may use. Installing help for additional languages increases disk space requirements by 60-70 MB for each language. You can also install additional languages later by choosing to change the installation in the Windows Control Panel.

License manager server name or IP address. This is the IP address or the name of the server on which the network license manager is running. If you have multiple addresses or names, separate them with a colon (for example, *server1:server2:server3*). Contact your administrator if you do not have this information.