

Bibliography

- Abraham, B., and Ledolter, J. 1983. *Statistical methods of forecasting*. New York: John Wiley & Sons, Inc.
- Abramowitz, N., and Stegun, I., eds. 1965. *Handbook of mathematical functions*. National Bureau of Standards, Applied Mathematics Series 55. Washington, D.C.: U.S. Government Printing Office.
- Abramowitz, M., and Stegun, I. A. eds. 1970. *Handbook of mathematical functions*. New York: Dover Publications.
- Addelman, S. 1962. Symmetrical and asymmetrical fractional factorial plans. *Technometrics*, 4: 47–58.
- Agresti, A. 1990. *Categorical data analysis*. New York: John Wiley & Sons, Inc.
- Ahrens, J. H., and Dieter, U. 1974. Computer methods for sampling from gamma, beta, Poisson and binomial distributions. *Computing*, 12: 223–246.
- Anderberg, M. R. 1973. *Cluster analysis for applications*. New York: Academic Press.
- Anderson, T. W. 1958. *Introduction to multivariate statistical analysis*. New York: John Wiley & Sons, Inc.
- Andrews, F., Morgan, J., Sonquist, J., and Klem, L. 1973. *Multiple classification analysis*. Ann Arbor, Mich.: University of Michigan at Ann Arbor.
- ASTM Special Technical Publication (STP) 15D 1990. *Manual on presentation of data and control chart analysis*. 6th ed. Prepared by Committee E-11 on Quality and Statistics, American Society for Testing and Materials. Philadelphia, Penn.
- Atkinson, A. C., and Whittaker, J. 1979. Algorithm AS 134: The generation of beta random variables with one parameter greater than and one parameter less than 1. *Applied Statistics*, 28: 90–93.

2 Bibliography

- Barlow, R. E., Bartholomew, D. J., Bremner, J. M., and Brunk, H. D. 1972. *Statistical inference under order restrictions*. New York: John Wiley & Sons, Inc.
- Bartlett, M. S. 1946. On the theoretical specification of sampling properties of autocorrelated time series. *Journal of Royal Statistical Society, Series B*, 8: 27.
- Beasley, J. D., and Springer, S. G. 1977. Algorithm AS 111: The percentage points of the normal distribution. *Applied Statistics*, 26: 118–121.
- Belsley, D. A., Kuh, E., and Welsch R. E. 1980. *Regression diagnostics*. New York: John Wiley & Sons, Inc.
- Benzécri, J. P. 1969. Statistical analysis as a tool to make patterns emerge from data. In: *Methodologies of Pattern Recognition*, S. Watanabe, ed. New York: Academic Press.
- Berger, R. L. 1991. AS R86: A remark on algorithm AS 152. *Applied Statistics*, 40: 374–375.
- Best, D. J., and Roberts, D. E. 1975. Algorithm AS 91: The percentage points of the c2 distribution. *Applied Statistics*, 24: 385–388.
- Bhattacharjee, G. P. 1970. Algorithm AS 32: The incomplete gamma integral. *Applied Statistics*, 19: 285–287.
- Bishop, Y. M. M., Fienberg, S. E., and Holland, P. W. 1975. *Discrete multivariate analysis: Theory and practice*. Cambridge, Mass.: MIT Press.
- Björk, A., and Golub, G. H. 1973. Numerical methods for computing angles between linear subspaces. *Mathematics of Computation*, 27: 579–594.
- Blalock, H. M. 1972. *Social statistics*. New York: McGraw-Hill.
- Bliss, C. I. 1967. *Statistics in biology*, Volume 1. New York: McGraw-Hill.
- Blom, G. 1958. *Statistical estimates and transformed beta variables*. New York: John Wiley & Sons, Inc.
- Bloomfield, P. 1976. *Fourier analysis of time series*, New York: John Wiley & Sons, Inc.
- Bloxom, B. 1978. Constrained multidimensional scaling in n spaces. *Psychometrika*, 43: 397–408.

- Bock, R. D. 1975. *Multivariate statistical methods in behavioral research*. New York: McGraw-Hill.
- Bosten, N. E., and Battiste, E. L. 1980. Remark on Algorithm 179. *Collected Algorithms from ACM*, 179-P 2-R1.
- Bowdler, H. J., Martin, R. S., Reinsch, C., and Wilkinson, J. H. 1968. The QR and QL algorithm for symmetric matrices. *Numerische Mathematik*, 11: 293–306.
- Box, G. E. P., 1949. A general distribution theory for a class of likelihood criteria. *Biometrika*, 36: 317–346.
- Box, G. E. P., and Jenkins, G. M. 1976. *Time series analysis: Forecasting and control*. San Francisco: Holden-Day.
- Box, G. E. P., and Muller, M. E. 1958. A note on the generation of random normal deviates. *Annals of Mathematical Statistics*, 29: 610–611.
- Bratley, P., Fox, B. L., and Schrage, L. E. 1987. *A guide to simulation*. New York: Springer-Verlag.
- Brent, R. 1974. Algorithm 488. *Communications of the ACM*, 17(12).
- Brent, R. P. 1974. Algorithm 488: A Gaussian pseudo-random number generator. *Communications of the ACM*, 17: 704–706.
- Breslow, N. E. 1974. Covariance analysis of censored survival data. *Biometrics*, 30: 89–99.
- Brigham, E. O. 1974. *The fast fourier transform*. Englewood Cliffs, N.J.: Prentice-Hall.
- Brockwell, P. J., and Davis, R. A. 1991. *Time series: Theory and methods*, 2nd ed. New York: Springer-Verlag.
- Brown, M. B. 1975. The asymptotic standard errors of some estimates of uncertainty in the two-way contingency table. *Psychometrika*, 40(3): 291.
- Brown, M. B., and Benedetti, J. K. 1977. Sampling behavior of tests for correlation in two-way contingency tables. *Journal of the American Statistical Association*, 72: 309–315.
- Brownlee, K. A. 1965. *Statistical theory and methodology in science and engineering*. New York: John Wiley & Sons, Inc.

4 Bibliography

- Cain, K. C., and Lange, N. T. 1984. Approximate case influence for the proportional hazards regression model with censored data. *Biometrics*, 40: 493–499.
- Carroll, J. D., and Chang, J. J. 1970. Analysis of individual differences in multidimensional scaling via an N -way generalization of “Eckart-Young” decomposition. *Psychometrika*, 35: 238–319.
- Carroll, J. D., and Chang, J. J. 1972. IDIOSCAL (Individual differences in orientation scaling). Paper presented at the spring meeting of the Psychometric Society, Princeton, New Jersey.
- Carroll, J. D., Pruzansky, S., and Kruskal, J. B. 1980. CANDELINC: A general approach to multidimensional analysis with linear constraints on parameters. *Psychometrika*, 45: 3–24.
- Chambers, J. M., Cleveland, W. S., Kleiner, B., and Tukey, P. A. 1983. *Graphical methods for data analysis*. Belmont, Calif.: Wadsworth International Group; Boston: Duxbury Press.
- Cheng, R. C. H. 1978. Generating beta variates with nonintegral shape parameters. *Communications of the ACM*, 21: 317–322.
- Christensen, R. 1990. *Log-linear models*. New York: Springer-Verlag.
- Clarke, M. R. B. 1982. Algorithm AS 178: The Gauss-Jordan sweep operator with detection of collinearity. *Applied Statistics*, Vol. 31, No. 2: 166–168.
- Cliff, N. 1966. Orthogonal rotation to congruence. *Psychometrika*, 31: 33–42.
- Cook, R. D. 1977. Detection of influential observations in linear regression, *Technometrics*, 19: 15–18.
- Cooley, W. W., and Lohnes, P. R. 1971. *Multivariate data analysis*. New York: John Wiley & Sons, Inc.
- Cooper, B. E. 1968a. Algorithm AS 3: The integral of Student’s t distribution. *Applied Statistics*, 17: 189–190.
- Cooper, B. E. 1968b. Algorithm AS 5: The integral of the noncentral t distribution. *Applied Statistics*, 17: 193–194.
- Cox, D. R. 1972. Regression models and life tables (with discussion). *Journal of the Royal Statistical Society, Series B*, 34: 187–220.

- Cox, D. R., and Snell, E. J. 1989. *The analysis of binary data*, 2nd ed. London: Chapman and Hall.
- Cran, G. W., Martin, K. J., and Thomas, G. E. 1977. Algorithm AS 109: A remark on algorithms: AS 63 and AS 64 (replacing AS 64). *Applied Statistics*, 26: 111–114.
- Cronbach, L. J. 1951. Coefficient alpha and internal structure of tests. *Psychometrika*, 16: 297–334.
- Cryer, J. D. 1986. *Time series analysis*. Boston: Duxbury Press.
- Dallal, G. E., and Wilkinson, L. 1986. An analytic approximation to the distribution of Lilliefors's test statistic for normality. *The American Statistician*, 40(4): 294–296 (Correction: 41: 248).
- De Leeuw, J. 1973. *Canonical analysis of categorical data*. Doctoral dissertation, University of Leiden, reissued by DSWO Press (Leiden, 1984).
- De Leeuw, J., and Van Rijckevorsel, J. 1980. HOMALS and PRINCALS—Some generalizations of principal components analysis. In: *Data Analysis and Informatics*, E. Diday et al, eds. Amsterdam: North-Holland.
- De Leeuw, J., Young, F. W., and Takane, Y. 1976. Additive structure in qualitative data: an alternating least squares method with optimal scaling features. *Psychometrika*, 31: 33–42.
- Dempster, A. P. 1969. *Elements of Continuous Multivariate Analysis*. Reading, Mass.: Addison-Wesley.
- Dempster, A. P., Laird, N. M., and Rubin, D. B. 1977. Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society, B*, 39: 1–38.
- Dineen, L. C., and Blakesley, B. C. 1973. Algorithm AS 62: Generator for the sampling distribution of the Mann-Whitney U statistic. *Applied Statistics*, 22: 269–273.
- Ding, C. G. 1992. Algorithm AS 275: Computing the noncentral chi-squared distribution function. *Applied Statistics*, 41: 478–482.
- Dixon, W. J., ed. 1973. *BMD Biomedical computer programs*. Los Angeles: University of California Press.

6 Bibliography

- Dixon, W. J., ed. 1983. *BMDP statistical software*. Berkeley: University of California Press.
- Dorrer, E. 1968. Algorithm 332: F-distribution. *Communications of the ACM*, 11: 115–116.
- Draper, N. R., and Smith, H. 1969. *Applied regression analysis*. New York: John Wiley & Sons, Inc.
- Duncan, D. B. 1955. Multiple range and multiple *F* tests. *Biometrics*, 11: 1–42.
- Dziuban, C. D., and Shirkey, E. C. 1974. When is a correlation matrix appropriate for factor analysis? *Psychological Bulletin*, 81: 358–361.
- Eckart, C., and Young, G. 1936. The approximation of one matrix by another one of lower rank. *Psychometrika*, 1: 211–218.
- Edwards, A. L. 1954. *Techniques of attitude and scale construction*. New York: Appleton.
- Eisenhart, C. 1947. Significance of the largest of a set of sample estimates of variance. In: *Techniques of Statistical Analysis*, C. Eisenhart, M. W. Hastay, and N. A. Wallis, eds. New York: McGraw-Hill.
- Emerson, P. L. 1968. Numerical construction of orthogonal polynomials from a general recurrence formula, *Biometrics*, 24: 695–701.
- Faddeeva, V. N. 1959. *Computational methods of linear algebra*. New York: Dover.
- Farebrother, R. W. 1987. Algorithm AS 231: The distribution of a noncentral *c*² variable with nonnegative degrees of freedom (Correction: 38: 204). *Applied Statistics*, 36: 402–405.
- Fienberg, S. E. 1977. *The analysis of cross-classified categorical data*. Cambridge, Mass.: The MIT Press.
- Finn, J. D. 1977. Multivariate analysis of variance and covariance, In: *Statistical Methods for Digital Computers*, Volume 3, K. Enslein, A. Ralston, and H. Wilf, eds. New York: John Wiley & Sons, Inc.
- Finney, D. J. 1971. *Probit analysis*. Cambridge: Cambridge University Press.

- Fishman, G. S. 1976. Sampling from the gamma distribution on a computer. *Communications of the ACM*, 19: 407–409.
- Frick, H. 1990. Algorithm AS R84: A remark on algorithm AS 226. *Applied Statistics*, 39: 311–312.
- Frigge, M., Hoaglin, D. C., and Iglewicz, B. 1987. Some implementations for the boxplot. In: *Computer Science and Statistics Proceedings of the 19th Symposium on the Interface*, R. M. Heiberger and M. Martin, eds. Alexandria, Va.: American Statistical Association.
- Fuller, W. A. 1976. *Introduction to statistical time series*. New York: John Wiley & Sons, Inc.
- Gardner, E. S. 1985. Exponential smoothing: the state of the art. *Journal of Forecasting*, 4: 1–28.
- Gebhardt, F. 1966. Approximation to the critical values for Duncan's multiple range test. *Biometrics*, 22: 179–182.
- Gehan, E. A. 1975. Statistical methods for survival time studies. In: *Cancer Therapy: Prognostic Factors and Criteria*. M. J. Staquet, ed. New York: Raven Press, 7–35.
- Giesbrecht, F. G. 1983. An efficient procedure for computing MINQUE of variance components and generalized least squares estimates of fixed effects. *Communications in Statistics, Series A: Theory and Method*, 12: 2169–2177.
- Gifi, A. 1981. *Nonlinear multivariate analysis*. Leiden: Department of Data Theory.
- Gifi, A. 1985. PRINCALS. Leiden: Department of Data Theory, Internal Report UG-85-02.
- Gill, P. E., Murray, W. M., and Wright, M. H. 1981. *Practical Optimization*. London: Academic Press.
- Gill, P. E., Murray, W. M., Saunders, M. A., and Wright, M. H. 1984. Procedures for optimization problems with a mixture of bounds and general linear constraints. *ACM Transactions on Mathematical Software*, 10(3): 282–296.

8 Bibliography

- Gill, P. E., Murray, W. M., Saunders, M. A., and Wright, M. H. 1986. *User's guide for NPSOL (version 4.0): A fortran package for nonlinear programming.* Technical Report SOL 86-2, Department of Operations Research, Stanford University.
- Goldstein, R. B. 1973. Algorithm 451: Chi-square quantiles. *Communications of the ACM*, 16: 483–485.
- Golub, G. H. 1969. Matrix decompositions and statistical calculations. In: *Statistical Computation*, R. C. Milton and J. A. Nelder, eds. New York: Academic Press.
- Golub, G. H., and Reinsch, C. 1971. Linear algebra, Chapter I.10. In: *Handbook for Automatic Computation*, Volume II, J. H. Wilkinson and C. Reinsch, eds. New York: Springer-Verlag.
- Goodenough, W. H. 1944. A technique for scale analysis. *Educational and Psychological Measurement*, 4: 179–190.
- Goodman, L. A., and Kruskal, W. H. 1954. Measures of association for cross-classification. *Journal of the American Statistical Association*, 49: 732–764.
- Goodman, L. A., and Kruskal, W. H. 1972. Measures of association for cross-classification, IV: simplification and asymptotic variances, *Journal of the American Statistical Association*, 67: 415–421.
- Goodnight, J. H. 1978. *Computing MIVQUE0 Estimates of Variance Components.* SAS Technical Report R-105, Cary, N.C.: SAS Institute.
- Goodnight, J. H. 1979. A tutorial on the SWEEP operator. *The American Statistician*, Vol. 33, No. 3: 149–158.
- Goodnight, J. H., and Hemmerle, W. J. 1979. A simplified algorithm for the W transformation in variance component estimation. *Technometrics*, 21: 265–267.
- Grant, E. L., and Leavenworth, R. S. 1980. *Statistical quality control*: 5th ed. New York: McGraw-Hill.
- Green, P. 1977. *Analyzing multivariate data*. New York: John Wiley & Sons, Inc.
- Greenacre, M. J. 1984. *Theory and applications of correspondence analysis.* London: Academic Press.

- Greenhouse, S. W., and Geisser, S. 1959. On methods in the analysis of profile data. *Psychometrika*, 24(2): 95–111.
- Guilford, J. R. 1954. *Psychometric methods*. New York: McGraw-Hill.
- Guttman, L. 1941. The quantification of a class of attributes: A theory and method of scale construction. In: *The Prediction of Personal Adjustment*, P. Horst et al, eds. New York: Social Science Research Council.
- Guttman, L. 1945. A basis for analysing test-retest reliability. *Psychometrika*, 10(4): 255–282.
- Haberman, S. J. 1973. The analysis of residuals in cross-classified tables. *Biometrics*, 29: 205–220.
- Haberman, S. J. 1977. Maximum likelihood estimates in exponential response models. *Annals of Statistics*, 5: 815–841.
- Haberman, S. J. 1978. *Analysis of qualitative data*, Volume 1. New York: Academic Press.
- Haberman, S. J. 1979. *Analysis of qualitative data*, Volume 2. New York: Academic Press.
- Haberman, S. J. 1982. Analysis of dispersion of multinomial responses. *Journal of the American Statistical Association*, 77: 568–580.
- Harman, H. H. 1976. *Modern factor analysis*, 3rd ed., Chicago: University of Chicago Press.
- Harshman, R. A. 1970. Foundations of the PARAFAC procedure: Models and conditions for an explanatory multi-model factor analysis. Working Papers in Phonetics No. 16. Los Angeles: University of California.
- Harter, H. L. 1969. *Order statistics and their use in testing and estimation*, Volumes 1 and 2. Aerospace Research Laboratories, United States Air Force. Washington, D.C.: U.S. Government Printing Office.
- Hartigan, J. A. 1975. *Clustering algorithms*. New York: John Wiley & Sons, Inc.
- Hays, W. L. 1973. *Statistics for the social sciences*. New York: Holt, Rinehart and Winston.

10 Bibliography

- Heiser, W. J. 1981. *Unfolding analysis of proximal data*. Doctoral dissertation. Department of Data Theory, University of Leiden.
- Hendrickson, A. E., and White, P. O. 1964. Promax: A quick method for rotation to oblique simple structure. *British Journal of Statistical Psychology* 17: 65–70.
- Hill, G. W. 1970a. Algorithm 395: Student's *t*-distribution. *Communications of the ACM*, 13: 617–619.
- Hill, G. W. 1970b. Algorithm 396: Student's *t*-quantiles. *Communications of the ACM*, 13: 619–620.
- Hill, I. D. 1973. Algorithm AS 66: The normal integral. *Applied Statistics*, 22: 424.
- Hill, I. D., and Pike, A. C. 1967. Algorithm 299: Chi-squared integral. *Communications of the ACM*, 10: 243–244.
- Hoaglin, D. C., and Welsch, R. E. 1978. The hat matrix in regression and ANOVA. *The American Statistician*, 32: 17–22.
- Hoaglin, D. C., Mosteller, F., and Tukey, J. W. 1983. *Understanding robust and exploratory data analysis*. New York: John Wiley & Sons, Inc.
- Hoaglin, D. C., Mosteller, F., and Tukey, J. W. 1985. *Exploring data tables, trends, and shapes*. New York: John Wiley & Sons, Inc.
- Horst, P. 1963. *Matrix algebra for social scientists*. New York: Holt, Rinehart, and Winston.
- Hosmer, D. W., and Lemeshow, S. 1989. *Applied logistic regression*. New York: John Wiley & Sons, Inc.
- Huynh, H., and Feldt, L. S. 1970. Conditions under which mean square ratios in repeated measurements designs have exact *F*-distributions. *Journal of the American Statistical Association*, 65: 1582–1589.
- Huynh, H., and Feldt, L. S. 1976. Estimation of the Box correction for degrees of freedom from sample data in the randomized block and split plot designs. *Journal of Educational Statistics*, 1: 69–82.
- Israëls, A. 1987. *Eigenvalue techniques for qualitative data*. Leiden: DSWO Press.
- Jennrich, R. I., and Sampson, P. F. 1966. Rotation for simple loading. *Psychometrika*, 31(3): 313–323.

- Jennrich, R. I., and Sampson, P. F. 1976. Newton-Raphson and related algorithms for maximum likelihood variance component estimation. *Technometrics*, 18: 11–17.
- Jöhnk, M. D. 1964. Erzeugung von Betaverteilten und Gammaverteilten Zufallszahlen. *Metrika*, 8: 5–15.
- Jones, L. E., and Young, F. W. 1972. Structure of a social environment: longitudinal individual differences scaling of an intact group. *Journal of Personality and Social Psychology*, 24: 108–121.
- Joreskog, K .G. 1977. Factor analysis by least-square and maximum likelihood methods. In: *Statistical Methods for Digital Computers*, volume 3, K. Enslein, A. Ralston, and R. S. Wilf, eds. New York: John Wiley & Sons, Inc.
- Kaiser, H. F. 1963. Image analysis. In: *Problems in Measuring Change*, C. W. Harris, ed. Madison, Wisc.: University of Wisconsin Press.
- Kalbfleisch, J. D., and Prentice, R. L. 1980. *The statistical analysis of failure time data*. New York: John Wiley & Sons, Inc.
- Kendall, M. G. 1955. *Rank correlation methods*. London: Charles Griffin.
- Kendall, M. G., and Stuart, A. 1961. *The advanced theory of statistics*, Volume 2. London: Charles Griffin.
- Kennedy, W. J., and Gentle, J. E. 1980. *Statistical computing*. New York: Marcel Dekker.
- Kim, Jae-On 1971. Predictive measures of ordinal association. *American Journal of Sociology*, 76(5): 891.
- Kinderman, A. J., and Ramage, J. G. 1976. Computer generation of normal random variables. *Journal of the American Statistical Association*, 71: 893–896. (Correction: 85: 212).
- Knuth, D. E. 1973. *The Art of Computer Programming*, volume 3: Sorting and Searching. Reading, Mass.: Addison-Wesley.
- Kohn, R., and Ansley, C. F. 1985. Efficient estimation and prediction in time series regression models, *Biometrika*, 72, 3: 694–697.

12 Bibliography

- Kohn, R., and Ansley, C. F. 1986. Estimation, prediction, and interpolation for ARIMA models with missing data, *JASA*, Vol. 81, No. 395: Theory and Methods, pp. 751–761.
- Kotz, S., and Johnson, N. L., eds. 1988. *Encyclopedia of statistical sciences*. John Wiley & Sons, Inc.: New York.
- Kramer, C. Y. 1956. Extension of multiple range tests to group means with unequal numbers of replications. *Biometrics*, 12: 307–310.
- Kristof, W. 1963. The statistical theory of stepped-up reliability coefficients when the test has been divided into several equivalent parts. *Psychometrika*, 28: 221–238.
- Kristof, W. 1969. Estimation of true score and error variance under various equivalent assumptions. *Psychometrika*, 34: 489–507.
- Kruskal, J. B. 1964. Nonmetric multidimensional scaling: a numerical method. *Psychometrika*, 29: 115–129.
- Lau, C. L. 1980. Algorithm AS 147: A simple series for the incomplete gamma integral. *Applied Statistics*, 29: 113–114.
- Lawless, J. F. 1982. *Statistical models and methods for lifetime data*. New York: John Wiley & Sons, Inc.
- Ledolter, J., and Abraham, B. 1984. Some comments on the initialization of exponential smoothing. *Journal of Forecasting*, 3: 79–84.
- Lee, E., and Desu, M. 1972. A computer program for comparing k samples with right censored data. *Computer Programs in Biomedicine*, 2: 315–321.
- Lehmann, E. L. 1975. *Nonparametrics: Statistical Methods Based on Ranks*. San Francisco: Holden-Day.
- Lehmann, E. L. 1985. *Nonparametrics: Statistical Methods Based on Ranks*. San Francisco: McGraw Hill.
- Lenth, R. V. 1987. Algorithm AS 226: Computing noncentral beta probabilities (Correction: 39: 311–312). *Applied Statistics*, 36: 241–244.
- Lenth, R. V. 1989. Algorithm AS 243: Cumulative distribution function of the noncentral t distribution. *Applied Statistics*, 38: 185–189.

- Lewis, P. A. W., Goodman, O. S., and Miller, J. W. 1969. A pseudo-random number generator for the System 360. *IBM Systems Journal*, 8(2): 136–145.
- Lilliefors, H. W. 1967. On the Kolmogorov-Smirnov tests for normality with mean and variance unknown. *Journal of the American Statistical Association*, 62: 399–402.
- Ling, R. E. 1978. A study of the accuracy of some approximations for t , χ^2 and F tail probabilities. *Journal of the American Statistical Association*, 73: 274–283.
- Little, R. J. A. 1988. A test of missing completely at random for multivariate data with missing values. *Journal of the American Statistical Association*, 83: 1198–1988.
- Little, R. J. A. and Rubin, D. B. 1987. *Statistical analysis with missing data*. New York: John Wiley & Sons, Inc.
- Loether, H. J., and McTavish, D. G. 1975. *Descriptive and inferential statistics*. Boston: Allyn and Bacon.
- Louise, T. A. 1982. Finding the observed information matrix when using the *EM* algorithm. *Journal of the Royal Statistical Society, B*, 44(2): 226–233.
- Ludwig, O. G. 1963. Algorithm 179: Incomplete beta ratio. *Communications of the ACM*, 6: 314.
- Lund, R. E. 1980. Algorithm AS 152: Cumulative hypergeometric probabilities. *Applied Statistics*, 29: 221–223.
- MacCallum, R. C. 1977. Effects of conditionality on INDSCAL and ALSCAL weights. *Psychometrika*, 42: 297–305.
- Macleod, A. J. 1989. Algorithm AS 245: A robust and reliable algorithm for the logarithm of the gamma function. *Applied Statistics*, 38: 397–402.
- Majumder, K. L., and Bhattacharjee, G. P. 1973a. Algorithm AS 63: The incomplete beta integral. *Applied Statistics*, 22: 409–411.
- Majumder, K. L., and Bhattacharjee, G. P. 1973b. Algorithm AS 64: Inverse of the incomplete beta function ratio. *Applied Statistics*, 22: 412–414.
- Makridakis, S., Wheelwright, S. C., and McGee, V. E. 1983. *Forecasting: Methods and Applications*, 2nd ed. New York: John Wiley & Sons, Inc.

14 Bibliography

- Mardia, K. V. 1972. *Statistics of Directional Data*. New York: Academic Press.
- Mardia, K. V., Kent, J. T., and Bibby, J. M. 1979. *Multivariate Analysis*. New York: Academic Press.
- Marsaglia, G. 1962. Random variables and computers. *Information theory statistical decision functions random processes: Transactions of the third Prague conference*, J. Kozesnik, ed. Czechoslovak Academy of Science, Prague, Czechoslovak. 499–510.
- Mauchly, John W. 1940. Significance test for sphericity of a normal n -variate distribution. *Annals of Mathematical Statistics*, 11: 204–209.
- McCullagh, P., and Nelder, J. A. 1989. Generalized linear models. 2nd ed. London: Chapman and Hall.
- Melard, G. 1984, A fast algorithm for the exact likelihood of autoregressive-moving average models. *Applied Statistics*, 33: 104–114.
- Meulman, J. 1982. *Homogeneity analysis of incomplete data*. Leiden: DSWO Press.
- Miller, R. G., Jr. 1966. *Simultaneous statistical inference*. New York: McGraw-Hill.
- MINPACK. Argonne National Laboratories Report ANL-80-74.
- Monro, D. M. 1975. Algorithm AS 83: Complex discrete fast Fourier transform. *Applied Statistics*, 24: 153–160.
- Monro, D. M., and Branch, J. L. 1977. Algorithm AS 117: The chirp discrete Fourier transform of general length. *Applied Statistics*, 26: 351–361.
- Moré, J. J. 1977. The Levenberg-Marquardt algorithm: implementation and theory in numerical analysis. In: *Lecture Notes in Mathematics* 630, G. A. Watson, ed. Berlin: Springer-Verlag. 105–116.
- Morf, M., Sidhu, G. S., and Kailath, T. 1974. Some new algorithms for recursive estimation in constant, linear, discrete-time systems, *IEEE Transactions on Automatic Control*, Vol. AC-19, No. 4: 315–323.
- Morrison, D. F. 1976. *Multivariate statistical methods*. New York: McGraw-Hill.

- Mudholkar, G. S., Chaubrey, Y. P., and Lin, C. 1976a. Approximations for the doubly noncentral F-distribution. *Communications in Statistics, Part A*, 5: 49–53.
- Mudholkar, G. S., Chaubrey, Y. P., and Lin, C. 1976b. Some Approximations for the noncentral F-distribution. *Technometrics*, 18:351–358.
- Muller, K. E., and Peterson, B. L. 1984. Practical methods for computing power in testing the multivariate general linear hypothesis. *Computational Statistics and Data Analysis*, 2: 143–158.
- Nagelkerke, N. J. D. 1991. A note on a general definition of the coefficient of determination. *Biometrika*, 78: 691–692.
- Narula, S. C., and Desu, M. M. 1981. Computation of probability and noncentrality parameter of a noncentral chi-square distribution. *Applied Statistics*, 30: 349–352.
- Nishisato, S. 1980. *Analysis of categorical data: dual scaling and its applications*. Toronto: University of Toronto Press.
- Novick, M. R., and Lewis, C. 1967. Coefficient alpha and the reliability of composite measurements. *Psychometrika*, 32: 1–13.
- Null, C. H., and Sarle, W. S. 1982. Multidimensional scaling by least squares. *Proceedings of the 7th Annual SAS User's Group International*.
- Orchard, T. and Woodbury, M. A. 1972. Missing information principal: Theory and applications. *Proceedings of the Sixth Berkeley Symposium on Mathematical Statistics and Probability*, Vol. 1. Berkeley: University of California Press, 697–715.
- Overall, J. E., and Klett, C. F. 1972. *Applied multivariate analysis*. New York: McGraw-Hill.
- Patel, J. K., and Read, C. B. 1982. *Handbook of the normal distribution*. New York: Marcel Dekker.
- Pearlman, J. G. 1980, An algorithm for the exact likelihood of a high-order autoregressive-moving average process, *Biometrika*, 67, 1: 232–233.
- Peizer, D. B., and Pratt, J. W. 1968. A normal approximation for binomial, F, beta and other common related tail probabilities. *Journal of the American Statistical Association*, 63: 1416–1456.

16 Bibliography

- Pierce, D. A., and Schafer, D. W. 1986. Residuals in generalized linear models. *Journal of the American Statistical Association*, 81: 977–986.
- Pike, M. C., and Hill, I. D. 1966. Algorithm 291: Logarithm of gamma function. *Communications of the ACM*, 9: 684.
- Pillai, K. C. S. 1967. Upper percentage points of the largest root of a matrix in multivariate analysis. *Biometrika*, 54: 189–194.
- Plackett, R. L., and Burman, J. P. 1946. The design of optimum multifactorial experiments. *Biometrika*, 33: 305–325.
- Quenouville, M. H. 1949. Approximate tests of correlation in time series. *Journal of the Royal Statistical Society, Series B*, 11: 68.
- Rao, C. R. 1951. An asymptotic expansion of the distribution of Wilks' criterion. *Bulletin of the International Statistical Institute*, 33, Part 2: 177–180.
- Rao, C. R. 1952. *Advanced statistical methods in biometric research*. New York: John Wiley & Sons, Inc.
- Rao, C. R. 1955. Estimation and test of significance in factor analysis. *Psychometrika*, 20(2): 93–111.
- Rao, C. R. 1973. *Linear statistical inference and its applications*, 2nd ed. New York: John Wiley & Sons, Inc.
- Rao, C. R. 1980. Matrix approximations and reduction of dimensionality in multivariate statistical analysis. In: *Multivariate Analysis*, Vol. 5, P. R. Krishnaiah, ed. Amsterdam: North-Holland.
- Ridout, M. S., and Cobby, J. M. 1989. A remark on algorithm AS 178. *Applied Statistics*, 38: 420–422.
- Robson, D. S. 1959. A simple method for construction of orthogonal polynomials when the independent variable is unequally spaced. *Biometrics*, 15: 187–191.
- Romesburg, H. C. 1984. *Cluster analysis for researchers*. Belmont, Calif.: Lifetime Learning Publications.
- Rubin, D. B. 1987. *Multiple imputation for nonresponse data in surveys*. New York: John Wiley & Sons, Inc.

- Rummel, R. J. 1970. *Applied factor analysis*. Evanston: Ill.: Northwestern University Press.
- Satterthwaite, F. E. 1946. An approximate distribution of estimates of variance components. *Biometrics Bulletin*, 2: 110–114.
- Scheffé, H. A. 1959. *The analysis of variance*. New York: John Wiley & Sons, Inc.
- Schiffman, S. S., Reynolds, M. L., and Young, F. W. 1981. *Introduction to multidimensional scaling: theory, methods and applications*. New York: Academic Press.
- Schrage, L. 1979 A more portable Fortran random number generator. *ACM Transactions on Mathematical Software*, 5, No. 2:132.
- Searle, S. R. 1966. *Matrix algebra for the biological sciences*. New York: John Wiley & Sons, Inc.
- Searle, S. R. 1971. *Linear models*. New York: John Wiley & Sons, Inc.
- Searle, S. R. 1982. *Matrix algebra useful for statistics*. New Work: John Wiley & Sons, Inc.
- Searle, S. R., Casella, G., and McCulloch, C. E. 1992. *Variance components*. New York: John Wiley & Sons, Inc.
- Searle, S. R., Speed, F. M., and Milliken, G. A. 1980. Population marginal means in the linear model: an alternative to least squares means. *The American Statistician*, 34: 216–221.
- Seber, G. A. F. 1984. *Multivariate observations*. New York: John Wiley & Sons, Inc. (Section 9.2.6).
- Shea, B. L. 1988. Algorithm AS 239: Chi-squared and incomplete gamma integral. *Applied Statistics*, 37: 466–473.
- Shea, B. L. 1989. AS R77: A remark on algorithm AS 152, *Applied Statistics*, 38: 199–204.
- Shea, B. L., 1991. AS R85: A remark on algorithm AS 91, *Applied Statistics*, 40: 233–235.
- Siegel, S. 1956. *Nonparametric statistics for the behavioral sciences*. New York: McGraw-Hill.

18 Bibliography

- Singleton, R. C. 1969. Algorithm 347: Efficient sorting in minimal storage. *Communications of the ACM*, 12: 185–187.
- Smirnov, N. V. 1948. Table for estimating the goodness of fit of empirical distributions. *Annals of Mathematical Statistics*, 19: 279–281.
- Snedecor, G. W., and Cochran, W. G. 1967. *Statistical methods*. Ames, Iowa: Iowa State University Press.
- Speed, F. M. 1976. Response curves in the one-way classification with unequal numbers of observations per cell. *Proceedings of the Statistical Computing Section, American Statistical Association*. 270–272.
- Spicer, C. C. 1972. Algorithm AS 52: Calculation of power sums of deviations about the mean. *Applied Statistics*, 21: 226–227.
- Stewart, G. W. 1973. *Introduction to matrix computations*. New York: Academic Press.
- Storer, B. E., and Crowley, J. 1985. A diagnostic for Cox regression and general conditional likelihoods. *Journal of the American Statistical Association*, 80: 139–147.
- Tadikamalla, P. R. 1978. Computer generation of gamma random variables. *Communications of the ACM*, 21: 419–422.
- Takane, Y., de Leeuw, J., and Young, F. W. 1977. Nonmetric individual differences multidimensional scaling: an alternating least squares method with optimal scaling features. *Psychometrika*, 42: 7–67.
- Tarone, R. 1975. Tests for trend in life table analysis. *Biometrika*, 62: 679–682.
- Tarone, R., and Ware, J. 1977. On distribution free tests for equality of survival distributions. *Biometrika*, 64(1): 156–160.
- Tatsuoka, M. M. 1971. *Multivariate analysis*. New York: John Wiley & Sons, Inc.
- Taylor, G. A. R. 1970. Algorithm AS 27: The integral of Student's *t*-distribution. *Applied Statistics*, 19: 113–114.
- Theil, H. 1953a. *Repeated least square applied to complete equation systems*. The Hague: Central Planning Bureau.

- Theil, H. 1953b. *Estimation and simultaneous correlation in complete equation systems*. The Hague: Central Planning Bureau.
- Timm, N. H. 1975. *Multivariate analysis with applications in education and psychology*. Monterey, Calif.: Brooks and Cole.
- Tucker, L. R. 1972. Relations between multidimensional scaling and three mode factor analysis. *Psychometrika*, 37: 3–28.
- Tukey, J. W. 1962. The future of data analysis. *The Annals of Mathematical Statistics*, 33: 1–67 (Correction: 33: 812)
- Tukey, J. W. 1977. *Exploratory data analysis*. Reading, Mass.: Addison-Wesley.
- Van de Geer, J. P. 1971. *Introduction to multivariate analysis for the social sciences*. San Francisco: W. H. Freeman.
- Van de Geer, J. P. 1987. *Algebra and geometry of OVERALS*. Leiden: Internal Report RR-87-13, Department of Data Theory.
- Van der Burg, E. 1988. *Nonlinear canonical correlation and some related techniques*. Leiden: DSWO Press.
- Van der Burg, E., De Leeuw, J., and Verdegaal, R. 1984. *Non-linear canonical correlation analysis*. Leiden: Internal Report RR-84-12, Department of Data Theory.
- Van der Burg, E., De Leeuw, J., and Verdegaal, R. 1988. Homogeneity analysis with k sets of variables: an alternating least squares method with optimal scaling features. *Psychometrika*, 53: 177–197.
- Van Rijckevorsel, J., and De Leeuw, J. 1979. *An outline of PRINCALS*. Leiden: Internal Report RB 002–’79, Department of Data Theory.
- Velleman, P. F. 1980. Definition and comparison of robust nonlinear data smoothing algorithms. *Journal of the American Statistical Association*, 75: 609–615.
- Velleman, P. F., and Hoaglin, D. C. 1981. *Applications, basics, and computing of exploratory data analysis*. Boston: Duxbury Press.
- Velleman, P. F., and Welsch, R. E. 1981. Efficient computing of regression diagnostics. *The American Statistician*, 35: 234–242.

20 Bibliography

- Verdegaal, R. 1986. *OVERALS*. Leiden: Internal Report UG-86-01, Department of Data Theory.
- Von Neumann, J. 1951. Various techniques used in connection with random digits. *National Bureau of Standards Applied Mathematics*, Series 12: 36–38.
- Wichura, M. J. 1988. Algorithm AS 241: The percentage points of the normal distribution. *Applied Statistics*, 37: 477–484.
- Wilkinson, J. H. 1965. *The algebraic eigenvalue problem*. Oxford: Clarendon Press.
- Wilkinson, J. H., and Reinsch, C. 1971. Linear algebra. In: *Handbook for Automatic Computation*, Volume II, J. H. Wilkinson and C. Reinsch, eds. New York: Springer-Verlag.
- Winer, B. J. 1971. *Statistical principles in experimental design*, 2nd ed. New York: McGraw-Hill.
- Wolter, K. M. 1985. *Introduction to variance estimation*. Berlin: Springer-Verlag.
- Young, E. A., and Cramer, E. W. 1971. Some results relevant to choice of sum and sum-of-product algorithms. *Technometrics*, 13: 657–665.
- Young, F. W., and Lewyckyj, R. 1979. *ALSCAL-4 user's guide*. Carrboro: N.C.: Data Analysis and Theory Associates.
- Young, F. W., Easterling, D. V., and Forsyth, B. N. 1984. The general Euclidean model for scaling three mode dissimilarities: theory and application. In: *Research Methods for Multi-mode Data Analysis in the Behavioral Sciences*, H. G. Law, G. W. Snyder, Jr., J. Hattie, and R. P. McDonald, eds. New York: Praeger.
- Young, F. W., Takane, Y., and Lewyckyj, R. 1978. ALSCAL: A nonmetric multidimensional scaling program with several difference options. *Behavioral Research Methods and Instrumentation*, 10: 451–453.
- Young, J. C., and Minder, C. E. 1974. Algorithm AS 76: An integral useful in calculating noncentral t and bivariate normal probabilities. *Applied Statistics*, 23: 455–457.