

CICS Transaction Server for OS/390

IBM

CICSplex SM Master Index

Release 3

CICS Transaction Server for OS/390

IBM

CICSplex SM Master Index

Release 3

Note!

Before using this information and the product it supports, be sure to read the general information under "Notices" on page iii.

Second Edition, March 1999

This edition applies to Release 3 of CICS Transaction Server for OS/390, program number 5655-147, and to any subsequent versions, releases, and modifications until otherwise indicated in new editions. Information in this edition was previously contained in SC33-1812-00, which is now obsolete. Make sure you are using the correct edition for the level of the product.

Order publications through your IBM representative or the IBM branch office serving your locality. Publications are not stocked at the addresses given below.

At the back of this publication is a page titled "Sending your comments to IBM". If you want to make comments, but the methods described are not available to you, please address your comments to:

IBM United Kingdom Laboratories, Information Development,
Mail Point 095, Hursley Park, Winchester, Hampshire, England, SO21 2JN.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

Copyright International Business Machines Corporation 1997, 1999. All rights reserved.

Note to U.S. Government Users — Documentation related to restricted rights — Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106, Japan

The following paragraph does not apply in the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore this statement may not apply to you.

This publication could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact IBM United Kingdom Laboratories, MP151, Hursley Park, Winchester, Hampshire, England, SO21 2JN. Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Programming License Agreement, or any equivalent agreement between us.

Trademarks

The following terms are trademarks of International Business Machines Corporation in the United States, or other countries, or both:

CICS

CICSplex

RACF

Other company, product, and service names may be trademarks or service marks of others.

CICSplex SM Master Index

This master index consists of the merged entries from the indexes of CICSplex SM books in the CICS Transaction Server for OS/390 Release 3 library. Each entry is followed by one or more book identifiers, indicating the book or books in which the topic is discussed. These identifiers are listed in “Book identifiers used in the master index” on page vi. After looking up a topic in the master index, you can either refer to the indexes in the books, or search a softcopy version of the book listed against that topic.

Note: Some books are updated between releases in softcopy only. This master index is correct for the latest versions of the books (hardcopy or softcopy) at the time of going to press. If you find an index entry in this book that is not present in the latest hardcopy version of the book to which it refers, look at the latest softcopy version to find the reference.

Some books in the CICSplex SM library are not indexed, so no entries appear for them in this master index. In addition, due to technical reasons, it is not possible to include the index for the *CICSplex SM Resource Tables Reference*. For a complete list of the CICSplex SM books, see “Bibliography” on page vii.

To improve retrievability, some closely similar entries have been replaced by a single entry in this index. For this reason, an entry in the master index might not have an exact match in an individual book.

This book is intended to help you find a topic in the CICSplex SM library, and only contains guidance about the contents of the CICSplex SM manuals. The information in this book must not be used for programming purposes.

Book identifiers used in the master index

The books whose indexes are included in the Master Index are indicated in the entries by the following identifiers:

Key	Book
ADM	CICSplex SM Administration
APG	CICSplex SM Application Programming Reference
APR	CICSplex SM Application Programming Guide
CP	CICSplex SM Concepts and Planning
MBA	CICSplex SM Managing Business Applications
MRU	CICSplex SM Managing Resource Usage
MV	CICSplex SM Monitor Views Reference
MW	CICSplex SM Managing Workloads
OV	CICSplex SM Operations Views Reference
PD	CICSplex SM Problem Determination
UIG	CICSplex SM User Interface Guide

Bibliography

CICS Transaction Server for OS/390

<i>CICS Transaction Server for OS/390: Planning for Installation</i>	GC33-1789
<i>CICS Transaction Server for OS/390 Release Guide</i>	GC34-5352
<i>CICS Transaction Server for OS/390 Migration Guide</i>	GC34-5353
<i>CICS Transaction Server for OS/390 Installation Guide</i>	GC33-1681
<i>CICS Transaction Server for OS/390 Program Directory</i>	GI10-2506
<i>CICS Transaction Server for OS/390 Licensed Program Specification</i>	GC33-1707

CICS books for CICS Transaction Server for OS/390

General

<i>CICS Master Index</i>	SC33-1704
<i>CICS User's Handbook</i>	SX33-6104
<i>CICS Transaction Server for OS/390 Glossary (softcopy only)</i>	GC33-1705

Administration

<i>CICS System Definition Guide</i>	SC33-1682
<i>CICS Customization Guide</i>	SC33-1683
<i>CICS Resource Definition Guide</i>	SC33-1684
<i>CICS Operations and Utilities Guide</i>	SC33-1685
<i>CICS Supplied Transactions</i>	SC33-1686

Programming

<i>CICS Application Programming Guide</i>	SC33-1687
<i>CICS Application Programming Reference</i>	SC33-1688
<i>CICS System Programming Reference</i>	SC33-1689
<i>CICS Front End Programming Interface User's Guide</i>	SC33-1692
<i>CICS C++ OO Class Libraries</i>	SC34-5455
<i>CICS Distributed Transaction Programming Guide</i>	SC33-1691
<i>CICS Business Transaction Services</i>	SC34-5268

Diagnosis

<i>CICS Problem Determination Guide</i>	GC33-1693
<i>CICS Messages and Codes</i>	GC33-1694
<i>CICS Diagnosis Reference</i>	LY33-6088
<i>CICS Data Areas</i>	LY33-6089
<i>CICS Trace Entries</i>	SC34-5446
<i>CICS Supplementary Data Areas</i>	LY33-6090

Communication

<i>CICS Intercommunication Guide</i>	SC33-1695
<i>CICS Family: Interproduct Communication</i>	SC33-0824
<i>CICS Family: Communicating from CICS on System/390</i>	SC33-1697
<i>CICS External Interfaces Guide</i>	SC33-1944
<i>CICS Internet Guide</i>	SC34-5445

Special topics

<i>CICS Recovery and Restart Guide</i>	SC33-1698
<i>CICS Performance Guide</i>	SC33-1699
<i>CICS IMS Database Control Guide</i>	SC33-1700
<i>CICS RACF Security Guide</i>	SC33-1701
<i>CICS Shared Data Tables Guide</i>	SC33-1702
<i>CICS Transaction Affinities Utility Guide</i>	SC33-1777
<i>CICS DB2 Guide</i>	SC33-1939

CICSplex SM books for CICS Transaction Server for OS/390

General

<i>CICSplex SM Master Index</i>	SC33-1812
<i>CICSplex SM Concepts and Planning</i>	GC33-0786
<i>CICSplex SM User Interface Guide</i>	SC33-0788
<i>CICSplex SM View Commands Reference Summary</i>	SX33-6099

Administration and Management

<i>CICSplex SM Administration</i>	SC34-5401
<i>CICSplex SM Operations Views Reference</i>	SC33-0789
<i>CICSplex SM Monitor Views Reference</i>	SC34-5402
<i>CICSplex SM Managing Workloads</i>	SC33-1807
<i>CICSplex SM Managing Resource Usage</i>	SC33-1808
<i>CICSplex SM Managing Business Applications</i>	SC33-1809

Programming

<i>CICSplex SM Application Programming Guide</i>	SC34-5457
<i>CICSplex SM Application Programming Reference</i>	SC34-5458

Diagnosis

<i>CICSplex SM Resource Tables Reference</i>	SC33-1220
<i>CICSplex SM Messages and Codes</i>	GC33-0790
<i>CICSplex SM Problem Determination</i>	GC33-0791

Other CICS books

<i>CICS Application Programming Primer (VS COBOL II)</i>	SC33-0674
<i>CICS Application Migration Aid Guide</i>	SC33-0768
<i>CICS Family: API Structure</i>	SC33-1007
<i>CICS Family: Client/Server Programming</i>	SC33-1435
<i>CICS Family: General Information</i>	GC33-0155
<i>CICS 4.1 Sample Applications Guide</i>	SC33-1173
<i>CICS/ESA 3.3 XRF Guide</i>	SC33-0661

If you have any questions about the CICS Transaction Server for OS/390 library, see *CICS Transaction Server for OS/390: Planning for Installation* which discusses both hardcopy and softcopy books and the ways that the books can be ordered.

Index

A

abend compensation MW, CP
 abend, investigating PD
 accessing API from REXX APR
 accessing BAS MBA
 accessing CICSplex SM APR
 accessing resource tables from REXX APR
 accessing views ADM, MBA
 ACTDEF view CP
 action command OV, MV, UIG, ADM, CP
 action commands MBA
 action commands for MW
 actions, performing APR
 activating component tracing ADM
 activating real-time analysis ADM
 activating resource monitoring ADM
 activating RTA ADM
 activating target region for workload management MW
 activating workload management ADM, MW
 adding assignment to description MBA
 adding definition to group MBA
 adding group to description MBA
 ADDRESS command APG
 adjacent CMAS ADM
 ADMCONFIG view CP
 administering CAS-to-CAS links CP
 administering CASs ADM
 administering CICSplexes ADM
 administering CMASs ADM
 administering the CMAS configuration CP
 administering the topology of a CICSplex CP
 administration menu ADM, MW, MBA
 administration views ADM, MW, MBA
 ADMTOPOL view CP
 affinity, intertransaction CP
 affinity, workload MW
 agent code, MAS CP, PD
 AIMODEL view OV
 AIMODELS view OV
 ALLOC debugging command PD
 ALT WIN field UIG
 alter expression MBA
 altering resource definitions MBA
 alternate window UIG
 analysis definition CP
 analysis group CP
 analysis point monitoring (APM) CP
 analysis specification CP
 ANALYSIS view UIG
 AOC CICS Automation CP

AOR ADM
 APAR (authorized program analysis report) PD
 APCMAS view CP
 API program problems PD
 application programming interface (API) CP
 application programming interface problems PD
 application resources MBA
 applying a fix PD
 APSPEC view CP
 argument values APG
 Assembler language programs APR, APG
 assigning resources to CICS systems MBA
 associating assignment with description MBA
 associating definition with group MBA
 associating group with description MBA
 associating scope MW
 ASU (automatic screen update) UIG
 ASU display command UIG
 asynchronous processing APR
 ASYNCREQ records APR
 ATTACH debugging command PD
 attribute expression APR
 attributes, resource table APR, APG
 authorized program analysis report (APAR) PD
 automatic installation CP
 automatic installation of resources MBA
 automatic screen update (ASU) UIG
 automatic transaction initiation (ATI) MW
 AUXTRACE facilities PD
 availability, CICS release OV, MV, MBA, APR

B

batched repository-update facility MBA, CP
 BATCHREP view CP
 BBMSS201I message UIG
 BBMXBD15I message UIG
 BINCONRS resource table records APR
 BINCONSC resource table records APR
 BINSTERR resource table records APR
 bottleneck, investigating PD
 bridge exit MBA
 browsing specification MW
 browsing transaction group definition MW
 Business Application Services (BAS) CP

C

C programs APR, APG
 CALL debugging command PD
 CANCEL command APG

index

CAPTURE debugging command PD
CAS (coordinating address space) UIG, PD
CAS-to-CAS links CP
CASACT view CP
CASDEF view CP
CASDEFD view CP
CFDT pool views OV, MV
CFDTPOOL view OV
CFDTPOOS view OV
change log contents PD
CHANGETIME attribute APR
changing appearance of UIG
changing display attributes UIG
CICS AUXTRACE facilities PD
CICS BTS views OV
CICS business transaction services (BTS) MW, CP
CICS definitions APR, APG
CICS Global User exit programs APR
CICS Monitoring Facility (CMF) CP
CICS region views OV, MV
CICS release availability OV, MV, MBA, APR
CICS resources, managed APR
CICS system CP
CICS system group UIG, CP
CICS system link MBA
CICS system objects CP
CICS systems, connecting MBA
CICS trace table settings PD
CICS Transaction Affinities Utility MW
CICSDSA view OV
CICSDSAD view OV
CICSDSAS view OV
CICSGRP view CP
CICSplex UIG, CP
CICSplex SM UIG
CICSplex SM address space (CMAS) UIG, CP, PD
CICSplex SM API in status program APR
CICSplex SM API in user-replaceable program APR
CICSplex SM definitions APR, APG
CICSplex SM manager resources APR
CICSplex SM meta-data APR, APG
CICSplex SM notifications APR, APG
CICSplex SM object model, recommended usage CP
CICSplex SM Starter Set UIG
CICSplex SM tokens APR
CICSplex SM, introduction to CP
CICSplex SM-requested dumps PD
CICSplex objects CP
CICSplex SM API task related user exit APR
CICSplex topology CP
CICSPLEX view CP
CICSRGN view OV
CICSRGN2 view OV
CICSRGN3 view OV
CICSRGN4 view OV
CICSRGND view OV
CICSRGNS view OV
CICSSYS view CP
CLEAR display command UIG
clearing a window UIG
CLOSE display command UIG
closing a window UIG
CMAS (CICSplex SM address space) UIG, PD
CMAS view CP
CMASD view CP
CMASPLEX view CP
CMDT view OV
CMDT2 view OV
CMDT3 view OV
CMDTD view OV
CMDTS view OV
CMTCMDEF view CP
CMTCMLND view CP
CMTCMLNK view CP
CMTPMDEF view CP
CMTPMLND view CP
CMTPMLNK view CP
COBOL programs APR, APG
COD0 debugging commands PD
COD0 transaction PD
COB debugging commands PD
COB transaction PD
COLU transaction PD
column headings, changing UIG
command checking, CICS CP
command responses APR, APG
command-level interface APR, APG
commands UIG, APG
commands, specifying APG
common components of CICSplex SM PD
common problems PD
Common Services component PD
communication areas MW
Communications component PD
communications tracing PD
compatibility of API programs APR
compiling a command-level program APR
component identifiers PD
CONFIG view UIG
configuration CP
configuration definitions CP
CONNDEF view MBA, CP
CONNECT command APR, APG
CONNECT view OV
CONNECTD view OV
connecting CICS systems MBA
connecting to CICSplex SM APR
connection definition MBA
connection views OV, MV
CONNECTS view OV

context UIG, APR, APG
 CONTEXT display command UIG
 context for CICSplex SM commands CP
 control area UIG
 controlling dumps PD
 controlling the amount of trace PD
 coordinating address space (CAS) UIG, CP, PD
 coordinating address space subsystem ID UIG
 copy books MW
 copy books, resource table APR
 COPY command APG
 copying definitions between CMASs CP
 copying result set records APG
 coupling facility data table pool views OV, MV
 CPLEXDEF view CP
 CPLXCMAS view CP
 CREATE command APG
 CREATETIME attribute APR
 creating a transaction affinity MW
 creating a transaction group MW
 creating a user-replacement for EYU9WRAM MW
 creating a workload definition MW
 creating a workload group MW
 creating a workload specification MW
 creating CICS system link MBA
 creating resource assignment MBA
 creating resource definition MBA
 creating resource definitions CP
 creating resource description MBA
 creating resource group MBA
 CSD records, extracting MBA
 CURR WIN field UIG
 current window UIG
 cursor movement between windows UIG
 cursor-sensitive help information UIG
 customizing resource table records APR
 CVDA values, translating APG

D

Data Cache Manager component PD
 data repository CP
 Data Repository component PD
 data set views OV
 data spaces PD
 data table file views OV, MV
 DATAREFRESH display command UIG
 date format UIG
 DB2 subsystem views OV
 DB2 thread views OV, MV
 DB2CDEF view MBA, CP
 DB2CONN view OV
 DB2CONND view OV
 DB2CONNS view OV
 DB2EDEF view MBA, CP

DB2NTRY view OV
 DB2NTRY2 view OV
 DB2NTRYD view OV
 DB2NTRYs view OV
 DB2SS view OV
 DB2SSS view OV
 DB2TDEF view MBA, CP
 DB2THRD view OV
 DB2THRDD view OV
 DB2THRDS view OV
 DB2TRAN view OV
 DB2TRANS view OV
 DB2TRN view OV
 DB2TRNS view OV
 DBCTL subsystem views OV
 DBCTLSS view OV
 DBCTLSSS view OV
 debugging transactions PD
 default transaction group MW
 defining CAS-to-CAS links CP
 defining resources MBA
 defining system links MBA
 defining the CMAS configuration CP
 defining the topology of a CICSplex CP
 definition views MW
 definitions, CICS APR, APG
 definitions, CICSplex SM APR, APG
 DELETE command APG
 deleting result set records APG
 derived MONITOR data CP
 detailed view UIG
 DFHCSDUP EXTRACT routine (EYU9BCSD) MBA
 DFHRPL data set views OV
 DIAGMSG view PD
 diagnostic documentation PD
 diagnostic facilities, PlexManager PD
 DIAGSESS view PD
 DIAGSYS view PD
 different window, directing commands to UIG
 DISCARD command APG
 discarding active transaction affinity MW
 discarding transactions MW
 discarding workload definitions MW
 DISCONNECT command APG
 disk journal views OV
 display area UIG
 display attributes UIG
 display command UIG
 displaying dumps with IPCS PD
 displaying information about a view UIG
 displaying possible values UIG
 displaying routing regions associated with
 workload MW
 displaying scope MW
 displaying target regions MW

installing resources MBA
installing user-replacement program MW
installing workload definition MW
installing workload group MW
Interactive System Productivity Facility (ISPF) CP
interpreting trace entries PD
intertransaction affinity MW, CP
intrapartition TDQ views OV, MV
INTRATDD view OV
INTRATDQ view OV
INTRATDS view OV
investigating specific problems PD
IPCS dump formatting routine PD
IPCS panels PD
IPCS VERBEXIT command PD
ISC connection views OV, MV
ISPF commands, issuing UIG
ISPF end-user interface PD

J

Job Control Language (JCL) CP
journal definition MBA
journal model definition MBA
JOURNAL view OV
journal views OV, MV
JOURNALS view OV
JRNLDEF view MBA, CP
JRNLMODL view OV
JRNLMODS view OV
JRNLNAMD view OV
JRNLNAME view OV
JRNLNAMS view OV
JRNMDEF view MBA, CP

K

Kernel Linkage component PD
key segment definition MBA

L

L (locked) window status UIG
language considerations APR, APG
LEFT display command UIG
length options, specifying APG
line action command UIG
link editing a command-level program APR
links, communication CP
LIST debugging command PD
list, selection UIG
LISTEN command APR, APG
listening for event APR
local file views OV, MV
local MAS CP

local shared resource (LSR) pool views OV, MV
local transaction views OV
LOCATE command APR, APG
LOCATE display command UIG
locating a result set record APR
locating data in a view UIG
LOCFILE view OV
LOCFILED view OV
LOCFILES view OV
LOCK display command UIG
locking CICSplex SM windows UIG
LOCTRAN view OV
LOCTRAND view OV
LOCTRANS view OV
logical records PD
logical scope MBA
LOGREC data set PD
LSR pool definition MBA
LSR pool views OV, MV
LSRDEF view MBA, CP
LSRPBUD view OV
LSRPBUF view OV
LSRPBUS view OV
LSRPOOD view OV
LSRPOOL view OV
LSRPOOS view OV
LU 6.2 connection views OV, MV
LU6.2 connection definition MBA
LU6.2 tracing PD

M

maintenance point CMAS CP, PD
major object descriptor block (MODB) PD
major object environment block (MOEB) PD
MAL (message argument list) PD
managed application system (MAS) UIG, CP, PD
managed CICS resources APR
managed object APR
MAP command CP
map of CICS systems, producing CP
map set definition MBA
MAPDEF view MBA, CP
MARK command APR, APG
marking result set records APG
MAS (managed application system) UIG, PD
MAS agent PD
MAS agent code CP
MAS resource monitoring (MRM) CP
MAS view CP
match criteria, transaction MW
MAXIMIZE display command UIG
maximizing windows UIG
MCICSDSA view MV
MCICSDSD view MV

MCICSDSS view MV
 MCICSRG2 view MV
 MCICSRGD view MV
 MCICSRGN view MV
 MCICSRGS view MV
 MCMDT view MV
 MCMDT2 view MV
 MCMDT3 view MV
 MCMDTD view MV
 MCMDTS view MV
 MCONNCT view MV
 MCONNCTD view MV
 MCONNCTS view MV
 MDB2THRD view MV
 MDB2THRS view MV
 MDB2TRDD view MV
 menu UIG
 MENU command UIG
 menu panel UIG
 menu, administration MW, MBA
 message argument list (MAL) PD
 Message Services component PD
 messages UIG, PD
 meta-data, CICSplex SM APR, APG
 method call environment PD
 method-level debugging with COD0 PD
 MFECONN view MV
 MFECONND view MV
 MFECONNS view MV
 migrating an API program APR
 migrating from RDO MBA
 MINDTDQ view MV
 MINDTDQS view MV
 MIX indicator UIG
 MJOURNAL view MV
 MJOURNALD view MV
 MJOURNALS view MV
 MJRNLM view MV
 MJRNLMMS view MV
 MLOCFILD view MV
 MLOCFILE view MV
 MLOCFILS view MV
 MLOCTRA2 view MV
 MLOCTRA3 view MV
 MLOCTRA4 view MV
 MLOCTRAD view MV
 MLOCTRAN view MV
 MLOCTRAS view MV
 MLSRPBUD view MV
 MLSRPBUF view MV
 MLSRPBUS view MV
 MLSRPOOD view MV
 MLSRPOOL view MV
 MLSRPOOS view MV
 MMODNAME view MV
 MMODNAMS view MV
 MNTRATDQ view MV
 MNTRATDS view MV
 MODB (major object descriptor block) PD
 models, dynamic routing CP
 MODENAME view OV
 MODENAMS view OV
 modification expression APR, APG
 modifying CICS definitions APR
 modifying CICSplex SM definitions APR
 modifying resource attributes APR
 MOEB (major object environment block) PD
 MONDEF view CP
 MONGROUP view CP
 MONINGRP view CP
 MONINSPC view CP
 monitor data MV
 monitor data in RODM, missing PD
 monitor data, missing PD
 monitor definition CP
 monitor group CP
 monitor interval CP
 monitor specification CP
 MONITOR view UIG
 MONITOR views MV
 monitoring CP
 monitoring resources MV
 MONSCOPE view CP
 MONSPEC view CP
 MPROGRAD view MV
 MPROGRAM view MV
 MPROGRAS view MV
 MREMFILD view MV
 MREMFILS view MV
 MREMFILS view MV
 MREMTDQ view MV
 MREMTDQS view MV
 MREMTRAD view MV
 MREMTRAN view MV
 MREMTRAS view MV
 MRO connection definition MBA
 MRO connection views OV, MV
 MTDQGBL view MV
 MTDQGBLD view MV
 MTDQGBLS view MV
 MTERMNL view MV
 MTERMNLD view MV
 MTERMNLS view MV
 MTRNCLS view MV
 MTRNCLSD view MV
 MTRNCLSS view MV
 MTSQGBL view MV
 MTSQGBLD view MV
 MTSQGBLS view MV
 MVS/ESA restrictions APG

MXTRATDQ view MV
MXTRATDS view MV

N

naming convention CP, PD
NetView CP, APR
NetView RODM, missing or incorrect status data PD
NEXT display command UIG
NO MORE VIEWS IN STACK message UIG
notification (route) MW
notifications, CICSplex SM APR, APG
notifications, external, RTA CP
NOWAIT option, using APR

O

objects, managed by CICSplex SM APR
OBJSTAT records APR
online diagnostic aids PD
online help UIG
online utility, COLU PD
OPERATE view UIG
operating objects CP
operations views CP
ORDER command APR, APG
order expression APR, APG
ordering result set records APR
output problems PD
override expression MBA
overtyping field OV, MV, UIG
overview MBA
overview of CICSplex SM PD

P

P (pending) window status UIG
panels UIG
parameter expression APR, APG
parameters UIG
parameters, system PD
PARM display command UIG
PARTDEF view MBA, CP
partition set definition MBA
partner definition MBA
PARTNER view OV
PARTNERS view OV
pattern matching, RQMDEF MBA
PERFORM OBJECT command APG
PERFORM SET command APG
performance considerations CP
performing actions APR
PERIODEF view CP
PF keys UIG
PL/I programs APR, APG

PLEX view CP
PlexManager diagnostic facilities PD
PLEXMGR option UIG
PLEXOVER view CP
PMR (problem management record) PD
pop-up windows UIG
POST debugging command PD
preliminary checks PD
prerequisite hardware CP
prerequisite software CP
PREVIOUS display command UIG
primary action commands UIG
problem determination PD
problem severity level PD
problem types PD
PROCDEF view CP
process type (BTS) MW
PROCTYP view OV
PROCTYPD view OV
PROCTYPS view OV
PROFDEF view MBA, CP
profile definition MBA
PROFILE option UIG
PROFILE view OV
profile, CICSplex SM UIG
PROFILES view OV
PROGDEF view MBA, CP
program definition MBA
program support PD
program temporary fix (PTF) PD
PROGRAM view OV
program views MV
PROGRAMD view OV
PROGRAMJ view OV
PROGRAMS view OV
programs, sample APR
PRTNDEF view MBA
PTF (program temporary fix) PD
PURGE debugging command PD

Q

QPARM display command UIG
QUALIFY command APG
QUERY command APG
queue algorithm MW, CP
Queue Manager component PD
QUEUE view OV
QUEUES view OV
quiescing an target region MW
QUIT display command UIG

R

RACF (Resource Access Control Facility) CP

RASGNDEF view MBA, CP
 RASINDSC view MBA, CP
 RASPROC view MBA, CP
 RDO (resource definition online) MBA
 RDSCPROC view MBA, CP
 real-time analysis (RTA) CP
 REASON option APR, APG
 RECEIVE command APR, APG
 record pointer, positioning APR
 redisplaying views and forms of views UIG
 REFRESH command APG
 refreshing result set records APG
 related scope MBA
 release compatibility APR
 release requirements MW
 REMFILE view OV
 REMFILED view OV
 REMFILES view OV
 remote file views OV, MV
 remote MAS UIG, CP
 remote resource, identifying MBA
 remote TDQ views OV, MV
 remote transaction views OV, MV
 REMOVE command APG
 removing MW
 removing CICS system link MBA
 removing resources MBA
 REMTDQ view OV
 REMTDQD view OV
 REMTDQS view OV
 REMTRAN view OV
 REMTRAND view OV
 REMTRANS view OV
 repeating a Locate command in a view UIG
 REQID view OV
 REQIDD view OV
 REQIDS view OV
 request model definition MBA
 requesting region MW
 Require Set field UIG
 RESDESC view MBA, CP
 RESET display command UIG
 RESGROUP view MBA, CP
 RESINDSC view MBA, CP
 RESINGRP view MBA, CP
 resource assignment MBA, CP
 resource checking CP
 resource checking, CICS MBA
 resource definition MBA
 resource definition online (RDO) MBA
 resource definition views MBA
 resource description MBA
 resource group MBA
 resource monitoring MV
 Resource Object Data Manager (RODM) CP
 resource table APR, APG
 resource table copy books APR
 resource validation, CICS MBA
 resource versions MBA, CP
 resources CP
 resources, installing MBA
 RESPONSE option APR, APG
 responses, command APR, APG
 RESTORE display command UIG
 restricted resource table attributes APR
 result set APR, APG
 result set, error APR
 RETAIN problem management system PD
 retention period CP
 retrieving ASYNCREQ records APR
 retrieving FEEDBACK records APR
 retrieving meta-data APG
 retrieving OBJSTAT records APR
 retrieving result set records APR
 REXX commands APG
 REXX function package APR
 REXX functions APG
 REXX run-time interface APR, APG
 RIGHT display command UIG
 RODM, missing or incorrect status data PD
 route selection MW
 route selection error MW
 routing attempt complete MW
 routing region MW
 RPLLIST view OV
 RPLLISTD view OV
 RPLLISTS view OV
 RQMDEF view MBA, CP
 RTA results, unexpected PD
 RTADEF view CP
 RTAGROUP view CP
 RTAINAPS view CP
 RTAINGRP view CP
 RTAINSPC view CP
 RTASCOPE view CP
 RTASPEC view CP
 run-time considerations, command-level APR
 run-time errors, REXX APR

S

sample interval CP
 sample programs MW, APR
 samples, Starter Set CP
 SAVESCR display command UIG
 saving screen configurations UIG
 scheduling a request APR
 scope UIG, MW, APR, APG
 SCOPE display command UIG
 scope for CICSplex SM commands CP

screen configuration UIG
 SCREEN display command UIG
 screen update, automatic (ASU) UIG
 SCREENS display command UIG
 SCREENS view CP
 scrolling data in a window UIG
 security MBA, CP, APR, APG
 security considerations MBA
 selecting a target region MW
 selecting managed objects APR
 selection list UIG
 sentinel field APR, APG
 service point PD
 SESRES view CP
 SESSDEF view MBA, CP
 session control parameters UIG
 session definition MBA
 session, CICSplex SM UIG
 SET command UIG, APG
 SET display command UIG
 SETD display command UIG
 severity level, problem PD
 SHOWPOSI display command UIG
 simulating CICS security CP
 single point of control CP
 single-system image (SSI) CP
 SM_BALANCE MW
 SM_CREAFF MW
 SM_DELAFF MW
 SM_ROUTE MW
 SM_SCOPE MW
 SMF journal views OV
 SMFJRNL view OV
 SMFJRNL view OV
 SMFJRNL view OV
 SMFJRNL view OV
 SNA generic alert CP
 Software Installer for OS/2 CP
 software requirements CP
 software, prerequisite CP
 SORT display command UIG
 sorting result set records APR
 sorting the contents of a view UIG
 sources of information PD
 special trace levels PD
 SPECIFY FILTER command APG
 SPECIFY VIEW command APR, APG
 SPLIT command UIG
 staged implementation CP
 stall, investigating PD
 standard trace levels PD
 START commands, dynamic routing of MW
 START debugging command PD
 Starter Set UIG, CP
 starting CICSplex SM UIG, CP
 STATDEF view CP

static routing MW
 static transactions MW
 STATUS display command UIG
 status program APR
 STATUS values, interpreting APR
 storage requirements CP
 STREAMND view OV
 STREAMNM view OV
 STREAMNS view OV
 structure of a CMAS PD
 structure of CICSplex SM PD
 SUM display command UIG
 summarized result set APR, APG
 summarizing result set records APR
 summarizing the data in a view UIG
 summary expression APR, APG
 summary of monitor views MV
 summary of views MW, MBA
 summary options APR, APG
 summary view UIG
 supported environments APR
 symptom strings PD
 symptoms of a problem PD
 syntax diagrams, reading APG
 SYS1.LOGREC data set PD
 SYSDUMP view OV
 SYSDUMP view OV
 SYSDUMPS view OV
 SYSGRPC view CP
 SYSLINK view CP
 SYSRES view MBA
 system availability monitoring (SAM) CP
 system dump code views OV
 system group CP
 system link MBA
 system management problems PD
 system parameters PD
 system-level debugging with CODB PD

T

T (temporary) window status UIG
 tape journal views OV
 TAPJRNL view OV
 TAPJRNL view OV
 TAPJRNL view OV
 TAPJRNL view OV
 target region MW
 target scope MBA
 task related user exit APR
 TASK view OV
 task views OV
 TASK2 view OV
 TASK3 view OV
 TASK4 view OV
 TASK5 view OV

TASK6 view OV
 TASK7 view OV
 TASK8 view OV
 TASK9 view OV
 TASKD view OV
 TASKS view OV
 tasks, example OV, MW, MBA
 TBUILD command APR, APG
 TCP/IP service definition MBA
 TCP/IP service views OV
 TCPDEF view MBA, CP
 TCPIPS view OV
 TCPIPSD view OV
 TCPIPSS view OV
 TDQDEF view MBA, CP
 TDQGBL view OV
 TDQGBLD view OV
 TDQGBLS view OV
 temporary storage model definition MBA
 temporary storage views OV, MV
 TERMDEF view MBA, CP
 terminal definition MBA
 terminal views OV, MV
 TERMINATE command APG
 TERMNL view OV
 TERMNL2 view OV
 TERMNLD view OV
 TERMNLS view OV
 time zone CP
 Tivoli Global Enterprise Manager CP
 tokens APR
 tools for problem determination PD
 topology CP
 topology definitions CP
 TOPOLOGY view UIG
 TPARSE command APR, APG
 TRACE debugging command PD
 trace facilities PD
 trace format utility (EYU9XZUT) PD
 trace formatting options PD
 Trace Services component PD
 trace table, CICS PD
 tracing PD
 TRACK debugging command PD
 TRAN view OV
 TRANDEF view MBA, CP
 TRANDUMD view OV
 TRANDUMP view OV
 TRANDUMS view OV
 TRANGRP view MW, CP
 TRANS view OV
 transaction abend MW
 Transaction Affinities Utility MW
 transaction affinity MW
 transaction class definition MBA

transaction class views OV, MV
 transaction definition MBA
 transaction dump code views OV
 transaction group MW
 transaction initiation MW
 transaction termination MW
 transaction views OV, MV
 transactions MW
 transient data queue definition MBA
 transient data queue views OV, MV
 TRANSLATE command APG
 translating APR, APG
 translation errors, REXX APR
 TRAP debugging command PD
 TRNCLDEF view MBA, CP
 TRNCLS view OV
 TRNCLSD view OV
 TRNCLSS view OV
 TSMDEF view MBA, CP
 TSMODEL view OV
 TSMODELD view OV
 TSMODELS view OV
 TSO commands UIG
 TSPPOOL view OV
 TSQ view OV
 TSQD view OV
 TSQGBL view OV
 TSQGBLD view OV
 TSQGBLS view OV
 TSQNAME view OV
 TSQNAMED view OV
 TSQ NAMES view OV
 TSQS view OV
 types of dumps PD
 types of objects MBA
 types of problems PD
 typeterm definition MBA
 TYPTMDEF view MBA, CP

U

unauthorized access to CICSplex SM, preventing CP
 unexpected dumps PD
 unit of work views OV
 UNLOCK display command UIG
 unlocking CICSplex SM windows UIG
 UNMARK command APR, APG
 UOWDSNF view OV
 UOWDSNFD view OV
 UOWDSNFS view OV
 UOWENQ view OV
 UOWENQD view OV
 UOWENQS view OV
 UOWLINK view OV
 UOWLINKD view OV

UOWLINKS view OV
UOWORK view OV
UOWORKD view OV
UOWORKS view OV
UP display command UIG
UPDATE command APG
updating association between MBA
updating resource assignment MBA
updating resource definition MBA
updating resource description MBA
updating resource group MBA
updating scope association MW
updating the configuration CP
user exit views OV
user profile, CICSplex SM UIG
user tokens APR
user-replaceable program APR
user-requested dumps PD
using this book PD

V

validating resources CP
validation, CICS resource MBA
VERBEXIT command PD
versions of a resource MBA
view OV, MV, UIG, CP, APR, APG
view command UIG
view names OV, MV
views MW, MBA
VIEWS command UIG
VOLUME view OV
VOLUMED view OV
VOLUMES view OV
VSPLIT display command UIG

W

W (waiting) window status UIG
warning, record count UIG
window borders, changing UIG
window information line UIG
window status UIG
windows UIG
WLM routing, unexpected PD
WLMDEF view CP
WLMGROUP view CP
WLMINGRP view CP
WLMINSPC view CP
WLMSCOPE view CP
WLMSPEC view CP
Wn display command UIG
workload definition CP
workload functions of CICSplex SM CP
workload group CP

workload management (WLM) CP
workload specification CP
WORKLOAD view UIG

X

XDM (extended diagnostic mode) UIG, PD
XICEREQ APR

Sending your comments to IBM

If you especially like or dislike anything about this book, please use one of the methods listed below to send your comments to IBM.

Feel free to comment on what you regard as specific errors or omissions, and on the accuracy, organization, subject matter, or completeness of this book.

Please limit your comments to the information in this book and the way in which the information is presented.

To request additional publications, or to ask questions or make comments about the functions of IBM products or systems, you should talk to your IBM representative or to your IBM authorized remarketer.

When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate, without incurring any obligation to you.

You can send your comments to IBM in any of the following ways:

By mail, to this address:

Information Development Department (MP095)
IBM United Kingdom Laboratories
Hursley Park
WINCHESTER,
Hampshire
SO21 2JN
United Kingdom

By fax:

- From outside the U.K., after your international access code use 44–1962–870229
- From within the U.K., use 01962–870229

Electronically, use the appropriate network ID:

- IBM Mail Exchange: GBIBM2Q9 at IBMMAIL
- IBMLink : HURSLEY(IDRCF)
- Internet: idrcf@hursley.ibm.com

Whichever you use, ensure that you include:

The publication number and title

The topic to which your comment applies

Your name and address/telephone number/fax number/network ID.

IBM

Program Number: 5655-147



Printed in the United States of America
on recycled paper containing 10%
recovered post-consumer fiber.

SC33-1812- 1

