
(c) Copyright 2002 International Business Machines Corp.
All rights reserved.

Neither this documentation nor any part of it may be copied or reproduced in any form or by any means or translated into another language, without the prior consent of the IBM Corporation.

IBM makes no warranties or representations with respect to the content hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. IBM assumes no responsibility for any errors that may appear in this document. The information contained in this document is subject to change without any notice. IBM reserves the right to make any such changes without obligation to notify any person of such revision or changes. IBM makes no commitment to keep the information contained herein up to date.

Trademarks

These trademark notices apply to the content of this document.

IBM, AIX, DB2 are trademarks of IBM Corporation.

Sun, Java, and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.

Other company, product, and service names may be trademarks or service marks of others.

INSTALLING LICENSE KEY

This section describes how to install the license key for the db2 product you are installing.

1. Logon to the Workstation
2. The DB2 product license key can be found in the nodelock file located in the /var/lam directory
3. Update your DB2 product license by entering the following command from the directory containing the license file:

```
/usr/IBMDB2/V7.1/adm/db2licm license_filename
```

If your license file is in the DB2 UDB CD, then type the following command: (make sure CDROM is mounted in the /cdrom directory and the name of license file is db2usdbeee.lic)

```
/usr/IBMDB2/V7.1/adm/db2licm /cdrom/db2/license/db2udbeee.lic
```