




IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Contents

Introduction 1
1. Scope 1
1.1 Abstract 1
1.2 Objective 1
1.3 Application 1
1.4 Effective Date 1
2. Document Administration 1
2.1 Originating Area and Responsibility 1
2.2 Authorization 1
2.3 Compliance 2
3. Related Documents 2
3.1 Superseded Documents 2
3.2 Referenced External Documents 2
3.3 Referenced IBM Documents 2
3.4 Copyright Permission 2
Requirements 3
4. External Standards 3
4.1 PRC National Standard GB 2312-80 3
4.2 Relationship of the IBM CH-S Graphic Character Set for EUC with Standard GB 2312-80 3
4.2.1 Character Coverage 3
4.2.2 Character Sequence 3
4.2.3 Code Scheme 3
5. Specification of Character Repertoire 5
5.1 Identification of Graphic Characters 5
5.2 Algorithm of GCGID 5
6. Character Sets and Code Pages 5
6.1 Registration of GCSGID and CPGID 5
6.2 CH-S DBCS-EUC GB 2312 Set 6
7. Code Translation Correspondence 7
7.1 Code Translation Correspondence between DBCS-EUC and DBCS-PC 7
7.1.1 Code Translation Correspondence of non-Chinese Characters and Chinese Characters 7
7.1.2 Code Translation Correspondence of UDC 7
7.2 Code Translation Correspondence between DBCS-EUC and DBCS-Host 7
7.2.1 Code Translation Correspondence of non-Chinese Characters 7
7.2.2 Code Translation Correspondence of Chinese Characters 7
7.2.3 Code Translation Correspondence of UDC 7
7.3 Code Translation Correspondence of IBM Selected Characters 8
8. Format of IBM CH-S EUC Specification 8
9. ASCII Set (G0 Code Set for CH-S EUC) 9
10. GB 2312 Set (G1 Code Set of CH-S EUC) 13
10.1 Non-Chinese Character Set 13
10.2 Level 1 Chinese Character Set (1 of 3) 38
10.3 Level 1 Chinese Character Set (2 of 3) 97
10.4 Level 1 Chinese Character Set (3 of 3) 156
10.5 Level 2 Chinese Character Set (1 of 2) 183
10.6 Level 2 Chinese Character Set (2 of 2) 242
10.7 IBM Selected Character Set 299
10.8 User Definable Character Set 301
Supplementary Information 352
11. Definition of Terms 352
11.1 Byte 352
11.2 Code 352
11.3 Code Page 352
11.4 Code Page Global Identifier (CPGID) 352
11.5 Code Point 352
11.6 Coded Graphic Character 352
11.7 Coded Graphic Character Set 352
11.8 Coded Graphic Character Set Global Identifier (CGCSGID) 352
11.9 DBCS 352
11.10 DBCS-EUC 352
11.11 DBCS-Host 352
11.12 DBCS-PC 352
11.13 EBCDIC 352
11.14 EBCDIC + DBCS-Host 352
11.15 EUC 352
11.16 Graphic Character 352
11.17 Graphic Character Global Identifier (GCGID) 352
11.18 Graphic Character Set 352
11.19 Graphic Character Set Global Identifier (GCSGID) 352
11.20 ISO 7/8 bit + DBCS-EUC 352
11.21 Multi-Byte Character Set (MBCS) 353
11.22 PC Code 353
11.23 PC Code + DBCS-PC 353
11.24 Product 353
11.25 Registered Code Page 353
11.26 Registered Coded Graphic Character Set 353
11.27 SBSCS 353
11.28 Unrestricted Code Page 353
11.29 User Definable Character (UDC) 353
11.30 UNIX 353
11.31 Ward 353
12. EUC Encoding Scheme 354
12.1 Definition 354
12.2 Simplified Chinese Environment 355
12.2.1 External CH-S EUC 355
12.2.2 IBM CH-S EUC 355
12.2.3 Relation with Other IBM Code Pages 355
12.2.3.1 Character Sets 355
12.2.3.2 Code Translation Correspondence 355
13. Graphic Character Representation 355



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Tables

1. Registration of GCSGID and CPGID for the IBM CH-S Graphic Character Set of EUC	5	8. Level 1 Chinese Character Set (3 of 3), DBCS-EUC	156
2. Structure of Simplified Chinese DBCS-EUC	6	9. Level 2 Chinese Character Set (1 of 2), DBCS-EUC	183
3. Format of CH-S DBCS-EUC Specification and Code Translation Correspondence Table	8	10. Level 2 Chinese Character Set (2 of 2), DBCS-EUC	242
4. ASCII Set, EUC	9	11. IBM Selected Character Set, DBCS-EUC	299
5. Non-Chinese Character Set, DBCS-EUC	13	12. User Definable Character Set, DBCS-EUC	301
6. Level 1 Chinese Character Set (1 of 3), DBCS-EUC	38	13. Structure of EUC Encoding Framework	354
7. Level 1 Chinese Character Set (2 of 3), DBCS-EUC	97	14. IBM CH-S EUC	355
		15. IBM CH-S EUC with Other IBM Code Pages	355



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

Introduction**1. Scope****1.1 Abstract**

This document is a registry of the IBM Simplified Chinese *Graphic Character Set for Extended UNIX Code (EUC)*, in which the following are set forth:

- Repertoire of the IBM Simplified Chinese *Graphic Character Set for Extended UNIX Code (EUC)* is specified.
 - Each *graphic character* of the repertoire is identified by a *Graphic Character Global Identifier (GCGID)*.
 - Two *graphic character sets*, which are the full set and the subset of the repertoire, are specified and identified by *Graphic Character Set Global Identifiers (GCSGIDs)*.
 - One code page for the *graphic character set* is specified and identified by a *Code Page Global Identifier (CPGID)*.
 - *Code translation correspondences* between *DBCS-EUC* and the following code pages are specified:
 - *DBCS-Host*
 - *DBCS-PC*
 - *Code translation correspondence* between *DBCS-EUC* and GB 2312 (PRC National Standard) is specified as well.
- 3) To ensure consistent implementation of the *code translation correspondences* between *DBCS-EUC* and the following *code pages*:
- *DBCS-Host*
 - *DBCS-PC*
- 4) To ensure consistent implementation of the *code translation correspondence* between the *DBCS-EUC* and GB 2312-80.

Notes:

- 1) This document is one of a set of documents defined in C-S 3-3220-019, *Coded Character Sets Implementation*. The reader should be familiar with the requirements specified in C-S 3-3220-019 which describe the relationship of the documents. Note also that the requirements for compliance with this specification are described in C-S 3-3220-019.
- 2) This document does not define IBM CH-S *DBCS-Host* and *DBCS-PC*. They are defined in C-H 3-3220-130.

1.3 Application

This specification is applicable to all IBM *products* which implement the IBM CH-S *Graphic Character Set for EUC* specified in this specification and which are announced or released to production (whichever occurs first) after date of publication.

1.4 Effective Date

This document takes effect with its publication.

2. Document Administration**2.1 Originating Area and Responsibility**

This document is maintained by the Standards Project Authority (SPA) for SIRS 029, (*Double-Byte Character Set (DBCS)*), location code 93K, Yamato.

2.2 Authorization


Publication of this document was approved by the Standards Authorities of the affected operating units.

1.2 Objective

Terms in italics (except in headings) are defined in the Supplementary Information section. “Simplified Chinese” will be abbreviated to “CH-S” hereinafter. X'nn' or X'nnnn' represents a hexadecimal notation.

The objectives of this document are:

- 1) To make available to all developers supporting CH-S the specification of the IBM CH-S *graphic character sets* and *code page* for *EUC*.
- 2) To ensure consistent implementation of the IBM CH-S *DBCS graphic character sets* and *code page* for *EUC*.



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

2.3 Compliance

Compliance with the requirements of this document is recommended unless it is called out as a requirement in a standard or equivalent document. It then assumes the same compliance requirements as that document.

3. Related Documents**3.1 Superseded Documents**

None, new document.

3.2 Referenced External Documents**GB 1988-89**

PRC National Standard, 7-Bit Coded Character Set for Information Processing and Interchange

GB 2312-80

PRC National Standard, Code of Chinese Graphic Character Set for Information Interchange, Primary Set

ISO/IEC 646

ISO Standard for 7-bit Coded Character Set for Information Interchange

ISO 2022

ISO Standard for ISO 7-bit and 8-bit Coded Character Sets - Code Extension Techniques

ISO/IEC 6429

ISO Standard for Control Functions for 7-bit and 8-bit Coded Character Sets

ISO 8859

ISO Standard for 8-bit Single-byte Code Graphic Character Sets

3.3 Referenced IBM Documents**C-S 3-3220-002**

Extended BCD Interchange Code, EBCDIC

C-S 3-3220-019

Coded Character Sets, Implementation

C-H 3-3220-050

Registry, Graphic Character Sets and Code Pages, Online Database

C-H 3-3220-055

Graphic Character Identification System, Graphic Character Global Identifier (GCGID) Structure

C-S 3-3220-102

Double-Byte Character Set (DBCS), Terminology and Code Scheme

C-H 3-3220-130

IBM Simplified Chinese Graphic Character Set: DBCS-Host and DBCS-PC

SC09-1390-01

Character Data Representation Architecture - Level 2, Reference

3.4 Copyright Permission

Not applicable.

IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

Requirements**4. External Standards****4.1 PRC National Standard GB 2312-80**

GB 2312-80, *PRC National Standard, Code of Chinese Graphic Character Set for Information Interchange, Primary Set*, published in March 1981, specifies a primary set of *graphic characters* with their binary-coded representation for Chinese information interchange. It applies to Chinese information interchange between the general information-processing systems, communication systems, and so on. It contains 682 non-Chinese characters and 6763 Chinese characters, 7445 *graphic characters* in total.

The non-Chinese characters include general characters, ordinal numbers, numerical characters, Latin alphabet, Japanese Katakana/Hiragana, Greek alphabet, Russian alphabet, Chinese phonetic symbols and Chinese phonetic-annotated letters.

The Chinese characters are divided into 2 levels: 3755 of them are included in Level 1 and 3008 in Level 2, 6763 Chinese characters in total.

The Chinese characters in Level 1 are arranged in the order of Chinese phonetic letters, which have a standardized ordering. Homonyms are arranged according to the following stroke order: horizontal stroke, vertical stroke, stroke down to left, dot, and twist. For the characters with the same first-stroke, the second stroke is used to determine the order. The rest may be deduced in the same way.

The Chinese characters in Level 2 are arranged according to the radicals. The radicals adopted are basically similar to those in the ordinary Chinese Dictionaries, with only minor variations. The order of radicals

and the characters with the same radicals are arranged according to the stroke-count. Characters of the same stroke-count are arranged according to the following stroke order: horizontal stroke, vertical stroke, stroke down to left, dot, and twist. For the characters with the same first-stroke, the second stroke is used to determine the order. The rest may be deduced in the same way.

GB 2312 has remained unchanged since it was published in 1981.

4.2 Relationship of the IBM CH-S Graphic Character Set for EUC with Standard GB 2312-80**4.2.1 Character Coverage**

The IBM CH-S *Graphic Character Set for EUC* is a superset of the PRC National Standard GB 2312-80.


4.2.2 Character Sequence

The character sequence of Level 1 and Level 2 Chinese characters on *DBCS-EUC*, *DBCS-PC* and *DBCS-Host* is identical to that of the PRC National Standard GB 2312-80. On *DBCS-EUC* and *DBCS-PC*, the sequence of the non-Chinese characters is also identical to that of GB 2312-80.

4.2.3 Code Scheme

The *code* scheme of *DBCS-EUC* is basically designed based on GB 2312-80 by setting the most significant bit to on for the first and the second *bytes* of the character. *User Definable Character* area is segmented in the shifted GB 2312-80 *code* scheme, and the IBM selected characters are placed from X'FEE0' to X'FEFE'. Figure 1 on page 4 shows the relationship between *DBCS-EUC* and GB 2312-80.

IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)
DBCS-EUC



- Notes:
- 1) UDC is an abbreviation for User Definable Character.
 - 2) UDCs are scattered in area 1 to 3 in addition to area 5.
 - 3) The numbers in parentheses indicate the number of graphic characters and UDCs.
 - 4) The code point of DBCS Space is X'A1A1'.
 - 5) Each area includes the following character set:
 - Area 1 ... Non-Chinese character set plus UDCs
 - Area 2 ... UDCs
 - Area 3 ... Level 1 Chinese character set plus UDCs
 - Area 4 ... Level 2 Chinese character set
 - Area 5 ... UDCs
 - Area 6 ... IBM selected non-Chinese/Chinese character set

Figure 1. Relationship of DBCS-EUC with GB 2312-80 (Overview)

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

5. Specification of Character Repertoire**5.1 Identification of Graphic Characters**

This document specifies the repertoire of the IBM CH-S *Graphic Character Set for EUC*. Each *graphic character* of the repertoire is identified by a unique *Graphic Character Global Identifier (GCGID)*.

In the IBM CH-S *Graphic Character Set for EUC*, *GCGIDs* for Chinese characters take the form 'Ezzz0080'; those for *User Definable Characters* take the form 'Xzzz0080', following the specification of C-H 3-3220-055. *GCGIDs* of non-Chinese *graphic characters* refer to those registered in C-H 3-3220-055.

5.2 Algorithm of GCGID

The zzz value for 'Ezzz0080' and 'Xzzz0080' is calculated by the following algorithm:

- 1) Assign virtual *code points* starting with the first *code point* of *DBCS-Host code* range sequentially to the *graphic character set* of the proper collating.
- 2) Convert both *bytes* of the *code point* from hexadecimal to decimal.
- 3) Subtract 64 from both numbers.
- 4) Multiply the high-order number by 192 and add the low-order number to the result.
- 5) Convert the resulting number to a base 36 number, where the values from 0 through 35 are 0

through 9, followed by A through Z. (The conversion algorithm is essentially the same as would be used to convert from decimal to hexadecimal.) The resulting value will be a three digit value. For CH-S *EUC*, it must be between 19C (for *code point* X'48A0') and 92K (for *code point* X'7D6C').

6. Character Sets and Code Pages**6.1 Registration of GCSGID and CPGID**

This specification registers the full set and the subset of the IBM CH-S *Graphic Character Set for EUC* and identifies them by *Graphic Character Set Global Identifiers (GCSGIDs)*.

It also specifies a relevant *code page* for those *registered graphic character sets*: *DBCS-EUC*, and identifies it by a *Code Page Global Identifier (CPGID)*.

Table 1 specifies the *GCSGIDs* and *CPGID* of the *registered coded graphic character sets* of IBM CH-S *EUC*.

The registration category "U" means "Unrestricted," which implies that *graphic character sets* and *code pages* in this category have potential broad implementation in information processing *products*.


Note: See C-H 3-3220-050 for the detail of registration categories of *graphic character sets* and *code pages*.

Table 1. Registration of GCSGID and CPGID for the IBM CH-S Graphic Character Set of EUC

CGCSGID GCSGID CPGID		Name	Char- acter Set Size	Number of Code Points in Code Page	Category of Regis- tration
01081	01382	DBCS-EUC GB 2312 set (including 7445 GB 2312 set, 31 IBM selected characters and 1360 UDCs)	8836	8836	U
01080	01382	DBCS-EUC GB 2312 set equivalent to GB 2312-80 (including 7445 GB 2312 set; excluding 31 IBM selected characters and 1360 UDCs)	7445	8836	U

Notes:

- 1) *CPGID* 01382 is defined as ISO 7-bit *code page*. With the use of *EUC* or ISO encoding scheme, the most significant bit of each *byte* of the *code point* on the *code page* may be ignored.
- 2) *GCSGID* 01080 is also defined in C-H 3-3220-130.

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

6.2 CH-S DBCS-EUC GB 2312 Set

The IBM CH-S DBCS-EUC GB 2312 set (CPGID 01382) is structured as shown in Table 2. The specification of the IBM CH-S DBCS-EUC GB 2312 set is in Table 5 on page 13 to Table 12 on page 301.

Area	Wards	Content	Number of Characters
1	A1 to A9 (*1)	Non-Chinese Character Set (Table 5 on page 13) <ul style="list-style-type: none"> • Space • Latin Alphabet • Greek • Russian • Japanese Katakana/Hiragana • Numeric • Special Symbols 	682
		User Definable Characters (Table 12 on page 301)	164
2	AA to AF (*1)	User Definable Characters (Table 12 on page 301)	564
3	B0 to D7 (*1)	Level 1 Chinese Character Set (Table 6 on page 38, Table 7 on page 97, Table 8 on page 156)	3755
		User Definable Characters (Table 12 on page 301)	5
4	D8 to F7	Level 2 Chinese Character Set (Table 9 on page 183, Table 10 on page 242)	3008
5	F8 to FE (*1)	User Definable Characters (Table 12 on page 301)	627
6	FE (*2)	IBM Selected Character Set (Table 11 on page 299)	31

Notes:

- 1) In total, 1360 UDCs are assigned in the blank positions from X'A1A1' to X'FEFE'. They are from X'A2A1' to X'A2B0', X'A2E3' to X'A2E4', X'A2EF' to X'A2F0', X'A2FD' to X'A2FE', X'A4F4' to X'A4FE', X'A5F7' to X'A5FE', X'A6B9' to X'A6C0', X'A6D9' to X'A6FE', X'A7C2' to X'A7D0', X'A7F2' to X'A7FE', X'A8BB' to X'A8C4', X'A8EA' to X'A9A3', X'A9F0' to X'AFFE', X'D7FA' to X'D7FE' and X'F8A1' to X'FEDF'.
- 2) A part of the ward, from X'FEE0' to X'FEFE', is used for this character set.



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

7. Code Translation Correspondence

The following *code* translation correspondences are defined in this specification. Also, see Section 12.2.3.2 on page 355 for additional information.

- *DBCS-EUC* GB 2312 Set to/from *DBCS-PC*
- *DBCS-EUC* GB 2312 Set to/from *DBCS-Host*
- *DBCS-EUC* GB 2312 Set to/from GB 2312

7.1 Code Translation Correspondence between *DBCS-EUC* and *DBCS-PC***7.1.1 Code Translation Correspondence of non-Chinese Characters and Chinese Characters**

Since the *code* scheme of *DBCS-PC* and *DBCS-EUC* are basically designed based on GB 2312-80, they have the same structure and *code point* for each character except *UDCs* and 31 IBM selected characters. (See Table 2 on page 6 for details of the allocation of *DBCS-EUC UDCs*)

7.1.2 Code Translation Correspondence of UDC

DBCS-PC has 1880 *UDCs* and *DBCS-EUC* has only 1360 *UDCs*. Since 1360 *UDCs* are scattered on *DBCS-EUC*, a logical conversion is not applicable in the *code* translation correspondence between *DBCS-PC* and *DBCS-EUC*. All the *code* translation correspondences are, therefore, shown in the specification table in Section 10.8 on page 301. The first *DBCS-PC UDC*, X'8DA1' is mapped to the first *DBCS-EUC UDC*, X'A2A1'. The mapping continues sequentially until the first 1360 *DBCS-PC UDCs* are mapped to the *DBCS-EUC UDCs*. The rest of the 520 *DBCS-PC UDCs* will be substituted.

7.2 Code Translation Correspondence between *DBCS-EUC* and *DBCS-Host***7.2.1 Code Translation Correspondence of non-Chinese Characters**

In the *code* translation correspondence of non-Chinese character set between *DBCS-EUC* and *DBCS-Host*, a logical conversion is not applicable. All the *code* translation correspondences are, therefore, shown in the specification table in Section 10.1 on page 13.

7.2.2 Code Translation Correspondence of Chinese Characters

The *code* translation correspondence of Chinese characters is specified in the sequence of the *code point* of the source in both translation from *DBCS-Host* to *DBCS-EUC* and from *DBCS-EUC* to *DBCS-Host* as follows:

- The second half of the first *ward* of *DBCS-Host* Chinese characters (from X'48A0' to X'48FD') is mapped to the first *ward* of the *DBCS-EUC* Chinese characters (from X'B0A1' to X'B0FE'). The first half of the second *ward* of *DBCS-Host* Chinese characters (from X'4941' to X'499F') is mapped to the second *ward* of the *DBCS-EUC* Chinese characters (from X'B1A1' to X'B1FE'). The *ward* mapping continues, sequentially.

Note: Each *DBCS-Host ward* can accommodate twice as many *DBCS code points* as each *DBCS-EUC ward*.

- In each *DBCS-Host* and *DBCS-EUC ward*, the characters are sequentially mapped except the *code points* which have X'80' or X'FE' for the second *bytes* are unassigned as *DBCS-Host* Chinese Characters.

7.2.3 Code Translation Correspondence of UDC

DBCS-Host has 1880 *UDCs* and *DBCS-EUC* has only 1360 *UDCs*. Since 1360 *UDCs* are scattered on *DBCS-EUC*, a logical conversion is not applicable in the *code* translation correspondence between *DBCS-Host* and *DBCS-EUC*. All the *code* translation correspondences are, therefore, shown in the specification table in Section 10.8 on page 301. The first *DBCS-Host UDC*, X'7641' is mapped to the first *DBCS-EUC UDC*, X'A2A1'. The mapping continues sequentially until the first 1360 *DBCS-Host UDCs* are mapped to the *DBCS-EUC UDCs*. The rest of the 520 *DBCS-Host UDCs* will be substituted.

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

7.3 Code Translation Correspondence of IBM Selected Characters

The *DBCS-EUC* accommodates as many as 31 IBM selected characters, which are the same characters as *DBCS-PC* and *DBCS-Host*. In the *code* translation correspondence of the IBM selected character set between *DBCS-PC* and *DBCS-EUC*, a logical conversion is possible for 31 IBM selected characters since the sequence of the characters is the same. See Section 10.7 on page 299 for the *code points* of the IBM selected characters. In the *code* translation correspondence between *DBCS-Host* and *DBCS-EUC*, a logical conversion is not applicable. The *code* translation correspondence is, therefore, shown in the specification table in Section 10.7 on page 299.

8. Format of IBM CH-S EUC Specification

The specifications of the CH-S *DBCS-EUC coded graphic character set* and the *code* translation correspondences are provided by tables as illustrated in Table 3. IBM selected characters and *User Definable Characters* have an empty entry for the GB *code* column in tables as they are not defined in GB 2312. There are two methods for the *code* translation from *EUC* to GB 2312:

- To map them into the reserved area in GB 2312, by ignoring the most significant bit of each *code point*.
- To substitute them.

Table 3. Format of CH-S DBCS-EUC Specification and Code Translation Correspondence Table

1	2	3	4	5	6	7
Line No. (Decimal)	Graphic	EUC Code (Hex)	PC Code (Hex)	Host Code (Hex)	GB Code (Hex)	GCGID
XXXX	X	XXXX	XXXX	XXXX	XXXX	XXXXXXXX

Notes:


- 1) Line number in column 1 is the serial number of the listed *graphic characters* in each *graphic character set* for legibility.
- 2) *EUC code* column shows *code points* on *CPGID* 00367 for G0 *code* set and *CPGID* 01382 for G1 *code* set.
- 3) *PC code* column shows *code points* on *CPGID* 01115 for *SBCS* and *CPGID* 01380 for *DBCS*.
- 4) *Host code* column shows *code points* on *CPGID* 00836 for *SBCS* and *CPGID* 00837 for *DBCS*.
- 5) *GB code* column shows *code points* on GB 1988-89 for G0 *code* set and GB 2312-80 for G1 *code* set.
- 6) *CPGIDs*: 00367, 00836 and 01115 are defined in C-H 3-3220-050.
- 7) *CPGIDs*: 00837 and 01380 are defined in C-H 3-3220-130.

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

9. ASCII Set (G0 Code Set for CH-S EUC)

Table 4 (Page 1 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1		20	20	40	20	SP010000
2	!	21	21	5A	21	SP020000
3	"	22	22	7F	22	SP040000
4	#	23	23	7B	23	SM010000
5	\$	24	24	E0	24	SC030000
6	%	25	25	6C	25	SM020000
7	&	26	26	50	26	SM030000
8	'	27	27	7D	27	SP050000
9	(28	28	4D	28	SP060000
10)	29	29	5D	29	SP070000
11	*	2A	2A	5C	2A	SM040000
12	+	2B	2B	4E	2B	SA010000
13	,	2C	2C	6B	2C	SP080000
14	-	2D	2D	60	2D	SP100000
15	.	2E	2E	4B	2E	SP110000
16	/	2F	2F	61	2F	SP120000
17	0	30	30	F0	30	ND100000
18	1	31	31	F1	31	ND010000
19	2	32	32	F2	32	ND020000
20	3	33	33	F3	33	ND030000
21	4	34	34	F4	34	ND040000
22	5	35	35	F5	35	ND050000
23	6	36	36	F6	36	ND060000
24	7	37	37	F7	37	ND070000
25	8	38	38	F8	38	ND080000

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 2 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
26	9	39	39	F9	39	ND090000
27	:	3A	3A	7A	3A	SP130000
28	;	3B	3B	5E	3B	SP140000
29	<	3C	3C	4C	3C	SA030000
30	=	3D	3D	7E	3D	SA040000
31	>	3E	3E	6E	3E	SA050000
32	?	3F	3F	6F	3F	SP150000
33	@	40	40	7C	40	SM050000
34	A	41	41	C1	41	LA020000
35	B	42	42	C2	42	LB020000
36	C	43	43	C3	43	LC020000
37	D	44	44	C4	44	LD020000
38	E	45	45	C5	45	LE020000
39	F	46	46	C6	46	LF020000
40	G	47	47	C7	47	LG020000
41	H	48	48	C8	48	LH020000
42	I	49	49	C9	49	LI020000
43	J	4A	4A	D1	4A	LJ020000
44	K	4B	4B	D2	4B	LK020000
45	L	4C	4C	D3	4C	LL020000
46	M	4D	4D	D4	4D	LM020000
47	N	4E	4E	D5	4E	LN020000
48	O	4F	4F	D6	4F	LO020000
49	P	50	50	D7	50	LP020000
50	Q	51	51	D8	51	LQ020000
51	R	52	52	D9	52	LR020000

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 3 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
52	S	53	53	E2	53	LS020000
53	T	54	54	E3	54	LT020000
54	U	55	55	E4	55	LU020000
55	V	56	56	E5	56	LV020000
56	W	57	57	E6	57	LW020000
57	X	58	58	E7	58	LX020000
58	Y	59	59	E8	59	LY020000
59	Z	5A	5A	E9	5A	LZ020000
60	[5B	5B	BA	5B	SM060000
61	\	5C	5C	B2	5C	SM070000
62]	5D	5D	BB	5D	SM080000
63	^	5E	5E	B0	5E	SD150000
64	_	5F	5F	6D	5F	SP090000
65	`	60	60	79	60	SD130000
66	a	61	61	81	61	LA010000
67	b	62	62	82	62	LB010000
68	c	63	63	83	63	LC010000
69	d	64	64	84	64	LD010000
70	e	65	65	85	65	LE010000
71	f	66	66	86	66	LF010000
72	g	67	67	87	67	LG010000
73	h	68	68	88	68	LH010000
74	i	69	69	89	69	LI010000
75	j	6A	6A	91	6A	LJ010000
76	k	6B	6B	92	6B	LK010000
77	l	6C	6C	93	6C	LL010000
78	m	6D	6D	94	6D	LM010000

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 4 (Page 4 of 4). ASCII Set, EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
79	n	6E	6E	95	6E	LN010000
80	o	6F	6F	96	6F	LO010000
81	p	70	70	97	70	LP010000
82	q	71	71	98	71	LQ010000
83	r	72	72	99	72	LR010000
84	s	73	73	A2	73	LS010000
85	t	74	74	A3	74	LT010000
86	u	75	75	A4	75	LU010000
87	v	76	76	A5	76	LV010000
88	w	77	77	A6	77	LW010000
89	x	78	78	A7	78	LX010000
90	y	79	79	A8	79	LY010000
91	z	7A	7A	A9	7A	LZ010000
92	{	7B	7B	C0	7B	SM110000
93		7C	7C	4F	7C	SM130000
94	}	7D	7D	D0	7D	SM140000
95	~	7E	7E	A0	7E	SD190000

Note: This table, which is defined as *CPGID* 00367 in C-H 3-3220-050, is listed for reference purpose only.

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10. GB 2312 Set (G1 Code Set of CH-S EUC)*10.1 Non-Chinese Character Set*

Table 5 (Page 1 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1		A1A1	A1A1	4040	2121	SP010080
2	、	A1A2	A1A2	4344	2122	JQ730080
3	。o	A1A3	A1A3	4341	2123	JQ700080
4	•	A1A4	A1A4	4345	2124	JQ740080
5	—	A1A5	A1A5	4545	2125	SD310080
6	∨	A1A6	A1A6	4546	2126	SD210080
7	••	A1A7	A1A7	4460	2127	SD170080
8	//	A1A8	A1A8	445B	2128	SV090081
9	々	A1A9	A1A9	445D	2129	SS770080
10	—	A1AA	A1AA	444A	212A	SM120080
11	~	A1AB	A1AB	43A1	212B	SD190080
12		A1AC	A1AC	447C	212C	SV370080
13	...	A1AD	A1AD	447F	212D	SV440080
14	‘	A1AE	A1AE	4461	212E	SP190080
15	’	A1AF	A1AF	4471	212F	SP200080
16	“	A1B0	A1B0	4462	2130	SP210080
17	”	A1B1	A1B1	4472	2131	SP220080
18	{	A1B2	A1B2	4463	2132	SP060081
19	}	A1B3	A1B3	4473	2133	SP070081
20	<	A1B4	A1B4	4464	2134	SP060082
21	>	A1B5	A1B5	4474	2135	SP070082
22	《	A1B6	A1B6	4465	2136	SP060083
23	》	A1B7	A1B7	4475	2137	SP070083
24	┌	A1B8	A1B8	4342	2138	JQ710080
25	└	A1B9	A1B9	4343	2139	JQ720080
26	┌	A1BA	A1BA	4442	213A	JQ710081
27	└	A1BB	A1BB	4443	213B	JQ720081



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 2 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
28	⌈	A1BC	A1BC	455B	213C	SP060086
29	⌋	A1BD	A1BD	455C	213D	SP070086
30	【	A1BE	A1BE	4466	213E	SP060084
31	】	A1BF	A1BF	4476	213F	SP070084
32	±	A1C0	A1C0	444B	2140	SA020080
33	×	A1C1	A1C1	447A	2141	SA070080
34	÷	A1C2	A1C2	447B	2142	SA060080
35	:	A1C3	A1C3	4562	2143	SL830080
36	∧	A1C4	A1C4	4563	2144	SA330080
37	∨	A1C5	A1C5	4564	2145	SA320080
38	Σ	A1C6	A1C6	4565	2146	SS400080
39	Π	A1C7	A1C7	4566	2147	SA810080
40	∪	A1C8	A1C8	4567	2148	SA390080
41	∩	A1C9	A1C9	4568	2149	SA380080
42	∈	A1CA	A1CA	4569	214A	SA670080
43	::	A1CB	A1CB	456A	214B	SA080080
44	√	A1CC	A1CC	456B	214C	SA800080
45	⊥	A1CD	A1CD	456C	214D	SA780080
46	//	A1CE	A1CE	456D	214E	SA340080
47	∠	A1CF	A1CF	456E	214F	SA350088
48	∩	A1D0	A1D0	456F	2150	SV420080
49	⊙	A1D1	A1D1	4570	2151	SA590080
50	∫	A1D2	A1D2	4571	2152	SA510080
51	ℳ	A1D3	A1D3	4572	2153	SA720080
52	≡	A1D4	A1D4	4573	2154	SA480080
53	≈	A1D5	A1D5	4574	2155	SA430080
54	≈	A1D6	A1D6	4575	2156	SA700080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 3 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
55	∞	A1D7	A1D7	4576	2157	SA830080
56	∞	A1D8	A1D8	4577	2158	SA470080
57	≠	A1D9	A1D9	444C	2159	SA540080
58	∕	A1DA	A1DA	4579	215A	SA090080
59	∕	A1DB	A1DB	457A	215B	SA100080
60	∕	A1DC	A1DC	4467	215C	SA520081
61	∕	A1DD	A1DD	4477	215D	SA530081
62	∞	A1DE	A1DE	444D	215E	SA450080
63	∴	A1DF	A1DF	4478	215F	SS540080
64	∴	A1E0	A1E0	4468	2160	SA370080
65	♂	A1E1	A1E1	4469	2161	SM280080
66	♀	A1E2	A1E2	4479	2162	SM290080
67	°	A1E3	A1E3	44ED	2163	SM190080
68	'	A1E4	A1E4	44EE	2164	SM500080
69	”	A1E5	A1E5	44EF	2165	SM510080
70	℃	A1E6	A1E6	444E	2166	SM440080
71	\$	A1E7	A1E7	42E0	2167	SC030080
72	⊙	A1E8	A1E8	4588	2168	SC010080
73	⊙	A1E9	A1E9	434A	2169	SC040080
74	£	A1EA	A1EA	424A	216A	SC020080
75	‰	A1EB	A1EB	458B	216B	SM560080
76	§	A1EC	A1EC	446A	216C	SM240080
77	№	A1ED	A1ED	446E	216D	SM000080
78	☆	A1EE	A1EE	44E5	216E	SS570080
79	★	A1EF	A1EF	44E6	216F	SS580080
80	○	A1F0	A1F0	44E0	2170	SM750080
81	●	A1F1	A1F1	44E1	2171	SM580080
82	◎	A1F2	A1F2	44E4	2172	SM810080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 4 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
83	◇	A1F3	A1F3	44E7	2173	SA660080
84	◆	A1F4	A1F4	44E8	2174	SM610080
85	□	A1F5	A1F5	44E9	2175	SM450080
86	■	A1F6	A1F6	44EA	2176	SM470080
87	△	A1F7	A1F7	44E2	2177	SM730080
88	▲	A1F8	A1F8	44E3	2178	SM600080
89	⊗	A1F9	A1F9	446B	2179	SM040088
90	→	A1FA	A1FA	44F0	217A	SM310080
91	←	A1FB	A1FB	44F1	217B	SM300080
92	↑	A1FC	A1FC	44F2	217C	SM320080
93	↓	A1FD	A1FD	44F3	217D	SM330080
94	=	A1FE	A1FE	447D	217E	SS750080
95	1.	A2B1	A2B1	45B1	2231	NO010082
96	2.	A2B2	A2B2	45B2	2232	NO020082
97	3.	A2B3	A2B3	45B3	2233	NO030082
98	4.	A2B4	A2B4	45B4	2234	NO040082
99	5.	A2B5	A2B5	45B5	2235	NO050082
100	6.	A2B6	A2B6	45B6	2236	NO060082
101	7.	A2B7	A2B7	45B7	2237	NO070082
102	8.	A2B8	A2B8	45B8	2238	NO080082
103	9.	A2B9	A2B9	45B9	2239	NO090082
104	10.	A2BA	A2BA	45BA	223A	NO100082
105	11.	A2BB	A2BB	45BB	223B	NO110082
106	12.	A2BC	A2BC	45BC	223C	NO120082
107	13.	A2BD	A2BD	45BD	223D	NO130082
108	14.	A2BE	A2BE	45BE	223E	NO140082
109	15.	A2BF	A2BF	45BF	223F	NO150082

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 5 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
110	16.	A2C0	A2C0	45C0	2240	NO160082
111	17.	A2C1	A2C1	45C1	2241	NO170082
112	18.	A2C2	A2C2	45C2	2242	NO180082
113	19.	A2C3	A2C3	45C3	2243	NO190082
114	20.	A2C4	A2C4	45C4	2244	NO200082
115	(1)	A2C5	A2C5	45C5	2245	NO010081
116	(2)	A2C6	A2C6	45C6	2246	NO020081
117	(3)	A2C7	A2C7	45C7	2247	NO030081
118	(4)	A2C8	A2C8	45C8	2248	NO040081
119	(5)	A2C9	A2C9	45C9	2249	NO050081
120	(6)	A2CA	A2CA	45CA	224A	NO060081
121	(7)	A2CB	A2CB	45CB	224B	NO070081
122	(8)	A2CC	A2CC	45CC	224C	NO080081
123	(9)	A2CD	A2CD	45CD	224D	NO090081
124	(10)	A2CE	A2CE	45CE	224E	NO100081
125	(11)	A2CF	A2CF	45CF	224F	NO110081
126	(12)	A2D0	A2D0	45D0	2250	NO120081
127	(13)	A2D1	A2D1	45D1	2251	NO130081
128	(14)	A2D2	A2D2	45D2	2252	NO140081
129	(15)	A2D3	A2D3	45D3	2253	NO150081
130	(16)	A2D4	A2D4	45D4	2254	NO160081
131	(17)	A2D5	A2D5	45D5	2255	NO170081
132	(18)	A2D6	A2D6	45D6	2256	NO180081
133	(19)	A2D7	A2D7	45D7	2257	NO190081
134	(20)	A2D8	A2D8	45D8	2258	NO200081
135	①	A2D9	A2D9	45E1	2259	NO010080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 6 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
136	②	A2DA	A2DA	45E2	225A	NO020080
137	③	A2DB	A2DB	45E3	225B	NO030080
138	④	A2DC	A2DC	45E4	225C	NO040080
139	⑤	A2DD	A2DD	45E5	225D	NO050080
140	⑥	A2DE	A2DE	45E6	225E	NO060080
141	⑦	A2DF	A2DF	45E7	225F	NO070080
142	⑧	A2E0	A2E0	45E8	2260	NO080080
143	⑨	A2E1	A2E1	45E9	2261	NO090080
144	⑩	A2E2	A2E2	45EA	2262	NO100080
145	(一)	A2E5	A2E5	45F1	2265	NO010083
146	(二)	A2E6	A2E6	45F2	2266	NO020083
147	(三)	A2E7	A2E7	45F3	2267	NO030083
148	(四)	A2E8	A2E8	45F4	2268	NO040083
149	(五)	A2E9	A2E9	45F5	2269	NO050083
150	(六)	A2EA	A2EA	45F6	226A	NO060083
151	(七)	A2EB	A2EB	45F7	226B	NO070083
152	(八)	A2EC	A2EC	45F8	226C	NO080083
153	(九)	A2ED	A2ED	45F9	226D	NO090083
154	(十)	A2EE	A2EE	45FA	226E	NO100083
155	I	A2F1	A2F1	41F1	2271	NR110080
156	II	A2F2	A2F2	41F2	2272	NR120080
157	III	A2F3	A2F3	41F3	2273	NR130080
158	IV	A2F4	A2F4	41F4	2274	NR140080
159	V	A2F5	A2F5	41F5	2275	NR150080
160	VI	A2F6	A2F6	41F6	2276	NR160080
161	VII	A2F7	A2F7	41F7	2277	NR170080
162	VIII	A2F8	A2F8	41F8	2278	NR180080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 7 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
163	IX	A2F9	A2F9	41F9	2279	NR190080
164	X	A2FA	A2FA	41FA	227A	NR200080
165	XI	A2FB	A2FB	41FB	227B	NR310080
166	XII	A2FC	A2FC	41FC	227C	NR320080
167	!	A3A1	A3A1	425A	2321	SP020080
168	"	A3A2	A3A2	427F	2322	SP040080
169	#	A3A3	A3A3	427B	2323	SM010080
170	¥	A3A4	A3A4	425B	2324	SC120080
171	%	A3A5	A3A5	426C	2325	SM020080
172	&	A3A6	A3A6	4250	2326	SM030080
173	'	A3A7	A3A7	4450	2327	SD110080
174	(A3A8	A3A8	424D	2328	SP060080
175)	A3A9	A3A9	425D	2329	SP070080
176	*	A3AA	A3AA	425C	232A	SM040080
177	+	A3AB	A3AB	424E	232B	SA010080
178	,	A3AC	A3AC	426B	232C	SP080080
179	—	A3AD	A3AD	4260	232D	SP100080
180	.	A3AE	A3AE	424B	232E	SP110080
181	/	A3AF	A3AF	4261	232F	SP120080
182	0	A3B0	A3B0	42F0	2330	ND100080
183	1	A3B1	A3B1	42F1	2331	ND010080
184	2	A3B2	A3B2	42F2	2332	ND020080
185	3	A3B3	A3B3	42F3	2333	ND030080
186	4	A3B4	A3B4	42F4	2334	ND040080
187	5	A3B5	A3B5	42F5	2335	ND050080
188	6	A3B6	A3B6	42F6	2336	ND060080
189	7	A3B7	A3B7	42F7	2337	ND070080
190	8	A3B8	A3B8	42F8	2338	ND080080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 8 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
191	9	A3B9	A3B9	42F9	2339	ND090080
192	:	A3BA	A3BA	427A	233A	SP130080
193	;	A3BB	A3BB	425E	233B	SP140080
194	<	A3BC	A3BC	424C	233C	SA030080
195	=	A3BD	A3BD	427E	233D	SA040080
196	>	A3BE	A3BE	426E	233E	SA050080
197	?	A3BF	A3BF	426F	233F	SP150080
198	@	A3C0	A3C0	427C	2340	SM050080
199	A	A3C1	A3C1	42C1	2341	LA020080
200	B	A3C2	A3C2	42C2	2342	LB020080
201	C	A3C3	A3C3	42C3	2343	LC020080
202	D	A3C4	A3C4	42C4	2344	LD020080
203	E	A3C5	A3C5	42C5	2345	LE020080
204	F	A3C6	A3C6	42C6	2346	LF020080
205	G	A3C7	A3C7	42C7	2347	LG020080
206	H	A3C8	A3C8	42C8	2348	LH020080
207	I	A3C9	A3C9	42C9	2349	LI020080
208	J	A3CA	A3CA	42D1	234A	LJ020080
209	K	A3CB	A3CB	42D2	234B	LK020080
210	L	A3CC	A3CC	42D3	234C	LL020080
211	M	A3CD	A3CD	42D4	234D	LM020080
212	N	A3CE	A3CE	42D5	234E	LN020080
213	O	A3CF	A3CF	42D6	234F	LO020080
214	P	A3D0	A3D0	42D7	2350	LP020080
215	Q	A3D1	A3D1	42D8	2351	LQ020080
216	R	A3D2	A3D2	42D9	2352	LR020080
217	S	A3D3	A3D3	42E2	2353	LS020080
218	T	A3D4	A3D4	42E3	2354	LT020080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 9 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
219	U	A3D5	A3D5	42E4	2355	LU020080
220	V	A3D6	A3D6	42E5	2356	LV020080
221	W	A3D7	A3D7	42E6	2357	LW020080
222	X	A3D8	A3D8	42E7	2358	LX020080
223	Y	A3D9	A3D9	42E8	2359	LY020080
224	Z	A3DA	A3DA	42E9	235A	LZ020080
225	[A3DB	A3DB	4444	235B	SM060080
226	\	A3DC	A3DC	43E0	235C	SM070080
227]	A3DD	A3DD	4445	235D	SM080080
228	^	A3DE	A3DE	4470	235E	SD150080
229	_	A3DF	A3DF	426D	235F	SP090080
230	`	A3E0	A3E0	4279	2360	SD130080
231	a	A3E1	A3E1	4281	2361	LA010080
232	b	A3E2	A3E2	4282	2362	LB010080
233	c	A3E3	A3E3	4283	2363	LC010080
234	d	A3E4	A3E4	4284	2364	LD010080
235	e	A3E5	A3E5	4285	2365	LE010080
236	f	A3E6	A3E6	4286	2366	LF010080
237	g	A3E7	A3E7	4287	2367	LG010080
238	h	A3E8	A3E8	4288	2368	LH010080
239	i	A3E9	A3E9	4289	2369	LI010080
240	j	A3EA	A3EA	4291	236A	LJ010080
241	k	A3EB	A3EB	4292	236B	LK010080
242	l	A3EC	A3EC	4293	236C	LL010080
243	m	A3ED	A3ED	4294	236D	LM010080
244	n	A3EE	A3EE	4295	236E	LN010080
245	o	A3EF	A3EF	4296	236F	LO010080
246	p	A3F0	A3F0	4297	2370	LP010080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 10 of 25). Non-Chinese Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
247	q	A3F1	A3F1	4298	2371	LQ010080
248	r	A3F2	A3F2	4299	2372	LR010080
249	s	A3F3	A3F3	42A2	2373	LS010080
250	t	A3F4	A3F4	42A3	2374	LT010080
251	u	A3F5	A3F5	42A4	2375	LU010080
252	v	A3F6	A3F6	42A5	2376	LV010080
253	w	A3F7	A3F7	42A6	2377	LW010080
254	x	A3F8	A3F8	42A7	2378	LX010080
255	y	A3F9	A3F9	42A8	2379	LY010080
256	z	A3FA	A3FA	42A9	237A	LZ010080
257	{	A3FB	A3FB	42C0	237B	SM110080
258		A3FC	A3FC	424F	237C	SM130080
259	}	A3FD	A3FD	42D0	237D	SM140080
260	—	A3FE	A3FE	42A1	237E	SM150080
261	あ	A4A1	A4A1	4447	2421	RA010080
262	ぁ	A4A2	A4A2	4481	2422	RA000080
263	い	A4A3	A4A3	4448	2423	RI010080
264	ぃ	A4A4	A4A4	4482	2424	RI000080
265	う	A4A5	A4A5	4449	2425	RU010080
266	ぅ	A4A6	A4A6	4483	2426	RU000080
267	え	A4A7	A4A7	4451	2427	RE010080
268	ぇ	A4A8	A4A8	4484	2428	RE000080
269	お	A4A9	A4A9	4452	2429	RO010080
270	ぉ	A4AA	A4AA	4485	242A	RO000080
271	か	A4AB	A4AB	4486	242B	RK100080
272	か	A4AC	A4AC	44C0	242C	RG100080
273	き	A4AD	A4AD	4487	242D	RK200080
274	き	A4AE	A4AE	44C1	242E	RG200080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 11 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
275	く	A4AF	A4AF	4488	242F	RK300080
276	ぐ	A4B0	A4B0	44C2	2430	RG300080
277	け	A4B1	A4B1	4489	2431	RK400080
278	げ	A4B2	A4B2	44C3	2432	RG400080
279	こ	A4B3	A4B3	448A	2433	RK500080
280	ご	A4B4	A4B4	44C4	2434	RG500080
281	さ	A4B5	A4B5	448C	2435	RS100080
282	ざ	A4B6	A4B6	44C5	2436	RZ100080
283	し	A4B7	A4B7	448D	2437	RS200080
284	じ	A4B8	A4B8	44C6	2438	RZ200080
285	す	A4B9	A4B9	448E	2439	RS300080
286	ず	A4BA	A4BA	44C7	243A	RZ300080
287	せ	A4BB	A4BB	448F	243B	RS400080
288	ぜ	A4BC	A4BC	44C8	243C	RZ400080
289	そ	A4BD	A4BD	4490	243D	RS500080
290	ぞ	A4BE	A4BE	44C9	243E	RZ500080
291	た	A4BF	A4BF	4491	243F	RT100080
292	だ	A4C0	A4C0	44CA	2440	RD100080
293	ち	A4C1	A4C1	4492	2441	RT200080
294	ぢ	A4C2	A4C2	44CB	2442	RD200080
295	っ	A4C3	A4C3	4456	2443	RT310080
296	つ	A4C4	A4C4	4493	2444	RT300080
297	づ	A4C5	A4C5	44CC	2445	RD300080
298	て	A4C6	A4C6	4494	2446	RT400080
299	で	A4C7	A4C7	44CD	2447	RD400080
300	と	A4C8	A4C8	4495	2448	RT500080
301	ど	A4C9	A4C9	44CE	2449	RD500080
302	な	A4CA	A4CA	4496	244A	RN100080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 12 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
303	に	A4CB	A4CB	4497	244B	RN200080
304	ぬ	A4CC	A4CC	4498	244C	RN300080
305	ね	A4CD	A4CD	4499	244D	RN400080
306	の	A4CE	A4CE	449A	244E	RN500080
307	は	A4CF	A4CF	449D	244F	RH100080
308	ば	A4D0	A4D0	44CF	2450	RB100080
309	ぱ	A4D1	A4D1	44D5	2451	RP100080
310	ひ	A4D2	A4D2	449E	2452	RH200080
311	び	A4D3	A4D3	44D0	2453	RB200080
312	ぴ	A4D4	A4D4	44D6	2454	RP200080
313	ふ	A4D5	A4D5	449F	2455	RH300080
314	ぶ	A4D6	A4D6	44D1	2456	RB300080
315	ぷ	A4D7	A4D7	44D7	2457	RP300080
316	へ	A4D8	A4D8	44A2	2458	RH400080
317	べ	A4D9	A4D9	44D2	2459	RB400080
318	ぺ	A4DA	A4DA	44D8	245A	RP400080
319	ほ	A4DB	A4DB	44A3	245B	RH500080
320	ぼ	A4DC	A4DC	44D3	245C	RB500080
321	ぽ	A4DD	A4DD	44D9	245D	RP500080
322	ま	A4DE	A4DE	44A4	245E	RM100080
323	み	A4DF	A4DF	44A5	245F	RM200080
324	む	A4E0	A4E0	44A6	2460	RM300080
325	め	A4E1	A4E1	44A7	2461	RM400080
326	も	A4E2	A4E2	44A8	2462	RM500080
327	や	A4E3	A4E3	4453	2463	RY110080
328	ゃ	A4E4	A4E4	44A9	2464	RY100080
329	ゆ	A4E5	A4E5	4454	2465	RY310080
330	ゅ	A4E6	A4E6	44AA	2466	RY300080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 13 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
331	よ	A4E7	A4E7	4455	2467	RY510080
332	よ	A4E8	A4E8	44AC	2468	RY500080
333	ら	A4E9	A4E9	44AD	2469	RR100080
334	り	A4EA	A4EA	44AE	246A	RR200080
335	る	A4EB	A4EB	44AF	246B	RR300080
336	れ	A4EC	A4EC	44BA	246C	RR400080
337	ろ	A4ED	A4ED	44BB	246D	RR500080
338	わ	A4EE	A4EE	4457	246E	RW110080
339	わ	A4EF	A4EF	44BC	246F	RW100080
340	ゐ	A4F0	A4F0	44DA	2470	RW200080
341	ゑ	A4F1	A4F1	44DB	2471	RW400080
342	を	A4F2	A4F2	4446	2472	RW500080
343	ん	A4F3	A4F3	44BD	2473	RN000080
344	ア	A5A1	A5A1	4347	2521	JA010080
345	ア	A5A2	A5A2	4381	2522	JA000080
346	イ	A5A3	A5A3	4348	2523	JI010080
347	イ	A5A4	A5A4	4382	2524	JI000080
348	ウ	A5A5	A5A5	4349	2525	JU010080
349	ウ	A5A6	A5A6	4383	2526	JU000080
350	エ	A5A7	A5A7	4351	2527	JE010080
351	エ	A5A8	A5A8	4384	2528	JE000080
352	オ	A5A9	A5A9	4352	2529	JO010080
353	オ	A5AA	A5AA	4385	252A	JO000080
354	カ	A5AB	A5AB	4386	252B	JK100080
355	ガ	A5AC	A5AC	43C0	252C	JG100080
356	キ	A5AD	A5AD	4387	252D	JK200080
357	ギ	A5AE	A5AE	43C1	252E	JG200080
358	ク	A5AF	A5AF	4388	252F	JK300080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 14 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
359	グ	A5B0	A5B0	43C2	2530	JG300080
360	ケ	A5B1	A5B1	4389	2531	JK400080
361	ゲ	A5B2	A5B2	43C3	2532	JG400080
362	コ	A5B3	A5B3	438A	2533	JK500080
363	ゴ	A5B4	A5B4	43C4	2534	JG500080
364	サ	A5B5	A5B5	438C	2535	JS100080
365	ザ	A5B6	A5B6	43C5	2536	JZ100080
366	シ	A5B7	A5B7	438D	2537	JS200080
367	ジ	A5B8	A5B8	43C6	2538	JZ200080
368	ス	A5B9	A5B9	438E	2539	JS300080
369	ズ	A5BA	A5BA	43C7	253A	JZ300080
370	セ	A5BB	A5BB	438F	253B	JS400080
371	ゼ	A5BC	A5BC	43C8	253C	JZ400080
372	ソ	A5BD	A5BD	4390	253D	JS500080
373	ゾ	A5BE	A5BE	43C9	253E	JZ500080
374	タ	A5BF	A5BF	4391	253F	JT100080
375	ダ	A5C0	A5C0	43CA	2540	JD100080
376	チ	A5C1	A5C1	4392	2541	JT200080
377	ヂ	A5C2	A5C2	43CB	2542	JD200080
378	ツ	A5C3	A5C3	4356	2543	JT310080
379	ヅ	A5C4	A5C4	4393	2544	JT300080
380	ヅ	A5C5	A5C5	43CC	2545	JD300080
381	テ	A5C6	A5C6	4394	2546	JT400080
382	デ	A5C7	A5C7	43CD	2547	JD400080
383	ト	A5C8	A5C8	4395	2548	JT500080
384	ド	A5C9	A5C9	43CE	2549	JD500080
385	ナ	A5CA	A5CA	4396	254A	JN100080
386	ニ	A5CB	A5CB	4397	254B	JN200080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 15 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
387	ヌ	A5CC	A5CC	4398	254C	JN300080
388	ネ	A5CD	A5CD	4399	254D	JN400080
389	ノ	A5CE	A5CE	439A	254E	JN500080
390	ハ	A5CF	A5CF	439D	254F	JH100080
391	バ	A5D0	A5D0	43CF	2550	JB100080
392	パ	A5D1	A5D1	43D5	2551	JP100080
393	ヒ	A5D2	A5D2	439E	2552	JH200080
394	ビ	A5D3	A5D3	43D0	2553	JB200080
395	ピ	A5D4	A5D4	43D6	2554	JP200080
396	フ	A5D5	A5D5	439F	2555	JH300080
397	ブ	A5D6	A5D6	43D1	2556	JB300080
398	プ	A5D7	A5D7	43D7	2557	JP300080
399	ヘ	A5D8	A5D8	43A2	2558	JH400080
400	ベ	A5D9	A5D9	43D2	2559	JB400080
401	ペ	A5DA	A5DA	43D8	255A	JP400080
402	ホ	A5DB	A5DB	43A3	255B	JH500080
403	ボ	A5DC	A5DC	43D3	255C	JB500080
404	ポ	A5DD	A5DD	43D9	255D	JP500080
405	マ	A5DE	A5DE	43A4	255E	JM100080
406	ミ	A5DF	A5DF	43A5	255F	JM200080
407	ム	A5E0	A5E0	43A6	2560	JM300080
408	メ	A5E1	A5E1	43A7	2561	JM400080
409	モ	A5E2	A5E2	43A8	2562	JM500080
410	ヤ	A5E3	A5E3	4353	2563	JY110080
411	ャ	A5E4	A5E4	43A9	2564	JY100080
412	ユ	A5E5	A5E5	4354	2565	JY310080
413	ュ	A5E6	A5E6	43AA	2566	JY300080
414	ヨ	A5E7	A5E7	4355	2567	JY510080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 16 of 25). Non-Chinese Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
415	ヨ	A5E8	A5E8	43AC	2568	JY500080
416	ラ	A5E9	A5E9	43AD	2569	JR100080
417	リ	A5EA	A5EA	43AE	256A	JR200080
418	ル	A5EB	A5EB	43AF	256B	JR300080
419	レ	A5EC	A5EC	43BA	256C	JR400080
420	ロ	A5ED	A5ED	43BB	256D	JR500080
421	ワ	A5EE	A5EE	4357	256E	JW110080
422	フ	A5EF	A5EF	43BC	256F	JW100080
423	キ	A5F0	A5F0	43DA	2570	JW200080
424	エ	A5F1	A5F1	43DB	2571	JW400080
425	ヲ	A5F2	A5F2	4346	2572	JW500080
426	ン	A5F3	A5F3	43BD	2573	JN000080
427	ヴ	A5F4	A5F4	43D4	2574	JV000080
428	カ	A5F5	A5F5	4359	2575	JK110080
429	ケ	A5F6	A5F6	435A	2576	JK410080
430	A	A6A1	A6A1	4161	2621	GA020080
431	B	A6A2	A6A2	4162	2622	GB020080
432	Γ	A6A3	A6A3	4163	2623	GG020080
433	△	A6A4	A6A4	4164	2624	GD020080
434	E	A6A5	A6A5	4165	2625	GE020080
435	Z	A6A6	A6A6	4166	2626	GZ020080
436	H	A6A7	A6A7	4167	2627	GE320080
437	Θ	A6A8	A6A8	4168	2628	GT620080
438	I	A6A9	A6A9	4169	2629	GI020080
439	K	A6AA	A6AA	416A	262A	GK020080
440	Λ	A6AB	A6AB	416B	262B	GL020080
441	M	A6AC	A6AC	416C	262C	GM020080
442	N	A6AD	A6AD	416D	262D	GN020080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 17 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
443	Ε	A6AE	A6AE	416E	262E	GX020080
444	Ο	A6AF	A6AF	416F	262F	GO020080
445	Π	A6B0	A6B0	4170	2630	GP020080
446	Ρ	A6B1	A6B1	4171	2631	GR020080
447	Σ	A6B2	A6B2	4172	2632	GS020080
448	Τ	A6B3	A6B3	4173	2633	GT020080
449	Υ	A6B4	A6B4	4174	2634	GU020080
450	Φ	A6B5	A6B5	4175	2635	GF020080
451	Χ	A6B6	A6B6	4176	2636	GH020080
452	Ψ	A6B7	A6B7	4177	2637	GP620080
453	Ω	A6B8	A6B8	4178	2638	GO320080
454	α	A6C1	A6C1	4141	2641	GA010080
455	β	A6C2	A6C2	4142	2642	GB010080
456	γ	A6C3	A6C3	4143	2643	GG010080
457	δ	A6C4	A6C4	4144	2644	GD010080
458	ε	A6C5	A6C5	4145	2645	GE010080
459	ζ	A6C6	A6C6	4146	2646	GZ010080
460	η	A6C7	A6C7	4147	2647	GE310080
461	θ	A6C8	A6C8	4148	2648	GT610082
462	ι	A6C9	A6C9	4149	2649	GI010080
463	κ	A6CA	A6CA	414A	264A	GK010080
464	λ	A6CB	A6CB	414B	264B	GL010080
465	μ	A6CC	A6CC	414C	264C	GM010080
466	ν	A6CD	A6CD	414D	264D	GN010080
467	ξ	A6CE	A6CE	414E	264E	GX010080
468	ο	A6CF	A6CF	414F	264F	GO010080
469	π	A6D0	A6D0	4150	2650	GP010080
470	ρ	A6D1	A6D1	4151	2651	GR010080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 18 of 25). Non-Chinese Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
471	σ	A6D2	A6D2	4152	2652	GS010080
472	τ	A6D3	A6D3	4153	2653	GT010080
473	υ	A6D4	A6D4	4154	2654	GU010080
474	φ	A6D5	A6D5	4155	2655	GF010081
475	χ	A6D6	A6D6	4156	2656	GH010080
476	ψ	A6D7	A6D7	4157	2657	GP610080
477	ω	A6D8	A6D8	4158	2658	GO310080
478	А	A7A1	A7A1	41C0	2721	KA020080
479	Б	A7A2	A7A2	41C1	2722	KB020080
480	В	A7A3	A7A3	41C2	2723	KV020080
481	Г	A7A4	A7A4	41C3	2724	KG020080
482	Д	A7A5	A7A5	41C4	2725	KD020080
483	Е	A7A6	A7A6	41C5	2726	KE020080
484	Ё	A7A7	A7A7	41C6	2727	KE180080
485	Ж	A7A8	A7A8	41C7	2728	KZ220080
486	З	A7A9	A7A9	41C8	2729	KZ020080
487	И	A7AA	A7AA	41C9	272A	KI020080
488	Й	A7AB	A7AB	41CA	272B	KJ120080
489	К	A7AC	A7AC	41CB	272C	KK020080
490	Л	A7AD	A7AD	41CC	272D	KL020080
491	М	A7AE	A7AE	41CD	272E	KM020080
492	Н	A7AF	A7AF	41CE	272F	KN020080
493	О	A7B0	A7B0	41CF	2730	KO020080
494	П	A7B1	A7B1	41D0	2731	KP020080
495	Р	A7B2	A7B2	41D1	2732	KR020080
496	С	A7B3	A7B3	41D2	2733	KS020080
497	Т	A7B4	A7B4	41D3	2734	KT020080
498	У	A7B5	A7B5	41D4	2735	KU020080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 19 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
499	Φ	A7B6	A7B6	41D5	2736	KF020080
500	X	A7B7	A7B7	41D6	2737	KH020080
501	Ц	A7B8	A7B8	41D7	2738	KC020080
502	Ч	A7B9	A7B9	41D8	2739	KC220080
503	Ш	A7BA	A7BA	41D9	273A	KS220080
504	Щ	A7BB	A7BB	41DA	273B	KS160080
505	Ъ	A7BC	A7BC	41DB	273C	KU220080
506	Ы	A7BD	A7BD	41DC	273D	KY020080
507	Ь	A7BE	A7BE	41DD	273E	KX120080
508	Э	A7BF	A7BF	41DE	273F	KE140080
509	Ю	A7C0	A7C0	41DF	2740	KU160080
510	Я	A7C1	A7C1	41E0	2741	KA160080
511	а	A7D1	A7D1	4180	2751	KA010080
512	б	A7D2	A7D2	4181	2752	KB010080
513	в	A7D3	A7D3	4182	2753	KV010080
514	г	A7D4	A7D4	4183	2754	KG010080
515	д	A7D5	A7D5	4184	2755	KD010080
516	е	A7D6	A7D6	4185	2756	KE010080
517	ё	A7D7	A7D7	4186	2757	KE170080
518	ж	A7D8	A7D8	4187	2758	KZ210080
519	з	A7D9	A7D9	4188	2759	KZ010080
520	и	A7DA	A7DA	4189	275A	KI010080
521	й	A7DB	A7DB	418A	275B	KJ110080
522	к	A7DC	A7DC	418B	275C	KK010080
523	л	A7DD	A7DD	418C	275D	KL010080
524	м	A7DE	A7DE	418D	275E	KM010080
525	н	A7DF	A7DF	418E	275F	KN010080
526	о	A7E0	A7E0	418F	2760	KO010080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 20 of 25). Non-Chinese Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
527	П	A7E1	A7E1	4190	2761	KP010080
528	р	A7E2	A7E2	4191	2762	KR010080
529	с	A7E3	A7E3	4192	2763	KS010080
530	т	A7E4	A7E4	4193	2764	KT010080
531	у	A7E5	A7E5	4194	2765	KU010080
532	ф	A7E6	A7E6	4195	2766	KF010080
533	х	A7E7	A7E7	4196	2767	KH010080
534	ц	A7E8	A7E8	4197	2768	KC010080
535	ч	A7E9	A7E9	4198	2769	KC210080
536	ш	A7EA	A7EA	4199	276A	KS210080
537	щ	A7EB	A7EB	419A	276B	KS150080
538	ъ	A7EC	A7EC	419B	276C	KU210080
539	ы	A7ED	A7ED	419C	276D	KY010080
540	ь	A7EE	A7EE	419D	276E	KX110080
541	э	A7EF	A7EF	419E	276F	KE130080
542	ю	A7F0	A7F0	419F	2770	KU150080
543	я	A7F1	A7F1	41A0	2771	KA150080
544	ā	A8A1	A8A1	4641	2821	LA310080
545	ǎ	A8A2	A8A2	4642	2822	LA110080
546	ǎ	A8A3	A8A3	4643	2823	LA210080
547	à	A8A4	A8A4	4644	2824	LA130080
548	ē	A8A5	A8A5	4645	2825	LE310080
549	é	A8A6	A8A6	4646	2826	LE110080
550	ě	A8A7	A8A7	4647	2827	LE210080
551	è	A8A8	A8A8	4648	2828	LE130080
552	ī	A8A9	A8A9	4649	2829	LI310080
553	í	A8AA	A8AA	464A	282A	LI110080
554	ý	A8AB	A8AB	464B	282B	LI210080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 21 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
555	ì	A8AC	A8AC	464C	282C	LI130080
556	õ	A8AD	A8AD	464D	282D	LO310080
557	ó	A8AE	A8AE	464E	282E	LO110080
558	ö	A8AF	A8AF	464F	282F	LO210080
559	ò	A8B0	A8B0	4650	2830	LO130080
560	ū	A8B1	A8B1	4651	2831	LU310080
561	ú	A8B2	A8B2	4652	2832	LU110080
562	ÿ	A8B3	A8B3	4653	2833	LU210080
563	û	A8B4	A8B4	4654	2834	LU130080
564	ü	A8B5	A8B5	4655	2835	LU770080
565	ř	A8B6	A8B6	4656	2836	LU730080
566	š	A8B7	A8B7	4657	2837	LU790080
567	ž	A8B8	A8B8	4658	2838	LU750080
568	š	A8B9	A8B9	4659	2839	LU170080
569	ê	A8BA	A8BA	465A	283A	LE150080
570	ㄣ	A8C5	A8C5	4665	2845	SB060080
571	ㄤ	A8C6	A8C6	4666	2846	SB290080
572	ㄨ	A8C7	A8C7	4667	2847	SB250080
573	ㄩ	A8C8	A8C8	4668	2848	SB160080
574	ㄉ	A8C9	A8C9	4669	2849	SB090080
575	ㄊ	A8CA	A8CA	466A	284A	SB340080
576	ㄋ	A8CB	A8CB	466B	284B	SB260080
577	ㄌ	A8CC	A8CC	466C	284C	SB240080
578	ㄍ	A8CD	A8CD	466D	284D	SB170080
579	ㄎ	A8CE	A8CE	466E	284E	SB230080
580	ㄏ	A8CF	A8CF	466F	284F	SB180080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 22 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
581	乚	A8D0	A8D0	4670	2850	SB220080
582	<	A8D1	A8D1	4671	2851	SB070080
583	丌	A8D2	A8D2	4672	2852	SB330080
584	𠂇	A8D3	A8D3	4673	2853	SB210080
585	彳	A8D4	A8D4	4674	2854	SB080080
586	尸	A8D5	A8D5	4675	2855	SB320080
587	囧	A8D6	A8D6	4676	2856	SB300080
588	冎	A8D7	A8D7	4677	2857	SB350080
589	彳	A8D8	A8D8	4678	2858	SB360080
590	厶	A8D9	A8D9	4679	2859	SB310080
591	丫	A8DA	A8DA	467A	285A	SB010080
592	彳	A8DB	A8DB	467B	285B	SB270080
593	彳	A8DC	A8DC	467C	285C	SB100080
594	彳	A8DD	A8DD	467D	285D	SB110080
595	彳	A8DE	A8DE	467E	285E	SB020080
596	彳	A8DF	A8DF	467F	285F	SB120080
597	彳	A8E0	A8E0	4680	2860	SB050080
598	彳	A8E1	A8E1	4681	2861	SB280080
599	彳	A8E2	A8E2	4682	2862	SB030080
600	彳	A8E3	A8E3	4683	2863	SB130080
601	彳	A8E4	A8E4	4684	2864	SB040080
602	彳	A8E5	A8E5	4685	2865	SB140080
603	彳	A8E6	A8E6	4686	2866	SB150080
604	彳	A8E7	A8E7	4687	2867	SB190081
605	彳	A8E8	A8E8	4688	2868	SB370080
606	彳	A8E9	A8E9	4689	2869	SB200080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 23 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
607	—	A9A4	A9A4	46A4	2924	SF100080
608	—	A9A5	A9A5	46A5	2925	SF100082
609		A9A6	A9A6	46A6	2926	SF110080
610		A9A7	A9A7	46A7	2927	SF110082
611	---	A9A8	A9A8	46A8	2928	SF940080
612	---	A9A9	A9A9	46A9	2929	SF940081
613	⋮	A9AA	A9AA	46AA	292A	SF960080
614	⋮	A9AB	A9AB	46AB	292B	SF960081
615	----	A9AC	A9AC	46AC	292C	SF950080
616	----	A9AD	A9AD	46AD	292D	SF950081
617	⋮	A9AE	A9AE	46AE	292E	SF970080
618	⋮	A9AF	A9AF	46AF	292F	SF970081
619	┌	A9B0	A9B0	46B0	2930	SF010080
620	┌	A9B1	A9B1	46B1	2931	SF010081
621	┌	A9B2	A9B2	46B2	2932	SF010083
622	┌	A9B3	A9B3	46B3	2933	SF010082
623	└	A9B4	A9B4	46B4	2934	SF030080
624	└	A9B5	A9B5	46B5	2935	SF030081
625	└	A9B6	A9B6	46B6	2936	SF030083
626	└	A9B7	A9B7	46B7	2937	SF030082
627	└	A9B8	A9B8	46B8	2938	SF020080
628	└	A9B9	A9B9	46B9	2939	SF020081
629	└	A9BA	A9BA	46BA	293A	SF020083
630	└	A9BB	A9BB	46BB	293B	SF020082
631	┘	A9BC	A9BC	46BC	293C	SF040080
632	┘	A9BD	A9BD	46BD	293D	SF040081



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 5 (Page 24 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
633	丿	A9BE	A9BE	46BE	293E	SF040083
634	丿	A9BF	A9BF	46BF	293F	SF040082
635	丨	A9C0	A9C0	46C0	2940	SF080080
636	丨	A9C1	A9C1	46C1	2941	SF080084
637	丨	A9C2	A9C2	46C2	2942	SF080087
638	丨	A9C3	A9C3	46C3	2943	SF080088
639	丨	A9C4	A9C4	46C4	2944	SF080083
640	丨	A9C5	A9C5	46C5	2945	SF080089
641	丨	A9C6	A9C6	46C6	2946	SF08008A
642	丨	A9C7	A9C7	46C7	2947	SF080082
643	丨	A9C8	A9C8	46C8	2948	SF090080
644	丨	A9C9	A9C9	46C9	2949	SF090084
645	丨	A9CA	A9CA	46CA	294A	SF090087
646	丨	A9CB	A9CB	46CB	294B	SF090088
647	丨	A9CC	A9CC	46CC	294C	SF090083
648	丨	A9CD	A9CD	46CD	294D	SF090089
649	丨	A9CE	A9CE	46CE	294E	SF09008A
650	丨	A9CF	A9CF	46CF	294F	SF090082
651	丨	A9D0	A9D0	46D0	2950	SF060080
652	丨	A9D1	A9D1	46D1	2951	SF060087
653	丨	A9D2	A9D2	46D2	2952	SF060088
654	丨	A9D3	A9D3	46D3	2953	SF060083
655	丨	A9D4	A9D4	46D4	2954	SF060084
656	丨	A9D5	A9D5	46D5	2955	SF060089
657	丨	A9D6	A9D6	46D6	2956	SF06008A
658	丨	A9D7	A9D7	46D7	2957	SF060082

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 5 (Page 25 of 25). Non-Chinese Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
659	┌	A9D8	A9D8	46D8	2958	SF070080
660	┌	A9D9	A9D9	46D9	2959	SF070087
661	└	A9DA	A9DA	46DA	295A	SF070088
662	└	A9DB	A9DB	46DB	295B	SF070083
663	┌	A9DC	A9DC	46DC	295C	SF070084
664	└	A9DD	A9DD	46DD	295D	SF070089
665	┌	A9DE	A9DE	46DE	295E	SF07008A
666	└	A9DF	A9DF	46DF	295F	SF070082
667	+	A9E0	A9E0	46E0	2960	SF050080
668	+	A9E1	A9E1	46E1	2961	SF05008A
669	+	A9E2	A9E2	46E2	2962	SF05008B
670	+	A9E3	A9E3	46E3	2963	SF050083
671	+	A9E4	A9E4	46E4	2964	SF05008C
672	+	A9E5	A9E5	46E5	2965	SF05008D
673	+	A9E6	A9E6	46E6	2966	SF050084
674	+	A9E7	A9E7	46E7	2967	SF05008E
675	+	A9E8	A9E8	46E8	2968	SF05008F
676	+	A9E9	A9E9	46E9	2969	SF05008G
677	+	A9EA	A9EA	46EA	296A	SF05008H
678	+	A9EB	A9EB	46EB	296B	SF050087
679	+	A9EC	A9EC	46EC	296C	SF050089
680	+	A9ED	A9ED	46ED	296D	SF050086
681	+	A9EE	A9EE	46EE	296E	SF050088
682	+	A9EF	A9EF	46EF	296F	SF050082

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.2 Level 1 Chinese Character Set (1 of 3)

Table 6 (Page 1 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1	啊	B0A1	B0A1	48A0	3021	E19C0080
2	阿	B0A2	B0A2	48A1	3022	E19D0080
3	埃	B0A3	B0A3	48A2	3023	E19E0080
4	挨	B0A4	B0A4	48A3	3024	E19F0080
5	哎	B0A5	B0A5	48A4	3025	E19G0080
6	唉	B0A6	B0A6	48A5	3026	E19H0080
7	哀	B0A7	B0A7	48A6	3027	E19I0080
8	皑	B0A8	B0A8	48A7	3028	E19J0080
9	癌	B0A9	B0A9	48A8	3029	E19K0080
10	蔼	B0AA	B0AA	48A9	302A	E19L0080
11	矮	B0AB	B0AB	48AA	302B	E19M0080
12	艾	B0AC	B0AC	48AB	302C	E19N0080
13	碍	B0AD	B0AD	48AC	302D	E19O0080
14	爱	B0AE	B0AE	48AD	302E	E19P0080
15	隘	B0AF	B0AF	48AE	302F	E19Q0080
16	鞍	B0B0	B0B0	48AF	3030	E19R0080
17	氨	B0B1	B0B1	48B0	3031	E19S0080
18	安	B0B2	B0B2	48B1	3032	E19T0080
19	俺	B0B3	B0B3	48B2	3033	E19U0080
20	按	B0B4	B0B4	48B3	3034	E19V0080
21	暗	B0B5	B0B5	48B4	3035	E19W0080
22	岸	B0B6	B0B6	48B5	3036	E19X0080
23	胺	B0B7	B0B7	48B6	3037	E19Y0080
24	案	B0B8	B0B8	48B7	3038	E19Z0080
25	肮	B0B9	B0B9	48B8	3039	E1A00080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 2 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
26	昂	B0BA	B0BA	48B9	303A	E1A10080
27	盎	B0BB	B0BB	48BA	303B	E1A20080
28	凹	B0BC	B0BC	48BB	303C	E1A30080
29	敖	B0BD	B0BD	48BC	303D	E1A40080
30	熬	B0BE	B0BE	48BD	303E	E1A50080
31	翱	B0BF	B0BF	48BE	303F	E1A60080
32	袄	B0C0	B0C0	48BF	3040	E1A70080
33	傲	B0C1	B0C1	48C0	3041	E1A80080
34	奥	B0C2	B0C2	48C1	3042	E1A90080
35	懊	B0C3	B0C3	48C2	3043	E1AA0080
36	澳	B0C4	B0C4	48C3	3044	E1AB0080
37	芭	B0C5	B0C5	48C4	3045	E1AC0080
38	捌	B0C6	B0C6	48C5	3046	E1AD0080
39	扒	B0C7	B0C7	48C6	3047	E1AE0080
40	叭	B0C8	B0C8	48C7	3048	E1AF0080
41	吧	B0C9	B0C9	48C8	3049	E1AG0080
42	笆	B0CA	B0CA	48C9	304A	E1AH0080
43	八	B0CB	B0CB	48CA	304B	E1AI0080
44	疤	B0CC	B0CC	48CB	304C	E1AJ0080
45	巴	B0CD	B0CD	48CC	304D	E1AK0080
46	拔	B0CE	B0CE	48CD	304E	E1AL0080
47	跋	B0CF	B0CF	48CE	304F	E1AM0080
48	靶	B0D0	B0D0	48CF	3050	E1AN0080
49	把	B0D1	B0D1	48D0	3051	E1AO0080
50	耙	B0D2	B0D2	48D1	3052	E1AP0080
51	坝	B0D3	B0D3	48D2	3053	E1AQ0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 3 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
52	霸	B0D4	B0D4	48D3	3054	E1AR0080
53	罢	B0D5	B0D5	48D4	3055	E1AS0080
54	爸	B0D6	B0D6	48D5	3056	E1AT0080
55	白	B0D7	B0D7	48D6	3057	E1AU0080
56	柏	B0D8	B0D8	48D7	3058	E1AV0080
57	百	B0D9	B0D9	48D8	3059	E1AW0080
58	摆	B0DA	B0DA	48D9	305A	E1AX0080
59	佰	B0DB	B0DB	48DA	305B	E1AY0080
60	败	B0DC	B0DC	48DB	305C	E1AZ0080
61	拜	B0DD	B0DD	48DC	305D	E1B00080
62	稗	B0DE	B0DE	48DD	305E	E1B10080
63	斑	B0DF	B0DF	48DE	305F	E1B20080
64	班	B0E0	B0E0	48DF	3060	E1B30080
65	搬	B0E1	B0E1	48E0	3061	E1B40080
66	扳	B0E2	B0E2	48E1	3062	E1B50080
67	般	B0E3	B0E3	48E2	3063	E1B60080
68	颁	B0E4	B0E4	48E3	3064	E1B70080
69	板	B0E5	B0E5	48E4	3065	E1B80080
70	版	B0E6	B0E6	48E5	3066	E1B90080
71	扮	B0E7	B0E7	48E6	3067	E1BA0080
72	拌	B0E8	B0E8	48E7	3068	E1BB0080
73	伴	B0E9	B0E9	48E8	3069	E1BC0080
74	瓣	B0EA	B0EA	48E9	306A	E1BD0080
75	半	B0EB	B0EB	48EA	306B	E1BE0080
76	办	B0EC	B0EC	48EB	306C	E1BF0080
77	绊	B0ED	B0ED	48EC	306D	E1BG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 4 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
78	邦	B0EE	B0EE	48ED	306E	E1BH0080
79	帮	B0EF	B0EF	48EE	306F	E1BI0080
80	梆	B0F0	B0F0	48EF	3070	E1BJ0080
81	榜	B0F1	B0F1	48F0	3071	E1BK0080
82	膀	B0F2	B0F2	48F1	3072	E1BL0080
83	绑	B0F3	B0F3	48F2	3073	E1BM0080
84	棒	B0F4	B0F4	48F3	3074	E1BN0080
85	磅	B0F5	B0F5	48F4	3075	E1BO0080
86	蚌	B0F6	B0F6	48F5	3076	E1BP0080
87	镑	B0F7	B0F7	48F6	3077	E1BQ0080
88	傍	B0F8	B0F8	48F7	3078	E1BR0080
89	谤	B0F9	B0F9	48F8	3079	E1BS0080
90	苞	B0FA	B0FA	48F9	307A	E1BT0080
91	胞	B0FB	B0FB	48FA	307B	E1BU0080
92	包	B0FC	B0FC	48FB	307C	E1BV0080
93	褒	B0FD	B0FD	48FC	307D	E1BW0080
94	剥	B0FE	B0FE	48FD	307E	E1BX0080
95	薄	B1A1	B1A1	4941	3121	E1C10080
96	雹	B1A2	B1A2	4942	3122	E1C20080
97	保	B1A3	B1A3	4943	3123	E1C30080
98	堡	B1A4	B1A4	4944	3124	E1C40080
99	饱	B1A5	B1A5	4945	3125	E1C50080
100	宝	B1A6	B1A6	4946	3126	E1C60080
101	抱	B1A7	B1A7	4947	3127	E1C70080
102	报	B1A8	B1A8	4948	3128	E1C80080
103	暴	B1A9	B1A9	4949	3129	E1C90080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 5 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
104	豹	B1AA	B1AA	494A	312A	E1CA0080
105	鲍	B1AB	B1AB	494B	312B	E1CB0080
106	爆	B1AC	B1AC	494C	312C	E1CC0080
107	杯	B1AD	B1AD	494D	312D	E1CD0080
108	碑	B1AE	B1AE	494E	312E	E1CE0080
109	悲	B1AF	B1AF	494F	312F	E1CF0080
110	卑	B1B0	B1B0	4950	3130	E1CG0080
111	北	B1B1	B1B1	4951	3131	E1CH0080
112	辈	B1B2	B1B2	4952	3132	E1CI0080
113	背	B1B3	B1B3	4953	3133	E1CJ0080
114	贝	B1B4	B1B4	4954	3134	E1CK0080
115	钡	B1B5	B1B5	4955	3135	E1CL0080
116	倍	B1B6	B1B6	4956	3136	E1CM0080
117	狈	B1B7	B1B7	4957	3137	E1CN0080
118	备	B1B8	B1B8	4958	3138	E1CO0080
119	惫	B1B9	B1B9	4959	3139	E1CP0080
120	焙	B1BA	B1BA	495A	313A	E1CQ0080
121	被	B1BB	B1BB	495B	313B	E1CR0080
122	奔	B1BC	B1BC	495C	313C	E1CS0080
123	笨	B1BD	B1BD	495D	313D	E1CT0080
124	本	B1BE	B1BE	495E	313E	E1CU0080
125	笨	B1BF	B1BF	495F	313F	E1CV0080
126	崩	B1C0	B1C0	4960	3140	E1CW0080
127	绷	B1C1	B1C1	4961	3141	E1CX0080
128	甬	B1C2	B1C2	4962	3142	E1CY0080
129	泵	B1C3	B1C3	4963	3143	E1CZ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 6 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
130	蹦	B1C4	B1C4	4964	3144	E1D00080
131	迸	B1C5	B1C5	4965	3145	E1D10080
132	逼	B1C6	B1C6	4966	3146	E1D20080
133	鼻	B1C7	B1C7	4967	3147	E1D30080
134	比	B1C8	B1C8	4968	3148	E1D40080
135	鄙	B1C9	B1C9	4969	3149	E1D50080
136	笔	B1CA	B1CA	496A	314A	E1D60080
137	彼	B1CB	B1CB	496B	314B	E1D70080
138	碧	B1CC	B1CC	496C	314C	E1D80080
139	蓖	B1CD	B1CD	496D	314D	E1D90080
140	蔽	B1CE	B1CE	496E	314E	E1DA0080
141	毕	B1CF	B1CF	496F	314F	E1DB0080
142	毙	B1D0	B1D0	4970	3150	E1DC0080
143	恣	B1D1	B1D1	4971	3151	E1DD0080
144	币	B1D2	B1D2	4972	3152	E1DE0080
145	庇	B1D3	B1D3	4973	3153	E1DF0080
146	痹	B1D4	B1D4	4974	3154	E1DG0080
147	闭	B1D5	B1D5	4975	3155	E1DH0080
148	敝	B1D6	B1D6	4976	3156	E1DI0080
149	弊	B1D7	B1D7	4977	3157	E1DJ0080
150	必	B1D8	B1D8	4978	3158	E1DK0080
151	辟	B1D9	B1D9	4979	3159	E1DL0080
152	壁	B1DA	B1DA	497A	315A	E1DM0080
153	臂	B1DB	B1DB	497B	315B	E1DN0080
154	避	B1DC	B1DC	497C	315C	E1DO0080
155	陛	B1DD	B1DD	497D	315D	E1DP0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 7 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
156	鞭	B1DE	B1DE	497E	315E	E1DQ0080
157	边	B1DF	B1DF	497F	315F	E1DR0080
158	编	B1E0	B1E0	4981	3160	E1DT0080
159	贬	B1E1	B1E1	4982	3161	E1DU0080
160	扁	B1E2	B1E2	4983	3162	E1DV0080
161	便	B1E3	B1E3	4984	3163	E1DW0080
162	变	B1E4	B1E4	4985	3164	E1DX0080
163	卞	B1E5	B1E5	4986	3165	E1DY0080
164	辨	B1E6	B1E6	4987	3166	E1DZ0080
165	辩	B1E7	B1E7	4988	3167	E1E00080
166	辮	B1E8	B1E8	4989	3168	E1E10080
167	遍	B1E9	B1E9	498A	3169	E1E20080
168	标	B1EA	B1EA	498B	316A	E1E30080
169	彪	B1EB	B1EB	498C	316B	E1E40080
170	膘	B1EC	B1EC	498D	316C	E1E50080
171	表	B1ED	B1ED	498E	316D	E1E60080
172	鳖	B1EE	B1EE	498F	316E	E1E70080
173	憋	B1EF	B1EF	4990	316F	E1E80080
174	别	B1F0	B1F0	4991	3170	E1E90080
175	瘳	B1F1	B1F1	4992	3171	E1EA0080
176	彬	B1F2	B1F2	4993	3172	E1EB0080
177	斌	B1F3	B1F3	4994	3173	E1EC0080
178	濒	B1F4	B1F4	4995	3174	E1ED0080
179	滨	B1F5	B1F5	4996	3175	E1EE0080
180	宾	B1F6	B1F6	4997	3176	E1EF0080
181	摈	B1F7	B1F7	4998	3177	E1EG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 8 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
182	兵	B1F8	B1F8	4999	3178	E1EH0080
183	冰	B1F9	B1F9	499A	3179	E1EI0080
184	柄	B1FA	B1FA	499B	317A	E1EJ0080
185	丙	B1FB	B1FB	499C	317B	E1EK0080
186	秉	B1FC	B1FC	499D	317C	E1EL0080
187	饼	B1FD	B1FD	499E	317D	E1EM0080
188	炳	B1FE	B1FE	499F	317E	E1EN0080
189	病	B2A1	B2A1	49A0	3221	E1EO0080
190	并	B2A2	B2A2	49A1	3222	E1EP0080
191	玻	B2A3	B2A3	49A2	3223	E1EQ0080
192	菠	B2A4	B2A4	49A3	3224	E1ER0080
193	播	B2A5	B2A5	49A4	3225	E1ES0080
194	拔	B2A6	B2A6	49A5	3226	E1ET0080
195	钵	B2A7	B2A7	49A6	3227	E1EU0080
196	波	B2A8	B2A8	49A7	3228	E1EV0080
197	博	B2A9	B2A9	49A8	3229	E1EW0080
198	勃	B2AA	B2AA	49A9	322A	E1EX0080
199	搏	B2AB	B2AB	49AA	322B	E1EY0080
200	铂	B2AC	B2AC	49AB	322C	E1EZ0080
201	箔	B2AD	B2AD	49AC	322D	E1F00080
202	伯	B2AE	B2AE	49AD	322E	E1F10080
203	帛	B2AF	B2AF	49AE	322F	E1F20080
204	舶	B2B0	B2B0	49AF	3230	E1F30080
205	脖	B2B1	B2B1	49B0	3231	E1F40080
206	膊	B2B2	B2B2	49B1	3232	E1F50080
207	渤	B2B3	B2B3	49B2	3233	E1F60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 9 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
208	泊	B2B4	B2B4	49B3	3234	E1F70080
209	驳	B2B5	B2B5	49B4	3235	E1F80080
210	捕	B2B6	B2B6	49B5	3236	E1F90080
211	卜	B2B7	B2B7	49B6	3237	E1FA0080
212	哺	B2B8	B2B8	49B7	3238	E1FB0080
213	补	B2B9	B2B9	49B8	3239	E1FC0080
214	埠	B2BA	B2BA	49B9	323A	E1FD0080
215	不	B2BB	B2BB	49BA	323B	E1FE0080
216	布	B2BC	B2BC	49BB	323C	E1FF0080
217	步	B2BD	B2BD	49BC	323D	E1FG0080
218	簿	B2BE	B2BE	49BD	323E	E1FH0080
219	部	B2BF	B2BF	49BE	323F	E1FI0080
220	佈	B2C0	B2C0	49BF	3240	E1FJ0080
221	擦	B2C1	B2C1	49C0	3241	E1FK0080
222	猜	B2C2	B2C2	49C1	3242	E1FL0080
223	裁	B2C3	B2C3	49C2	3243	E1FM0080
224	材	B2C4	B2C4	49C3	3244	E1FN0080
225	才	B2C5	B2C5	49C4	3245	E1FO0080
226	财	B2C6	B2C6	49C5	3246	E1FP0080
227	睬	B2C7	B2C7	49C6	3247	E1FQ0080
228	踩	B2C8	B2C8	49C7	3248	E1FR0080
229	采	B2C9	B2C9	49C8	3249	E1FS0080
230	彩	B2CA	B2CA	49C9	324A	E1FT0080
231	菜	B2CB	B2CB	49CA	324B	E1FU0080
232	蔡	B2CC	B2CC	49CB	324C	E1FV0080
233	餐	B2CD	B2CD	49CC	324D	E1FW0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 10 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
234	参	B2CE	B2CE	49CD	324E	E1FX0080
235	蚕	B2CF	B2CF	49CE	324F	E1FY0080
236	残	B2D0	B2D0	49CF	3250	E1FZ0080
237	惭	B2D1	B2D1	49D0	3251	E1G00080
238	惨	B2D2	B2D2	49D1	3252	E1G10080
239	灿	B2D3	B2D3	49D2	3253	E1G20080
240	苍	B2D4	B2D4	49D3	3254	E1G30080
241	舱	B2D5	B2D5	49D4	3255	E1G40080
242	仓	B2D6	B2D6	49D5	3256	E1G50080
243	沧	B2D7	B2D7	49D6	3257	E1G60080
244	藏	B2D8	B2D8	49D7	3258	E1G70080
245	操	B2D9	B2D9	49D8	3259	E1G80080
246	糙	B2DA	B2DA	49D9	325A	E1G90080
247	槽	B2DB	B2DB	49DA	325B	E1GA0080
248	曹	B2DC	B2DC	49DB	325C	E1GB0080
249	草	B2DD	B2DD	49DC	325D	E1GC0080
250	厕	B2DE	B2DE	49DD	325E	E1GD0080
251	策	B2DF	B2DF	49DE	325F	E1GE0080
252	侧	B2E0	B2E0	49DF	3260	E1GF0080
253	册	B2E1	B2E1	49E0	3261	E1GG0080
254	测	B2E2	B2E2	49E1	3262	E1GH0080
255	层	B2E3	B2E3	49E2	3263	E1GI0080
256	蹭	B2E4	B2E4	49E3	3264	E1GJ0080
257	插	B2E5	B2E5	49E4	3265	E1GK0080
258	叉	B2E6	B2E6	49E5	3266	E1GL0080
259	茬	B2E7	B2E7	49E6	3267	E1GM0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 11 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
260	茶	B2E8	B2E8	49E7	3268	E1GN0080
261	查	B2E9	B2E9	49E8	3269	E1GO0080
262	碴	B2EA	B2EA	49E9	326A	E1GP0080
263	捺	B2EB	B2EB	49EA	326B	E1GQ0080
264	察	B2EC	B2EC	49EB	326C	E1GR0080
265	岔	B2ED	B2ED	49EC	326D	E1GS0080
266	差	B2EE	B2EE	49ED	326E	E1GT0080
267	诧	B2EF	B2EF	49EE	326F	E1GU0080
268	拆	B2F0	B2F0	49EF	3270	E1GV0080
269	柴	B2F1	B2F1	49F0	3271	E1GW0080
270	豺	B2F2	B2F2	49F1	3272	E1GX0080
271	换	B2F3	B2F3	49F2	3273	E1GY0080
272	掺	B2F4	B2F4	49F3	3274	E1GZ0080
273	蝉	B2F5	B2F5	49F4	3275	E1H00080
274	馋	B2F6	B2F6	49F5	3276	E1H10080
275	谗	B2F7	B2F7	49F6	3277	E1H20080
276	缠	B2F8	B2F8	49F7	3278	E1H30080
277	铲	B2F9	B2F9	49F8	3279	E1H40080
278	产	B2FA	B2FA	49F9	327A	E1H50080
279	阐	B2FB	B2FB	49FA	327B	E1H60080
280	颤	B2FC	B2FC	49FB	327C	E1H70080
281	昌	B2FD	B2FD	49FC	327D	E1H80080
282	猖	B2FE	B2FE	49FD	327E	E1H90080
283	场	B3A1	B3A1	4A41	3321	E1HD0080
284	尝	B3A2	B3A2	4A42	3322	E1HE0080
285	常	B3A3	B3A3	4A43	3323	E1HF0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 12 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
286	长	B3A4	B3A4	4A44	3324	E1HG0080
287	偿	B3A5	B3A5	4A45	3325	E1HH0080
288	肠	B3A6	B3A6	4A46	3326	E1HI0080
289	厂	B3A7	B3A7	4A47	3327	E1HJ0080
290	敞	B3A8	B3A8	4A48	3328	E1HK0080
291	畅	B3A9	B3A9	4A49	3329	E1HL0080
292	唱	B3AA	B3AA	4A4A	332A	E1HM0080
293	倡	B3AB	B3AB	4A4B	332B	E1HN0080
294	超	B3AC	B3AC	4A4C	332C	E1HO0080
295	抄	B3AD	B3AD	4A4D	332D	E1HP0080
296	钞	B3AE	B3AE	4A4E	332E	E1HQ0080
297	朝	B3AF	B3AF	4A4F	332F	E1HR0080
298	嘲	B3B0	B3B0	4A50	3330	E1HS0080
299	潮	B3B1	B3B1	4A51	3331	E1HT0080
300	巢	B3B2	B3B2	4A52	3332	E1HU0080
301	吵	B3B3	B3B3	4A53	3333	E1HV0080
302	炒	B3B4	B3B4	4A54	3334	E1HW0080
303	车	B3B5	B3B5	4A55	3335	E1HX0080
304	扯	B3B6	B3B6	4A56	3336	E1HY0080
305	撤	B3B7	B3B7	4A57	3337	E1HZ0080
306	掣	B3B8	B3B8	4A58	3338	E1I00080
307	彻	B3B9	B3B9	4A59	3339	E1I10080
308	澈	B3BA	B3BA	4A5A	333A	E1I20080
309	郴	B3BB	B3BB	4A5B	333B	E1I30080
310	臣	B3BC	B3BC	4A5C	333C	E1I40080
311	辰	B3BD	B3BD	4A5D	333D	E1I50080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 13 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
312	尘	B3BE	B3BE	4A5E	333E	E1I60080
313	晨	B3BF	B3BF	4A5F	333F	E1I70080
314	忱	B3C0	B3C0	4A60	3340	E1I80080
315	沉	B3C1	B3C1	4A61	3341	E1I90080
316	陈	B3C2	B3C2	4A62	3342	E1IA0080
317	趁	B3C3	B3C3	4A63	3343	E1IB0080
318	衬	B3C4	B3C4	4A64	3344	E1IC0080
319	撑	B3C5	B3C5	4A65	3345	E1ID0080
320	称	B3C6	B3C6	4A66	3346	E1IE0080
321	城	B3C7	B3C7	4A67	3347	E1IF0080
322	橙	B3C8	B3C8	4A68	3348	E1IG0080
323	成	B3C9	B3C9	4A69	3349	E1IH0080
324	呈	B3CA	B3CA	4A6A	334A	E1II0080
325	乘	B3CB	B3CB	4A6B	334B	E1IJ0080
326	程	B3CC	B3CC	4A6C	334C	E1IK0080
327	惩	B3CD	B3CD	4A6D	334D	E1IL0080
328	澄	B3CE	B3CE	4A6E	334E	E1IM0080
329	诚	B3CF	B3CF	4A6F	334F	E1IN0080
330	承	B3D0	B3D0	4A70	3350	E1IO0080
331	逞	B3D1	B3D1	4A71	3351	E1IP0080
332	骋	B3D2	B3D2	4A72	3352	E1IQ0080
333	秤	B3D3	B3D3	4A73	3353	E1IR0080
334	吃	B3D4	B3D4	4A74	3354	E1IS0080
335	痴	B3D5	B3D5	4A75	3355	E1IT0080
336	持	B3D6	B3D6	4A76	3356	E1IU0080
337	匙	B3D7	B3D7	4A77	3357	E1IV0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 14 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
338	池	B3D8	B3D8	4A78	3358	E1IW0080
339	迟	B3D9	B3D9	4A79	3359	E1IX0080
340	弛	B3DA	B3DA	4A7A	335A	E1IY0080
341	驰	B3DB	B3DB	4A7B	335B	E1IZ0080
342	耻	B3DC	B3DC	4A7C	335C	E1J00080
343	齿	B3DD	B3DD	4A7D	335D	E1J10080
344	侈	B3DE	B3DE	4A7E	335E	E1J20080
345	尺	B3DF	B3DF	4A7F	335F	E1J30080
346	赤	B3E0	B3E0	4A81	3360	E1J50080
347	翅	B3E1	B3E1	4A82	3361	E1J60080
348	斥	B3E2	B3E2	4A83	3362	E1J70080
349	炽	B3E3	B3E3	4A84	3363	E1J80080
350	充	B3E4	B3E4	4A85	3364	E1J90080
351	冲	B3E5	B3E5	4A86	3365	E1JA0080
352	虫	B3E6	B3E6	4A87	3366	E1JB0080
353	崇	B3E7	B3E7	4A88	3367	E1JC0080
354	宠	B3E8	B3E8	4A89	3368	E1JD0080
355	抽	B3E9	B3E9	4A8A	3369	E1JE0080
356	酬	B3EA	B3EA	4A8B	336A	E1JF0080
357	畴	B3EB	B3EB	4A8C	336B	E1JG0080
358	踌	B3EC	B3EC	4A8D	336C	E1JH0080
359	稠	B3ED	B3ED	4A8E	336D	E1JI0080
360	愁	B3EE	B3EE	4A8F	336E	E1JJ0080
361	筹	B3EF	B3EF	4A90	336F	E1JK0080
362	仇	B3F0	B3F0	4A91	3370	E1JL0080
363	绸	B3F1	B3F1	4A92	3371	E1JM0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 15 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
364	瞅	B3F2	B3F2	4A93	3372	E1JN0080
365	丑	B3F3	B3F3	4A94	3373	E1JO0080
366	臭	B3F4	B3F4	4A95	3374	E1JP0080
367	初	B3F5	B3F5	4A96	3375	E1JQ0080
368	出	B3F6	B3F6	4A97	3376	E1JR0080
369	橱	B3F7	B3F7	4A98	3377	E1JS0080
370	厨	B3F8	B3F8	4A99	3378	E1JT0080
371	蹿	B3F9	B3F9	4A9A	3379	E1JU0080
372	锄	B3FA	B3FA	4A9B	337A	E1JV0080
373	雏	B3FB	B3FB	4A9C	337B	E1JW0080
374	滁	B3FC	B3FC	4A9D	337C	E1JX0080
375	除	B3FD	B3FD	4A9E	337D	E1JY0080
376	楚	B3FE	B3FE	4A9F	337E	E1JZ0080
377	础	B4A1	B4A1	4AA0	3421	E1K00080
378	储	B4A2	B4A2	4AA1	3422	E1K10080
379	矗	B4A3	B4A3	4AA2	3423	E1K20080
380	搐	B4A4	B4A4	4AA3	3424	E1K30080
381	触	B4A5	B4A5	4AA4	3425	E1K40080
382	处	B4A6	B4A6	4AA5	3426	E1K50080
383	揣	B4A7	B4A7	4AA6	3427	E1K60080
384	川	B4A8	B4A8	4AA7	3428	E1K70080
385	穿	B4A9	B4A9	4AA8	3429	E1K80080
386	椽	B4AA	B4AA	4AA9	342A	E1K90080
387	传	B4AB	B4AB	4AAA	342B	E1KA0080
388	船	B4AC	B4AC	4AAB	342C	E1KB0080
389	喘	B4AD	B4AD	4AAC	342D	E1KC0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 16 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
390	串	B4AE	B4AE	4AAD	342E	E1KD0080
391	疮	B4AF	B4AF	4AAE	342F	E1KE0080
392	窗	B4B0	B4B0	4AAF	3430	E1KF0080
393	幢	B4B1	B4B1	4AB0	3431	E1KG0080
394	床	B4B2	B4B2	4AB1	3432	E1KH0080
395	闯	B4B3	B4B3	4AB2	3433	E1KI0080
396	创	B4B4	B4B4	4AB3	3434	E1KJ0080
397	吹	B4B5	B4B5	4AB4	3435	E1KK0080
398	炊	B4B6	B4B6	4AB5	3436	E1KL0080
399	捶	B4B7	B4B7	4AB6	3437	E1KM0080
400	锤	B4B8	B4B8	4AB7	3438	E1KN0080
401	垂	B4B9	B4B9	4AB8	3439	E1KO0080
402	春	B4BA	B4BA	4AB9	343A	E1KP0080
403	椿	B4BB	B4BB	4ABA	343B	E1KQ0080
404	醇	B4BC	B4BC	4ABB	343C	E1KR0080
405	唇	B4BD	B4BD	4ABC	343D	E1KS0080
406	淳	B4BE	B4BE	4ABD	343E	E1KT0080
407	纯	B4BF	B4BF	4ABE	343F	E1KU0080
408	蠢	B4C0	B4C0	4ABF	3440	E1KV0080
409	戳	B4C1	B4C1	4AC0	3441	E1KW0080
410	绰	B4C2	B4C2	4AC1	3442	E1KX0080
411	疵	B4C3	B4C3	4AC2	3443	E1KY0080
412	茨	B4C4	B4C4	4AC3	3444	E1KZ0080
413	磁	B4C5	B4C5	4AC4	3445	E1L00080
414	雌	B4C6	B4C6	4AC5	3446	E1L10080
415	辞	B4C7	B4C7	4AC6	3447	E1L20080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 17 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
416	慈	B4C8	B4C8	4AC7	3448	E1L30080
417	瓷	B4C9	B4C9	4AC8	3449	E1L40080
418	词	B4CA	B4CA	4AC9	344A	E1L50080
419	此	B4CB	B4CB	4ACA	344B	E1L60080
420	刺	B4CC	B4CC	4ACB	344C	E1L70080
421	赐	B4CD	B4CD	4ACC	344D	E1L80080
422	次	B4CE	B4CE	4ACD	344E	E1L90080
423	聪	B4CF	B4CF	4ACE	344F	E1LA0080
424	葱	B4D0	B4D0	4ACF	3450	E1LB0080
425	囱	B4D1	B4D1	4AD0	3451	E1LC0080
426	匆	B4D2	B4D2	4AD1	3452	E1LD0080
427	从	B4D3	B4D3	4AD2	3453	E1LE0080
428	丛	B4D4	B4D4	4AD3	3454	E1LF0080
429	凑	B4D5	B4D5	4AD4	3455	E1LG0080
430	粗	B4D6	B4D6	4AD5	3456	E1LH0080
431	醋	B4D7	B4D7	4AD6	3457	E1LI0080
432	簇	B4D8	B4D8	4AD7	3458	E1LJ0080
433	促	B4D9	B4D9	4AD8	3459	E1LK0080
434	蹕	B4DA	B4DA	4AD9	345A	E1LL0080
435	篡	B4DB	B4DB	4ADA	345B	E1LM0080
436	窜	B4DC	B4DC	4ADB	345C	E1LN0080
437	摧	B4DD	B4DD	4ADC	345D	E1LO0080
438	崔	B4DE	B4DE	4ADD	345E	E1LP0080
439	催	B4DF	B4DF	4ADE	345F	E1LQ0080
440	脆	B4E0	B4E0	4ADF	3460	E1LR0080
441	瘁	B4E1	B4E1	4AE0	3461	E1LS0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 18 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
442	粹	B4E2	B4E2	4AE1	3462	E1LT0080
443	淬	B4E3	B4E3	4AE2	3463	E1LU0080
444	翠	B4E4	B4E4	4AE3	3464	E1LV0080
445	村	B4E5	B4E5	4AE4	3465	E1LW0080
446	存	B4E6	B4E6	4AE5	3466	E1LX0080
447	寸	B4E7	B4E7	4AE6	3467	E1LY0080
448	磋	B4E8	B4E8	4AE7	3468	E1LZ0080
449	撮	B4E9	B4E9	4AE8	3469	E1M00080
450	搓	B4EA	B4EA	4AE9	346A	E1M10080
451	措	B4EB	B4EB	4AEA	346B	E1M20080
452	挫	B4EC	B4EC	4AEB	346C	E1M30080
453	错	B4ED	B4ED	4AEC	346D	E1M40080
454	搭	B4EE	B4EE	4AED	346E	E1M50080
455	达	B4EF	B4EF	4AEE	346F	E1M60080
456	答	B4F0	B4F0	4AEF	3470	E1M70080
457	瘡	B4F1	B4F1	4AF0	3471	E1M80080
458	打	B4F2	B4F2	4AF1	3472	E1M90080
459	大	B4F3	B4F3	4AF2	3473	E1MA0080
460	呆	B4F4	B4F4	4AF3	3474	E1MB0080
461	歹	B4F5	B4F5	4AF4	3475	E1MC0080
462	僚	B4F6	B4F6	4AF5	3476	E1MD0080
463	戴	B4F7	B4F7	4AF6	3477	E1ME0080
464	帶	B4F8	B4F8	4AF7	3478	E1MF0080
465	殆	B4F9	B4F9	4AF8	3479	E1MG0080
466	代	B4FA	B4FA	4AF9	347A	E1MH0080
467	貸	B4FB	B4FB	4AFA	347B	E1MI0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 19 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
468	袋	B4FC	B4FC	4AFB	347C	E1MJ0080
469	待	B4FD	B4FD	4AFC	347D	E1MK0080
470	逮	B4FE	B4FE	4AFD	347E	E1ML0080
471	怠	B5A1	B5A1	4B41	3521	E1MP0080
472	耽	B5A2	B5A2	4B42	3522	E1MQ0080
473	担	B5A3	B5A3	4B43	3523	E1MR0080
474	丹	B5A4	B5A4	4B44	3524	E1MS0080
475	单	B5A5	B5A5	4B45	3525	E1MT0080
476	郸	B5A6	B5A6	4B46	3526	E1MU0080
477	掸	B5A7	B5A7	4B47	3527	E1MV0080
478	胆	B5A8	B5A8	4B48	3528	E1MW0080
479	旦	B5A9	B5A9	4B49	3529	E1MX0080
480	氮	B5AA	B5AA	4B4A	352A	E1MY0080
481	但	B5AB	B5AB	4B4B	352B	E1MZ0080
482	惮	B5AC	B5AC	4B4C	352C	E1N00080
483	淡	B5AD	B5AD	4B4D	352D	E1N10080
484	诞	B5AE	B5AE	4B4E	352E	E1N20080
485	弹	B5AF	B5AF	4B4F	352F	E1N30080
486	蛋	B5B0	B5B0	4B50	3530	E1N40080
487	当	B5B1	B5B1	4B51	3531	E1N50080
488	挡	B5B2	B5B2	4B52	3532	E1N60080
489	党	B5B3	B5B3	4B53	3533	E1N70080
490	荡	B5B4	B5B4	4B54	3534	E1N80080
491	档	B5B5	B5B5	4B55	3535	E1N90080
492	刀	B5B6	B5B6	4B56	3536	E1NA0080
493	捣	B5B7	B5B7	4B57	3537	E1NB0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 20 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
494	蹈	B5B8	B5B8	4B58	3538	E1NC0080
495	倒	B5B9	B5B9	4B59	3539	E1ND0080
496	岛	B5BA	B5BA	4B5A	353A	E1NE0080
497	祷	B5BB	B5BB	4B5B	353B	E1NF0080
498	导	B5BC	B5BC	4B5C	353C	E1NG0080
499	到	B5BD	B5BD	4B5D	353D	E1NH0080
500	稻	B5BE	B5BE	4B5E	353E	E1NI0080
501	悼	B5BF	B5BF	4B5F	353F	E1NJ0080
502	道	B5C0	B5C0	4B60	3540	E1NK0080
503	盗	B5C1	B5C1	4B61	3541	E1NL0080
504	德	B5C2	B5C2	4B62	3542	E1NM0080
505	得	B5C3	B5C3	4B63	3543	E1NN0080
506	的	B5C4	B5C4	4B64	3544	E1NO0080
507	蹬	B5C5	B5C5	4B65	3545	E1NP0080
508	灯	B5C6	B5C6	4B66	3546	E1NQ0080
509	登	B5C7	B5C7	4B67	3547	E1NR0080
510	等	B5C8	B5C8	4B68	3548	E1NS0080
511	瞪	B5C9	B5C9	4B69	3549	E1NT0080
512	凳	B5CA	B5CA	4B6A	354A	E1NU0080
513	邓	B5CB	B5CB	4B6B	354B	E1NV0080
514	堤	B5CC	B5CC	4B6C	354C	E1NW0080
515	低	B5CD	B5CD	4B6D	354D	E1NX0080
516	滴	B5CE	B5CE	4B6E	354E	E1NY0080
517	迪	B5CF	B5CF	4B6F	354F	E1NZ0080
518	敌	B5D0	B5D0	4B70	3550	E1O00080
519	笛	B5D1	B5D1	4B71	3551	E1O10080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 21 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
520	狄	B5D2	B5D2	4B72	3552	E1O20080
521	捺	B5D3	B5D3	4B73	3553	E1O30080
522	翟	B5D4	B5D4	4B74	3554	E1O40080
523	嫡	B5D5	B5D5	4B75	3555	E1O50080
524	抵	B5D6	B5D6	4B76	3556	E1O60080
525	底	B5D7	B5D7	4B77	3557	E1O70080
526	地	B5D8	B5D8	4B78	3558	E1O80080
527	蒂	B5D9	B5D9	4B79	3559	E1O90080
528	第	B5DA	B5DA	4B7A	355A	E1OA0080
529	帝	B5DB	B5DB	4B7B	355B	E1OB0080
530	弟	B5DC	B5DC	4B7C	355C	E1OC0080
531	递	B5DD	B5DD	4B7D	355D	E1OD0080
532	缔	B5DE	B5DE	4B7E	355E	E1OE0080
533	颠	B5DF	B5DF	4B7F	355F	E1OF0080
534	掂	B5E0	B5E0	4B81	3560	E1OH0080
535	滇	B5E1	B5E1	4B82	3561	E1OI0080
536	碘	B5E2	B5E2	4B83	3562	E1OJ0080
537	点	B5E3	B5E3	4B84	3563	E1OK0080
538	典	B5E4	B5E4	4B85	3564	E1OL0080
539	靛	B5E5	B5E5	4B86	3565	E1OM0080
540	垫	B5E6	B5E6	4B87	3566	E1ON0080
541	电	B5E7	B5E7	4B88	3567	E1OO0080
542	佃	B5E8	B5E8	4B89	3568	E1OP0080
543	甸	B5E9	B5E9	4B8A	3569	E1OQ0080
544	店	B5EA	B5EA	4B8B	356A	E1OR0080
545	惦	B5EB	B5EB	4B8C	356B	E1OS0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 22 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
546	奠	B5EC	B5EC	4B8D	356C	E1OT0080
547	淀	B5ED	B5ED	4B8E	356D	E1OU0080
548	殿	B5EE	B5EE	4B8F	356E	E1OV0080
549	礅	B5EF	B5EF	4B90	356F	E1OW0080
550	刁	B5F0	B5F0	4B91	3570	E1OX0080
551	雕	B5F1	B5F1	4B92	3571	E1OY0080
552	凋	B5F2	B5F2	4B93	3572	E1OZ0080
553	刁	B5F3	B5F3	4B94	3573	E1P00080
554	掉	B5F4	B5F4	4B95	3574	E1P10080
555	吊	B5F5	B5F5	4B96	3575	E1P20080
556	钓	B5F6	B5F6	4B97	3576	E1P30080
557	调	B5F7	B5F7	4B98	3577	E1P40080
558	跌	B5F8	B5F8	4B99	3578	E1P50080
559	爹	B5F9	B5F9	4B9A	3579	E1P60080
560	碟	B5FA	B5FA	4B9B	357A	E1P70080
561	蝶	B5FB	B5FB	4B9C	357B	E1P80080
562	迭	B5FC	B5FC	4B9D	357C	E1P90080
563	谍	B5FD	B5FD	4B9E	357D	E1PA0080
564	叠	B5FE	B5FE	4B9F	357E	E1PB0080
565	丁	B6A1	B6A1	4BA0	3621	E1PC0080
566	盯	B6A2	B6A2	4BA1	3622	E1PD0080
567	叮	B6A3	B6A3	4BA2	3623	E1PE0080
568	钉	B6A4	B6A4	4BA3	3624	E1PF0080
569	顶	B6A5	B6A5	4BA4	3625	E1PG0080
570	鼎	B6A6	B6A6	4BA5	3626	E1PH0080
571	锭	B6A7	B6A7	4BA6	3627	E1PI0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 23 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
572	定	B6A8	B6A8	4BA7	3628	E1PJ0080
573	订	B6A9	B6A9	4BA8	3629	E1PK0080
574	丢	B6AA	B6AA	4BA9	362A	E1PL0080
575	东	B6AB	B6AB	4BAA	362B	E1PM0080
576	冬	B6AC	B6AC	4BAB	362C	E1PN0080
577	董	B6AD	B6AD	4BAC	362D	E1PO0080
578	懂	B6AE	B6AE	4BAD	362E	E1PP0080
579	动	B6AF	B6AF	4BAE	362F	E1PQ0080
580	栋	B6B0	B6B0	4BAF	3630	E1PR0080
581	侗	B6B1	B6B1	4BB0	3631	E1PS0080
582	恫	B6B2	B6B2	4BB1	3632	E1PT0080
583	冻	B6B3	B6B3	4BB2	3633	E1PU0080
584	洞	B6B4	B6B4	4BB3	3634	E1PV0080
585	兜	B6B5	B6B5	4BB4	3635	E1PW0080
586	抖	B6B6	B6B6	4BB5	3636	E1PX0080
587	斗	B6B7	B6B7	4BB6	3637	E1PY0080
588	陡	B6B8	B6B8	4BB7	3638	E1PZ0080
589	豆	B6B9	B6B9	4BB8	3639	E1Q00080
590	逗	B6BA	B6BA	4BB9	363A	E1Q10080
591	痘	B6BB	B6BB	4BBA	363B	E1Q20080
592	都	B6BC	B6BC	4BBB	363C	E1Q30080
593	督	B6BD	B6BD	4BBC	363D	E1Q40080
594	毒	B6BE	B6BE	4BBD	363E	E1Q50080
595	犊	B6BF	B6BF	4BBE	363F	E1Q60080
596	独	B6C0	B6C0	4BBF	3640	E1Q70080
597	读	B6C1	B6C1	4BC0	3641	E1Q80080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 24 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
598	堵	B6C2	B6C2	4BC1	3642	E1Q90080
599	睹	B6C3	B6C3	4BC2	3643	E1QA0080
600	赌	B6C4	B6C4	4BC3	3644	E1QB0080
601	杜	B6C5	B6C5	4BC4	3645	E1QC0080
602	镀	B6C6	B6C6	4BC5	3646	E1QD0080
603	肚	B6C7	B6C7	4BC6	3647	E1QE0080
604	度	B6C8	B6C8	4BC7	3648	E1QF0080
605	渡	B6C9	B6C9	4BC8	3649	E1QG0080
606	妒	B6CA	B6CA	4BC9	364A	E1QH0080
607	端	B6CB	B6CB	4BCA	364B	E1QI0080
608	短	B6CC	B6CC	4BCB	364C	E1QJ0080
609	锻	B6CD	B6CD	4BCC	364D	E1QK0080
610	段	B6CE	B6CE	4BCD	364E	E1QL0080
611	断	B6CF	B6CF	4BCE	364F	E1QM0080
612	缎	B6D0	B6D0	4BCF	3650	E1QN0080
613	堆	B6D1	B6D1	4BD0	3651	E1QO0080
614	兑	B6D2	B6D2	4BD1	3652	E1QP0080
615	队	B6D3	B6D3	4BD2	3653	E1QQ0080
616	对	B6D4	B6D4	4BD3	3654	E1QR0080
617	墩	B6D5	B6D5	4BD4	3655	E1QS0080
618	吨	B6D6	B6D6	4BD5	3656	E1QT0080
619	蹲	B6D7	B6D7	4BD6	3657	E1QU0080
620	敦	B6D8	B6D8	4BD7	3658	E1QV0080
621	顿	B6D9	B6D9	4BD8	3659	E1QW0080
622	囤	B6DA	B6DA	4BD9	365A	E1QX0080
623	钝	B6DB	B6DB	4BDA	365B	E1QY0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 25 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
624	盾	B6DC	B6DC	4BDB	365C	E1QZ0080
625	遁	B6DD	B6DD	4BDC	365D	E1R00080
626	掇	B6DE	B6DE	4BDD	365E	E1R10080
627	哆	B6DF	B6DF	4BDE	365F	E1R20080
628	多	B6E0	B6E0	4BDF	3660	E1R30080
629	夺	B6E1	B6E1	4BE0	3661	E1R40080
630	垛	B6E2	B6E2	4BE1	3662	E1R50080
631	躲	B6E3	B6E3	4BE2	3663	E1R60080
632	朵	B6E4	B6E4	4BE3	3664	E1R70080
633	蹂	B6E5	B6E5	4BE4	3665	E1R80080
634	舵	B6E6	B6E6	4BE5	3666	E1R90080
635	刹	B6E7	B6E7	4BE6	3667	E1RA0080
636	惰	B6E8	B6E8	4BE7	3668	E1RB0080
637	堕	B6E9	B6E9	4BE8	3669	E1RC0080
638	蛾	B6EA	B6EA	4BE9	366A	E1RD0080
639	峨	B6EB	B6EB	4BEA	366B	E1RE0080
640	鹅	B6EC	B6EC	4BEB	366C	E1RF0080
641	俄	B6ED	B6ED	4BEC	366D	E1RG0080
642	额	B6EE	B6EE	4BED	366E	E1RH0080
643	讹	B6EF	B6EF	4BEE	366F	E1RI0080
644	娥	B6F0	B6F0	4BEF	3670	E1RJ0080
645	恶	B6F1	B6F1	4BF0	3671	E1RK0080
646	厄	B6F2	B6F2	4BF1	3672	E1RL0080
647	扼	B6F3	B6F3	4BF2	3673	E1RM0080
648	遏	B6F4	B6F4	4BF3	3674	E1RN0080
649	鄂	B6F5	B6F5	4BF4	3675	E1RO0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 26 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
650	饿	B6F6	B6F6	4BF5	3676	E1RP0080
651	恩	B6F7	B6F7	4BF6	3677	E1RQ0080
652	而	B6F8	B6F8	4BF7	3678	E1RR0080
653	儿	B6F9	B6F9	4BF8	3679	E1RS0080
654	耳	B6FA	B6FA	4BF9	367A	E1RT0080
655	尔	B6FB	B6FB	4BFA	367B	E1RU0080
656	饵	B6FC	B6FC	4BFB	367C	E1RV0080
657	洱	B6FD	B6FD	4BFC	367D	E1RW0080
658	二	B6FE	B6FE	4BFD	367E	E1RX0080
659	贰	B7A1	B7A1	4C41	3721	E1S10080
660	发	B7A2	B7A2	4C42	3722	E1S20080
661	罚	B7A3	B7A3	4C43	3723	E1S30080
662	筏	B7A4	B7A4	4C44	3724	E1S40080
663	伐	B7A5	B7A5	4C45	3725	E1S50080
664	乏	B7A6	B7A6	4C46	3726	E1S60080
665	阀	B7A7	B7A7	4C47	3727	E1S70080
666	法	B7A8	B7A8	4C48	3728	E1S80080
667	珐	B7A9	B7A9	4C49	3729	E1S90080
668	藩	B7AA	B7AA	4C4A	372A	E1SA0080
669	帆	B7AB	B7AB	4C4B	372B	E1SB0080
670	番	B7AC	B7AC	4C4C	372C	E1SC0080
671	翻	B7AD	B7AD	4C4D	372D	E1SD0080
672	樊	B7AE	B7AE	4C4E	372E	E1SE0080
673	矾	B7AF	B7AF	4C4F	372F	E1SF0080
674	钒	B7B0	B7B0	4C50	3730	E1SG0080
675	繁	B7B1	B7B1	4C51	3731	E1SH0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 27 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
676	凡	B7B2	B7B2	4C52	3732	E1SI0080
677	烦	B7B3	B7B3	4C53	3733	E1SJ0080
678	反	B7B4	B7B4	4C54	3734	E1SK0080
679	返	B7B5	B7B5	4C55	3735	E1SL0080
680	范	B7B6	B7B6	4C56	3736	E1SM0080
681	贩	B7B7	B7B7	4C57	3737	E1SN0080
682	犯	B7B8	B7B8	4C58	3738	E1SO0080
683	饭	B7B9	B7B9	4C59	3739	E1SP0080
684	泛	B7BA	B7BA	4C5A	373A	E1SQ0080
685	坊	B7BB	B7BB	4C5B	373B	E1SR0080
686	芳	B7BC	B7BC	4C5C	373C	E1SS0080
687	方	B7BD	B7BD	4C5D	373D	E1ST0080
688	肪	B7BE	B7BE	4C5E	373E	E1SU0080
689	房	B7BF	B7BF	4C5F	373F	E1SV0080
690	防	B7C0	B7C0	4C60	3740	E1SW0080
691	妨	B7C1	B7C1	4C61	3741	E1SX0080
692	仿	B7C2	B7C2	4C62	3742	E1SY0080
693	访	B7C3	B7C3	4C63	3743	E1SZ0080
694	纺	B7C4	B7C4	4C64	3744	E1T00080
695	放	B7C5	B7C5	4C65	3745	E1T10080
696	菲	B7C6	B7C6	4C66	3746	E1T20080
697	非	B7C7	B7C7	4C67	3747	E1T30080
698	啡	B7C8	B7C8	4C68	3748	E1T40080
699	飞	B7C9	B7C9	4C69	3749	E1T50080
700	肥	B7CA	B7CA	4C6A	374A	E1T60080
701	匪	B7CB	B7CB	4C6B	374B	E1T70080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 28 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
702	诽	B7CC	B7CC	4C6C	374C	E1T80080
703	吠	B7CD	B7CD	4C6D	374D	E1T90080
704	肺	B7CE	B7CE	4C6E	374E	E1TA0080
705	废	B7CF	B7CF	4C6F	374F	E1TB0080
706	沸	B7D0	B7D0	4C70	3750	E1TC0080
707	费	B7D1	B7D1	4C71	3751	E1TD0080
708	芬	B7D2	B7D2	4C72	3752	E1TE0080
709	酚	B7D3	B7D3	4C73	3753	E1TF0080
710	吩	B7D4	B7D4	4C74	3754	E1TG0080
711	氛	B7D5	B7D5	4C75	3755	E1TH0080
712	分	B7D6	B7D6	4C76	3756	E1TI0080
713	纷	B7D7	B7D7	4C77	3757	E1TJ0080
714	坟	B7D8	B7D8	4C78	3758	E1TK0080
715	焚	B7D9	B7D9	4C79	3759	E1TL0080
716	汾	B7DA	B7DA	4C7A	375A	E1TM0080
717	粉	B7DB	B7DB	4C7B	375B	E1TN0080
718	奋	B7DC	B7DC	4C7C	375C	E1TO0080
719	份	B7DD	B7DD	4C7D	375D	E1TP0080
720	忿	B7DE	B7DE	4C7E	375E	E1TQ0080
721	愤	B7DF	B7DF	4C7F	375F	E1TR0080
722	粪	B7E0	B7E0	4C81	3760	E1TT0080
723	丰	B7E1	B7E1	4C82	3761	E1TU0080
724	封	B7E2	B7E2	4C83	3762	E1TV0080
725	枫	B7E3	B7E3	4C84	3763	E1TW0080
726	蜂	B7E4	B7E4	4C85	3764	E1TX0080
727	峰	B7E5	B7E5	4C86	3765	E1TY0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 29 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
728	锋	B7E6	B7E6	4C87	3766	E1TZ0080
729	风	B7E7	B7E7	4C88	3767	E1U00080
730	疯	B7E8	B7E8	4C89	3768	E1U10080
731	烽	B7E9	B7E9	4C8A	3769	E1U20080
732	逢	B7EA	B7EA	4C8B	376A	E1U30080
733	冯	B7EB	B7EB	4C8C	376B	E1U40080
734	缝	B7EC	B7EC	4C8D	376C	E1U50080
735	讽	B7ED	B7ED	4C8E	376D	E1U60080
736	奉	B7EE	B7EE	4C8F	376E	E1U70080
737	凤	B7EF	B7EF	4C90	376F	E1U80080
738	佛	B7F0	B7F0	4C91	3770	E1U90080
739	否	B7F1	B7F1	4C92	3771	E1UA0080
740	夫	B7F2	B7F2	4C93	3772	E1UB0080
741	敷	B7F3	B7F3	4C94	3773	E1UC0080
742	肤	B7F4	B7F4	4C95	3774	E1UD0080
743	孵	B7F5	B7F5	4C96	3775	E1UE0080
744	扶	B7F6	B7F6	4C97	3776	E1UF0080
745	拂	B7F7	B7F7	4C98	3777	E1UG0080
746	辐	B7F8	B7F8	4C99	3778	E1UH0080
747	幅	B7F9	B7F9	4C9A	3779	E1UI0080
748	氟	B7FA	B7FA	4C9B	377A	E1UJ0080
749	符	B7FB	B7FB	4C9C	377B	E1UK0080
750	伏	B7FC	B7FC	4C9D	377C	E1UL0080
751	俘	B7FD	B7FD	4C9E	377D	E1UM0080
752	服	B7FE	B7FE	4C9F	377E	E1UN0080
753	浮	B8A1	B8A1	4CA0	3821	E1UO0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 30 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
754	涪	B8A2	B8A2	4CA1	3822	E1UP0080
755	福	B8A3	B8A3	4CA2	3823	E1UQ0080
756	袱	B8A4	B8A4	4CA3	3824	E1UR0080
757	弗	B8A5	B8A5	4CA4	3825	E1US0080
758	甫	B8A6	B8A6	4CA5	3826	E1UT0080
759	抚	B8A7	B8A7	4CA6	3827	E1UU0080
760	辅	B8A8	B8A8	4CA7	3828	E1UV0080
761	俯	B8A9	B8A9	4CA8	3829	E1UW0080
762	釜	B8AA	B8AA	4CA9	382A	E1UX0080
763	斧	B8AB	B8AB	4CAA	382B	E1UY0080
764	脯	B8AC	B8AC	4CAB	382C	E1UZ0080
765	腑	B8AD	B8AD	4CAC	382D	E1V00080
766	府	B8AE	B8AE	4CAD	382E	E1V10080
767	腐	B8AF	B8AF	4CAE	382F	E1V20080
768	赴	B8B0	B8B0	4CAF	3830	E1V30080
769	副	B8B1	B8B1	4CB0	3831	E1V40080
770	覆	B8B2	B8B2	4CB1	3832	E1V50080
771	赋	B8B3	B8B3	4CB2	3833	E1V60080
772	复	B8B4	B8B4	4CB3	3834	E1V70080
773	傅	B8B5	B8B5	4CB4	3835	E1V80080
774	付	B8B6	B8B6	4CB5	3836	E1V90080
775	阜	B8B7	B8B7	4CB6	3837	E1VA0080
776	父	B8B8	B8B8	4CB7	3838	E1VB0080
777	腹	B8B9	B8B9	4CB8	3839	E1VC0080
778	负	B8BA	B8BA	4CB9	383A	E1VD0080
779	富	B8BB	B8BB	4CBA	383B	E1VE0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 31 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
780	讠	B8BC	B8BC	4CBB	383C	E1VF0080
781	附	B8BD	B8BD	4CBC	383D	E1VG0080
782	妇	B8BE	B8BE	4CBD	383E	E1VH0080
783	缚	B8BF	B8BF	4CBE	383F	E1VI0080
784	咐	B8C0	B8C0	4CBF	3840	E1VJ0080
785	噶	B8C1	B8C1	4CC0	3841	E1VK0080
786	嘎	B8C2	B8C2	4CC1	3842	E1VL0080
787	该	B8C3	B8C3	4CC2	3843	E1VM0080
788	改	B8C4	B8C4	4CC3	3844	E1VN0080
789	概	B8C5	B8C5	4CC4	3845	E1VO0080
790	钙	B8C6	B8C6	4CC5	3846	E1VP0080
791	盖	B8C7	B8C7	4CC6	3847	E1VQ0080
792	溉	B8C8	B8C8	4CC7	3848	E1VR0080
793	干	B8C9	B8C9	4CC8	3849	E1VS0080
794	甘	B8CA	B8CA	4CC9	384A	E1VT0080
795	杆	B8CB	B8CB	4CCA	384B	E1VU0080
796	柑	B8CC	B8CC	4CCB	384C	E1VV0080
797	竿	B8CD	B8CD	4CCC	384D	E1VW0080
798	肝	B8CE	B8CE	4CCD	384E	E1VX0080
799	赶	B8CF	B8CF	4CCE	384F	E1VY0080
800	感	B8D0	B8D0	4CCF	3850	E1VZ0080
801	秆	B8D1	B8D1	4CD0	3851	E1W00080
802	敢	B8D2	B8D2	4CD1	3852	E1W10080
803	赣	B8D3	B8D3	4CD2	3853	E1W20080
804	冈	B8D4	B8D4	4CD3	3854	E1W30080
805	刚	B8D5	B8D5	4CD4	3855	E1W40080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 32 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
806	钢	B8D6	B8D6	4CD5	3856	E1W50080
807	缸	B8D7	B8D7	4CD6	3857	E1W60080
808	肛	B8D8	B8D8	4CD7	3858	E1W70080
809	纲	B8D9	B8D9	4CD8	3859	E1W80080
810	岗	B8DA	B8DA	4CD9	385A	E1W90080
811	港	B8DB	B8DB	4CDA	385B	E1WA0080
812	杠	B8DC	B8DC	4CDB	385C	E1WB0080
813	篙	B8DD	B8DD	4CDC	385D	E1WC0080
814	皋	B8DE	B8DE	4CDD	385E	E1WD0080
815	高	B8DF	B8DF	4CDE	385F	E1WE0080
816	膏	B8E0	B8E0	4CDF	3860	E1WF0080
817	羔	B8E1	B8E1	4CE0	3861	E1WG0080
818	糕	B8E2	B8E2	4CE1	3862	E1WH0080
819	搞	B8E3	B8E3	4CE2	3863	E1WI0080
820	镐	B8E4	B8E4	4CE3	3864	E1WJ0080
821	稿	B8E5	B8E5	4CE4	3865	E1WK0080
822	告	B8E6	B8E6	4CE5	3866	E1WL0080
823	哥	B8E7	B8E7	4CE6	3867	E1WM0080
824	歌	B8E8	B8E8	4CE7	3868	E1WN0080
825	搁	B8E9	B8E9	4CE8	3869	E1WO0080
826	戈	B8EA	B8EA	4CE9	386A	E1WP0080
827	鸽	B8EB	B8EB	4CEA	386B	E1WQ0080
828	胳	B8EC	B8EC	4CEB	386C	E1WR0080
829	疙	B8ED	B8ED	4CEC	386D	E1WS0080
830	割	B8EE	B8EE	4CED	386E	E1WT0080
831	革	B8EF	B8EF	4CEE	386F	E1WU0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 33 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
832	葛	B8F0	B8F0	4CEF	3870	E1WV0080
833	格	B8F1	B8F1	4CF0	3871	E1WW0080
834	蛤	B8F2	B8F2	4CF1	3872	E1WX0080
835	阁	B8F3	B8F3	4CF2	3873	E1WY0080
836	隔	B8F4	B8F4	4CF3	3874	E1WZ0080
837	铬	B8F5	B8F5	4CF4	3875	E1X00080
838	个	B8F6	B8F6	4CF5	3876	E1X10080
839	各	B8F7	B8F7	4CF6	3877	E1X20080
840	给	B8F8	B8F8	4CF7	3878	E1X30080
841	根	B8F9	B8F9	4CF8	3879	E1X40080
842	跟	B8FA	B8FA	4CF9	387A	E1X50080
843	耕	B8FB	B8FB	4CFA	387B	E1X60080
844	更	B8FC	B8FC	4CFB	387C	E1X70080
845	庚	B8FD	B8FD	4CFC	387D	E1X80080
846	羹	B8FE	B8FE	4CFD	387E	E1X90080
847	埂	B9A1	B9A1	4D41	3921	E1XD0080
848	耿	B9A2	B9A2	4D42	3922	E1XE0080
849	梗	B9A3	B9A3	4D43	3923	E1XF0080
850	工	B9A4	B9A4	4D44	3924	E1XG0080
851	攻	B9A5	B9A5	4D45	3925	E1XH0080
852	功	B9A6	B9A6	4D46	3926	E1XI0080
853	恭	B9A7	B9A7	4D47	3927	E1XJ0080
854	龚	B9A8	B9A8	4D48	3928	E1XK0080
855	供	B9A9	B9A9	4D49	3929	E1XL0080
856	躬	B9AA	B9AA	4D4A	392A	E1XM0080
857	公	B9AB	B9AB	4D4B	392B	E1XN0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 34 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
858	宫	B9AC	B9AC	4D4C	392C	E1XO0080
859	弓	B9AD	B9AD	4D4D	392D	E1XP0080
860	巩	B9AE	B9AE	4D4E	392E	E1XQ0080
861	汞	B9AF	B9AF	4D4F	392F	E1XR0080
862	拱	B9B0	B9B0	4D50	3930	E1XS0080
863	贡	B9B1	B9B1	4D51	3931	E1XT0080
864	共	B9B2	B9B2	4D52	3932	E1XU0080
865	钩	B9B3	B9B3	4D53	3933	E1XV0080
866	勾	B9B4	B9B4	4D54	3934	E1XW0080
867	沟	B9B5	B9B5	4D55	3935	E1XX0080
868	苟	B9B6	B9B6	4D56	3936	E1XY0080
869	狗	B9B7	B9B7	4D57	3937	E1XZ0080
870	垢	B9B8	B9B8	4D58	3938	E1Y00080
871	构	B9B9	B9B9	4D59	3939	E1Y10080
872	购	B9BA	B9BA	4D5A	393A	E1Y20080
873	够	B9BB	B9BB	4D5B	393B	E1Y30080
874	辜	B9BC	B9BC	4D5C	393C	E1Y40080
875	菇	B9BD	B9BD	4D5D	393D	E1Y50080
876	咕	B9BE	B9BE	4D5E	393E	E1Y60080
877	箍	B9BF	B9BF	4D5F	393F	E1Y70080
878	估	B9C0	B9C0	4D60	3940	E1Y80080
879	沽	B9C1	B9C1	4D61	3941	E1Y90080
880	孤	B9C2	B9C2	4D62	3942	E1YA0080
881	姑	B9C3	B9C3	4D63	3943	E1YB0080
882	鼓	B9C4	B9C4	4D64	3944	E1YC0080
883	古	B9C5	B9C5	4D65	3945	E1YD0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 35 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
884	盍	B9C6	B9C6	4D66	3946	E1YE0080
885	骨	B9C7	B9C7	4D67	3947	E1YF0080
886	谷	B9C8	B9C8	4D68	3948	E1YG0080
887	股	B9C9	B9C9	4D69	3949	E1YH0080
888	故	B9CA	B9CA	4D6A	394A	E1YI0080
889	顾	B9CB	B9CB	4D6B	394B	E1YJ0080
890	固	B9CC	B9CC	4D6C	394C	E1YK0080
891	雇	B9CD	B9CD	4D6D	394D	E1YL0080
892	刮	B9CE	B9CE	4D6E	394E	E1YM0080
893	瓜	B9CF	B9CF	4D6F	394F	E1YN0080
894	刚	B9D0	B9D0	4D70	3950	E1YO0080
895	寡	B9D1	B9D1	4D71	3951	E1YP0080
896	挂	B9D2	B9D2	4D72	3952	E1YQ0080
897	褂	B9D3	B9D3	4D73	3953	E1YR0080
898	乖	B9D4	B9D4	4D74	3954	E1YS0080
899	拐	B9D5	B9D5	4D75	3955	E1YT0080
900	怪	B9D6	B9D6	4D76	3956	E1YU0080
901	棺	B9D7	B9D7	4D77	3957	E1YV0080
902	关	B9D8	B9D8	4D78	3958	E1YW0080
903	官	B9D9	B9D9	4D79	3959	E1YX0080
904	冠	B9DA	B9DA	4D7A	395A	E1YY0080
905	观	B9DB	B9DB	4D7B	395B	E1YZ0080
906	管	B9DC	B9DC	4D7C	395C	E1Z00080
907	馆	B9DD	B9DD	4D7D	395D	E1Z10080
908	罐	B9DE	B9DE	4D7E	395E	E1Z20080
909	惯	B9DF	B9DF	4D7F	395F	E1Z30080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 6 (Page 36 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
910	灌	B9E0	B9E0	4D81	3960	E1Z50080
911	贯	B9E1	B9E1	4D82	3961	E1Z60080
912	光	B9E2	B9E2	4D83	3962	E1Z70080
913	广	B9E3	B9E3	4D84	3963	E1Z80080
914	逛	B9E4	B9E4	4D85	3964	E1Z90080
915	瑰	B9E5	B9E5	4D86	3965	E1ZA0080
916	规	B9E6	B9E6	4D87	3966	E1ZB0080
917	圭	B9E7	B9E7	4D88	3967	E1ZC0080
918	硅	B9E8	B9E8	4D89	3968	E1ZD0080
919	归	B9E9	B9E9	4D8A	3969	E1ZE0080
920	龟	B9EA	B9EA	4D8B	396A	E1ZF0080
921	闺	B9EB	B9EB	4D8C	396B	E1ZG0080
922	轨	B9EC	B9EC	4D8D	396C	E1ZH0080
923	鬼	B9ED	B9ED	4D8E	396D	E1ZI0080
924	诡	B9EE	B9EE	4D8F	396E	E1ZJ0080
925	癸	B9EF	B9EF	4D90	396F	E1ZK0080
926	桂	B9F0	B9F0	4D91	3970	E1ZL0080
927	柜	B9F1	B9F1	4D92	3971	E1ZM0080
928	跪	B9F2	B9F2	4D93	3972	E1ZN0080
929	贵	B9F3	B9F3	4D94	3973	E1ZO0080
930	刽	B9F4	B9F4	4D95	3974	E1ZP0080
931	辊	B9F5	B9F5	4D96	3975	E1ZQ0080
932	滚	B9F6	B9F6	4D97	3976	E1ZR0080
933	棍	B9F7	B9F7	4D98	3977	E1ZS0080
934	锅	B9F8	B9F8	4D99	3978	E1ZT0080
935	郭	B9F9	B9F9	4D9A	3979	E1ZU0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 37 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
936	国	B9FA	B9FA	4D9B	397A	E1ZV0080
937	果	B9FB	B9FB	4D9C	397B	E1ZW0080
938	衰	B9FC	B9FC	4D9D	397C	E1ZX0080
939	过	B9FD	B9FD	4D9E	397D	E1ZY0080
940	哈	B9FE	B9FE	4D9F	397E	E1ZZ0080
941	骸	BAA1	BAA1	4DA0	3A21	E2000080
942	孩	BAA2	BAA2	4DA1	3A22	E2010080
943	海	BAA3	BAA3	4DA2	3A23	E2020080
944	氦	BAA4	BAA4	4DA3	3A24	E2030080
945	亥	BAA5	BAA5	4DA4	3A25	E2040080
946	害	BAA6	BAA6	4DA5	3A26	E2050080
947	骇	BAA7	BAA7	4DA6	3A27	E2060080
948	酣	BAA8	BAA8	4DA7	3A28	E2070080
949	憨	BAA9	BAA9	4DA8	3A29	E2080080
950	邯	BAAA	BAAA	4DA9	3A2A	E2090080
951	韩	BAAB	BAAB	4DAA	3A2B	E20A0080
952	含	BAAC	BAAC	4DAB	3A2C	E20B0080
953	涵	BAAD	BAAD	4DAC	3A2D	E20C0080
954	寒	BAAE	BAAE	4DAD	3A2E	E20D0080
955	函	BAAF	BAAF	4DAE	3A2F	E20E0080
956	喊	BAB0	BAB0	4DAF	3A30	E20F0080
957	罕	BAB1	BAB1	4DB0	3A31	E20G0080
958	翰	BAB2	BAB2	4DB1	3A32	E20H0080
959	撼	BAB3	BAB3	4DB2	3A33	E20I0080
960	捍	BAB4	BAB4	4DB3	3A34	E20J0080
961	旱	BAB5	BAB5	4DB4	3A35	E20K0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 38 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
962	憾	BAB6	BAB6	4DB5	3A36	E20L0080
963	悍	BAB7	BAB7	4DB6	3A37	E20M0080
964	焊	BAB8	BAB8	4DB7	3A38	E20N0080
965	汗	BAB9	BAB9	4DB8	3A39	E20O0080
966	汉	BABA	BABA	4DB9	3A3A	E20P0080
967	夯	BABB	BABB	4DBA	3A3B	E20Q0080
968	杭	BABC	BABC	4DBB	3A3C	E20R0080
969	航	BABD	BABD	4DBC	3A3D	E20S0080
970	壕	BABE	BABE	4DBD	3A3E	E20T0080
971	壕	BABF	BABF	4DBE	3A3F	E20U0080
972	豪	BAC0	BAC0	4DBF	3A40	E20V0080
973	毫	BAC1	BAC1	4DC0	3A41	E20W0080
974	郝	BAC2	BAC2	4DC1	3A42	E20X0080
975	好	BAC3	BAC3	4DC2	3A43	E20Y0080
976	耗	BAC4	BAC4	4DC3	3A44	E20Z0080
977	号	BAC5	BAC5	4DC4	3A45	E2100080
978	浩	BAC6	BAC6	4DC5	3A46	E2110080
979	呵	BAC7	BAC7	4DC6	3A47	E2120080
980	喝	BAC8	BAC8	4DC7	3A48	E2130080
981	荷	BAC9	BAC9	4DC8	3A49	E2140080
982	荷	BACA	BACA	4DC9	3A4A	E2150080
983	核	BACB	BACB	4DCA	3A4B	E2160080
984	禾	BACC	BACC	4DCB	3A4C	E2170080
985	和	BACD	BACD	4DCC	3A4D	E2180080
986	何	BACE	BACE	4DCD	3A4E	E2190080
987	合	BACF	BACF	4DCE	3A4F	E21A0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 39 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
988	盒	BAD0	BAD0	4DCF	3A50	E21B0080
989	貉	BAD1	BAD1	4DD0	3A51	E21C0080
990	阍	BAD2	BAD2	4DD1	3A52	E21D0080
991	河	BAD3	BAD3	4DD2	3A53	E21E0080
992	涸	BAD4	BAD4	4DD3	3A54	E21F0080
993	赫	BAD5	BAD5	4DD4	3A55	E21G0080
994	褐	BAD6	BAD6	4DD5	3A56	E21H0080
995	鹤	BAD7	BAD7	4DD6	3A57	E21I0080
996	贺	BAD8	BAD8	4DD7	3A58	E21J0080
997	嘿	BAD9	BAD9	4DD8	3A59	E21K0080
998	黑	BADA	BADA	4DD9	3A5A	E21L0080
999	痕	BADB	BADB	4DDA	3A5B	E21M0080
1000	很	BADC	BADC	4ddb	3A5C	E21N0080
1001	狠	BADD	BADD	4DDC	3A5D	E21O0080
1002	恨	BADE	BADE	4DDD	3A5E	E21P0080
1003	哼	BADF	BADF	4DDE	3A5F	E21Q0080
1004	亨	BAE0	BAE0	4DDF	3A60	E21R0080
1005	横	BAE1	BAE1	4DE0	3A61	E21S0080
1006	衡	BAE2	BAE2	4DE1	3A62	E21T0080
1007	恒	BAE3	BAE3	4DE2	3A63	E21U0080
1008	轰	BAE4	BAE4	4DE3	3A64	E21V0080
1009	哄	BAE5	BAE5	4DE4	3A65	E21W0080
1010	烘	BAE6	BAE6	4DE5	3A66	E21X0080
1011	虹	BAE7	BAE7	4DE6	3A67	E21Y0080
1012	鸿	BAE8	BAE8	4DE7	3A68	E21Z0080
1013	洪	BAE9	BAE9	4DE8	3A69	E2200080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 40 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1014	宏	BAEA	BAEA	4DE9	3A6A	E2210080
1015	弘	BAEB	BAEB	4DEA	3A6B	E2220080
1016	红	BAEC	BAEC	4DEB	3A6C	E2230080
1017	喉	BAED	BAED	4DEC	3A6D	E2240080
1018	侯	BAEE	BAEE	4DED	3A6E	E2250080
1019	猴	BAEF	BAEF	4DEE	3A6F	E2260080
1020	吼	BAF0	BAF0	4DEF	3A70	E2270080
1021	厚	BAF1	BAF1	4DF0	3A71	E2280080
1022	候	BAF2	BAF2	4DF1	3A72	E2290080
1023	后	BAF3	BAF3	4DF2	3A73	E22A0080
1024	呼	BAF4	BAF4	4DF3	3A74	E22B0080
1025	乎	BAF5	BAF5	4DF4	3A75	E22C0080
1026	忽	BAF6	BAF6	4DF5	3A76	E22D0080
1027	瑚	BAF7	BAF7	4DF6	3A77	E22E0080
1028	壶	BAF8	BAF8	4DF7	3A78	E22F0080
1029	葫	BAF9	BAF9	4DF8	3A79	E22G0080
1030	胡	BAFA	BAFA	4DF9	3A7A	E22H0080
1031	蝴	BAFB	BAFB	4DFA	3A7B	E22I0080
1032	狐	BAFC	BAFC	4DFB	3A7C	E22J0080
1033	糊	BAFD	BAFD	4DFC	3A7D	E22K0080
1034	湖	BAFE	BAFE	4DFD	3A7E	E22L0080
1035	弧	BBA1	BBA1	4E41	3B21	E22P0080
1036	虎	BBA2	BBA2	4E42	3B22	E22Q0080
1037	唬	BBA3	BBA3	4E43	3B23	E22R0080
1038	护	BBA4	BBA4	4E44	3B24	E22S0080
1039	互	BBA5	BBA5	4E45	3B25	E22T0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 41 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1040	沪	BBA6	BBA6	4E46	3B26	E22U0080
1041	户	BBA7	BBA7	4E47	3B27	E22V0080
1042	花	BBA8	BBA8	4E48	3B28	E22W0080
1043	哗	BBA9	BBA9	4E49	3B29	E22X0080
1044	华	BBAA	BBAA	4E4A	3B2A	E22Y0080
1045	猾	BBAB	BBAB	4E4B	3B2B	E22Z0080
1046	滑	BBAC	BBAC	4E4C	3B2C	E2300080
1047	画	BBAD	BBAD	4E4D	3B2D	E2310080
1048	划	BBAE	BBAE	4E4E	3B2E	E2320080
1049	化	BBAF	BBAF	4E4F	3B2F	E2330080
1050	话	BBB0	BBB0	4E50	3B30	E2340080
1051	槐	BBB1	BBB1	4E51	3B31	E2350080
1052	徊	BBB2	BBB2	4E52	3B32	E2360080
1053	怀	BBB3	BBB3	4E53	3B33	E2370080
1054	淮	BBB4	BBB4	4E54	3B34	E2380080
1055	坏	BBB5	BBB5	4E55	3B35	E2390080
1056	欢	BBB6	BBB6	4E56	3B36	E23A0080
1057	环	BBB7	BBB7	4E57	3B37	E23B0080
1058	桓	BBB8	BBB8	4E58	3B38	E23C0080
1059	还	BBB9	BBB9	4E59	3B39	E23D0080
1060	缓	BBBA	BBBA	4E5A	3B3A	E23E0080
1061	换	BBBB	BBBB	4E5B	3B3B	E23F0080
1062	患	BBBC	BBBC	4E5C	3B3C	E23G0080
1063	唤	BBBD	BBBD	4E5D	3B3D	E23H0080
1064	痪	BBBE	BBBE	4E5E	3B3E	E23I0080
1065	豢	BBBF	BBBF	4E5F	3B3F	E23J0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 6 (Page 42 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1066	焕	BBC0	BBC0	4E60	3B40	E23K0080
1067	涣	BBC1	BBC1	4E61	3B41	E23L0080
1068	宦	BBC2	BBC2	4E62	3B42	E23M0080
1069	幻	BBC3	BBC3	4E63	3B43	E23N0080
1070	荒	BBC4	BBC4	4E64	3B44	E23O0080
1071	慌	BBC5	BBC5	4E65	3B45	E23P0080
1072	黄	BBC6	BBC6	4E66	3B46	E23Q0080
1073	磺	BBC7	BBC7	4E67	3B47	E23R0080
1074	蝗	BBC8	BBC8	4E68	3B48	E23S0080
1075	簧	BBC9	BBC9	4E69	3B49	E23T0080
1076	皇	BBCA	BBCA	4E6A	3B4A	E23U0080
1077	凰	BBCB	BBCB	4E6B	3B4B	E23V0080
1078	惶	BBCC	BBCC	4E6C	3B4C	E23W0080
1079	煌	BBCD	BBCD	4E6D	3B4D	E23X0080
1080	晃	BBCE	BBCE	4E6E	3B4E	E23Y0080
1081	幌	BBCF	BBCF	4E6F	3B4F	E23Z0080
1082	恍	BBD0	BBD0	4E70	3B50	E2400080
1083	谎	BBD1	BBD1	4E71	3B51	E2410080
1084	灰	BBD2	BBD2	4E72	3B52	E2420080
1085	挥	BBD3	BBD3	4E73	3B53	E2430080
1086	辉	BBD4	BBD4	4E74	3B54	E2440080
1087	徽	BBD5	BBD5	4E75	3B55	E2450080
1088	恢	BBD6	BBD6	4E76	3B56	E2460080
1089	蛔	BBD7	BBD7	4E77	3B57	E2470080
1090	回	BBD8	BBD8	4E78	3B58	E2480080
1091	毁	BBD9	BBD9	4E79	3B59	E2490080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 43 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1092	悔	BBDA	BBDA	4E7A	3B5A	E24A0080
1093	慧	BBDB	BBDB	4E7B	3B5B	E24B0080
1094	卉	BBDC	BBDC	4E7C	3B5C	E24C0080
1095	惠	BBDD	BBDD	4E7D	3B5D	E24D0080
1096	晦	BBDE	BBDE	4E7E	3B5E	E24E0080
1097	贿	BBDF	BBDF	4E7F	3B5F	E24F0080
1098	秽	BBE0	BBE0	4E81	3B60	E24H0080
1099	会	BBE1	BBE1	4E82	3B61	E24I0080
1100	烩	BBE2	BBE2	4E83	3B62	E24J0080
1101	汇	BBE3	BBE3	4E84	3B63	E24K0080
1102	讳	BBE4	BBE4	4E85	3B64	E24L0080
1103	诲	BBE5	BBE5	4E86	3B65	E24M0080
1104	绘	BBE6	BBE6	4E87	3B66	E24N0080
1105	荤	BBE7	BBE7	4E88	3B67	E24O0080
1106	昏	BBE8	BBE8	4E89	3B68	E24P0080
1107	婚	BBE9	BBE9	4E8A	3B69	E24Q0080
1108	魂	BBEA	BBEA	4E8B	3B6A	E24R0080
1109	浑	BBEB	BBEB	4E8C	3B6B	E24S0080
1110	混	BBEC	BBEC	4E8D	3B6C	E24T0080
1111	豁	BBED	BBED	4E8E	3B6D	E24U0080
1112	活	BBEE	BBEE	4E8F	3B6E	E24V0080
1113	伙	BBEF	BBEF	4E90	3B6F	E24W0080
1114	火	BBF0	BBF0	4E91	3B70	E24X0080
1115	获	BBF1	BBF1	4E92	3B71	E24Y0080
1116	或	BBF2	BBF2	4E93	3B72	E24Z0080
1117	惑	BBF3	BBF3	4E94	3B73	E2500080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 44 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1118	霍	BBF4	BBF4	4E95	3B74	E2510080
1119	货	BBF5	BBF5	4E96	3B75	E2520080
1120	祸	BBF6	BBF6	4E97	3B76	E2530080
1121	击	BBF7	BBF7	4E98	3B77	E2540080
1122	圾	BBF8	BBF8	4E99	3B78	E2550080
1123	基	BBF9	BBF9	4E9A	3B79	E2560080
1124	机	BBFA	BBFA	4E9B	3B7A	E2570080
1125	畸	BBFB	BBFB	4E9C	3B7B	E2580080
1126	稽	BBFC	BBFC	4E9D	3B7C	E2590080
1127	积	BBFD	BBFD	4E9E	3B7D	E25A0080
1128	箕	BBFE	BBFE	4E9F	3B7E	E25B0080
1129	肌	BCA1	BCA1	4EA0	3C21	E25C0080
1130	饥	BCA2	BCA2	4EA1	3C22	E25D0080
1131	迹	BCA3	BCA3	4EA2	3C23	E25E0080
1132	激	BCA4	BCA4	4EA3	3C24	E25F0080
1133	讥	BCA5	BCA5	4EA4	3C25	E25G0080
1134	鸡	BCA6	BCA6	4EA5	3C26	E25H0080
1135	姬	BCA7	BCA7	4EA6	3C27	E25I0080
1136	绩	BCA8	BCA8	4EA7	3C28	E25J0080
1137	缉	BCA9	BCA9	4EA8	3C29	E25K0080
1138	吉	BCAA	BCAA	4EA9	3C2A	E25L0080
1139	极	BCAB	BCAB	4EAA	3C2B	E25M0080
1140	棘	BCAC	BCAC	4EAB	3C2C	E25N0080
1141	辑	BCAD	BCAD	4EAC	3C2D	E25O0080
1142	籍	BCAE	BCAE	4EAD	3C2E	E25P0080
1143	集	BCAF	BCAF	4EAE	3C2F	E25Q0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 45 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1144	及	BCB0	BCB0	4EAF	3C30	E25R0080
1145	急	BCB1	BCB1	4EB0	3C31	E25S0080
1146	疾	BCB2	BCB2	4EB1	3C32	E25T0080
1147	汲	BCB3	BCB3	4EB2	3C33	E25U0080
1148	即	BCB4	BCB4	4EB3	3C34	E25V0080
1149	嫉	BCB5	BCB5	4EB4	3C35	E25W0080
1150	级	BCB6	BCB6	4EB5	3C36	E25X0080
1151	挤	BCB7	BCB7	4EB6	3C37	E25Y0080
1152	几	BCB8	BCB8	4EB7	3C38	E25Z0080
1153	脊	BCB9	BCB9	4EB8	3C39	E2600080
1154	己	BCBA	BCBA	4EB9	3C3A	E2610080
1155	蓟	BCBB	BCBB	4EBA	3C3B	E2620080
1156	技	BCBC	BCBC	4EBB	3C3C	E2630080
1157	冀	BCBD	BCBD	4EBC	3C3D	E2640080
1158	季	BCBE	BCBE	4EBD	3C3E	E2650080
1159	伎	BCBF	BCBF	4EBE	3C3F	E2660080
1160	祭	BCC0	BCC0	4EBF	3C40	E2670080
1161	剂	BCC1	BCC1	4EC0	3C41	E2680080
1162	悸	BCC2	BCC2	4EC1	3C42	E2690080
1163	济	BCC3	BCC3	4EC2	3C43	E26A0080
1164	寄	BCC4	BCC4	4EC3	3C44	E26B0080
1165	寂	BCC5	BCC5	4EC4	3C45	E26C0080
1166	计	BCC6	BCC6	4EC5	3C46	E26D0080
1167	记	BCC7	BCC7	4EC6	3C47	E26E0080
1168	既	BCC8	BCC8	4EC7	3C48	E26F0080
1169	忌	BCC9	BCC9	4EC8	3C49	E26G0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 46 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1170	际	BCCA	BCCA	4EC9	3C4A	E26H0080
1171	妓	BCCB	BCCB	4ECA	3C4B	E26I0080
1172	继	BCCC	BCCC	4ECB	3C4C	E26J0080
1173	纪	BCCD	BCCD	4ECC	3C4D	E26K0080
1174	嘉	BCCE	BCCE	4ECD	3C4E	E26L0080
1175	枷	BCCF	BCCF	4ECE	3C4F	E26M0080
1176	夹	BCD0	BCD0	4ECF	3C50	E26N0080
1177	佳	BCD1	BCD1	4ED0	3C51	E26O0080
1178	家	BCD2	BCD2	4ED1	3C52	E26P0080
1179	加	BCD3	BCD3	4ED2	3C53	E26Q0080
1180	荚	BCD4	BCD4	4ED3	3C54	E26R0080
1181	颊	BCD5	BCD5	4ED4	3C55	E26S0080
1182	贾	BCD6	BCD6	4ED5	3C56	E26T0080
1183	甲	BCD7	BCD7	4ED6	3C57	E26U0080
1184	钾	BCD8	BCD8	4ED7	3C58	E26V0080
1185	假	BCD9	BCD9	4ED8	3C59	E26W0080
1186	稼	BCDA	BCDA	4ED9	3C5A	E26X0080
1187	价	BCDB	BCDB	4EDA	3C5B	E26Y0080
1188	架	BCDC	BCDC	4EDB	3C5C	E26Z0080
1189	驾	BCDD	BCDD	4EDC	3C5D	E2700080
1190	嫁	BCDE	BCDE	4EDD	3C5E	E2710080
1191	歼	BCDF	BCDF	4EDE	3C5F	E2720080
1192	监	BCE0	BCE0	4EDF	3C60	E2730080
1193	坚	BCE1	BCE1	4EE0	3C61	E2740080
1194	尖	BCE2	BCE2	4EE1	3C62	E2750080
1195	笺	BCE3	BCE3	4EE2	3C63	E2760080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 47 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1196	间	BCE4	BCE4	4EE3	3C64	E2770080
1197	煎	BCE5	BCE5	4EE4	3C65	E2780080
1198	兼	BCE6	BCE6	4EE5	3C66	E2790080
1199	肩	BCE7	BCE7	4EE6	3C67	E27A0080
1200	艰	BCE8	BCE8	4EE7	3C68	E27B0080
1201	奸	BCE9	BCE9	4EE8	3C69	E27C0080
1202	緘	BCEA	BCEA	4EE9	3C6A	E27D0080
1203	茧	BCEB	BCEB	4EEA	3C6B	E27E0080
1204	检	BCEC	BCEC	4EEB	3C6C	E27F0080
1205	柬	BCED	BCED	4EEC	3C6D	E27G0080
1206	碱	BCEE	BCEE	4EED	3C6E	E27H0080
1207	硷	BCEF	BCEF	4EEE	3C6F	E27I0080
1208	拣	BCF0	BCF0	4EEF	3C70	E27J0080
1209	捡	BCF1	BCF1	4EF0	3C71	E27K0080
1210	简	BCF2	BCF2	4EF1	3C72	E27L0080
1211	俭	BCF3	BCF3	4EF2	3C73	E27M0080
1212	剪	BCF4	BCF4	4EF3	3C74	E27N0080
1213	减	BCF5	BCF5	4EF4	3C75	E27O0080
1214	荐	BCF6	BCF6	4EF5	3C76	E27P0080
1215	槛	BCF7	BCF7	4EF6	3C77	E27Q0080
1216	鉴	BCF8	BCF8	4EF7	3C78	E27R0080
1217	践	BCF9	BCF9	4EF8	3C79	E27S0080
1218	贱	BCFA	BCFA	4EF9	3C7A	E27T0080
1219	见	BCFB	BCFB	4EFA	3C7B	E27U0080
1220	键	BCFC	BCFC	4EFB	3C7C	E27V0080
1221	箭	BCFD	BCFD	4EFC	3C7D	E27W0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 48 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1222	件	BCFE	BCFE	4EFD	3C7E	E27X0080
1223	健	BDA1	BDA1	4F41	3D21	E2810080
1224	舰	BDA2	BDA2	4F42	3D22	E2820080
1225	剑	BDA3	BDA3	4F43	3D23	E2830080
1226	钱	BDA4	BDA4	4F44	3D24	E2840080
1227	渐	BDA5	BDA5	4F45	3D25	E2850080
1228	溅	BDA6	BDA6	4F46	3D26	E2860080
1229	涧	BDA7	BDA7	4F47	3D27	E2870080
1230	建	BDA8	BDA8	4F48	3D28	E2880080
1231	僵	BDA9	BDA9	4F49	3D29	E2890080
1232	姜	BDAA	BDAA	4F4A	3D2A	E28A0080
1233	将	BDAB	BDAB	4F4B	3D2B	E28B0080
1234	浆	BDAC	BDAC	4F4C	3D2C	E28C0080
1235	江	BDAD	BDAD	4F4D	3D2D	E28D0080
1236	疆	BDAE	BDAE	4F4E	3D2E	E28E0080
1237	蒋	BDAF	BDAF	4F4F	3D2F	E28F0080
1238	浆	BDB0	BDB0	4F50	3D30	E28G0080
1239	奖	BDB1	BDB1	4F51	3D31	E28H0080
1240	讲	BDB2	BDB2	4F52	3D32	E28I0080
1241	匠	BDB3	BDB3	4F53	3D33	E28J0080
1242	酱	BDB4	BDB4	4F54	3D34	E28K0080
1243	降	BDB5	BDB5	4F55	3D35	E28L0080
1244	蕉	BDB6	BDB6	4F56	3D36	E28M0080
1245	椒	BDB7	BDB7	4F57	3D37	E28N0080
1246	礁	BDB8	BDB8	4F58	3D38	E28O0080
1247	焦	BDB9	BDB9	4F59	3D39	E28P0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 49 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1248	胶	BDBA	BDBA	4F5A	3D3A	E28Q0080
1249	交	BDBB	BDBB	4F5B	3D3B	E28R0080
1250	郊	BDBC	BDBC	4F5C	3D3C	E28S0080
1251	浇	BDBD	BDBD	4F5D	3D3D	E28T0080
1252	骄	BDBE	BDBE	4F5E	3D3E	E28U0080
1253	娇	BDBF	BDBF	4F5F	3D3F	E28V0080
1254	嚼	BDC0	BDC0	4F60	3D40	E28W0080
1255	搅	BDC1	BDC1	4F61	3D41	E28X0080
1256	较	BDC2	BDC2	4F62	3D42	E28Y0080
1257	矫	BDC3	BDC3	4F63	3D43	E28Z0080
1258	饶	BDC4	BDC4	4F64	3D44	E2900080
1259	脚	BDC5	BDC5	4F65	3D45	E2910080
1260	狡	BDC6	BDC6	4F66	3D46	E2920080
1261	角	BDC7	BDC7	4F67	3D47	E2930080
1262	饺	BDC8	BDC8	4F68	3D48	E2940080
1263	缴	BDC9	BDC9	4F69	3D49	E2950080
1264	绞	BDCA	BDCA	4F6A	3D4A	E2960080
1265	剿	BDCB	BDCB	4F6B	3D4B	E2970080
1266	教	BDCC	BDCC	4F6C	3D4C	E2980080
1267	酵	BDCD	BDCD	4F6D	3D4D	E2990080
1268	轿	BDCE	BDCE	4F6E	3D4E	E29A0080
1269	较	BDCF	BDCF	4F6F	3D4F	E29B0080
1270	叫	BDD0	BDD0	4F70	3D50	E29C0080
1271	窖	BDD1	BDD1	4F71	3D51	E29D0080
1272	揭	BDD2	BDD2	4F72	3D52	E29E0080
1273	接	BDD3	BDD3	4F73	3D53	E29F0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 50 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1274	皆	BDD4	BDD4	4F74	3D54	E29G0080
1275	秸	BDD5	BDD5	4F75	3D55	E29H0080
1276	街	BDD6	BDD6	4F76	3D56	E29I0080
1277	阶	BDD7	BDD7	4F77	3D57	E29J0080
1278	截	BDD8	BDD8	4F78	3D58	E29K0080
1279	劫	BDD9	BDD9	4F79	3D59	E29L0080
1280	节	BDDA	BDDA	4F7A	3D5A	E29M0080
1281	桔	Bddb	Bddb	4F7B	3D5B	E29N0080
1282	杰	BDDC	BDDC	4F7C	3D5C	E29O0080
1283	捷	BDDD	BDDD	4F7D	3D5D	E29P0080
1284	睫	BDDE	BDDE	4F7E	3D5E	E29Q0080
1285	竭	BDDF	BDDF	4F7F	3D5F	E29R0080
1286	洁	BDE0	BDE0	4F81	3D60	E29T0080
1287	结	BDE1	BDE1	4F82	3D61	E29U0080
1288	解	BDE2	BDE2	4F83	3D62	E29V0080
1289	姐	BDE3	BDE3	4F84	3D63	E29W0080
1290	戒	BDE4	BDE4	4F85	3D64	E29X0080
1291	藉	BDE5	BDE5	4F86	3D65	E29Y0080
1292	芥	BDE6	BDE6	4F87	3D66	E29Z0080
1293	界	BDE7	BDE7	4F88	3D67	E2A00080
1294	借	BDE8	BDE8	4F89	3D68	E2A10080
1295	介	BDE9	BDE9	4F8A	3D69	E2A20080
1296	疥	BDEA	BDEA	4F8B	3D6A	E2A30080
1297	诫	BDEB	BDEB	4F8C	3D6B	E2A40080
1298	届	BDEC	BDEC	4F8D	3D6C	E2A50080
1299	巾	BDED	BDED	4F8E	3D6D	E2A60080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 6 (Page 51 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1300	筋	BDEE	BDEE	4F8F	3D6E	E2A70080
1301	斤	BDEF	BDEF	4F90	3D6F	E2A80080
1302	金	BDF0	BDF0	4F91	3D70	E2A90080
1303	今	BDF1	BDF1	4F92	3D71	E2AA0080
1304	津	BDF2	BDF2	4F93	3D72	E2AB0080
1305	襟	BDF3	BDF3	4F94	3D73	E2AC0080
1306	紧	BDF4	BDF4	4F95	3D74	E2AD0080
1307	锦	BDF5	BDF5	4F96	3D75	E2AE0080
1308	仅	BDF6	BDF6	4F97	3D76	E2AF0080
1309	谨	BDF7	BDF7	4F98	3D77	E2AG0080
1310	进	BDF8	BDF8	4F99	3D78	E2AH0080
1311	靳	BDF9	BDF9	4F9A	3D79	E2AI0080
1312	晋	BDFA	BDFA	4F9B	3D7A	E2AJ0080
1313	禁	BDFB	BDFB	4F9C	3D7B	E2AK0080
1314	近	BDFC	BDFC	4F9D	3D7C	E2AL0080
1315	烬	BDFD	BDFD	4F9E	3D7D	E2AM0080
1316	浸	BDFE	BDFE	4F9F	3D7E	E2AN0080
1317	尽	BEA1	BEA1	4FA0	3E21	E2AO0080
1318	劲	BEA2	BEA2	4FA1	3E22	E2AP0080
1319	荆	BEA3	BEA3	4FA2	3E23	E2AQ0080
1320	兢	BEA4	BEA4	4FA3	3E24	E2AR0080
1321	茎	BEA5	BEA5	4FA4	3E25	E2AS0080
1322	睛	BEA6	BEA6	4FA5	3E26	E2AT0080
1323	晶	BEA7	BEA7	4FA6	3E27	E2AU0080
1324	鲸	BEA8	BEA8	4FA7	3E28	E2AV0080
1325	京	BEA9	BEA9	4FA8	3E29	E2AW0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 52 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1326	惊	BEAA	BEAA	4FA9	3E2A	E2AX0080
1327	精	BEAB	BEAB	4FAA	3E2B	E2AY0080
1328	粳	BEAC	BEAC	4FAB	3E2C	E2AZ0080
1329	经	BEAD	BEAD	4FAC	3E2D	E2B00080
1330	井	BEAE	BEAE	4FAD	3E2E	E2B10080
1331	警	BEAF	BEAF	4FAE	3E2F	E2B20080
1332	景	BEB0	BEB0	4FAF	3E30	E2B30080
1333	颈	BEB1	BEB1	4FB0	3E31	E2B40080
1334	静	BEB2	BEB2	4FB1	3E32	E2B50080
1335	境	BEB3	BEB3	4FB2	3E33	E2B60080
1336	敬	BEB4	BEB4	4FB3	3E34	E2B70080
1337	镜	BEB5	BEB5	4FB4	3E35	E2B80080
1338	径	BEB6	BEB6	4FB5	3E36	E2B90080
1339	痉	BEB7	BEB7	4FB6	3E37	E2BA0080
1340	靖	BEB8	BEB8	4FB7	3E38	E2BB0080
1341	竟	BEB9	BEB9	4FB8	3E39	E2BC0080
1342	竞	BEBA	BEBA	4FB9	3E3A	E2BD0080
1343	净	BEBB	BEBB	4FBA	3E3B	E2BE0080
1344	炯	BEBC	BEBC	4FBB	3E3C	E2BF0080
1345	窘	BEBD	BEBD	4FBC	3E3D	E2BG0080
1346	揪	BEBE	BEBE	4FBD	3E3E	E2BH0080
1347	究	BEBF	BEBF	4FBE	3E3F	E2BI0080
1348	纠	BEC0	BEC0	4FBF	3E40	E2BJ0080
1349	玖	BEC1	BEC1	4FC0	3E41	E2BK0080
1350	韭	BEC2	BEC2	4FC1	3E42	E2BL0080
1351	久	BEC3	BEC3	4FC2	3E43	E2BM0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 53 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1352	灸	BEC4	BEC4	4FC3	3E44	E2BN0080
1353	九	BEC5	BEC5	4FC4	3E45	E2BO0080
1354	酒	BEC6	BEC6	4FC5	3E46	E2BP0080
1355	廐	BEC7	BEC7	4FC6	3E47	E2BQ0080
1356	救	BEC8	BEC8	4FC7	3E48	E2BR0080
1357	旧	BEC9	BEC9	4FC8	3E49	E2BS0080
1358	臼	BECA	BECA	4FC9	3E4A	E2BT0080
1359	舅	BECB	BECB	4FCA	3E4B	E2BU0080
1360	咎	BECC	BECC	4FCB	3E4C	E2BV0080
1361	就	BECD	BECD	4FCC	3E4D	E2BW0080
1362	疚	BECE	BECE	4FCD	3E4E	E2BX0080
1363	鞠	BECF	BECF	4FCE	3E4F	E2BY0080
1364	拘	BED0	BED0	4FCF	3E50	E2BZ0080
1365	狙	BED1	BED1	4FD0	3E51	E2C00080
1366	疽	BED2	BED2	4FD1	3E52	E2C10080
1367	居	BED3	BED3	4FD2	3E53	E2C20080
1368	驹	BED4	BED4	4FD3	3E54	E2C30080
1369	菊	BED5	BED5	4FD4	3E55	E2C40080
1370	局	BED6	BED6	4FD5	3E56	E2C50080
1371	咀	BED7	BED7	4FD6	3E57	E2C60080
1372	矩	BED8	BED8	4FD7	3E58	E2C70080
1373	举	BED9	BED9	4FD8	3E59	E2C80080
1374	沮	BEDA	BEDA	4FD9	3E5A	E2C90080
1375	聚	BEDB	BEDB	4FDA	3E5B	E2CA0080
1376	拒	BEDC	BEDC	4FDB	3E5C	E2CB0080
1377	据	BEDD	BEDD	4FDC	3E5D	E2CC0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 54 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1378	巨	BEDE	BEDE	4FDD	3E5E	E2CD0080
1379	具	BEDF	BEDF	4FDE	3E5F	E2CE0080
1380	距	BEE0	BEE0	4FDF	3E60	E2CF0080
1381	踞	BEE1	BEE1	4FE0	3E61	E2CG0080
1382	锯	BEE2	BEE2	4FE1	3E62	E2CH0080
1383	俱	BEE3	BEE3	4FE2	3E63	E2CI0080
1384	句	BEE4	BEE4	4FE3	3E64	E2CJ0080
1385	惧	BEE5	BEE5	4FE4	3E65	E2CK0080
1386	炬	BEE6	BEE6	4FE5	3E66	E2CL0080
1387	剧	BEE7	BEE7	4FE6	3E67	E2CM0080
1388	捐	BEE8	BEE8	4FE7	3E68	E2CN0080
1389	鹃	BEE9	BEE9	4FE8	3E69	E2CO0080
1390	娟	BEEA	BEEA	4FE9	3E6A	E2CP0080
1391	倦	BEEB	BEEB	4FEA	3E6B	E2CQ0080
1392	眷	BEEC	BEEC	4FEB	3E6C	E2CR0080
1393	卷	BEED	BEED	4FEC	3E6D	E2CS0080
1394	绢	BEEE	BEEE	4FED	3E6E	E2CT0080
1395	掇	BEEF	BEEF	4FEE	3E6F	E2CU0080
1396	攫	BEF0	BEF0	4FEF	3E70	E2CV0080
1397	抉	BEF1	BEF1	4FF0	3E71	E2CW0080
1398	掘	BEF2	BEF2	4FF1	3E72	E2CX0080
1399	倔	BEF3	BEF3	4FF2	3E73	E2CY0080
1400	爵	BEF4	BEF4	4FF3	3E74	E2CZ0080
1401	觉	BEF5	BEF5	4FF4	3E75	E2D00080
1402	决	BEF6	BEF6	4FF5	3E76	E2D10080
1403	诀	BEF7	BEF7	4FF6	3E77	E2D20080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 55 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1404	绝	BEF8	BEF8	4FF7	3E78	E2D30080
1405	均	BEF9	BEF9	4FF8	3E79	E2D40080
1406	菌	BEFA	BEFA	4FF9	3E7A	E2D50080
1407	钩	BEFB	BEFB	4FFA	3E7B	E2D60080
1408	军	BEFC	BEFC	4FFB	3E7C	E2D70080
1409	君	BEFD	BEFD	4FFC	3E7D	E2D80080
1410	峻	BEFE	BEFE	4FFD	3E7E	E2D90080
1411	俊	BFA1	BFA1	5041	3F21	E2DD0080
1412	竣	BFA2	BFA2	5042	3F22	E2DE0080
1413	浚	BFA3	BFA3	5043	3F23	E2DF0080
1414	郡	BFA4	BFA4	5044	3F24	E2DG0080
1415	骏	BFA5	BFA5	5045	3F25	E2DH0080
1416	喀	BFA6	BFA6	5046	3F26	E2DI0080
1417	咖	BFA7	BFA7	5047	3F27	E2DJ0080
1418	卡	BFA8	BFA8	5048	3F28	E2DK0080
1419	咯	BFA9	BFA9	5049	3F29	E2DL0080
1420	开	BFAA	BFAA	504A	3F2A	E2DM0080
1421	揩	BFAB	BFAB	504B	3F2B	E2DN0080
1422	楷	BFAC	BFAC	504C	3F2C	E2DO0080
1423	凯	BFAD	BFAD	504D	3F2D	E2DP0080
1424	慨	BFAE	BFAE	504E	3F2E	E2DQ0080
1425	刊	BFAF	BFAF	504F	3F2F	E2DR0080
1426	堪	BFB0	BFB0	5050	3F30	E2DS0080
1427	勘	BFB1	BFB1	5051	3F31	E2DT0080
1428	坎	BFB2	BFB2	5052	3F32	E2DU0080
1429	砍	BFB3	BFB3	5053	3F33	E2DV0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 56 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1430	看	BFB4	BFB4	5054	3F34	E2DW0080
1431	康	BFB5	BFB5	5055	3F35	E2DX0080
1432	慷	BFB6	BFB6	5056	3F36	E2DY0080
1433	糠	BFB7	BFB7	5057	3F37	E2DZ0080
1434	扛	BFB8	BFB8	5058	3F38	E2E00080
1435	抗	BFB9	BFB9	5059	3F39	E2E10080
1436	亢	BFBA	BFBA	505A	3F3A	E2E20080
1437	炕	BFBB	BFBB	505B	3F3B	E2E30080
1438	考	BFBC	BFBC	505C	3F3C	E2E40080
1439	拷	BFBD	BFBD	505D	3F3D	E2E50080
1440	烤	BFBE	BFBE	505E	3F3E	E2E60080
1441	靠	BFBF	BFBF	505F	3F3F	E2E70080
1442	珂	BFC0	BFC0	5060	3F40	E2E80080
1443	苛	BFC1	BFC1	5061	3F41	E2E90080
1444	柯	BFC2	BFC2	5062	3F42	E2EA0080
1445	棵	BFC3	BFC3	5063	3F43	E2EB0080
1446	磕	BFC4	BFC4	5064	3F44	E2EC0080
1447	颀	BFC5	BFC5	5065	3F45	E2ED0080
1448	科	BFC6	BFC6	5066	3F46	E2EE0080
1449	壳	BFC7	BFC7	5067	3F47	E2EF0080
1450	咳	BFC8	BFC8	5068	3F48	E2EG0080
1451	可	BFC9	BFC9	5069	3F49	E2EH0080
1452	渴	BFCA	BFCA	506A	3F4A	E2EI0080
1453	克	BFCB	BFCB	506B	3F4B	E2EJ0080
1454	刻	BFCC	BFCC	506C	3F4C	E2EK0080
1455	客	BFCD	BFCD	506D	3F4D	E2EL0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 57 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1456	课	BFCE	BFCE	506E	3F4E	E2EM0080
1457	肯	BFCF	BFCF	506F	3F4F	E2EN0080
1458	啃	BFD0	BFD0	5070	3F50	E2EO0080
1459	垦	BFD1	BFD1	5071	3F51	E2EP0080
1460	垦	BFD2	BFD2	5072	3F52	E2EQ0080
1461	坑	BFD3	BFD3	5073	3F53	E2ER0080
1462	吭	BFD4	BFD4	5074	3F54	E2ES0080
1463	空	BFD5	BFD5	5075	3F55	E2ET0080
1464	恐	BFD6	BFD6	5076	3F56	E2EU0080
1465	孔	BFD7	BFD7	5077	3F57	E2EV0080
1466	控	BFD8	BFD8	5078	3F58	E2EW0080
1467	抠	BFD9	BFD9	5079	3F59	E2EX0080
1468	口	BFDA	BFDA	507A	3F5A	E2EY0080
1469	扣	BFDB	BFDB	507B	3F5B	E2EZ0080
1470	寇	BFDC	BFDC	507C	3F5C	E2F00080
1471	枯	BFDD	BFDD	507D	3F5D	E2F10080
1472	哭	BFDE	BFDE	507E	3F5E	E2F20080
1473	窟	BFDG	BFDG	507F	3F5F	E2F30080
1474	苦	BFE0	BFE0	5081	3F60	E2F50080
1475	酷	BFE1	BFE1	5082	3F61	E2F60080
1476	库	BFE2	BFE2	5083	3F62	E2F70080
1477	裤	BFE3	BFE3	5084	3F63	E2F80080
1478	夸	BFE4	BFE4	5085	3F64	E2F90080
1479	垮	BFE5	BFE5	5086	3F65	E2FA0080
1480	垮	BFE6	BFE6	5087	3F66	E2FB0080
1481	跨	BFE7	BFE7	5088	3F67	E2FC0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 58 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1482	胯	BFE8	BFE8	5089	3F68	E2FD0080
1483	块	BFE9	BFE9	508A	3F69	E2FE0080
1484	筷	BFEA	BFEA	508B	3F6A	E2FF0080
1485	佻	BFEB	BFEB	508C	3F6B	E2FG0080
1486	快	BFEC	BFEC	508D	3F6C	E2FH0080
1487	宽	BFED	BFED	508E	3F6D	E2FI0080
1488	款	BFEE	BFEE	508F	3F6E	E2FJ0080
1489	匡	BFEF	BFEF	5090	3F6F	E2FK0080
1490	筐	BFF0	BFF0	5091	3F70	E2FL0080
1491	狂	BFF1	BFF1	5092	3F71	E2FM0080
1492	框	BFF2	BFF2	5093	3F72	E2FN0080
1493	矿	BFF3	BFF3	5094	3F73	E2FO0080
1494	眶	BFF4	BFF4	5095	3F74	E2FP0080
1495	旷	BFF5	BFF5	5096	3F75	E2FQ0080
1496	况	BFF6	BFF6	5097	3F76	E2FR0080
1497	亏	BFF7	BFF7	5098	3F77	E2FS0080
1498	盔	BFF8	BFF8	5099	3F78	E2FT0080
1499	岿	BFF9	BFF9	509A	3F79	E2FU0080
1500	窥	BFFA	BFFA	509B	3F7A	E2FV0080
1501	葵	BFFB	BFFB	509C	3F7B	E2FW0080
1502	奎	BFFC	BFFC	509D	3F7C	E2FX0080
1503	魁	BFFD	BFFD	509E	3F7D	E2FY0080
1504	傀	BFFE	BFFE	509F	3F7E	E2FZ0080
1505	溃	C0A1	C0A1	50A0	4021	E2G00080
1506	愧	C0A2	C0A2	50A1	4022	E2G10080
1507	溃	C0A3	C0A3	50A2	4023	E2G20080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 6 (Page 59 of 59). Level 1 Chinese Character Set (1 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1508	坤	C0A4	C0A4	50A3	4024	E2G30080
1509	昆	C0A5	C0A5	50A4	4025	E2G40080
1510	搨	C0A6	C0A6	50A5	4026	E2G50080
1511	困	C0A7	C0A7	50A6	4027	E2G60080
1512	括	C0A8	C0A8	50A7	4028	E2G70080
1513	护	C0A9	C0A9	50A8	4029	E2G80080
1514	廓	C0AA	C0AA	50A9	402A	E2G90080
1515	阔	C0AB	C0AB	50AA	402B	E2GA0080
1516	垃	C0AC	C0AC	50AB	402C	E2GB0080
1517	拉	C0AD	C0AD	50AC	402D	E2GC0080
1518	喇	C0AE	C0AE	50AD	402E	E2GD0080
1519	蜡	C0AF	C0AF	50AE	402F	E2GE0080
1520	腊	C0B0	C0B0	50AF	4030	E2GF0080
1521	辣	C0B1	C0B1	50B0	4031	E2GG0080
1522	啦	C0B2	C0B2	50B1	4032	E2GH0080
1523	莱	C0B3	C0B3	50B2	4033	E2GI0080
1524	来	C0B4	C0B4	50B3	4034	E2GJ0080
1525	赖	C0B5	C0B5	50B4	4035	E2GK0080
1526	蓝	C0B6	C0B6	50B5	4036	E2GL0080
1527	婪	C0B7	C0B7	50B6	4037	E2GM0080
1528	栏	C0B8	C0B8	50B7	4038	E2GN0080
1529	拦	C0B9	C0B9	50B8	4039	E2GO0080
1530	篮	C0BA	C0BA	50B9	403A	E2GP0080
1531	阡	C0BB	C0BB	50BA	403B	E2GQ0080
1532	兰	C0BC	C0BC	50BB	403C	E2GR0080
1533	澜	C0BD	C0BD	50BC	403D	E2GS0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.3 Level 1 Chinese Character Set (2 of 3)

Table 7 (Page 1 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1534	澜	C0BE	C0BE	50BD	403E	E2GT0080
1535	揽	C0BF	C0BF	50BE	403F	E2GU0080
1536	览	C0C0	C0C0	50BF	4040	E2GV0080
1537	懒	C0C1	C0C1	50C0	4041	E2GW0080
1538	缆	C0C2	C0C2	50C1	4042	E2GX0080
1539	烂	C0C3	C0C3	50C2	4043	E2GY0080
1540	滥	C0C4	C0C4	50C3	4044	E2GZ0080
1541	琅	C0C5	C0C5	50C4	4045	E2H00080
1542	榔	C0C6	C0C6	50C5	4046	E2H10080
1543	狼	C0C7	C0C7	50C6	4047	E2H20080
1544	廊	C0C8	C0C8	50C7	4048	E2H30080
1545	郎	C0C9	C0C9	50C8	4049	E2H40080
1546	朗	C0CA	C0CA	50C9	404A	E2H50080
1547	浪	C0CB	C0CB	50CA	404B	E2H60080
1548	捞	C0CC	C0CC	50CB	404C	E2H70080
1549	劳	C0CD	C0CD	50CC	404D	E2H80080
1550	牢	C0CE	C0CE	50CD	404E	E2H90080
1551	老	C0CF	C0CF	50CE	404F	E2HA0080
1552	佬	C0D0	C0D0	50CF	4050	E2HB0080
1553	姥	C0D1	C0D1	50D0	4051	E2HC0080
1554	酪	C0D2	C0D2	50D1	4052	E2HD0080
1555	烙	C0D3	C0D3	50D2	4053	E2HE0080
1556	滂	C0D4	C0D4	50D3	4054	E2HF0080
1557	勒	C0D5	C0D5	50D4	4055	E2HG0080
1558	乐	C0D6	C0D6	50D5	4056	E2HH0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 2 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1559	雷	C0D7	C0D7	50D6	4057	E2HI0080
1560	镭	C0D8	C0D8	50D7	4058	E2HJ0080
1561	蕾	C0D9	C0D9	50D8	4059	E2HK0080
1562	磊	C0DA	C0DA	50D9	405A	E2HL0080
1563	累	C0DB	C0DB	50DA	405B	E2HM0080
1564	儡	C0DC	C0DC	50DB	405C	E2HN0080
1565	垒	C0DD	C0DD	50DC	405D	E2HO0080
1566	擂	C0DE	C0DE	50DD	405E	E2HP0080
1567	肋	C0DF	C0DF	50DE	405F	E2HQ0080
1568	类	C0E0	C0E0	50DF	4060	E2HR0080
1569	泪	C0E1	C0E1	50E0	4061	E2HS0080
1570	棱	C0E2	C0E2	50E1	4062	E2HT0080
1571	楞	C0E3	C0E3	50E2	4063	E2HU0080
1572	冷	C0E4	C0E4	50E3	4064	E2HV0080
1573	厘	C0E5	C0E5	50E4	4065	E2HW0080
1574	梨	C0E6	C0E6	50E5	4066	E2HX0080
1575	犁	C0E7	C0E7	50E6	4067	E2HY0080
1576	黎	C0E8	C0E8	50E7	4068	E2HZ0080
1577	篱	C0E9	C0E9	50E8	4069	E2I00080
1578	狸	C0EA	C0EA	50E9	406A	E2I10080
1579	离	C0EB	C0EB	50EA	406B	E2I20080
1580	漓	C0EC	C0EC	50EB	406C	E2I30080
1581	理	C0ED	C0ED	50EC	406D	E2I40080
1582	李	C0EE	C0EE	50ED	406E	E2I50080
1583	里	C0EF	C0EF	50EE	406F	E2I60080
1584	鲤	C0F0	C0F0	50EF	4070	E2I70080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 3 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1585	礼	C0F1	C0F1	50F0	4071	E2I80080
1586	莉	C0F2	C0F2	50F1	4072	E2I90080
1587	荔	C0F3	C0F3	50F2	4073	E2IA0080
1588	吏	C0F4	C0F4	50F3	4074	E2IB0080
1589	栗	C0F5	C0F5	50F4	4075	E2IC0080
1590	丽	C0F6	C0F6	50F5	4076	E2ID0080
1591	厉	C0F7	C0F7	50F6	4077	E2IE0080
1592	励	C0F8	C0F8	50F7	4078	E2IF0080
1593	砾	C0F9	C0F9	50F8	4079	E2IG0080
1594	历	C0FA	C0FA	50F9	407A	E2IH0080
1595	利	C0FB	C0FB	50FA	407B	E2II0080
1596	僿	C0FC	C0FC	50FB	407C	E2IJ0080
1597	例	C0FD	C0FD	50FC	407D	E2IK0080
1598	俐	C0FE	C0FE	50FD	407E	E2IL0080
1599	痢	C1A1	C1A1	5141	4121	E2IP0080
1600	立	C1A2	C1A2	5142	4122	E2IQ0080
1601	粒	C1A3	C1A3	5143	4123	E2IR0080
1602	沥	C1A4	C1A4	5144	4124	E2IS0080
1603	隶	C1A5	C1A5	5145	4125	E2IT0080
1604	力	C1A6	C1A6	5146	4126	E2IU0080
1605	璃	C1A7	C1A7	5147	4127	E2IV0080
1606	哩	C1A8	C1A8	5148	4128	E2IW0080
1607	俩	C1A9	C1A9	5149	4129	E2IX0080
1608	联	C1AA	C1AA	514A	412A	E2IY0080
1609	莲	C1AB	C1AB	514B	412B	E2IZ0080
1610	连	C1AC	C1AC	514C	412C	E2J00080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 4 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1611	镰	C1AD	C1AD	514D	412D	E2J10080
1612	廉	C1AE	C1AE	514E	412E	E2J20080
1613	怜	C1AF	C1AF	514F	412F	E2J30080
1614	涟	C1B0	C1B0	5150	4130	E2J40080
1615	帘	C1B1	C1B1	5151	4131	E2J50080
1616	敛	C1B2	C1B2	5152	4132	E2J60080
1617	脸	C1B3	C1B3	5153	4133	E2J70080
1618	链	C1B4	C1B4	5154	4134	E2J80080
1619	恋	C1B5	C1B5	5155	4135	E2J90080
1620	炼	C1B6	C1B6	5156	4136	E2JA0080
1621	练	C1B7	C1B7	5157	4137	E2JB0080
1622	粮	C1B8	C1B8	5158	4138	E2JC0080
1623	凉	C1B9	C1B9	5159	4139	E2JD0080
1624	梁	C1BA	C1BA	515A	413A	E2JE0080
1625	梁	C1BB	C1BB	515B	413B	E2JF0080
1626	良	C1BC	C1BC	515C	413C	E2JG0080
1627	两	C1BD	C1BD	515D	413D	E2JH0080
1628	辆	C1BE	C1BE	515E	413E	E2JI0080
1629	量	C1BF	C1BF	515F	413F	E2JJ0080
1630	晾	C1C0	C1C0	5160	4140	E2JK0080
1631	亮	C1C1	C1C1	5161	4141	E2JL0080
1632	谅	C1C2	C1C2	5162	4142	E2JM0080
1633	撩	C1C3	C1C3	5163	4143	E2JN0080
1634	聊	C1C4	C1C4	5164	4144	E2JO0080
1635	僚	C1C5	C1C5	5165	4145	E2JP0080
1636	疗	C1C6	C1C6	5166	4146	E2JQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 5 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1637	療	C1C7	C1C7	5167	4147	E2JR0080
1638	寥	C1C8	C1C8	5168	4148	E2JS0080
1639	辽	C1C9	C1C9	5169	4149	E2JT0080
1640	潦	C1CA	C1CA	516A	414A	E2JU0080
1641	了	C1CB	C1CB	516B	414B	E2JV0080
1642	摺	C1CC	C1CC	516C	414C	E2JW0080
1643	镣	C1CD	C1CD	516D	414D	E2JX0080
1644	廖	C1CE	C1CE	516E	414E	E2JY0080
1645	料	C1CF	C1CF	516F	414F	E2JZ0080
1646	列	C1D0	C1D0	5170	4150	E2K00080
1647	裂	C1D1	C1D1	5171	4151	E2K10080
1648	烈	C1D2	C1D2	5172	4152	E2K20080
1649	劣	C1D3	C1D3	5173	4153	E2K30080
1650	猎	C1D4	C1D4	5174	4154	E2K40080
1651	琳	C1D5	C1D5	5175	4155	E2K50080
1652	林	C1D6	C1D6	5176	4156	E2K60080
1653	磷	C1D7	C1D7	5177	4157	E2K70080
1654	霖	C1D8	C1D8	5178	4158	E2K80080
1655	临	C1D9	C1D9	5179	4159	E2K90080
1656	邻	C1DA	C1DA	517A	415A	E2KA0080
1657	鳞	C1DB	C1DB	517B	415B	E2KB0080
1658	淋	C1DC	C1DC	517C	415C	E2KC0080
1659	凛	C1DD	C1DD	517D	415D	E2KD0080
1660	赁	C1DE	C1DE	517E	415E	E2KE0080
1661	吝	C1DF	C1DF	517F	415F	E2KF0080
1662	拎	C1E0	C1E0	5181	4160	E2KH0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 6 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1663	玲	C1E1	C1E1	5182	4161	E2KI0080
1664	菱	C1E2	C1E2	5183	4162	E2KJ0080
1665	零	C1E3	C1E3	5184	4163	E2KK0080
1666	龄	C1E4	C1E4	5185	4164	E2KL0080
1667	铃	C1E5	C1E5	5186	4165	E2KM0080
1668	伶	C1E6	C1E6	5187	4166	E2KN0080
1669	羚	C1E7	C1E7	5188	4167	E2KO0080
1670	凌	C1E8	C1E8	5189	4168	E2KP0080
1671	灵	C1E9	C1E9	518A	4169	E2KQ0080
1672	陵	C1EA	C1EA	518B	416A	E2KR0080
1673	岭	C1EB	C1EB	518C	416B	E2KS0080
1674	领	C1EC	C1EC	518D	416C	E2KT0080
1675	另	C1ED	C1ED	518E	416D	E2KU0080
1676	令	C1EE	C1EE	518F	416E	E2KV0080
1677	溜	C1EF	C1EF	5190	416F	E2KW0080
1678	琉	C1F0	C1F0	5191	4170	E2KX0080
1679	榴	C1F1	C1F1	5192	4171	E2KY0080
1680	硫	C1F2	C1F2	5193	4172	E2KZ0080
1681	馏	C1F3	C1F3	5194	4173	E2L00080
1682	留	C1F4	C1F4	5195	4174	E2L10080
1683	刘	C1F5	C1F5	5196	4175	E2L20080
1684	瘤	C1F6	C1F6	5197	4176	E2L30080
1685	流	C1F7	C1F7	5198	4177	E2L40080
1686	柳	C1F8	C1F8	5199	4178	E2L50080
1687	六	C1F9	C1F9	519A	4179	E2L60080
1688	龙	C1FA	C1FA	519B	417A	E2L70080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 7 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1689	聳	C1FB	C1FB	519C	417B	E2L80080
1690	咙	C1FC	C1FC	519D	417C	E2L90080
1691	笼	C1FD	C1FD	519E	417D	E2LA0080
1692	窿	C1FE	C1FE	519F	417E	E2LB0080
1693	隆	C2A1	C2A1	51A0	4221	E2LC0080
1694	垄	C2A2	C2A2	51A1	4222	E2LD0080
1695	拢	C2A3	C2A3	51A2	4223	E2LE0080
1696	陇	C2A4	C2A4	51A3	4224	E2LF0080
1697	楼	C2A5	C2A5	51A4	4225	E2LG0080
1698	娄	C2A6	C2A6	51A5	4226	E2LH0080
1699	搂	C2A7	C2A7	51A6	4227	E2LI0080
1700	篓	C2A8	C2A8	51A7	4228	E2LJ0080
1701	漏	C2A9	C2A9	51A8	4229	E2LK0080
1702	陋	C2AA	C2AA	51A9	422A	E2LL0080
1703	芦	C2AB	C2AB	51AA	422B	E2LM0080
1704	卢	C2AC	C2AC	51AB	422C	E2LN0080
1705	颇	C2AD	C2AD	51AC	422D	E2LO0080
1706	庐	C2AE	C2AE	51AD	422E	E2LP0080
1707	炉	C2AF	C2AF	51AE	422F	E2LQ0080
1708	擄	C2B0	C2B0	51AF	4230	E2LR0080
1709	卤	C2B1	C2B1	51B0	4231	E2LS0080
1710	虏	C2B2	C2B2	51B1	4232	E2LT0080
1711	鲁	C2B3	C2B3	51B2	4233	E2LU0080
1712	麓	C2B4	C2B4	51B3	4234	E2LV0080
1713	碌	C2B5	C2B5	51B4	4235	E2LW0080
1714	露	C2B6	C2B6	51B5	4236	E2LX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 8 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1715	路	C2B7	C2B7	51B6	4237	E2LY0080
1716	赂	C2B8	C2B8	51B7	4238	E2LZ0080
1717	鹿	C2B9	C2B9	51B8	4239	E2M00080
1718	潞	C2BA	C2BA	51B9	423A	E2M10080
1719	禄	C2BB	C2BB	51BA	423B	E2M20080
1720	录	C2BC	C2BC	51BB	423C	E2M30080
1721	陆	C2BD	C2BD	51BC	423D	E2M40080
1722	戮	C2BE	C2BE	51BD	423E	E2M50080
1723	驴	C2BF	C2BF	51BE	423F	E2M60080
1724	吕	C2C0	C2C0	51BF	4240	E2M70080
1725	铝	C2C1	C2C1	51C0	4241	E2M80080
1726	侣	C2C2	C2C2	51C1	4242	E2M90080
1727	旅	C2C3	C2C3	51C2	4243	E2MA0080
1728	履	C2C4	C2C4	51C3	4244	E2MB0080
1729	屡	C2C5	C2C5	51C4	4245	E2MC0080
1730	缕	C2C6	C2C6	51C5	4246	E2MD0080
1731	虑	C2C7	C2C7	51C6	4247	E2ME0080
1732	氯	C2C8	C2C8	51C7	4248	E2MF0080
1733	律	C2C9	C2C9	51C8	4249	E2MG0080
1734	率	C2CA	C2CA	51C9	424A	E2MH0080
1735	滤	C2CB	C2CB	51CA	424B	E2MI0080
1736	绿	C2CC	C2CC	51CB	424C	E2MJ0080
1737	峦	C2CD	C2CD	51CC	424D	E2MK0080
1738	挛	C2CE	C2CE	51CD	424E	E2ML0080
1739	孪	C2CF	C2CF	51CE	424F	E2MM0080
1740	滦	C2D0	C2D0	51CF	4250	E2MN0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 9 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1741	卵	C2D1	C2D1	51D0	4251	E2MQ0080
1742	乱	C2D2	C2D2	51D1	4252	E2MP0080
1743	掠	C2D3	C2D3	51D2	4253	E2MQ0080
1744	略	C2D4	C2D4	51D3	4254	E2MR0080
1745	抡	C2D5	C2D5	51D4	4255	E2MS0080
1746	轮	C2D6	C2D6	51D5	4256	E2MT0080
1747	伦	C2D7	C2D7	51D6	4257	E2MU0080
1748	仑	C2D8	C2D8	51D7	4258	E2MV0080
1749	沦	C2D9	C2D9	51D8	4259	E2MW0080
1750	纶	C2DA	C2DA	51D9	425A	E2MX0080
1751	论	C2DB	C2DB	51DA	425B	E2MY0080
1752	萝	C2DC	C2DC	51DB	425C	E2MZ0080
1753	螺	C2DD	C2DD	51DC	425D	E2N00080
1754	罗	C2DE	C2DE	51DD	425E	E2N10080
1755	逻	C2DF	C2DF	51DE	425F	E2N20080
1756	锣	C2E0	C2E0	51DF	4260	E2N30080
1757	箩	C2E1	C2E1	51E0	4261	E2N40080
1758	骡	C2E2	C2E2	51E1	4262	E2N50080
1759	裸	C2E3	C2E3	51E2	4263	E2N60080
1760	落	C2E4	C2E4	51E3	4264	E2N70080
1761	洛	C2E5	C2E5	51E4	4265	E2N80080
1762	骆	C2E6	C2E6	51E5	4266	E2N90080
1763	络	C2E7	C2E7	51E6	4267	E2NA0080
1764	妈	C2E8	C2E8	51E7	4268	E2NB0080
1765	麻	C2E9	C2E9	51E8	4269	E2NC0080
1766	玛	C2EA	C2EA	51E9	426A	E2ND0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 10 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1767	码	C2EB	C2EB	51EA	426B	E2NE0080
1768	蚂	C2EC	C2EC	51EB	426C	E2NF0080
1769	马	C2ED	C2ED	51EC	426D	E2NG0080
1770	骂	C2EE	C2EE	51ED	426E	E2NH0080
1771	嘛	C2EF	C2EF	51EE	426F	E2NI0080
1772	吗	C2F0	C2F0	51EF	4270	E2NJ0080
1773	埋	C2F1	C2F1	51F0	4271	E2NK0080
1774	买	C2F2	C2F2	51F1	4272	E2NL0080
1775	麦	C2F3	C2F3	51F2	4273	E2NM0080
1776	卖	C2F4	C2F4	51F3	4274	E2NN0080
1777	迈	C2F5	C2F5	51F4	4275	E2NO0080
1778	脉	C2F6	C2F6	51F5	4276	E2NP0080
1779	瞒	C2F7	C2F7	51F6	4277	E2NQ0080
1780	馒	C2F8	C2F8	51F7	4278	E2NR0080
1781	蛮	C2F9	C2F9	51F8	4279	E2NS0080
1782	满	C2FA	C2FA	51F9	427A	E2NT0080
1783	蔓	C2FB	C2FB	51FA	427B	E2NU0080
1784	曼	C2FC	C2FC	51FB	427C	E2NV0080
1785	慢	C2FD	C2FD	51FC	427D	E2NW0080
1786	漫	C2FE	C2FE	51FD	427E	E2NX0080
1787	谩	C3A1	C3A1	5241	4321	E2O10080
1788	芒	C3A2	C3A2	5242	4322	E2O20080
1789	茫	C3A3	C3A3	5243	4323	E2O30080
1790	盲	C3A4	C3A4	5244	4324	E2O40080
1791	氓	C3A5	C3A5	5245	4325	E2O50080
1792	忙	C3A6	C3A6	5246	4326	E2O60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 11 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1793	莽	C3A7	C3A7	5247	4327	E2O70080
1794	猫	C3A8	C3A8	5248	4328	E2O80080
1795	茅	C3A9	C3A9	5249	4329	E2O90080
1796	锚	C3AA	C3AA	524A	432A	E2OA0080
1797	毛	C3AB	C3AB	524B	432B	E2OB0080
1798	矛	C3AC	C3AC	524C	432C	E2OC0080
1799	柳	C3AD	C3AD	524D	432D	E2OD0080
1800	卯	C3AE	C3AE	524E	432E	E2OE0080
1801	茂	C3AF	C3AF	524F	432F	E2OF0080
1802	冒	C3B0	C3B0	5250	4330	E2OG0080
1803	帽	C3B1	C3B1	5251	4331	E2OH0080
1804	貌	C3B2	C3B2	5252	4332	E2OI0080
1805	贸	C3B3	C3B3	5253	4333	E2OJ0080
1806	么	C3B4	C3B4	5254	4334	E2OK0080
1807	玫	C3B5	C3B5	5255	4335	E2OL0080
1808	枚	C3B6	C3B6	5256	4336	E2OM0080
1809	梅	C3B7	C3B7	5257	4337	E2ON0080
1810	酶	C3B8	C3B8	5258	4338	E2OO0080
1811	霉	C3B9	C3B9	5259	4339	E2OP0080
1812	煤	C3BA	C3BA	525A	433A	E2OQ0080
1813	没	C3BB	C3BB	525B	433B	E2OR0080
1814	眉	C3BC	C3BC	525C	433C	E2OS0080
1815	媒	C3BD	C3BD	525D	433D	E2OT0080
1816	镁	C3BE	C3BE	525E	433E	E2OU0080
1817	每	C3BF	C3BF	525F	433F	E2OV0080
1818	美	C3C0	C3C0	5260	4340	E2OW0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 12 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1819	昧	C3C1	C3C1	5261	4341	E2OX0080
1820	寐	C3C2	C3C2	5262	4342	E2OY0080
1821	妹	C3C3	C3C3	5263	4343	E2OZ0080
1822	媚	C3C4	C3C4	5264	4344	E2P00080
1823	门	C3C5	C3C5	5265	4345	E2P10080
1824	闷	C3C6	C3C6	5266	4346	E2P20080
1825	们	C3C7	C3C7	5267	4347	E2P30080
1826	萌	C3C8	C3C8	5268	4348	E2P40080
1827	蒙	C3C9	C3C9	5269	4349	E2P50080
1828	檬	C3CA	C3CA	526A	434A	E2P60080
1829	盟	C3CB	C3CB	526B	434B	E2P70080
1830	锰	C3CC	C3CC	526C	434C	E2P80080
1831	猛	C3CD	C3CD	526D	434D	E2P90080
1832	梦	C3CE	C3CE	526E	434E	E2PA0080
1833	孟	C3CF	C3CF	526F	434F	E2PB0080
1834	眯	C3D0	C3D0	5270	4350	E2PC0080
1835	醚	C3D1	C3D1	5271	4351	E2PD0080
1836	靡	C3D2	C3D2	5272	4352	E2PE0080
1837	糜	C3D3	C3D3	5273	4353	E2PF0080
1838	迷	C3D4	C3D4	5274	4354	E2PG0080
1839	谜	C3D5	C3D5	5275	4355	E2PH0080
1840	弥	C3D6	C3D6	5276	4356	E2PI0080
1841	米	C3D7	C3D7	5277	4357	E2PJ0080
1842	秘	C3D8	C3D8	5278	4358	E2PK0080
1843	觅	C3D9	C3D9	5279	4359	E2PL0080
1844	泌	C3DA	C3DA	527A	435A	E2PM0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 13 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1845	蜜	C3DB	C3DB	527B	435B	E2PN0080
1846	密	C3DC	C3DC	527C	435C	E2PO0080
1847	幂	C3DD	C3DD	527D	435D	E2PP0080
1848	棉	C3DE	C3DE	527E	435E	E2PQ0080
1849	眠	C3DF	C3DF	527F	435F	E2PR0080
1850	绵	C3E0	C3E0	5281	4360	E2PT0080
1851	冕	C3E1	C3E1	5282	4361	E2PU0080
1852	免	C3E2	C3E2	5283	4362	E2PV0080
1853	勉	C3E3	C3E3	5284	4363	E2PW0080
1854	娩	C3E4	C3E4	5285	4364	E2PX0080
1855	緬	C3E5	C3E5	5286	4365	E2PY0080
1856	面	C3E6	C3E6	5287	4366	E2PZ0080
1857	苗	C3E7	C3E7	5288	4367	E2Q00080
1858	描	C3E8	C3E8	5289	4368	E2Q10080
1859	瞄	C3E9	C3E9	528A	4369	E2Q20080
1860	藐	C3EA	C3EA	528B	436A	E2Q30080
1861	秒	C3EB	C3EB	528C	436B	E2Q40080
1862	渺	C3EC	C3EC	528D	436C	E2Q50080
1863	庙	C3ED	C3ED	528E	436D	E2Q60080
1864	妙	C3EE	C3EE	528F	436E	E2Q70080
1865	蔑	C3EF	C3EF	5290	436F	E2Q80080
1866	灭	C3F0	C3F0	5291	4370	E2Q90080
1867	民	C3F1	C3F1	5292	4371	E2QA0080
1868	抵	C3F2	C3F2	5293	4372	E2QB0080
1869	皿	C3F3	C3F3	5294	4373	E2QC0080
1870	敏	C3F4	C3F4	5295	4374	E2QD0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 14 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1871	悯	C3F5	C3F5	5296	4375	E2QE0080
1872	闽	C3F6	C3F6	5297	4376	E2QF0080
1873	明	C3F7	C3F7	5298	4377	E2QG0080
1874	螟	C3F8	C3F8	5299	4378	E2QH0080
1875	鸣	C3F9	C3F9	529A	4379	E2QI0080
1876	铭	C3FA	C3FA	529B	437A	E2QJ0080
1877	名	C3FB	C3FB	529C	437B	E2QK0080
1878	命	C3FC	C3FC	529D	437C	E2QL0080
1879	谬	C3FD	C3FD	529E	437D	E2QM0080
1880	摸	C3FE	C3FE	529F	437E	E2QN0080
1881	摹	C4A1	C4A1	52A0	4421	E2QO0080
1882	磨	C4A2	C4A2	52A1	4422	E2QP0080
1883	模	C4A3	C4A3	52A2	4423	E2QQ0080
1884	膜	C4A4	C4A4	52A3	4424	E2QR0080
1885	磨	C4A5	C4A5	52A4	4425	E2QS0080
1886	摩	C4A6	C4A6	52A5	4426	E2QT0080
1887	魔	C4A7	C4A7	52A6	4427	E2QU0080
1888	抹	C4A8	C4A8	52A7	4428	E2QV0080
1889	末	C4A9	C4A9	52A8	4429	E2QW0080
1890	莫	C4AA	C4AA	52A9	442A	E2QX0080
1891	墨	C4AB	C4AB	52AA	442B	E2QY0080
1892	默	C4AC	C4AC	52AB	442C	E2QZ0080
1893	沫	C4AD	C4AD	52AC	442D	E2R00080
1894	漠	C4AE	C4AE	52AD	442E	E2R10080
1895	寞	C4AF	C4AF	52AE	442F	E2R20080
1896	陌	C4B0	C4B0	52AF	4430	E2R30080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 15 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1897	谋	C4B1	C4B1	52B0	4431	E2R40080
1898	牟	C4B2	C4B2	52B1	4432	E2R50080
1899	某	C4B3	C4B3	52B2	4433	E2R60080
1900	拇	C4B4	C4B4	52B3	4434	E2R70080
1901	牡	C4B5	C4B5	52B4	4435	E2R80080
1902	亩	C4B6	C4B6	52B5	4436	E2R90080
1903	姆	C4B7	C4B7	52B6	4437	E2RA0080
1904	母	C4B8	C4B8	52B7	4438	E2RB0080
1905	墓	C4B9	C4B9	52B8	4439	E2RC0080
1906	暮	C4BA	C4BA	52B9	443A	E2RD0080
1907	幕	C4BB	C4BB	52BA	443B	E2RE0080
1908	募	C4BC	C4BC	52BB	443C	E2RF0080
1909	慕	C4BD	C4BD	52BC	443D	E2RG0080
1910	木	C4BE	C4BE	52BD	443E	E2RH0080
1911	目	C4BF	C4BF	52BE	443F	E2RI0080
1912	睦	C4C0	C4C0	52BF	4440	E2RJ0080
1913	牧	C4C1	C4C1	52C0	4441	E2RK0080
1914	穆	C4C2	C4C2	52C1	4442	E2RL0080
1915	拿	C4C3	C4C3	52C2	4443	E2RM0080
1916	哪	C4C4	C4C4	52C3	4444	E2RN0080
1917	呐	C4C5	C4C5	52C4	4445	E2RO0080
1918	钠	C4C6	C4C6	52C5	4446	E2RP0080
1919	那	C4C7	C4C7	52C6	4447	E2RQ0080
1920	娜	C4C8	C4C8	52C7	4448	E2RR0080
1921	纳	C4C9	C4C9	52C8	4449	E2RS0080
1922	氛	C4CA	C4CA	52C9	444A	E2RT0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 16 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1923	乃	C4CB	C4CB	52CA	444B	E2RU0080
1924	奶	C4CC	C4CC	52CB	444C	E2RV0080
1925	耐	C4CD	C4CD	52CC	444D	E2RW0080
1926	奈	C4CE	C4CE	52CD	444E	E2RX0080
1927	南	C4CF	C4CF	52CE	444F	E2RY0080
1928	男	C4D0	C4D0	52CF	4450	E2RZ0080
1929	难	C4D1	C4D1	52D0	4451	E2S00080
1930	囊	C4D2	C4D2	52D1	4452	E2S10080
1931	挠	C4D3	C4D3	52D2	4453	E2S20080
1932	脑	C4D4	C4D4	52D3	4454	E2S30080
1933	恼	C4D5	C4D5	52D4	4455	E2S40080
1934	闹	C4D6	C4D6	52D5	4456	E2S50080
1935	淖	C4D7	C4D7	52D6	4457	E2S60080
1936	呢	C4D8	C4D8	52D7	4458	E2S70080
1937	馁	C4D9	C4D9	52D8	4459	E2S80080
1938	内	C4DA	C4DA	52D9	445A	E2S90080
1939	嫩	C4DB	C4DB	52DA	445B	E2SA0080
1940	能	C4DC	C4DC	52DB	445C	E2SB0080
1941	妮	C4DD	C4DD	52DC	445D	E2SC0080
1942	霓	C4DE	C4DE	52DD	445E	E2SD0080
1943	倪	C4DF	C4DF	52DE	445F	E2SE0080
1944	泥	C4E0	C4E0	52DF	4460	E2SF0080
1945	尼	C4E1	C4E1	52E0	4461	E2SG0080
1946	拟	C4E2	C4E2	52E1	4462	E2SH0080
1947	你	C4E3	C4E3	52E2	4463	E2SI0080
1948	匿	C4E4	C4E4	52E3	4464	E2SJ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 17 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1949	膩	C4E5	C4E5	52E4	4465	E2SK0080
1950	逆	C4E6	C4E6	52E5	4466	E2SL0080
1951	溺	C4E7	C4E7	52E6	4467	E2SM0080
1952	鳶	C4E8	C4E8	52E7	4468	E2SN0080
1953	拈	C4E9	C4E9	52E8	4469	E2SO0080
1954	年	C4EA	C4EA	52E9	446A	E2SP0080
1955	碾	C4EB	C4EB	52EA	446B	E2SQ0080
1956	撵	C4EC	C4EC	52EB	446C	E2SR0080
1957	捻	C4ED	C4ED	52EC	446D	E2SS0080
1958	念	C4EE	C4EE	52ED	446E	E2ST0080
1959	娘	C4EF	C4EF	52EE	446F	E2SU0080
1960	酿	C4F0	C4F0	52EF	4470	E2SV0080
1961	鸟	C4F1	C4F1	52F0	4471	E2SW0080
1962	尿	C4F2	C4F2	52F1	4472	E2SX0080
1963	捏	C4F3	C4F3	52F2	4473	E2SY0080
1964	聂	C4F4	C4F4	52F3	4474	E2SZ0080
1965	孽	C4F5	C4F5	52F4	4475	E2T00080
1966	啮	C4F6	C4F6	52F5	4476	E2T10080
1967	镊	C4F7	C4F7	52F6	4477	E2T20080
1968	镍	C4F8	C4F8	52F7	4478	E2T30080
1969	涅	C4F9	C4F9	52F8	4479	E2T40080
1970	您	C4FA	C4FA	52F9	447A	E2T50080
1971	柠	C4FB	C4FB	52FA	447B	E2T60080
1972	狞	C4FC	C4FC	52FB	447C	E2T70080
1973	凝	C4FD	C4FD	52FC	447D	E2T80080
1974	宁	C4FE	C4FE	52FD	447E	E2T90080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 18 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1975	拧	C5A1	C5A1	5341	4521	E2TD0080
1976	泞	C5A2	C5A2	5342	4522	E2TE0080
1977	牛	C5A3	C5A3	5343	4523	E2TF0080
1978	扭	C5A4	C5A4	5344	4524	E2TG0080
1979	钮	C5A5	C5A5	5345	4525	E2TH0080
1980	纽	C5A6	C5A6	5346	4526	E2TI0080
1981	脓	C5A7	C5A7	5347	4527	E2TJ0080
1982	浓	C5A8	C5A8	5348	4528	E2TK0080
1983	农	C5A9	C5A9	5349	4529	E2TL0080
1984	弄	C5AA	C5AA	534A	452A	E2TM0080
1985	奴	C5AB	C5AB	534B	452B	E2TN0080
1986	努	C5AC	C5AC	534C	452C	E2TO0080
1987	怒	C5AD	C5AD	534D	452D	E2TP0080
1988	女	C5AE	C5AE	534E	452E	E2TQ0080
1989	暖	C5AF	C5AF	534F	452F	E2TR0080
1990	虐	C5B0	C5B0	5350	4530	E2TS0080
1991	疟	C5B1	C5B1	5351	4531	E2TT0080
1992	挪	C5B2	C5B2	5352	4532	E2TU0080
1993	懦	C5B3	C5B3	5353	4533	E2TV0080
1994	糯	C5B4	C5B4	5354	4534	E2TW0080
1995	诺	C5B5	C5B5	5355	4535	E2TX0080
1996	哦	C5B6	C5B6	5356	4536	E2TY0080
1997	欧	C5B7	C5B7	5357	4537	E2TZ0080
1998	鸥	C5B8	C5B8	5358	4538	E2U00080
1999	殴	C5B9	C5B9	5359	4539	E2U10080
2000	藕	C5BA	C5BA	535A	453A	E2U20080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 19 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2001	呕	C5BB	C5BB	535B	453B	E2U30080
2002	偶	C5BC	C5BC	535C	453C	E2U40080
2003	沔	C5BD	C5BD	535D	453D	E2U50080
2004	咄	C5BE	C5BE	535E	453E	E2U60080
2005	趴	C5BF	C5BF	535F	453F	E2U70080
2006	爬	C5C0	C5C0	5360	4540	E2U80080
2007	帕	C5C1	C5C1	5361	4541	E2U90080
2008	怕	C5C2	C5C2	5362	4542	E2UA0080
2009	琶	C5C3	C5C3	5363	4543	E2UB0080
2010	拍	C5C4	C5C4	5364	4544	E2UC0080
2011	排	C5C5	C5C5	5365	4545	E2UD0080
2012	牌	C5C6	C5C6	5366	4546	E2UE0080
2013	徘	C5C7	C5C7	5367	4547	E2UF0080
2014	湃	C5C8	C5C8	5368	4548	E2UG0080
2015	派	C5C9	C5C9	5369	4549	E2UH0080
2016	攀	C5CA	C5CA	536A	454A	E2UI0080
2017	潘	C5CB	C5CB	536B	454B	E2UJ0080
2018	盘	C5CC	C5CC	536C	454C	E2UK0080
2019	磐	C5CD	C5CD	536D	454D	E2UL0080
2020	盼	C5CE	C5CE	536E	454E	E2UM0080
2021	畔	C5CF	C5CF	536F	454F	E2UN0080
2022	判	C5D0	C5D0	5370	4550	E2UO0080
2023	叛	C5D1	C5D1	5371	4551	E2UP0080
2024	乒	C5D2	C5D2	5372	4552	E2UQ0080
2025	庞	C5D3	C5D3	5373	4553	E2UR0080
2026	旁	C5D4	C5D4	5374	4554	E2US0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 20 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2027	榜	C5D5	C5D5	5375	4555	E2UT0080
2028	胖	C5D6	C5D6	5376	4556	E2UU0080
2029	抛	C5D7	C5D7	5377	4557	E2UV0080
2030	咆	C5D8	C5D8	5378	4558	E2UW0080
2031	刨	C5D9	C5D9	5379	4559	E2UX0080
2032	炮	C5DA	C5DA	537A	455A	E2UY0080
2033	袍	C5DB	C5DB	537B	455B	E2UZ0080
2034	跑	C5DC	C5DC	537C	455C	E2V00080
2035	泡	C5DD	C5DD	537D	455D	E2V10080
2036	呸	C5DE	C5DE	537E	455E	E2V20080
2037	胚	C5DF	C5DF	537F	455F	E2V30080
2038	培	C5E0	C5E0	5381	4560	E2V50080
2039	裴	C5E1	C5E1	5382	4561	E2V60080
2040	赔	C5E2	C5E2	5383	4562	E2V70080
2041	陪	C5E3	C5E3	5384	4563	E2V80080
2042	配	C5E4	C5E4	5385	4564	E2V90080
2043	佩	C5E5	C5E5	5386	4565	E2VA0080
2044	沛	C5E6	C5E6	5387	4566	E2VB0080
2045	喷	C5E7	C5E7	5388	4567	E2VC0080
2046	盆	C5E8	C5E8	5389	4568	E2VD0080
2047	砰	C5E9	C5E9	538A	4569	E2VE0080
2048	抨	C5EA	C5EA	538B	456A	E2VF0080
2049	烹	C5EB	C5EB	538C	456B	E2VG0080
2050	澎	C5EC	C5EC	538D	456C	E2VH0080
2051	彭	C5ED	C5ED	538E	456D	E2VI0080
2052	蓬	C5EE	C5EE	538F	456E	E2VJ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 21 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2053	棚	C5EF	C5EF	5390	456F	E2VK0080
2054	礮	C5F0	C5F0	5391	4570	E2VL0080
2055	篷	C5F1	C5F1	5392	4571	E2VM0080
2056	膨	C5F2	C5F2	5393	4572	E2VN0080
2057	朋	C5F3	C5F3	5394	4573	E2VO0080
2058	鵬	C5F4	C5F4	5395	4574	E2VP0080
2059	捧	C5F5	C5F5	5396	4575	E2VQ0080
2060	碰	C5F6	C5F6	5397	4576	E2VR0080
2061	坯	C5F7	C5F7	5398	4577	E2VS0080
2062	砒	C5F8	C5F8	5399	4578	E2VT0080
2063	霹	C5F9	C5F9	539A	4579	E2VU0080
2064	批	C5FA	C5FA	539B	457A	E2VV0080
2065	披	C5FB	C5FB	539C	457B	E2VW0080
2066	劈	C5FC	C5FC	539D	457C	E2VX0080
2067	琵琶	C5FD	C5FD	539E	457D	E2VY0080
2068	毗	C5FE	C5FE	539F	457E	E2VZ0080
2069	啤	C6A1	C6A1	53A0	4621	E2W00080
2070	脾	C6A2	C6A2	53A1	4622	E2W10080
2071	疲	C6A3	C6A3	53A2	4623	E2W20080
2072	皮	C6A4	C6A4	53A3	4624	E2W30080
2073	匹	C6A5	C6A5	53A4	4625	E2W40080
2074	痞	C6A6	C6A6	53A5	4626	E2W50080
2075	僻	C6A7	C6A7	53A6	4627	E2W60080
2076	屁	C6A8	C6A8	53A7	4628	E2W70080
2077	譬	C6A9	C6A9	53A8	4629	E2W80080
2078	篇	C6AA	C6AA	53A9	462A	E2W90080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 22 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2079	偏	C6AB	C6AB	53AA	462B	E2WA0080
2080	片	C6AC	C6AC	53AB	462C	E2WB0080
2081	骗	C6AD	C6AD	53AC	462D	E2WC0080
2082	飘	C6AE	C6AE	53AD	462E	E2WD0080
2083	漂	C6AF	C6AF	53AE	462F	E2WE0080
2084	瓢	C6B0	C6B0	53AF	4630	E2WF0080
2085	票	C6B1	C6B1	53B0	4631	E2WG0080
2086	撇	C6B2	C6B2	53B1	4632	E2WH0080
2087	瞥	C6B3	C6B3	53B2	4633	E2WI0080
2088	拼	C6B4	C6B4	53B3	4634	E2WJ0080
2089	频	C6B5	C6B5	53B4	4635	E2WK0080
2090	贫	C6B6	C6B6	53B5	4636	E2WL0080
2091	品	C6B7	C6B7	53B6	4637	E2WM0080
2092	聘	C6B8	C6B8	53B7	4638	E2WN0080
2093	乒	C6B9	C6B9	53B8	4639	E2WO0080
2094	坪	C6BA	C6BA	53B9	463A	E2WP0080
2095	苹	C6BB	C6BB	53BA	463B	E2WQ0080
2096	萍	C6BC	C6BC	53BB	463C	E2WR0080
2097	平	C6BD	C6BD	53BC	463D	E2WS0080
2098	凭	C6BE	C6BE	53BD	463E	E2WT0080
2099	瓶	C6BF	C6BF	53BE	463F	E2WU0080
2100	评	C6C0	C6C0	53BF	4640	E2WV0080
2101	屏	C6C1	C6C1	53C0	4641	E2WW0080
2102	坡	C6C2	C6C2	53C1	4642	E2WX0080
2103	泼	C6C3	C6C3	53C2	4643	E2WY0080
2104	颇	C6C4	C6C4	53C3	4644	E2WZ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 23 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2105	婆	C6C5	C6C5	53C4	4645	E2X00080
2106	破	C6C6	C6C6	53C5	4646	E2X10080
2107	魄	C6C7	C6C7	53C6	4647	E2X20080
2108	迫	C6C8	C6C8	53C7	4648	E2X30080
2109	粕	C6C9	C6C9	53C8	4649	E2X40080
2110	剖	C6CA	C6CA	53C9	464A	E2X50080
2111	扑	C6CB	C6CB	53CA	464B	E2X60080
2112	铺	C6CC	C6CC	53CB	464C	E2X70080
2113	仆	C6CD	C6CD	53CC	464D	E2X80080
2114	莆	C6CE	C6CE	53CD	464E	E2X90080
2115	葡	C6CF	C6CF	53CE	464F	E2XA0080
2116	菩	C6D0	C6D0	53CF	4650	E2XB0080
2117	蒲	C6D1	C6D1	53D0	4651	E2XC0080
2118	埔	C6D2	C6D2	53D1	4652	E2XD0080
2119	朴	C6D3	C6D3	53D2	4653	E2XE0080
2120	圃	C6D4	C6D4	53D3	4654	E2XF0080
2121	普	C6D5	C6D5	53D4	4655	E2XG0080
2122	浦	C6D6	C6D6	53D5	4656	E2XH0080
2123	谱	C6D7	C6D7	53D6	4657	E2XI0080
2124	曝	C6D8	C6D8	53D7	4658	E2XJ0080
2125	瀑	C6D9	C6D9	53D8	4659	E2XK0080
2126	期	C6DA	C6DA	53D9	465A	E2XL0080
2127	欺	C6DB	C6DB	53DA	465B	E2XM0080
2128	栖	C6DC	C6DC	53DB	465C	E2XN0080
2129	戚	C6DD	C6DD	53DC	465D	E2XO0080
2130	妻	C6DE	C6DE	53DD	465E	E2XP0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 24 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2131	七	C6DF	C6DF	53DE	465F	E2XQ0080
2132	凄	C6E0	C6E0	53DF	4660	E2XR0080
2133	漆	C6E1	C6E1	53E0	4661	E2XS0080
2134	柒	C6E2	C6E2	53E1	4662	E2XT0080
2135	沏	C6E3	C6E3	53E2	4663	E2XU0080
2136	其	C6E4	C6E4	53E3	4664	E2XV0080
2137	棋	C6E5	C6E5	53E4	4665	E2XW0080
2138	奇	C6E6	C6E6	53E5	4666	E2XX0080
2139	歧	C6E7	C6E7	53E6	4667	E2XY0080
2140	畦	C6E8	C6E8	53E7	4668	E2XZ0080
2141	崎	C6E9	C6E9	53E8	4669	E2Y00080
2142	脐	C6EA	C6EA	53E9	466A	E2Y10080
2143	齐	C6EB	C6EB	53EA	466B	E2Y20080
2144	旗	C6EC	C6EC	53EB	466C	E2Y30080
2145	祈	C6ED	C6ED	53EC	466D	E2Y40080
2146	祁	C6EE	C6EE	53ED	466E	E2Y50080
2147	骑	C6EF	C6EF	53EE	466F	E2Y60080
2148	起	C6F0	C6F0	53EF	4670	E2Y70080
2149	岂	C6F1	C6F1	53F0	4671	E2Y80080
2150	乞	C6F2	C6F2	53F1	4672	E2Y90080
2151	企	C6F3	C6F3	53F2	4673	E2YA0080
2152	启	C6F4	C6F4	53F3	4674	E2YB0080
2153	契	C6F5	C6F5	53F4	4675	E2YC0080
2154	砌	C6F6	C6F6	53F5	4676	E2YD0080
2155	器	C6F7	C6F7	53F6	4677	E2YE0080
2156	气	C6F8	C6F8	53F7	4678	E2YF0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 25 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2157	迄	C6F9	C6F9	53F8	4679	E2YG0080
2158	弃	C6FA	C6FA	53F9	467A	E2YH0080
2159	汽	C6FB	C6FB	53FA	467B	E2YI0080
2160	泣	C6FC	C6FC	53FB	467C	E2YJ0080
2161	讫	C6FD	C6FD	53FC	467D	E2YK0080
2162	掐	C6FE	C6FE	53FD	467E	E2YL0080
2163	恰	C7A1	C7A1	5441	4721	E2YP0080
2164	洽	C7A2	C7A2	5442	4722	E2YQ0080
2165	牵	C7A3	C7A3	5443	4723	E2YR0080
2166	扞	C7A4	C7A4	5444	4724	E2YS0080
2167	钎	C7A5	C7A5	5445	4725	E2YT0080
2168	铅	C7A6	C7A6	5446	4726	E2YU0080
2169	千	C7A7	C7A7	5447	4727	E2YV0080
2170	迁	C7A8	C7A8	5448	4728	E2YW0080
2171	签	C7A9	C7A9	5449	4729	E2YX0080
2172	仟	C7AA	C7AA	544A	472A	E2YY0080
2173	谦	C7AB	C7AB	544B	472B	E2YZ0080
2174	乾	C7AC	C7AC	544C	472C	E2Z00080
2175	黔	C7AD	C7AD	544D	472D	E2Z10080
2176	钱	C7AE	C7AE	544E	472E	E2Z20080
2177	钳	C7AF	C7AF	544F	472F	E2Z30080
2178	前	C7B0	C7B0	5450	4730	E2Z40080
2179	潜	C7B1	C7B1	5451	4731	E2Z50080
2180	遣	C7B2	C7B2	5452	4732	E2Z60080
2181	浅	C7B3	C7B3	5453	4733	E2Z70080
2182	谴	C7B4	C7B4	5454	4734	E2Z80080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 26 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2183	塹	C7B5	C7B5	5455	4735	E2Z90080
2184	嵌	C7B6	C7B6	5456	4736	E2ZA0080
2185	欠	C7B7	C7B7	5457	4737	E2ZB0080
2186	歉	C7B8	C7B8	5458	4738	E2ZC0080
2187	枪	C7B9	C7B9	5459	4739	E2ZD0080
2188	呛	C7BA	C7BA	545A	473A	E2ZE0080
2189	腔	C7BB	C7BB	545B	473B	E2ZF0080
2190	羌	C7BC	C7BC	545C	473C	E2ZG0080
2191	墙	C7BD	C7BD	545D	473D	E2ZH0080
2192	蓄	C7BE	C7BE	545E	473E	E2ZI0080
2193	强	C7BF	C7BF	545F	473F	E2ZJ0080
2194	抢	C7C0	C7C0	5460	4740	E2ZK0080
2195	撬	C7C1	C7C1	5461	4741	E2ZL0080
2196	锹	C7C2	C7C2	5462	4742	E2ZM0080
2197	敲	C7C3	C7C3	5463	4743	E2ZN0080
2198	悄	C7C4	C7C4	5464	4744	E2ZO0080
2199	桥	C7C5	C7C5	5465	4745	E2ZP0080
2200	瞧	C7C6	C7C6	5466	4746	E2ZQ0080
2201	乔	C7C7	C7C7	5467	4747	E2ZR0080
2202	侨	C7C8	C7C8	5468	4748	E2ZS0080
2203	巧	C7C9	C7C9	5469	4749	E2ZT0080
2204	鞘	C7CA	C7CA	546A	474A	E2ZU0080
2205	撬	C7CB	C7CB	546B	474B	E2ZV0080
2206	翘	C7CC	C7CC	546C	474C	E2ZW0080
2207	峭	C7CD	C7CD	546D	474D	E2ZX0080
2208	俏	C7CE	C7CE	546E	474E	E2ZY0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 27 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2209	窵	C7CF	C7CF	546F	474F	E2ZZ0080
2210	切	C7D0	C7D0	5470	4750	E3000080
2211	茄	C7D1	C7D1	5471	4751	E3010080
2212	且	C7D2	C7D2	5472	4752	E3020080
2213	怯	C7D3	C7D3	5473	4753	E3030080
2214	窃	C7D4	C7D4	5474	4754	E3040080
2215	钦	C7D5	C7D5	5475	4755	E3050080
2216	侵	C7D6	C7D6	5476	4756	E3060080
2217	亲	C7D7	C7D7	5477	4757	E3070080
2218	秦	C7D8	C7D8	5478	4758	E3080080
2219	琴	C7D9	C7D9	5479	4759	E3090080
2220	勤	C7DA	C7DA	547A	475A	E30A0080
2221	芹	C7DB	C7DB	547B	475B	E30B0080
2222	擒	C7DC	C7DC	547C	475C	E30C0080
2223	禽	C7DD	C7DD	547D	475D	E30D0080
2224	寢	C7DE	C7DE	547E	475E	E30E0080
2225	沁	C7DF	C7DF	547F	475F	E30F0080
2226	青	C7E0	C7E0	5481	4760	E30H0080
2227	轻	C7E1	C7E1	5482	4761	E30I0080
2228	氢	C7E2	C7E2	5483	4762	E30J0080
2229	倾	C7E3	C7E3	5484	4763	E30K0080
2230	卿	C7E4	C7E4	5485	4764	E30L0080
2231	清	C7E5	C7E5	5486	4765	E30M0080
2232	擎	C7E6	C7E6	5487	4766	E30N0080
2233	晴	C7E7	C7E7	5488	4767	E30O0080
2234	氰	C7E8	C7E8	5489	4768	E30P0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 28 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2235	情	C7E9	C7E9	548A	4769	E30Q0080
2236	顷	C7EA	C7EA	548B	476A	E30R0080
2237	请	C7EB	C7EB	548C	476B	E30S0080
2238	庆	C7EC	C7EC	548D	476C	E30T0080
2239	琼	C7ED	C7ED	548E	476D	E30U0080
2240	穷	C7EE	C7EE	548F	476E	E30V0080
2241	秋	C7EF	C7EF	5490	476F	E30W0080
2242	丘	C7F0	C7F0	5491	4770	E30X0080
2243	邱	C7F1	C7F1	5492	4771	E30Y0080
2244	球	C7F2	C7F2	5493	4772	E30Z0080
2245	求	C7F3	C7F3	5494	4773	E3100080
2246	囚	C7F4	C7F4	5495	4774	E3110080
2247	酋	C7F5	C7F5	5496	4775	E3120080
2248	泓	C7F6	C7F6	5497	4776	E3130080
2249	趋	C7F7	C7F7	5498	4777	E3140080
2250	区	C7F8	C7F8	5499	4778	E3150080
2251	蛆	C7F9	C7F9	549A	4779	E3160080
2252	曲	C7FA	C7FA	549B	477A	E3170080
2253	躯	C7FB	C7FB	549C	477B	E3180080
2254	屈	C7FC	C7FC	549D	477C	E3190080
2255	驱	C7FD	C7FD	549E	477D	E31A0080
2256	渠	C7FE	C7FE	549F	477E	E31B0080
2257	取	C8A1	C8A1	54A0	4821	E31C0080
2258	娶	C8A2	C8A2	54A1	4822	E31D0080
2259	龇	C8A3	C8A3	54A2	4823	E31E0080
2260	趣	C8A4	C8A4	54A3	4824	E31F0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 29 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2261	去	C8A5	C8A5	54A4	4825	E31G0080
2262	圈	C8A6	C8A6	54A5	4826	E31H0080
2263	颧	C8A7	C8A7	54A6	4827	E31I0080
2264	杈	C8A8	C8A8	54A7	4828	E31J0080
2265	醛	C8A9	C8A9	54A8	4829	E31K0080
2266	泉	C8AA	C8AA	54A9	482A	E31L0080
2267	全	C8AB	C8AB	54AA	482B	E31M0080
2268	痊	C8AC	C8AC	54AB	482C	E31N0080
2269	拳	C8AD	C8AD	54AC	482D	E31O0080
2270	犬	C8AE	C8AE	54AD	482E	E31P0080
2271	券	C8AF	C8AF	54AE	482F	E31Q0080
2272	劝	C8B0	C8B0	54AF	4830	E31R0080
2273	缺	C8B1	C8B1	54B0	4831	E31S0080
2274	焮	C8B2	C8B2	54B1	4832	E31T0080
2275	癩	C8B3	C8B3	54B2	4833	E31U0080
2276	却	C8B4	C8B4	54B3	4834	E31V0080
2277	鹊	C8B5	C8B5	54B4	4835	E31W0080
2278	榷	C8B6	C8B6	54B5	4836	E31X0080
2279	确	C8B7	C8B7	54B6	4837	E31Y0080
2280	雀	C8B8	C8B8	54B7	4838	E31Z0080
2281	裙	C8B9	C8B9	54B8	4839	E3200080
2282	群	C8BA	C8BA	54B9	483A	E3210080
2283	然	C8BB	C8BB	54BA	483B	E3220080
2284	燃	C8BC	C8BC	54BB	483C	E3230080
2285	冉	C8BD	C8BD	54BC	483D	E3240080
2286	染	C8BE	C8BE	54BD	483E	E3250080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 30 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2287	瓢	C8BF	C8BF	54BE	483F	E3260080
2288	壤	C8C0	C8C0	54BF	4840	E3270080
2289	攘	C8C1	C8C1	54C0	4841	E3280080
2290	嚷	C8C2	C8C2	54C1	4842	E3290080
2291	让	C8C3	C8C3	54C2	4843	E32A0080
2292	饶	C8C4	C8C4	54C3	4844	E32B0080
2293	扰	C8C5	C8C5	54C4	4845	E32C0080
2294	绕	C8C6	C8C6	54C5	4846	E32D0080
2295	惹	C8C7	C8C7	54C6	4847	E32E0080
2296	热	C8C8	C8C8	54C7	4848	E32F0080
2297	壬	C8C9	C8C9	54C8	4849	E32G0080
2298	仁	C8CA	C8CA	54C9	484A	E32H0080
2299	人	C8CB	C8CB	54CA	484B	E32I0080
2300	忍	C8CC	C8CC	54CB	484C	E32J0080
2301	韧	C8CD	C8CD	54CC	484D	E32K0080
2302	任	C8CE	C8CE	54CD	484E	E32L0080
2303	认	C8CF	C8CF	54CE	484F	E32M0080
2304	刃	C8D0	C8D0	54CF	4850	E32N0080
2305	妊	C8D1	C8D1	54D0	4851	E32O0080
2306	纫	C8D2	C8D2	54D1	4852	E32P0080
2307	扔	C8D3	C8D3	54D2	4853	E32Q0080
2308	仍	C8D4	C8D4	54D3	4854	E32R0080
2309	日	C8D5	C8D5	54D4	4855	E32S0080
2310	戎	C8D6	C8D6	54D5	4856	E32T0080
2311	茸	C8D7	C8D7	54D6	4857	E32U0080
2312	蓉	C8D8	C8D8	54D7	4858	E32V0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 31 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2313	荣	C8D9	C8D9	54D8	4859	E32W0080
2314	融	C8DA	C8DA	54D9	485A	E32X0080
2315	熔	C8DB	C8DB	54DA	485B	E32Y0080
2316	溶	C8DC	C8DC	54DB	485C	E32Z0080
2317	容	C8DD	C8DD	54DC	485D	E3300080
2318	绒	C8DE	C8DE	54DD	485E	E3310080
2319	冗	C8DF	C8DF	54DE	485F	E3320080
2320	揉	C8E0	C8E0	54DF	4860	E3330080
2321	柔	C8E1	C8E1	54E0	4861	E3340080
2322	肉	C8E2	C8E2	54E1	4862	E3350080
2323	茹	C8E3	C8E3	54E2	4863	E3360080
2324	蠕	C8E4	C8E4	54E3	4864	E3370080
2325	儒	C8E5	C8E5	54E4	4865	E3380080
2326	孺	C8E6	C8E6	54E5	4866	E3390080
2327	如	C8E7	C8E7	54E6	4867	E33A0080
2328	辱	C8E8	C8E8	54E7	4868	E33B0080
2329	乳	C8E9	C8E9	54E8	4869	E33C0080
2330	汝	C8EA	C8EA	54E9	486A	E33D0080
2331	入	C8EB	C8EB	54EA	486B	E33E0080
2332	褥	C8EC	C8EC	54EB	486C	E33F0080
2333	软	C8ED	C8ED	54EC	486D	E33G0080
2334	阮	C8EE	C8EE	54ED	486E	E33H0080
2335	蕊	C8EF	C8EF	54EE	486F	E33I0080
2336	瑞	C8F0	C8F0	54EF	4870	E33J0080
2337	锐	C8F1	C8F1	54F0	4871	E33K0080
2338	闰	C8F2	C8F2	54F1	4872	E33L0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 32 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2339	润	C8F3	C8F3	54F2	4873	E33M0080
2340	若	C8F4	C8F4	54F3	4874	E33N0080
2341	弱	C8F5	C8F5	54F4	4875	E33O0080
2342	撒	C8F6	C8F6	54F5	4876	E33P0080
2343	洒	C8F7	C8F7	54F6	4877	E33Q0080
2344	萨	C8F8	C8F8	54F7	4878	E33R0080
2345	腮	C8F9	C8F9	54F8	4879	E33S0080
2346	鳃	C8FA	C8FA	54F9	487A	E33T0080
2347	塞	C8FB	C8FB	54FA	487B	E33U0080
2348	赛	C8FC	C8FC	54FB	487C	E33V0080
2349	三	C8FD	C8FD	54FC	487D	E33W0080
2350	叁	C8FE	C8FE	54FD	487E	E33X0080
2351	伞	C9A1	C9A1	5541	4921	E3410080
2352	散	C9A2	C9A2	5542	4922	E3420080
2353	桑	C9A3	C9A3	5543	4923	E3430080
2354	嗓	C9A4	C9A4	5544	4924	E3440080
2355	丧	C9A5	C9A5	5545	4925	E3450080
2356	搔	C9A6	C9A6	5546	4926	E3460080
2357	骚	C9A7	C9A7	5547	4927	E3470080
2358	扫	C9A8	C9A8	5548	4928	E3480080
2359	嫂	C9A9	C9A9	5549	4929	E3490080
2360	瑟	C9AA	C9AA	554A	492A	E34A0080
2361	色	C9AB	C9AB	554B	492B	E34B0080
2362	涩	C9AC	C9AC	554C	492C	E34C0080
2363	森	C9AD	C9AD	554D	492D	E34D0080
2364	僧	C9AE	C9AE	554E	492E	E34E0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 33 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2365	莎	C9AF	C9AF	554F	492F	E34F0080
2366	砂	C9B0	C9B0	5550	4930	E34G0080
2367	杀	C9B1	C9B1	5551	4931	E34H0080
2368	刹	C9B2	C9B2	5552	4932	E34I0080
2369	沙	C9B3	C9B3	5553	4933	E34J0080
2370	纱	C9B4	C9B4	5554	4934	E34K0080
2371	傻	C9B5	C9B5	5555	4935	E34L0080
2372	啥	C9B6	C9B6	5556	4936	E34M0080
2373	煞	C9B7	C9B7	5557	4937	E34N0080
2374	筛	C9B8	C9B8	5558	4938	E34O0080
2375	晒	C9B9	C9B9	5559	4939	E34P0080
2376	珊	C9BA	C9BA	555A	493A	E34Q0080
2377	苦	C9BB	C9BB	555B	493B	E34R0080
2378	杉	C9BC	C9BC	555C	493C	E34S0080
2379	山	C9BD	C9BD	555D	493D	E34T0080
2380	删	C9BE	C9BE	555E	493E	E34U0080
2381	煽	C9BF	C9BF	555F	493F	E34V0080
2382	衫	C9C0	C9C0	5560	4940	E34W0080
2383	闪	C9C1	C9C1	5561	4941	E34X0080
2384	陕	C9C2	C9C2	5562	4942	E34Y0080
2385	擅	C9C3	C9C3	5563	4943	E34Z0080
2386	贍	C9C4	C9C4	5564	4944	E3500080
2387	膳	C9C5	C9C5	5565	4945	E3510080
2388	善	C9C6	C9C6	5566	4946	E3520080
2389	汕	C9C7	C9C7	5567	4947	E3530080
2390	扇	C9C8	C9C8	5568	4948	E3540080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 34 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2391	缮	C9C9	C9C9	5569	4949	E3550080
2392	墒	C9CA	C9CA	556A	494A	E3560080
2393	伤	C9CB	C9CB	556B	494B	E3570080
2394	商	C9CC	C9CC	556C	494C	E3580080
2395	赏	C9CD	C9CD	556D	494D	E3590080
2396	晌	C9CE	C9CE	556E	494E	E35A0080
2397	上	C9CF	C9CF	556F	494F	E35B0080
2398	尚	C9D0	C9D0	5570	4950	E35C0080
2399	裳	C9D1	C9D1	5571	4951	E35D0080
2400	梢	C9D2	C9D2	5572	4952	E35E0080
2401	捎	C9D3	C9D3	5573	4953	E35F0080
2402	稍	C9D4	C9D4	5574	4954	E35G0080
2403	烧	C9D5	C9D5	5575	4955	E35H0080
2404	芍	C9D6	C9D6	5576	4956	E35I0080
2405	勺	C9D7	C9D7	5577	4957	E35J0080
2406	韶	C9D8	C9D8	5578	4958	E35K0080
2407	少	C9D9	C9D9	5579	4959	E35L0080
2408	哨	C9DA	C9DA	557A	495A	E35M0080
2409	邵	C9DB	C9DB	557B	495B	E35N0080
2410	绍	C9DC	C9DC	557C	495C	E35O0080
2411	奢	C9DD	C9DD	557D	495D	E35P0080
2412	赊	C9DE	C9DE	557E	495E	E35Q0080
2413	蛇	C9DF	C9DF	557F	495F	E35R0080
2414	舌	C9E0	C9E0	5581	4960	E35T0080
2415	舍	C9E1	C9E1	5582	4961	E35U0080
2416	赦	C9E2	C9E2	5583	4962	E35V0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 35 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2417	撮	C9E3	C9E3	5584	4963	E35W0080
2418	射	C9E4	C9E4	5585	4964	E35X0080
2419	慑	C9E5	C9E5	5586	4965	E35Y0080
2420	涉	C9E6	C9E6	5587	4966	E35Z0080
2421	社	C9E7	C9E7	5588	4967	E3600080
2422	设	C9E8	C9E8	5589	4968	E3610080
2423	砷	C9E9	C9E9	558A	4969	E3620080
2424	申	C9EA	C9EA	558B	496A	E3630080
2425	呻	C9EB	C9EB	558C	496B	E3640080
2426	伸	C9EC	C9EC	558D	496C	E3650080
2427	身	C9ED	C9ED	558E	496D	E3660080
2428	深	C9EE	C9EE	558F	496E	E3670080
2429	娠	C9EF	C9EF	5590	496F	E3680080
2430	绅	C9F0	C9F0	5591	4970	E3690080
2431	神	C9F1	C9F1	5592	4971	E36A0080
2432	沈	C9F2	C9F2	5593	4972	E36B0080
2433	审	C9F3	C9F3	5594	4973	E36C0080
2434	婶	C9F4	C9F4	5595	4974	E36D0080
2435	甚	C9F5	C9F5	5596	4975	E36E0080
2436	肾	C9F6	C9F6	5597	4976	E36F0080
2437	慎	C9F7	C9F7	5598	4977	E36G0080
2438	渗	C9F8	C9F8	5599	4978	E36H0080
2439	声	C9F9	C9F9	559A	4979	E36I0080
2440	生	C9FA	C9FA	559B	497A	E36J0080
2441	甥	C9FB	C9FB	559C	497B	E36K0080
2442	牲	C9FC	C9FC	559D	497C	E36L0080




IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 36 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2443	升	C9FD	C9FD	559E	497D	E36M0080
2444	绳	C9FE	C9FE	559F	497E	E36N0080
2445	省	CAA1	CAA1	55A0	4A21	E36O0080
2446	盛	CAA2	CAA2	55A1	4A22	E36P0080
2447	剩	CAA3	CAA3	55A2	4A23	E36Q0080
2448	胜	CAA4	CAA4	55A3	4A24	E36R0080
2449	圣	CAA5	CAA5	55A4	4A25	E36S0080
2450	师	CAA6	CAA6	55A5	4A26	E36T0080
2451	失	CAA7	CAA7	55A6	4A27	E36U0080
2452	狮	CAA8	CAA8	55A7	4A28	E36V0080
2453	施	CAA9	CAA9	55A8	4A29	E36W0080
2454	湿	CAA	CAA	55A9	4A2A	E36X0080
2455	诗	CAAB	CAAB	55AA	4A2B	E36Y0080
2456	尸	CAAC	CAAC	55AB	4A2C	E36Z0080
2457	虱	CAAD	CAAD	55AC	4A2D	E3700080
2458	十	CAAE	CAAE	55AD	4A2E	E3710080
2459	石	CAAF	CAAF	55AE	4A2F	E3720080
2460	拾	CAB0	CAB0	55AF	4A30	E3730080
2461	时	CAB1	CAB1	55B0	4A31	E3740080
2462	什	CAB2	CAB2	55B1	4A32	E3750080
2463	食	CAB3	CAB3	55B2	4A33	E3760080
2464	蚀	CAB4	CAB4	55B3	4A34	E3770080
2465	实	CAB5	CAB5	55B4	4A35	E3780080
2466	识	CAB6	CAB6	55B5	4A36	E3790080
2467	史	CAB7	CAB7	55B6	4A37	E37A0080
2468	矢	CAB8	CAB8	55B7	4A38	E37B0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 37 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2469	使	CAB9	CAB9	55B8	4A39	E37C0080
2470	屎	CABA	CABA	55B9	4A3A	E37D0080
2471	驶	CABB	CABB	55BA	4A3B	E37E0080
2472	始	CABC	CABC	55BB	4A3C	E37F0080
2473	式	CABD	CABD	55BC	4A3D	E37G0080
2474	示	CABE	CABE	55BD	4A3E	E37H0080
2475	士	CABF	CABF	55BE	4A3F	E37I0080
2476	世	CAC0	CAC0	55BF	4A40	E37J0080
2477	柿	CAC1	CAC1	55C0	4A41	E37K0080
2478	事	CAC2	CAC2	55C1	4A42	E37L0080
2479	拭	CAC3	CAC3	55C2	4A43	E37M0080
2480	誓	CAC4	CAC4	55C3	4A44	E37N0080
2481	逝	CAC5	CAC5	55C4	4A45	E37O0080
2482	势	CAC6	CAC6	55C5	4A46	E37P0080
2483	是	CAC7	CAC7	55C6	4A47	E37Q0080
2484	嗜	CAC8	CAC8	55C7	4A48	E37R0080
2485	噬	CAC9	CAC9	55C8	4A49	E37S0080
2486	适	CACA	CACA	55C9	4A4A	E37T0080
2487	仕	CACB	CACB	55CA	4A4B	E37U0080
2488	侍	CACC	CACC	55CB	4A4C	E37V0080
2489	释	CACD	CACD	55CC	4A4D	E37W0080
2490	饰	CACE	CACE	55CD	4A4E	E37X0080
2491	氏	CACF	CACF	55CE	4A4F	E37Y0080
2492	市	CAD0	CAD0	55CF	4A50	E37Z0080
2493	恃	CAD1	CAD1	55D0	4A51	E3800080
2494	窒	CAD2	CAD2	55D1	4A52	E3810080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 38 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2495	视	CAD3	CAD3	55D2	4A53	E3820080
2496	试	CAD4	CAD4	55D3	4A54	E3830080
2497	收	CAD5	CAD5	55D4	4A55	E3840080
2498	手	CAD6	CAD6	55D5	4A56	E3850080
2499	首	CAD7	CAD7	55D6	4A57	E3860080
2500	守	CAD8	CAD8	55D7	4A58	E3870080
2501	寿	CAD9	CAD9	55D8	4A59	E3880080
2502	授	CADA	CADA	55D9	4A5A	E3890080
2503	售	CADB	CADB	55DA	4A5B	E38A0080
2504	受	CADC	CADC	55DB	4A5C	E38B0080
2505	瘦	CADD	CADD	55DC	4A5D	E38C0080
2506	兽	CADE	CADE	55DD	4A5E	E38D0080
2507	蔬	CADF	CADF	55DE	4A5F	E38E0080
2508	枢	CAE0	CAE0	55DF	4A60	E38F0080
2509	梳	CAE1	CAE1	55E0	4A61	E38G0080
2510	殊	CAE2	CAE2	55E1	4A62	E38H0080
2511	抒	CAE3	CAE3	55E2	4A63	E38I0080
2512	输	CAE4	CAE4	55E3	4A64	E38J0080
2513	叔	CAE5	CAE5	55E4	4A65	E38K0080
2514	舒	CAE6	CAE6	55E5	4A66	E38L0080
2515	淑	CAE7	CAE7	55E6	4A67	E38M0080
2516	疏	CAE8	CAE8	55E7	4A68	E38N0080
2517	书	CAE9	CAE9	55E8	4A69	E38O0080
2518	贖	CAEA	CAEA	55E9	4A6A	E38P0080
2519	孰	CAEB	CAEB	55EA	4A6B	E38Q0080
2520	熟	CAEC	CAEC	55EB	4A6C	E38R0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 39 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2521	薯	CAED	CAED	55EC	4A6D	E38S0080
2522	暑	CAEE	CAEE	55ED	4A6E	E38T0080
2523	曙	CAEF	CAEF	55EE	4A6F	E38U0080
2524	署	CAF0	CAF0	55EF	4A70	E38V0080
2525	蜀	CAF1	CAF1	55F0	4A71	E38W0080
2526	黍	CAF2	CAF2	55F1	4A72	E38X0080
2527	鼠	CAF3	CAF3	55F2	4A73	E38Y0080
2528	属	CAF4	CAF4	55F3	4A74	E38Z0080
2529	术	CAF5	CAF5	55F4	4A75	E3900080
2530	述	CAF6	CAF6	55F5	4A76	E3910080
2531	树	CAF7	CAF7	55F6	4A77	E3920080
2532	束	CAF8	CAF8	55F7	4A78	E3930080
2533	戍	CAF9	CAF9	55F8	4A79	E3940080
2534	豎	CAFA	CAFA	55F9	4A7A	E3950080
2535	墅	CAFB	CAFB	55FA	4A7B	E3960080
2536	庶	CAFC	CAFC	55FB	4A7C	E3970080
2537	数	CAFD	CAFD	55FC	4A7D	E3980080
2538	漱	CAFE	CAFE	55FD	4A7E	E3990080
2539	恕	CBA1	CBA1	5641	4B21	E39D0080
2540	刷	CBA2	CBA2	5642	4B22	E39E0080
2541	耍	CBA3	CBA3	5643	4B23	E39F0080
2542	摔	CBA4	CBA4	5644	4B24	E39G0080
2543	衰	CBA5	CBA5	5645	4B25	E39H0080
2544	甩	CBA6	CBA6	5646	4B26	E39I0080
2545	帅	CBA7	CBA7	5647	4B27	E39J0080
2546	栓	CBA8	CBA8	5648	4B28	E39K0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 40 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2547	拴	CBA9	CBA9	5649	4B29	E39L0080
2548	霜	CBAA	CBAA	564A	4B2A	E39M0080
2549	双	CBAB	CBAB	564B	4B2B	E39N0080
2550	爽	CBAC	CBAC	564C	4B2C	E39O0080
2551	谁	CBAD	CBAD	564D	4B2D	E39P0080
2552	水	CBAE	CBAE	564E	4B2E	E39Q0080
2553	睡	CBAF	CBAF	564F	4B2F	E39R0080
2554	税	CBB0	CBB0	5650	4B30	E39S0080
2555	吮	CBB1	CBB1	5651	4B31	E39T0080
2556	瞬	CBB2	CBB2	5652	4B32	E39U0080
2557	顺	CBB3	CBB3	5653	4B33	E39V0080
2558	舜	CBB4	CBB4	5654	4B34	E39W0080
2559	说	CBB5	CBB5	5655	4B35	E39X0080
2560	硕	CBB6	CBB6	5656	4B36	E39Y0080
2561	朔	CBB7	CBB7	5657	4B37	E39Z0080
2562	烁	CBB8	CBB8	5658	4B38	E3A00080
2563	斯	CBB9	CBB9	5659	4B39	E3A10080
2564	撕	CBBA	CBBA	565A	4B3A	E3A20080
2565	嘶	CBBB	CBBB	565B	4B3B	E3A30080
2566	思	CBBC	CBBC	565C	4B3C	E3A40080
2567	私	CBBD	CBBD	565D	4B3D	E3A50080
2568	司	CBBE	CBBE	565E	4B3E	E3A60080
2569	丝	CBBF	CBBF	565F	4B3F	E3A70080
2570	死	CBC0	CBC0	5660	4B40	E3A80080
2571	肆	CBC1	CBC1	5661	4B41	E3A90080
2572	寺	CBC2	CBC2	5662	4B42	E3AA0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 41 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2573	嗣	CBC3	CBC3	5663	4B43	E3AB0080
2574	四	CBC4	CBC4	5664	4B44	E3AC0080
2575	伺	CBC5	CBC5	5665	4B45	E3AD0080
2576	似	CBC6	CBC6	5666	4B46	E3AE0080
2577	饲	CBC7	CBC7	5667	4B47	E3AF0080
2578	巳	CBC8	CBC8	5668	4B48	E3AG0080
2579	松	CBC9	CBC9	5669	4B49	E3AH0080
2580	耸	CBCA	CBCA	566A	4B4A	E3AI0080
2581	忞	CBCB	CBCB	566B	4B4B	E3AJ0080
2582	颂	CBCC	CBCC	566C	4B4C	E3AK0080
2583	送	CBCD	CBCD	566D	4B4D	E3AL0080
2584	宋	CBCE	CBCE	566E	4B4E	E3AM0080
2585	讼	CBCF	CBCF	566F	4B4F	E3AN0080
2586	诵	CBD0	CBD0	5670	4B50	E3AO0080
2587	搜	CBD1	CBD1	5671	4B51	E3AP0080
2588	艘	CBD2	CBD2	5672	4B52	E3AQ0080
2589	擞	CBD3	CBD3	5673	4B53	E3AR0080
2590	嗽	CBD4	CBD4	5674	4B54	E3AS0080
2591	苏	CBD5	CBD5	5675	4B55	E3AT0080
2592	酥	CBD6	CBD6	5676	4B56	E3AU0080
2593	俗	CBD7	CBD7	5677	4B57	E3AV0080
2594	素	CBD8	CBD8	5678	4B58	E3AW0080
2595	速	CBD9	CBD9	5679	4B59	E3AX0080
2596	粟	CBDA	CBDA	567A	4B5A	E3AY0080
2597	僮	CBDB	CBDB	567B	4B5B	E3AZ0080
2598	塑	CBDC	CBDC	567C	4B5C	E3B00080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 42 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2599	溯	CBDD	CBDD	567D	4B5D	E3B10080
2600	宿	CBDE	CBDE	567E	4B5E	E3B20080
2601	诉	CBDF	CBDF	567F	4B5F	E3B30080
2602	肃	CBE0	CBE0	5681	4B60	E3B50080
2603	酸	CBE1	CBE1	5682	4B61	E3B60080
2604	蒜	CBE2	CBE2	5683	4B62	E3B70080
2605	算	CBE3	CBE3	5684	4B63	E3B80080
2606	虽	CBE4	CBE4	5685	4B64	E3B90080
2607	隋	CBE5	CBE5	5686	4B65	E3BA0080
2608	随	CBE6	CBE6	5687	4B66	E3BB0080
2609	绥	CBE7	CBE7	5688	4B67	E3BC0080
2610	髓	CBE8	CBE8	5689	4B68	E3BD0080
2611	碎	CBE9	CBE9	568A	4B69	E3BE0080
2612	岁	CBEA	CBEA	568B	4B6A	E3BF0080
2613	穗	CBEB	CBEB	568C	4B6B	E3BG0080
2614	遂	CBEC	CBEC	568D	4B6C	E3BH0080
2615	隧	CBED	CBED	568E	4B6D	E3BI0080
2616	崇	CBEE	CBEE	568F	4B6E	E3BJ0080
2617	孙	CBEF	CBEF	5690	4B6F	E3BK0080
2618	损	CBF0	CBF0	5691	4B70	E3BL0080
2619	笋	CBF1	CBF1	5692	4B71	E3BM0080
2620	蓑	CBF2	CBF2	5693	4B72	E3BN0080
2621	梭	CBF3	CBF3	5694	4B73	E3BO0080
2622	峻	CBF4	CBF4	5695	4B74	E3BP0080
2623	缩	CBF5	CBF5	5696	4B75	E3BQ0080
2624	琐	CBF6	CBF6	5697	4B76	E3BR0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 43 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2625	索	CBF7	CBF7	5698	4B77	E3BS0080
2626	锁	CBF8	CBF8	5699	4B78	E3BT0080
2627	所	CBF9	CBF9	569A	4B79	E3BU0080
2628	塌	CBFA	CBFA	569B	4B7A	E3BV0080
2629	他	CBFB	CBFB	569C	4B7B	E3BW0080
2630	它	CBFC	CBFC	569D	4B7C	E3BX0080
2631	她	CBFD	CBFD	569E	4B7D	E3BY0080
2632	塔	CBFE	CBFE	569F	4B7E	E3BZ0080
2633	獭	CCA1	CCA1	56A0	4C21	E3C00080
2634	挞	CCA2	CCA2	56A1	4C22	E3C10080
2635	蹋	CCA3	CCA3	56A2	4C23	E3C20080
2636	踏	CCA4	CCA4	56A3	4C24	E3C30080
2637	胎	CCA5	CCA5	56A4	4C25	E3C40080
2638	苔	CCA6	CCA6	56A5	4C26	E3C50080
2639	抬	CCA7	CCA7	56A6	4C27	E3C60080
2640	台	CCA8	CCA8	56A7	4C28	E3C70080
2641	泰	CCA9	CCA9	56A8	4C29	E3C80080
2642	酖	CCAA	CCAA	56A9	4C2A	E3C90080
2643	太	CCAB	CCAB	56AA	4C2B	E3CA0080
2644	恠	CCAC	CCAC	56AB	4C2C	E3CB0080
2645	汰	CCAD	CCAD	56AC	4C2D	E3CC0080
2646	坍	CCAE	CCAE	56AD	4C2E	E3CD0080
2647	摊	CCAF	CCAF	56AE	4C2F	E3CE0080
2648	贪	CCB0	CCB0	56AF	4C30	E3CF0080
2649	瘫	CCB1	CCB1	56B0	4C31	E3CG0080
2650	滩	CCB2	CCB2	56B1	4C32	E3CH0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 44 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2651	坛	CCB3	CCB3	56B2	4C33	E3CI0080
2652	檀	CCB4	CCB4	56B3	4C34	E3CJ0080
2653	痰	CCB5	CCB5	56B4	4C35	E3CK0080
2654	潭	CCB6	CCB6	56B5	4C36	E3CL0080
2655	谭	CCB7	CCB7	56B6	4C37	E3CM0080
2656	谈	CCB8	CCB8	56B7	4C38	E3CN0080
2657	坦	CCB9	CCB9	56B8	4C39	E3CO0080
2658	毯	CCBA	CCBA	56B9	4C3A	E3CP0080
2659	袒	CCBB	CCBB	56BA	4C3B	E3CQ0080
2660	碳	CCBC	CCBC	56BB	4C3C	E3CR0080
2661	探	CCBD	CCBD	56BC	4C3D	E3CS0080
2662	叹	CCBE	CCBE	56BD	4C3E	E3CT0080
2663	炭	CCBF	CCBF	56BE	4C3F	E3CU0080
2664	汤	CCC0	CCC0	56BF	4C40	E3CV0080
2665	塘	CCC1	CCC1	56C0	4C41	E3CW0080
2666	搪	CCC2	CCC2	56C1	4C42	E3CX0080
2667	堂	CCC3	CCC3	56C2	4C43	E3CY0080
2668	棠	CCC4	CCC4	56C3	4C44	E3CZ0080
2669	膛	CCC5	CCC5	56C4	4C45	E3D00080
2670	唐	CCC6	CCC6	56C5	4C46	E3D10080
2671	糖	CCC7	CCC7	56C6	4C47	E3D20080
2672	倘	CCC8	CCC8	56C7	4C48	E3D30080
2673	躺	CCC9	CCC9	56C8	4C49	E3D40080
2674	淌	CCCA	CCCA	56C9	4C4A	E3D50080
2675	趟	CCCB	CCCB	56CA	4C4B	E3D60080
2676	烫	CCCC	CCCC	56CB	4C4C	E3D70080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 45 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2677	掏	CCCD	CCCD	56CC	4C4D	E3D80080
2678	涛	CCCE	CCCE	56CD	4C4E	E3D90080
2679	滔	CCCF	CCCF	56CE	4C4F	E3DA0080
2680	绦	CCD0	CCD0	56CF	4C50	E3DB0080
2681	萄	CCD1	CCD1	56D0	4C51	E3DC0080
2682	桃	CCD2	CCD2	56D1	4C52	E3DD0080
2683	逃	CCD3	CCD3	56D2	4C53	E3DE0080
2684	淘	CCD4	CCD4	56D3	4C54	E3DF0080
2685	陶	CCD5	CCD5	56D4	4C55	E3DG0080
2686	讨	CCD6	CCD6	56D5	4C56	E3DH0080
2687	套	CCD7	CCD7	56D6	4C57	E3DI0080
2688	特	CCD8	CCD8	56D7	4C58	E3DJ0080
2689	藤	CCD9	CCD9	56D8	4C59	E3DK0080
2690	腾	CCDA	CCDA	56D9	4C5A	E3DL0080
2691	疼	CCDB	CCDB	56DA	4C5B	E3DM0080
2692	誉	CCDC	CCDC	56DB	4C5C	E3DN0080
2693	梯	CCDD	CCDD	56DC	4C5D	E3DO0080
2694	剔	CCDE	CCDE	56DD	4C5E	E3DP0080
2695	踢	CCDF	CCDF	56DE	4C5F	E3DQ0080
2696	锑	CCE0	CCE0	56DF	4C60	E3DR0080
2697	提	CCE1	CCE1	56E0	4C61	E3DS0080
2698	题	CCE2	CCE2	56E1	4C62	E3DT0080
2699	蹄	CCE3	CCE3	56E2	4C63	E3DU0080
2700	啼	CCE4	CCE4	56E3	4C64	E3DV0080
2701	体	CCE5	CCE5	56E4	4C65	E3DW0080
2702	替	CCE6	CCE6	56E5	4C66	E3DX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 46 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2703	嚏	CCE7	CCE7	56E6	4C67	E3DY0080
2704	惕	CCE8	CCE8	56E7	4C68	E3DZ0080
2705	涕	CCE9	CCE9	56E8	4C69	E3E00080
2706	荆	CCEA	CCEA	56E9	4C6A	E3E10080
2707	屨	CCEB	CCEB	56EA	4C6B	E3E20080
2708	天	CCEC	CCEC	56EB	4C6C	E3E30080
2709	添	CCED	CCED	56EC	4C6D	E3E40080
2710	填	CCEE	CCEE	56ED	4C6E	E3E50080
2711	田	CCEF	CCEF	56EE	4C6F	E3E60080
2712	甜	CCF0	CCF0	56EF	4C70	E3E70080
2713	恬	CCF1	CCF1	56F0	4C71	E3E80080
2714	舔	CCF2	CCF2	56F1	4C72	E3E90080
2715	腆	CCF3	CCF3	56F2	4C73	E3EA0080
2716	挑	CCF4	CCF4	56F3	4C74	E3EB0080
2717	条	CCF5	CCF5	56F4	4C75	E3EC0080
2718	迢	CCF6	CCF6	56F5	4C76	E3ED0080
2719	眺	CCF7	CCF7	56F6	4C77	E3EE0080
2720	跳	CCF8	CCF8	56F7	4C78	E3EF0080
2721	贴	CCF9	CCF9	56F8	4C79	E3EG0080
2722	铁	CCFA	CCFA	56F9	4C7A	E3EH0080
2723	帖	CCFB	CCFB	56FA	4C7B	E3EI0080
2724	厅	CCFC	CCFC	56FB	4C7C	E3EJ0080
2725	听	CCFD	CCFD	56FC	4C7D	E3EK0080
2726	烃	CCFE	CCFE	56FD	4C7E	E3EL0080
2727	汀	CDA1	CDA1	5741	4D21	E3EP0080
2728	廷	CDA2	CDA2	5742	4D22	E3EQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 47 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2729	停	CDA3	CDA3	5743	4D23	E3ER0080
2730	亭	CDA4	CDA4	5744	4D24	E3ES0080
2731	庭	CDA5	CDA5	5745	4D25	E3ET0080
2732	挺	CDA6	CDA6	5746	4D26	E3EU0080
2733	艇	CDA7	CDA7	5747	4D27	E3EV0080
2734	通	CDA8	CDA8	5748	4D28	E3EW0080
2735	桐	CDA9	CDA9	5749	4D29	E3EX0080
2736	酮	CDA A	CDA A	574A	4D2A	E3EY0080
2737	瞳	CDAB	CDAB	574B	4D2B	E3EZ0080
2738	同	CDAC	CDAC	574C	4D2C	E3F00080
2739	铜	CDAD	CDAD	574D	4D2D	E3F10080
2740	彤	CDAE	CDAE	574E	4D2E	E3F20080
2741	童	CDAF	CDAF	574F	4D2F	E3F30080
2742	桶	CDB0	CDB0	5750	4D30	E3F40080
2743	捅	CDB1	CDB1	5751	4D31	E3F50080
2744	筒	CDB2	CDB2	5752	4D32	E3F60080
2745	统	CDB3	CDB3	5753	4D33	E3F70080
2746	痛	CDB4	CDB4	5754	4D34	E3F80080
2747	偷	CDB5	CDB5	5755	4D35	E3F90080
2748	投	CDB6	CDB6	5756	4D36	E3FA0080
2749	头	CDB7	CDB7	5757	4D37	E3FB0080
2750	透	CDB8	CDB8	5758	4D38	E3FC0080
2751	凸	CDB9	CDB9	5759	4D39	E3FD0080
2752	秃	CDBA	CDBA	575A	4D3A	E3FE0080
2753	突	CDBB	CDBB	575B	4D3B	E3FF0080
2754	图	CDBC	CDBC	575C	4D3C	E3FG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 7 (Page 48 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2755	徒	CDBD	CDBD	575D	4D3D	E3FH0080
2756	途	CDBE	CDBE	575E	4D3E	E3FI0080
2757	涂	CDBF	CDBF	575F	4D3F	E3FJ0080
2758	屠	CDC0	CDC0	5760	4D40	E3FK0080
2759	土	CDC1	CDC1	5761	4D41	E3FL0080
2760	吐	CDC2	CDC2	5762	4D42	E3FM0080
2761	兔	CDC3	CDC3	5763	4D43	E3FN0080
2762	湍	CDC4	CDC4	5764	4D44	E3FO0080
2763	团	CDC5	CDC5	5765	4D45	E3FP0080
2764	推	CDC6	CDC6	5766	4D46	E3FQ0080
2765	颓	CDC7	CDC7	5767	4D47	E3FR0080
2766	腿	CDC8	CDC8	5768	4D48	E3FS0080
2767	蜕	CDC9	CDC9	5769	4D49	E3FT0080
2768	褪	CDCA	CDCA	576A	4D4A	E3FU0080
2769	退	CDCB	CDCB	576B	4D4B	E3FV0080
2770	吞	CDCC	CDCC	576C	4D4C	E3FW0080
2771	屯	CDCD	CDCD	576D	4D4D	E3FX0080
2772	臀	CDCE	CDCE	576E	4D4E	E3FY0080
2773	拖	CDCF	CDCF	576F	4D4F	E3FZ0080
2774	托	CDD0	CDD0	5770	4D50	E3G00080
2775	脱	CDD1	CDD1	5771	4D51	E3G10080
2776	鸵	CDD2	CDD2	5772	4D52	E3G20080
2777	陀	CDD3	CDD3	5773	4D53	E3G30080
2778	驮	CDD4	CDD4	5774	4D54	E3G40080
2779	驼	CDD5	CDD5	5775	4D55	E3G50080
2780	橢	CDD6	CDD6	5776	4D56	E3G60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 49 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2781	妥	CDD7	CDD7	5777	4D57	E3G70080
2782	拓	CDD8	CDD8	5778	4D58	E3G80080
2783	唾	CDD9	CDD9	5779	4D59	E3G90080
2784	挖	CDDA	CDDA	577A	4D5A	E3GA0080
2785	哇	CDDB	CDDB	577B	4D5B	E3GB0080
2786	蛙	CDDC	CDDC	577C	4D5C	E3GC0080
2787	洼	CDDD	CDDD	577D	4D5D	E3GD0080
2788	娃	CDDE	CDDE	577E	4D5E	E3GE0080
2789	瓦	CDDF	CDDF	577F	4D5F	E3GF0080
2790	袜	CDE0	CDE0	5781	4D60	E3GH0080
2791	歪	CDE1	CDE1	5782	4D61	E3GI0080
2792	外	CDE2	CDE2	5783	4D62	E3GJ0080
2793	腕	CDE3	CDE3	5784	4D63	E3GK0080
2794	弯	CDE4	CDE4	5785	4D64	E3GL0080
2795	湾	CDE5	CDE5	5786	4D65	E3GM0080
2796	玩	CDE6	CDE6	5787	4D66	E3GN0080
2797	顽	CDE7	CDE7	5788	4D67	E3GO0080
2798	丸	CDE8	CDE8	5789	4D68	E3GP0080
2799	烷	CDE9	CDE9	578A	4D69	E3GQ0080
2800	完	CDEA	CDEA	578B	4D6A	E3GR0080
2801	碗	CDEB	CDEB	578C	4D6B	E3GS0080
2802	挽	CDEC	CDEC	578D	4D6C	E3GT0080
2803	晚	CDED	CDED	578E	4D6D	E3GU0080
2804	皖	CDEE	CDEE	578F	4D6E	E3GV0080
2805	惋	CDEF	CDEF	5790	4D6F	E3GW0080
2806	宛	CDF0	CDF0	5791	4D70	E3GX0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 50 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2807	婉	CDF1	CDF1	5792	4D71	E3GY0080
2808	万	CDF2	CDF2	5793	4D72	E3GZ0080
2809	腕	CDF3	CDF3	5794	4D73	E3H00080
2810	汪	CDF4	CDF4	5795	4D74	E3H10080
2811	王	CDF5	CDF5	5796	4D75	E3H20080
2812	亡	CDF6	CDF6	5797	4D76	E3H30080
2813	枉	CDF7	CDF7	5798	4D77	E3H40080
2814	网	CDF8	CDF8	5799	4D78	E3H50080
2815	往	CDF9	CDF9	579A	4D79	E3H60080
2816	旺	CDFA	CDFA	579B	4D7A	E3H70080
2817	望	CDFB	CDFB	579C	4D7B	E3H80080
2818	忘	CDFC	CDFC	579D	4D7C	E3H90080
2819	妄	CDFD	CDFD	579E	4D7D	E3HA0080
2820	威	CDFE	CDFE	579F	4D7E	E3HB0080
2821	巍	CEA1	CEA1	57A0	4E21	E3HC0080
2822	微	CEA2	CEA2	57A1	4E22	E3HD0080
2823	危	CEA3	CEA3	57A2	4E23	E3HE0080
2824	韦	CEA4	CEA4	57A3	4E24	E3HF0080
2825	违	CEA5	CEA5	57A4	4E25	E3HG0080
2826	桅	CEA6	CEA6	57A5	4E26	E3HH0080
2827	围	CEA7	CEA7	57A6	4E27	E3HI0080
2828	唯	CEA8	CEA8	57A7	4E28	E3HJ0080
2829	惟	CEA9	CEA9	57A8	4E29	E3HK0080
2830	为	CEAA	CEAA	57A9	4E2A	E3HL0080
2831	潍	CEAB	CEAB	57AA	4E2B	E3HM0080
2832	维	CEAC	CEAC	57AB	4E2C	E3HN0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 51 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2833	苇	CEAD	CEAD	57AC	4E2D	E3HO0080
2834	菱	CEAE	CEAE	57AD	4E2E	E3HP0080
2835	委	CEAF	CEAF	57AE	4E2F	E3HQ0080
2836	伟	CEB0	CEB0	57AF	4E30	E3HR0080
2837	伪	CEB1	CEB1	57B0	4E31	E3HS0080
2838	尾	CEB2	CEB2	57B1	4E32	E3HT0080
2839	纬	CEB3	CEB3	57B2	4E33	E3HU0080
2840	未	CEB4	CEB4	57B3	4E34	E3HV0080
2841	蔚	CEB5	CEB5	57B4	4E35	E3HW0080
2842	味	CEB6	CEB6	57B5	4E36	E3HX0080
2843	畏	CEB7	CEB7	57B6	4E37	E3HY0080
2844	胃	CEB8	CEB8	57B7	4E38	E3HZ0080
2845	喂	CEB9	CEB9	57B8	4E39	E3I00080
2846	魏	CEBA	CEBA	57B9	4E3A	E3I10080
2847	位	CEBB	CEBB	57BA	4E3B	E3I20080
2848	渭	CEBC	CEBC	57BB	4E3C	E3I30080
2849	谓	CEBD	CEBD	57BC	4E3D	E3I40080
2850	尉	CEBE	CEBE	57BD	4E3E	E3I50080
2851	慰	CEBF	CEBF	57BE	4E3F	E3I60080
2852	卫	CEC0	CEC0	57BF	4E40	E3I70080
2853	瘟	CEC1	CEC1	57C0	4E41	E3I80080
2854	温	CEC2	CEC2	57C1	4E42	E3I90080
2855	蚊	CEC3	CEC3	57C2	4E43	E3IA0080
2856	文	CEC4	CEC4	57C3	4E44	E3IB0080
2857	闻	CEC5	CEC5	57C4	4E45	E3IC0080
2858	纹	CEC6	CEC6	57C5	4E46	E3ID0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 52 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2859	叻	CEC7	CEC7	57C6	4E47	E3IE0080
2860	稳	CEC8	CEC8	57C7	4E48	E3IF0080
2861	紊	CEC9	CEC9	57C8	4E49	E3IG0080
2862	问	CECA	CECA	57C9	4E4A	E3IH0080
2863	喻	CECB	CECB	57CA	4E4B	E3II0080
2864	翁	CECC	CECC	57CB	4E4C	E3IJ0080
2865	瓮	CECD	CECD	57CC	4E4D	E3IK0080
2866	挝	CECE	CECE	57CD	4E4E	E3IL0080
2867	蜗	CECF	CECF	57CE	4E4F	E3IM0080
2868	涡	CED0	CED0	57CF	4E50	E3IN0080
2869	窝	CED1	CED1	57D0	4E51	E3IO0080
2870	我	CED2	CED2	57D1	4E52	E3IP0080
2871	斡	CED3	CED3	57D2	4E53	E3IQ0080
2872	卧	CED4	CED4	57D3	4E54	E3IR0080
2873	握	CED5	CED5	57D4	4E55	E3IS0080
2874	沃	CED6	CED6	57D5	4E56	E3IT0080
2875	巫	CED7	CED7	57D6	4E57	E3IU0080
2876	呜	CED8	CED8	57D7	4E58	E3IV0080
2877	鸪	CED9	CED9	57D8	4E59	E3IW0080
2878	乌	CEDA	CEDA	57D9	4E5A	E3IX0080
2879	污	CEDB	CEDB	57DA	4E5B	E3IY0080
2880	诬	CEDC	CEDC	57DB	4E5C	E3IZ0080
2881	屋	CEDD	CEDD	57DC	4E5D	E3J00080
2882	无	CEDE	CEDE	57DD	4E5E	E3J10080
2883	芜	CEDF	CEDF	57DE	4E5F	E3J20080
2884	梧	CEE0	CEE0	57DF	4E60	E3J30080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 53 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2885	吾	CEE1	CEE1	57E0	4E61	E3J40080
2886	吴	CEE2	CEE2	57E1	4E62	E3J50080
2887	毋	CEE3	CEE3	57E2	4E63	E3J60080
2888	武	CEE4	CEE4	57E3	4E64	E3J70080
2889	五	CEE5	CEE5	57E4	4E65	E3J80080
2890	捂	CEE6	CEE6	57E5	4E66	E3J90080
2891	午	CEE7	CEE7	57E6	4E67	E3JA0080
2892	舞	CEE8	CEE8	57E7	4E68	E3JB0080
2893	伍	CEE9	CEE9	57E8	4E69	E3JC0080
2894	侮	CEEA	CEEA	57E9	4E6A	E3JD0080
2895	坞	CEEB	CEEB	57EA	4E6B	E3JE0080
2896	戊	CEEC	CEEC	57EB	4E6C	E3JF0080
2897	雾	CEED	CEED	57EC	4E6D	E3JG0080
2898	晤	CEEE	CEEE	57ED	4E6E	E3JH0080
2899	物	CEEF	CEEF	57EE	4E6F	E3JI0080
2900	勿	CEF0	CEF0	57EF	4E70	E3JJ0080
2901	务	CEF1	CEF1	57F0	4E71	E3JK0080
2902	悟	CEF2	CEF2	57F1	4E72	E3JL0080
2903	误	CEF3	CEF3	57F2	4E73	E3JM0080
2904	昔	CEF4	CEF4	57F3	4E74	E3JN0080
2905	熙	CEF5	CEF5	57F4	4E75	E3JO0080
2906	析	CEF6	CEF6	57F5	4E76	E3JP0080
2907	西	CEF7	CEF7	57F6	4E77	E3JQ0080
2908	晒	CEF8	CEF8	57F7	4E78	E3JR0080
2909	矽	CEF9	CEF9	57F8	4E79	E3JS0080
2910	晰	CEFA	CEFA	57F9	4E7A	E3JT0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 54 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2911	嘻	CEFB	CEFB	57FA	4E7B	E3JU0080
2912	吸	CEFC	CEFC	57FB	4E7C	E3JV0080
2913	锡	CEFD	CEFD	57FC	4E7D	E3JW0080
2914	牺	CEFE	CEFE	57FD	4E7E	E3JX0080
2915	稀	CFA1	CFA1	5841	4F21	E3K10080
2916	息	CFA2	CFA2	5842	4F22	E3K20080
2917	希	CFA3	CFA3	5843	4F23	E3K30080
2918	悉	CFA4	CFA4	5844	4F24	E3K40080
2919	膝	CFA5	CFA5	5845	4F25	E3K50080
2920	夕	CFA6	CFA6	5846	4F26	E3K60080
2921	惜	CFA7	CFA7	5847	4F27	E3K70080
2922	熄	CFA8	CFA8	5848	4F28	E3K80080
2923	烯	CFA9	CFA9	5849	4F29	E3K90080
2924	溪	CFAA	CFAA	584A	4F2A	E3KA0080
2925	汐	CFAB	CFAB	584B	4F2B	E3KB0080
2926	犀	CFAC	CFAC	584C	4F2C	E3KC0080
2927	檄	CFAD	CFAD	584D	4F2D	E3KD0080
2928	袭	CFAE	CFAE	584E	4F2E	E3KE0080
2929	席	CFAF	CFAF	584F	4F2F	E3KF0080
2930	习	CFB0	CFB0	5850	4F30	E3KG0080
2931	媳	CFB1	CFB1	5851	4F31	E3KH0080
2932	喜	CFB2	CFB2	5852	4F32	E3KI0080
2933	铎	CFB3	CFB3	5853	4F33	E3KJ0080
2934	洗	CFB4	CFB4	5854	4F34	E3KK0080
2935	系	CFB5	CFB5	5855	4F35	E3KL0080
2936	隙	CFB6	CFB6	5856	4F36	E3KM0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 55 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2937	戏	CFB7	CFB7	5857	4F37	E3KN0080
2938	细	CFB8	CFB8	5858	4F38	E3KO0080
2939	瞎	CFB9	CFB9	5859	4F39	E3KP0080
2940	虾	CFBA	CFBA	585A	4F3A	E3KQ0080
2941	匣	CFBB	CFBB	585B	4F3B	E3KR0080
2942	霞	CFBC	CFBC	585C	4F3C	E3KS0080
2943	辖	CFBD	CFBD	585D	4F3D	E3KT0080
2944	暇	CFBE	CFBE	585E	4F3E	E3KU0080
2945	峡	CFBF	CFBF	585F	4F3F	E3KV0080
2946	侠	CFC0	CFC0	5860	4F40	E3KW0080
2947	狭	CFC1	CFC1	5861	4F41	E3KX0080
2948	下	CFC2	CFC2	5862	4F42	E3KY0080
2949	厦	CFC3	CFC3	5863	4F43	E3KZ0080
2950	夏	CFC4	CFC4	5864	4F44	E3L00080
2951	吓	CFC5	CFC5	5865	4F45	E3L10080
2952	掀	CFC6	CFC6	5866	4F46	E3L20080
2953	锨	CFC7	CFC7	5867	4F47	E3L30080
2954	先	CFC8	CFC8	5868	4F48	E3L40080
2955	仙	CFC9	CFC9	5869	4F49	E3L50080
2956	鲜	CFCA	CFCA	586A	4F4A	E3L60080
2957	纤	CFCB	CFCB	586B	4F4B	E3L70080
2958	咸	CFCC	CFCC	586C	4F4C	E3L80080
2959	贤	CFCD	CFCD	586D	4F4D	E3L90080
2960	衍	CFCE	CFCE	586E	4F4E	E3LA0080
2961	舷	CFCF	CFCF	586F	4F4F	E3LB0080
2962	闲	CFD0	CFD0	5870	4F50	E3LC0080




IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 7 (Page 56 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2963	涎	CFD1	CFD1	5871	4F51	E3LD0080
2964	弦	CFD2	CFD2	5872	4F52	E3LE0080
2965	嫌	CFD3	CFD3	5873	4F53	E3LF0080
2966	显	CFD4	CFD4	5874	4F54	E3LG0080
2967	险	CFD5	CFD5	5875	4F55	E3LH0080
2968	现	CFD6	CFD6	5876	4F56	E3LI0080
2969	献	CFD7	CFD7	5877	4F57	E3LJ0080
2970	县	CFD8	CFD8	5878	4F58	E3LK0080
2971	腺	CFD9	CFD9	5879	4F59	E3LL0080
2972	馅	CFDA	CFDA	587A	4F5A	E3LM0080
2973	羨	CFDB	CFDB	587B	4F5B	E3LN0080
2974	宪	CFDC	CFDC	587C	4F5C	E3LO0080
2975	陷	CFDD	CFDD	587D	4F5D	E3LP0080
2976	限	CFDE	CFDE	587E	4F5E	E3LQ0080
2977	线	CFDF	CFDF	587F	4F5F	E3LR0080
2978	相	CFE0	CFE0	5881	4F60	E3LT0080
2979	厢	CFE1	CFE1	5882	4F61	E3LU0080
2980	镶	CFE2	CFE2	5883	4F62	E3LV0080
2981	香	CFE3	CFE3	5884	4F63	E3LW0080
2982	箱	CFE4	CFE4	5885	4F64	E3LX0080
2983	襄	CFE5	CFE5	5886	4F65	E3LY0080
2984	湘	CFE6	CFE6	5887	4F66	E3LZ0080
2985	乡	CFE7	CFE7	5888	4F67	E3M00080
2986	翔	CFE8	CFE8	5889	4F68	E3M10080
2987	祥	CFE9	CFE9	588A	4F69	E3M20080
2988	详	CFEA	CFEA	588B	4F6A	E3M30080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 57 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2989	想	CFEB	CFEB	588C	4F6B	E3M40080
2990	响	CFEC	CFEC	588D	4F6C	E3M50080
2991	享	CFED	CFED	588E	4F6D	E3M60080
2992	项	CFEE	CFEE	588F	4F6E	E3M70080
2993	巷	CFEF	CFEF	5890	4F6F	E3M80080
2994	橡	CFF0	CFF0	5891	4F70	E3M90080
2995	像	CFF1	CFF1	5892	4F71	E3MA0080
2996	向	CFF2	CFF2	5893	4F72	E3MB0080
2997	象	CFF3	CFF3	5894	4F73	E3MC0080
2998	萧	CFF4	CFF4	5895	4F74	E3MD0080
2999	硝	CFF5	CFF5	5896	4F75	E3ME0080
3000	霄	CFF6	CFF6	5897	4F76	E3MF0080
3001	削	CFF7	CFF7	5898	4F77	E3MG0080
3002	哮	CFF8	CFF8	5899	4F78	E3MH0080
3003	嚣	CFF9	CFF9	589A	4F79	E3MI0080
3004	销	CFFA	CFFA	589B	4F7A	E3MJ0080
3005	消	CFFB	CFFB	589C	4F7B	E3MK0080
3006	宵	CFFC	CFFC	589D	4F7C	E3ML0080
3007	淆	CFFD	CFFD	589E	4F7D	E3MM0080
3008	晓	CFFE	CFFE	589F	4F7E	E3MN0080
3009	小	D0A1	D0A1	58A0	5021	E3MO0080
3010	孝	D0A2	D0A2	58A1	5022	E3MP0080
3011	校	D0A3	D0A3	58A2	5023	E3MQ0080
3012	肖	D0A4	D0A4	58A3	5024	E3MR0080
3013	啸	D0A5	D0A5	58A4	5025	E3MS0080
3014	笑	D0A6	D0A6	58A5	5026	E3MT0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 58 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3015	效	D0A7	D0A7	58A6	5027	E3MU0080
3016	楔	D0A8	D0A8	58A7	5028	E3MV0080
3017	些	D0A9	D0A9	58A8	5029	E3MW0080
3018	歇	D0AA	D0AA	58A9	502A	E3MX0080
3019	蝎	D0AB	D0AB	58AA	502B	E3MY0080
3020	鞋	D0AC	D0AC	58AB	502C	E3MZ0080
3021	协	D0AD	D0AD	58AC	502D	E3N00080
3022	挟	D0AE	D0AE	58AD	502E	E3N10080
3023	携	D0AF	D0AF	58AE	502F	E3N20080
3024	邪	D0B0	D0B0	58AF	5030	E3N30080
3025	斜	D0B1	D0B1	58B0	5031	E3N40080
3026	胁	D0B2	D0B2	58B1	5032	E3N50080
3027	谐	D0B3	D0B3	58B2	5033	E3N60080
3028	写	D0B4	D0B4	58B3	5034	E3N70080
3029	械	D0B5	D0B5	58B4	5035	E3N80080
3030	卸	D0B6	D0B6	58B5	5036	E3N90080
3031	蟹	D0B7	D0B7	58B6	5037	E3NA0080
3032	懈	D0B8	D0B8	58B7	5038	E3NB0080
3033	泄	D0B9	D0B9	58B8	5039	E3NC0080
3034	泻	D0BA	D0BA	58B9	503A	E3ND0080
3035	谢	D0BB	D0BB	58BA	503B	E3NE0080
3036	屑	D0BC	D0BC	58BB	503C	E3NF0080
3037	薪	D0BD	D0BD	58BC	503D	E3NG0080
3038	芯	D0BE	D0BE	58BD	503E	E3NH0080
3039	锌	D0BF	D0BF	58BE	503F	E3NI0080
3040	欣	D0C0	D0C0	58BF	5040	E3NJ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 7 (Page 59 of 59). Level 1 Chinese Character Set (2 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3041	辛	D0C1	D0C1	58C0	5041	E3NK0080
3042	新	D0C2	D0C2	58C1	5042	E3NL0080
3043	忻	D0C3	D0C3	58C2	5043	E3NM0080
3044	心	D0C4	D0C4	58C3	5044	E3NN0080
3045	信	D0C5	D0C5	58C4	5045	E3NO0080
3046	衅	D0C6	D0C6	58C5	5046	E3NP0080
3047	星	D0C7	D0C7	58C6	5047	E3NQ0080
3048	腥	D0C8	D0C8	58C7	5048	E3NR0080
3049	猩	D0C9	D0C9	58C8	5049	E3NS0080
3050	惺	D0CA	D0CA	58C9	504A	E3NT0080
3051	兴	D0CB	D0CB	58CA	504B	E3NU0080
3052	刑	D0CC	D0CC	58CB	504C	E3NV0080
3053	型	D0CD	D0CD	58CC	504D	E3NW0080
3054	形	D0CE	D0CE	58CD	504E	E3NX0080
3055	邢	D0CF	D0CF	58CE	504F	E3NY0080
3056	行	D0D0	D0D0	58CF	5050	E3NZ0080
3057	醒	D0D1	D0D1	58D0	5051	E3O00080
3058	幸	D0D2	D0D2	58D1	5052	E3O10080
3059	杏	D0D3	D0D3	58D2	5053	E3O20080
3060	性	D0D4	D0D4	58D3	5054	E3O30080
3061	姓	D0D5	D0D5	58D4	5055	E3O40080
3062	兄	D0D6	D0D6	58D5	5056	E3O50080
3063	凶	D0D7	D0D7	58D6	5057	E3O60080
3064	胸	D0D8	D0D8	58D7	5058	E3O70080
3065	匈	D0D9	D0D9	58D8	5059	E3O80080
3066	汹	D0DA	D0DA	58D9	505A	E3O90080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.4 Level 1 Chinese Character Set (3 of 3)

Table 8 (Page 1 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3067	雄	D0DB	D0DB	58DA	505B	E30A0080
3068	熊	D0DC	D0DC	58DB	505C	E30B0080
3069	休	D0DD	D0DD	58DC	505D	E30C0080
3070	修	D0DE	D0DE	58DD	505E	E30D0080
3071	羞	D0DF	D0DF	58DE	505F	E30E0080
3072	朽	D0E0	D0E0	58DF	5060	E30F0080
3073	嗅	D0E1	D0E1	58E0	5061	E30G0080
3074	锈	D0E2	D0E2	58E1	5062	E30H0080
3075	秀	D0E3	D0E3	58E2	5063	E30I0080
3076	袖	D0E4	D0E4	58E3	5064	E30J0080
3077	绣	D0E5	D0E5	58E4	5065	E30K0080
3078	墟	D0E6	D0E6	58E5	5066	E30L0080
3079	戌	D0E7	D0E7	58E6	5067	E30M0080
3080	需	D0E8	D0E8	58E7	5068	E30N0080
3081	虚	D0E9	D0E9	58E8	5069	E30O0080
3082	嘘	D0EA	D0EA	58E9	506A	E30P0080
3083	须	D0EB	D0EB	58EA	506B	E30Q0080
3084	徐	D0EC	D0EC	58EB	506C	E30R0080
3085	许	D0ED	D0ED	58EC	506D	E30S0080
3086	蓄	D0EE	D0EE	58ED	506E	E30T0080
3087	酗	D0EF	D0EF	58EE	506F	E30U0080
3088	叙	D0F0	D0F0	58EF	5070	E30V0080
3089	旭	D0F1	D0F1	58F0	5071	E30W0080
3090	序	D0F2	D0F2	58F1	5072	E30X0080
3091	畜	D0F3	D0F3	58F2	5073	E30Y0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 2 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3092	恤	D0F4	D0F4	58F3	5074	E3OZ0080
3093	絮	D0F5	D0F5	58F4	5075	E3P00080
3094	婿	D0F6	D0F6	58F5	5076	E3P10080
3095	绪	D0F7	D0F7	58F6	5077	E3P20080
3096	续	D0F8	D0F8	58F7	5078	E3P30080
3097	轩	D0F9	D0F9	58F8	5079	E3P40080
3098	喧	D0FA	D0FA	58F9	507A	E3P50080
3099	宣	D0FB	D0FB	58FA	507B	E3P60080
3100	悬	D0FC	D0FC	58FB	507C	E3P70080
3101	旋	D0FD	D0FD	58FC	507D	E3P80080
3102	玄	D0FE	D0FE	58FD	507E	E3P90080
3103	选	D1A1	D1A1	5941	5121	E3PD0080
3104	癣	D1A2	D1A2	5942	5122	E3PE0080
3105	眩	D1A3	D1A3	5943	5123	E3PF0080
3106	绚	D1A4	D1A4	5944	5124	E3PG0080
3107	靴	D1A5	D1A5	5945	5125	E3PH0080
3108	薛	D1A6	D1A6	5946	5126	E3PI0080
3109	学	D1A7	D1A7	5947	5127	E3PJ0080
3110	穴	D1A8	D1A8	5948	5128	E3PK0080
3111	雪	D1A9	D1A9	5949	5129	E3PL0080
3112	血	D1AA	D1AA	594A	512A	E3PM0080
3113	勋	D1AB	D1AB	594B	512B	E3PN0080
3114	熏	D1AC	D1AC	594C	512C	E3PO0080
3115	循	D1AD	D1AD	594D	512D	E3PP0080
3116	旬	D1AE	D1AE	594E	512E	E3PQ0080
3117	询	D1AF	D1AF	594F	512F	E3PR0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 3 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3118	寻	D1B0	D1B0	5950	5130	E3PS0080
3119	驯	D1B1	D1B1	5951	5131	E3PT0080
3120	巡	D1B2	D1B2	5952	5132	E3PU0080
3121	殉	D1B3	D1B3	5953	5133	E3PV0080
3122	汛	D1B4	D1B4	5954	5134	E3PW0080
3123	训	D1B5	D1B5	5955	5135	E3PX0080
3124	讯	D1B6	D1B6	5956	5136	E3PY0080
3125	逊	D1B7	D1B7	5957	5137	E3PZ0080
3126	迅	D1B8	D1B8	5958	5138	E3Q00080
3127	压	D1B9	D1B9	5959	5139	E3Q10080
3128	押	D1BA	D1BA	595A	513A	E3Q20080
3129	鸦	D1BB	D1BB	595B	513B	E3Q30080
3130	鸭	D1BC	D1BC	595C	513C	E3Q40080
3131	呀	D1BD	D1BD	595D	513D	E3Q50080
3132	丫	D1BE	D1BE	595E	513E	E3Q60080
3133	芽	D1BF	D1BF	595F	513F	E3Q70080
3134	牙	D1C0	D1C0	5960	5140	E3Q80080
3135	蚜	D1C1	D1C1	5961	5141	E3Q90080
3136	崖	D1C2	D1C2	5962	5142	E3QA0080
3137	衙	D1C3	D1C3	5963	5143	E3QB0080
3138	涯	D1C4	D1C4	5964	5144	E3QC0080
3139	雅	D1C5	D1C5	5965	5145	E3QD0080
3140	哑	D1C6	D1C6	5966	5146	E3QE0080
3141	亚	D1C7	D1C7	5967	5147	E3QF0080
3142	讶	D1C8	D1C8	5968	5148	E3QG0080
3143	焉	D1C9	D1C9	5969	5149	E3QH0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 8 (Page 4 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3144	咽	D1CA	D1CA	596A	514A	E3QI0080
3145	阉	D1CB	D1CB	596B	514B	E3QJ0080
3146	烟	D1CC	D1CC	596C	514C	E3QK0080
3147	淹	D1CD	D1CD	596D	514D	E3QL0080
3148	盐	D1CE	D1CE	596E	514E	E3QM0080
3149	严	D1CF	D1CF	596F	514F	E3QN0080
3150	研	D1D0	D1D0	5970	5150	E3QO0080
3151	蜒	D1D1	D1D1	5971	5151	E3QP0080
3152	岩	D1D2	D1D2	5972	5152	E3QQ0080
3153	延	D1D3	D1D3	5973	5153	E3QR0080
3154	言	D1D4	D1D4	5974	5154	E3QS0080
3155	颜	D1D5	D1D5	5975	5155	E3QT0080
3156	阎	D1D6	D1D6	5976	5156	E3QU0080
3157	炎	D1D7	D1D7	5977	5157	E3QV0080
3158	沿	D1D8	D1D8	5978	5158	E3QW0080
3159	奄	D1D9	D1D9	5979	5159	E3QX0080
3160	掩	D1DA	D1DA	597A	515A	E3QY0080
3161	眼	D1DB	D1DB	597B	515B	E3QZ0080
3162	衍	D1DC	D1DC	597C	515C	E3R00080
3163	演	D1DD	D1DD	597D	515D	E3R10080
3164	艳	D1DE	D1DE	597E	515E	E3R20080
3165	堰	D1DF	D1DF	597F	515F	E3R30080
3166	燕	D1E0	D1E0	5981	5160	E3R50080
3167	厌	D1E1	D1E1	5982	5161	E3R60080
3168	砚	D1E2	D1E2	5983	5162	E3R70080
3169	雁	D1E3	D1E3	5984	5163	E3R80080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 5 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3170	唁	D1E4	D1E4	5985	5164	E3R90080
3171	彦	D1E5	D1E5	5986	5165	E3RA0080
3172	焰	D1E6	D1E6	5987	5166	E3RB0080
3173	宴	D1E7	D1E7	5988	5167	E3RC0080
3174	谚	D1E8	D1E8	5989	5168	E3RD0080
3175	验	D1E9	D1E9	598A	5169	E3RE0080
3176	殃	D1EA	D1EA	598B	516A	E3RF0080
3177	央	D1EB	D1EB	598C	516B	E3RG0080
3178	鸯	D1EC	D1EC	598D	516C	E3RH0080
3179	秧	D1ED	D1ED	598E	516D	E3RI0080
3180	杨	D1EE	D1EE	598F	516E	E3RJ0080
3181	扬	D1EF	D1EF	5990	516F	E3RK0080
3182	佯	D1F0	D1F0	5991	5170	E3RL0080
3183	疡	D1F1	D1F1	5992	5171	E3RM0080
3184	羊	D1F2	D1F2	5993	5172	E3RN0080
3185	洋	D1F3	D1F3	5994	5173	E3RO0080
3186	阳	D1F4	D1F4	5995	5174	E3RP0080
3187	氧	D1F5	D1F5	5996	5175	E3RQ0080
3188	仰	D1F6	D1F6	5997	5176	E3RR0080
3189	痒	D1F7	D1F7	5998	5177	E3RS0080
3190	养	D1F8	D1F8	5999	5178	E3RT0080
3191	样	D1F9	D1F9	599A	5179	E3RU0080
3192	漾	D1FA	D1FA	599B	517A	E3RV0080
3193	邀	D1FB	D1FB	599C	517B	E3RW0080
3194	腰	D1FC	D1FC	599D	517C	E3RX0080
3195	妖	D1FD	D1FD	599E	517D	E3RY0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 6 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3196	瑶	D1FE	D1FE	599F	517E	E3RZ0080
3197	摇	D2A1	D2A1	59A0	5221	E3S00080
3198	尧	D2A2	D2A2	59A1	5222	E3S10080
3199	遥	D2A3	D2A3	59A2	5223	E3S20080
3200	窑	D2A4	D2A4	59A3	5224	E3S30080
3201	谣	D2A5	D2A5	59A4	5225	E3S40080
3202	姚	D2A6	D2A6	59A5	5226	E3S50080
3203	咬	D2A7	D2A7	59A6	5227	E3S60080
3204	舀	D2A8	D2A8	59A7	5228	E3S70080
3205	药	D2A9	D2A9	59A8	5229	E3S80080
3206	要	D2AA	D2AA	59A9	522A	E3S90080
3207	耀	D2AB	D2AB	59AA	522B	E3SA0080
3208	椰	D2AC	D2AC	59AB	522C	E3SB0080
3209	噫	D2AD	D2AD	59AC	522D	E3SC0080
3210	耶	D2AE	D2AE	59AD	522E	E3SD0080
3211	爷	D2AF	D2AF	59AE	522F	E3SE0080
3212	野	D2B0	D2B0	59AF	5230	E3SF0080
3213	冶	D2B1	D2B1	59B0	5231	E3SG0080
3214	也	D2B2	D2B2	59B1	5232	E3SH0080
3215	页	D2B3	D2B3	59B2	5233	E3SI0080
3216	掖	D2B4	D2B4	59B3	5234	E3SJ0080
3217	业	D2B5	D2B5	59B4	5235	E3SK0080
3218	叶	D2B6	D2B6	59B5	5236	E3SL0080
3219	曳	D2B7	D2B7	59B6	5237	E3SM0080
3220	腋	D2B8	D2B8	59B7	5238	E3SN0080
3221	夜	D2B9	D2B9	59B8	5239	E3SO0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 7 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3222	液	D2BA	D2BA	59B9	523A	E3SP0080
3223	一	D2BB	D2BB	59BA	523B	E3SQ0080
3224	壹	D2BC	D2BC	59BB	523C	E3SR0080
3225	医	D2BD	D2BD	59BC	523D	E3SS0080
3226	揖	D2BE	D2BE	59BD	523E	E3ST0080
3227	铍	D2BF	D2BF	59BE	523F	E3SU0080
3228	依	D2C0	D2C0	59BF	5240	E3SV0080
3229	伊	D2C1	D2C1	59C0	5241	E3SW0080
3230	衣	D2C2	D2C2	59C1	5242	E3SX0080
3231	颐	D2C3	D2C3	59C2	5243	E3SY0080
3232	夷	D2C4	D2C4	59C3	5244	E3SZ0080
3233	遗	D2C5	D2C5	59C4	5245	E3T00080
3234	移	D2C6	D2C6	59C5	5246	E3T10080
3235	仪	D2C7	D2C7	59C6	5247	E3T20080
3236	胰	D2C8	D2C8	59C7	5248	E3T30080
3237	疑	D2C9	D2C9	59C8	5249	E3T40080
3238	沂	D2CA	D2CA	59C9	524A	E3T50080
3239	宜	D2CB	D2CB	59CA	524B	E3T60080
3240	姨	D2CC	D2CC	59CB	524C	E3T70080
3241	彝	D2CD	D2CD	59CC	524D	E3T80080
3242	椅	D2CE	D2CE	59CD	524E	E3T90080
3243	蚁	D2CF	D2CF	59CE	524F	E3TA0080
3244	倚	D2D0	D2D0	59CF	5250	E3TB0080
3245	已	D2D1	D2D1	59D0	5251	E3TC0080
3246	乙	D2D2	D2D2	59D1	5252	E3TD0080
3247	矣	D2D3	D2D3	59D2	5253	E3TE0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 8 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3248	以	D2D4	D2D4	59D3	5254	E3TF0080
3249	艺	D2D5	D2D5	59D4	5255	E3TG0080
3250	抑	D2D6	D2D6	59D5	5256	E3TH0080
3251	易	D2D7	D2D7	59D6	5257	E3TI0080
3252	邑	D2D8	D2D8	59D7	5258	E3TJ0080
3253	屹	D2D9	D2D9	59D8	5259	E3TK0080
3254	亿	D2DA	D2DA	59D9	525A	E3TL0080
3255	役	D2DB	D2DB	59DA	525B	E3TM0080
3256	臆	D2DC	D2DC	59DB	525C	E3TN0080
3257	逸	D2DD	D2DD	59DC	525D	E3TO0080
3258	肄	D2DE	D2DE	59DD	525E	E3TP0080
3259	疫	D2DF	D2DF	59DE	525F	E3TQ0080
3260	亦	D2E0	D2E0	59DF	5260	E3TR0080
3261	裔	D2E1	D2E1	59E0	5261	E3TS0080
3262	意	D2E2	D2E2	59E1	5262	E3TT0080
3263	毅	D2E3	D2E3	59E2	5263	E3TU0080
3264	忆	D2E4	D2E4	59E3	5264	E3TV0080
3265	义	D2E5	D2E5	59E4	5265	E3TW0080
3266	益	D2E6	D2E6	59E5	5266	E3TX0080
3267	溢	D2E7	D2E7	59E6	5267	E3TY0080
3268	诣	D2E8	D2E8	59E7	5268	E3TZ0080
3269	议	D2E9	D2E9	59E8	5269	E3U00080
3270	谊	D2EA	D2EA	59E9	526A	E3U10080
3271	译	D2EB	D2EB	59EA	526B	E3U20080
3272	异	D2EC	D2EC	59EB	526C	E3U30080
3273	翼	D2ED	D2ED	59EC	526D	E3U40080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 9 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3274	翌	D2EE	D2EE	59ED	526E	E3U50080
3275	绎	D2EF	D2EF	59EE	526F	E3U60080
3276	茵	D2F0	D2F0	59EF	5270	E3U70080
3277	荫	D2F1	D2F1	59F0	5271	E3U80080
3278	因	D2F2	D2F2	59F1	5272	E3U90080
3279	殷	D2F3	D2F3	59F2	5273	E3UA0080
3280	音	D2F4	D2F4	59F3	5274	E3UB0080
3281	阴	D2F5	D2F5	59F4	5275	E3UC0080
3282	姻	D2F6	D2F6	59F5	5276	E3UD0080
3283	吟	D2F7	D2F7	59F6	5277	E3UE0080
3284	银	D2F8	D2F8	59F7	5278	E3UF0080
3285	淫	D2F9	D2F9	59F8	5279	E3UG0080
3286	寅	D2FA	D2FA	59F9	527A	E3UH0080
3287	饮	D2FB	D2FB	59FA	527B	E3UI0080
3288	尹	D2FC	D2FC	59FB	527C	E3UJ0080
3289	引	D2FD	D2FD	59FC	527D	E3UK0080
3290	隐	D2FE	D2FE	59FD	527E	E3UL0080
3291	印	D3A1	D3A1	5A41	5321	E3UP0080
3292	英	D3A2	D3A2	5A42	5322	E3UQ0080
3293	樱	D3A3	D3A3	5A43	5323	E3UR0080
3294	婴	D3A4	D3A4	5A44	5324	E3US0080
3295	鹰	D3A5	D3A5	5A45	5325	E3UT0080
3296	应	D3A6	D3A6	5A46	5326	E3UU0080
3297	纓	D3A7	D3A7	5A47	5327	E3UV0080
3298	莹	D3A8	D3A8	5A48	5328	E3UW0080
3299	萤	D3A9	D3A9	5A49	5329	E3UX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 10 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3300	营	D3AA	D3AA	5A4A	532A	E3UY0080
3301	荧	D3AB	D3AB	5A4B	532B	E3UZ0080
3302	蝇	D3AC	D3AC	5A4C	532C	E3V00080
3303	迎	D3AD	D3AD	5A4D	532D	E3V10080
3304	赢	D3AE	D3AE	5A4E	532E	E3V20080
3305	盈	D3AF	D3AF	5A4F	532F	E3V30080
3306	影	D3B0	D3B0	5A50	5330	E3V40080
3307	颖	D3B1	D3B1	5A51	5331	E3V50080
3308	硬	D3B2	D3B2	5A52	5332	E3V60080
3309	映	D3B3	D3B3	5A53	5333	E3V70080
3310	哟	D3B4	D3B4	5A54	5334	E3V80080
3311	拥	D3B5	D3B5	5A55	5335	E3V90080
3312	佣	D3B6	D3B6	5A56	5336	E3VA0080
3313	雍	D3B7	D3B7	5A57	5337	E3VB0080
3314	痛	D3B8	D3B8	5A58	5338	E3VC0080
3315	庸	D3B9	D3B9	5A59	5339	E3VD0080
3316	雍	D3BA	D3BA	5A5A	533A	E3VE0080
3317	踊	D3BB	D3BB	5A5B	533B	E3VF0080
3318	蛹	D3BC	D3BC	5A5C	533C	E3VG0080
3319	咏	D3BD	D3BD	5A5D	533D	E3VH0080
3320	泳	D3BE	D3BE	5A5E	533E	E3VI0080
3321	涌	D3BF	D3BF	5A5F	533F	E3VJ0080
3322	永	D3C0	D3C0	5A60	5340	E3VK0080
3323	恣	D3C1	D3C1	5A61	5341	E3VL0080
3324	勇	D3C2	D3C2	5A62	5342	E3VM0080
3325	用	D3C3	D3C3	5A63	5343	E3VN0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 11 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3326	幽	D3C4	D3C4	5A64	5344	E3VO0080
3327	优	D3C5	D3C5	5A65	5345	E3VP0080
3328	悠	D3C6	D3C6	5A66	5346	E3VQ0080
3329	忧	D3C7	D3C7	5A67	5347	E3VR0080
3330	尤	D3C8	D3C8	5A68	5348	E3VS0080
3331	由	D3C9	D3C9	5A69	5349	E3VT0080
3332	邮	D3CA	D3CA	5A6A	534A	E3VU0080
3333	铀	D3CB	D3CB	5A6B	534B	E3VV0080
3334	犹	D3CC	D3CC	5A6C	534C	E3VW0080
3335	油	D3CD	D3CD	5A6D	534D	E3VX0080
3336	游	D3CE	D3CE	5A6E	534E	E3VY0080
3337	酉	D3CF	D3CF	5A6F	534F	E3VZ0080
3338	有	D3D0	D3D0	5A70	5350	E3W00080
3339	友	D3D1	D3D1	5A71	5351	E3W10080
3340	右	D3D2	D3D2	5A72	5352	E3W20080
3341	佑	D3D3	D3D3	5A73	5353	E3W30080
3342	釉	D3D4	D3D4	5A74	5354	E3W40080
3343	诱	D3D5	D3D5	5A75	5355	E3W50080
3344	又	D3D6	D3D6	5A76	5356	E3W60080
3345	幼	D3D7	D3D7	5A77	5357	E3W70080
3346	迂	D3D8	D3D8	5A78	5358	E3W80080
3347	淤	D3D9	D3D9	5A79	5359	E3W90080
3348	于	D3DA	D3DA	5A7A	535A	E3WA0080
3349	盂	D3DB	D3DB	5A7B	535B	E3WB0080
3350	榆	D3DC	D3DC	5A7C	535C	E3WC0080
3351	虞	D3DD	D3DD	5A7D	535D	E3WD0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 12 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3352	愚	D3DE	D3DE	5A7E	535E	E3WE0080
3353	舆	D3DF	D3DF	5A7F	535F	E3WF0080
3354	余	D3E0	D3E0	5A81	5360	E3WH0080
3355	俞	D3E1	D3E1	5A82	5361	E3WI0080
3356	逾	D3E2	D3E2	5A83	5362	E3WJ0080
3357	鱼	D3E3	D3E3	5A84	5363	E3WK0080
3358	愉	D3E4	D3E4	5A85	5364	E3WL0080
3359	渝	D3E5	D3E5	5A86	5365	E3WM0080
3360	渔	D3E6	D3E6	5A87	5366	E3WN0080
3361	隅	D3E7	D3E7	5A88	5367	E3WO0080
3362	予	D3E8	D3E8	5A89	5368	E3WP0080
3363	娱	D3E9	D3E9	5A8A	5369	E3WQ0080
3364	雨	D3EA	D3EA	5A8B	536A	E3WR0080
3365	与	D3EB	D3EB	5A8C	536B	E3WS0080
3366	屿	D3EC	D3EC	5A8D	536C	E3WT0080
3367	禹	D3ED	D3ED	5A8E	536D	E3WU0080
3368	宇	D3EE	D3EE	5A8F	536E	E3WV0080
3369	语	D3EF	D3EF	5A90	536F	E3WW0080
3370	羽	D3F0	D3F0	5A91	5370	E3WX0080
3371	玉	D3F1	D3F1	5A92	5371	E3WY0080
3372	域	D3F2	D3F2	5A93	5372	E3WZ0080
3373	芋	D3F3	D3F3	5A94	5373	E3X00080
3374	郁	D3F4	D3F4	5A95	5374	E3X10080
3375	吁	D3F5	D3F5	5A96	5375	E3X20080
3376	遇	D3F6	D3F6	5A97	5376	E3X30080
3377	喻	D3F7	D3F7	5A98	5377	E3X40080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 13 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3378	峪	D3F8	D3F8	5A99	5378	E3X50080
3379	御	D3F9	D3F9	5A9A	5379	E3X60080
3380	愈	D3FA	D3FA	5A9B	537A	E3X70080
3381	欲	D3FB	D3FB	5A9C	537B	E3X80080
3382	狱	D3FC	D3FC	5A9D	537C	E3X90080
3383	育	D3FD	D3FD	5A9E	537D	E3XA0080
3384	誉	D3FE	D3FE	5A9F	537E	E3XB0080
3385	浴	D4A1	D4A1	5AA0	5421	E3XC0080
3386	寓	D4A2	D4A2	5AA1	5422	E3XD0080
3387	裕	D4A3	D4A3	5AA2	5423	E3XE0080
3388	预	D4A4	D4A4	5AA3	5424	E3XF0080
3389	豫	D4A5	D4A5	5AA4	5425	E3XG0080
3390	驭	D4A6	D4A6	5AA5	5426	E3XH0080
3391	鸳	D4A7	D4A7	5AA6	5427	E3XI0080
3392	渊	D4A8	D4A8	5AA7	5428	E3XJ0080
3393	冤	D4A9	D4A9	5AA8	5429	E3XK0080
3394	元	D4AA	D4AA	5AA9	542A	E3XL0080
3395	垣	D4AB	D4AB	5AAA	542B	E3XM0080
3396	袁	D4AC	D4AC	5AAB	542C	E3XN0080
3397	原	D4AD	D4AD	5AAC	542D	E3XO0080
3398	援	D4AE	D4AE	5AAD	542E	E3XP0080
3399	辕	D4AF	D4AF	5AAE	542F	E3XQ0080
3400	园	D4B0	D4B0	5AAF	5430	E3XR0080
3401	员	D4B1	D4B1	5AB0	5431	E3XS0080
3402	圆	D4B2	D4B2	5AB1	5432	E3XT0080
3403	猿	D4B3	D4B3	5AB2	5433	E3XU0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 14 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3404	源	D4B4	D4B4	5AB3	5434	E3XV0080
3405	缘	D4B5	D4B5	5AB4	5435	E3XW0080
3406	远	D4B6	D4B6	5AB5	5436	E3XX0080
3407	苑	D4B7	D4B7	5AB6	5437	E3XY0080
3408	愿	D4B8	D4B8	5AB7	5438	E3XZ0080
3409	怨	D4B9	D4B9	5AB8	5439	E3Y00080
3410	院	D4BA	D4BA	5AB9	543A	E3Y10080
3411	曰	D4BB	D4BB	5ABA	543B	E3Y20080
3412	约	D4BC	D4BC	5ABB	543C	E3Y30080
3413	越	D4BD	D4BD	5ABC	543D	E3Y40080
3414	跃	D4BE	D4BE	5ABD	543E	E3Y50080
3415	钥	D4BF	D4BF	5ABE	543F	E3Y60080
3416	岳	D4C0	D4C0	5ABF	5440	E3Y70080
3417	粤	D4C1	D4C1	5AC0	5441	E3Y80080
3418	月	D4C2	D4C2	5AC1	5442	E3Y90080
3419	悦	D4C3	D4C3	5AC2	5443	E3YA0080
3420	阅	D4C4	D4C4	5AC3	5444	E3YB0080
3421	耘	D4C5	D4C5	5AC4	5445	E3YC0080
3422	云	D4C6	D4C6	5AC5	5446	E3YD0080
3423	郢	D4C7	D4C7	5AC6	5447	E3YE0080
3424	匀	D4C8	D4C8	5AC7	5448	E3YF0080
3425	隕	D4C9	D4C9	5AC8	5449	E3YG0080
3426	允	D4CA	D4CA	5AC9	544A	E3YH0080
3427	运	D4CB	D4CB	5ACA	544B	E3YI0080
3428	蕴	D4CC	D4CC	5ACB	544C	E3YJ0080
3429	酝	D4CD	D4CD	5ACC	544D	E3YK0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 15 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3430	晕	D4CE	D4CE	5ACD	544E	E3YL0080
3431	韵	D4CF	D4CF	5ACE	544F	E3YM0080
3432	孕	D4D0	D4D0	5ACF	5450	E3YN0080
3433	匝	D4D1	D4D1	5AD0	5451	E3YO0080
3434	砸	D4D2	D4D2	5AD1	5452	E3YP0080
3435	杂	D4D3	D4D3	5AD2	5453	E3YQ0080
3436	栽	D4D4	D4D4	5AD3	5454	E3YR0080
3437	哉	D4D5	D4D5	5AD4	5455	E3YS0080
3438	灾	D4D6	D4D6	5AD5	5456	E3YT0080
3439	宰	D4D7	D4D7	5AD6	5457	E3YU0080
3440	载	D4D8	D4D8	5AD7	5458	E3YV0080
3441	再	D4D9	D4D9	5AD8	5459	E3YW0080
3442	在	D4DA	D4DA	5AD9	545A	E3YX0080
3443	咱	D4DB	D4DB	5ADA	545B	E3YY0080
3444	攢	D4DC	D4DC	5ADB	545C	E3YZ0080
3445	暂	D4DD	D4DD	5ADC	545D	E3Z00080
3446	赞	D4DE	D4DE	5ADD	545E	E3Z10080
3447	赃	D4DF	D4DF	5ADE	545F	E3Z20080
3448	脏	D4E0	D4E0	5ADF	5460	E3Z30080
3449	葬	D4E1	D4E1	5AE0	5461	E3Z40080
3450	遭	D4E2	D4E2	5AE1	5462	E3Z50080
3451	糟	D4E3	D4E3	5AE2	5463	E3Z60080
3452	凿	D4E4	D4E4	5AE3	5464	E3Z70080
3453	藻	D4E5	D4E5	5AE4	5465	E3Z80080
3454	枣	D4E6	D4E6	5AE5	5466	E3Z90080
3455	早	D4E7	D4E7	5AE6	5467	E3ZA0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 16 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3456	澡	D4E8	D4E8	5AE7	5468	E3ZB0080
3457	蚤	D4E9	D4E9	5AE8	5469	E3ZC0080
3458	躁	D4EA	D4EA	5AE9	546A	E3ZD0080
3459	噪	D4EB	D4EB	5AEA	546B	E3ZE0080
3460	造	D4EC	D4EC	5AEB	546C	E3ZF0080
3461	皂	D4ED	D4ED	5AEC	546D	E3ZG0080
3462	灶	D4EE	D4EE	5AED	546E	E3ZH0080
3463	燥	D4EF	D4EF	5AEE	546F	E3ZI0080
3464	责	D4F0	D4F0	5AEF	5470	E3ZJ0080
3465	择	D4F1	D4F1	5AF0	5471	E3ZK0080
3466	则	D4F2	D4F2	5AF1	5472	E3ZL0080
3467	泽	D4F3	D4F3	5AF2	5473	E3ZM0080
3468	贼	D4F4	D4F4	5AF3	5474	E3ZN0080
3469	怎	D4F5	D4F5	5AF4	5475	E3ZO0080
3470	增	D4F6	D4F6	5AF5	5476	E3ZP0080
3471	憎	D4F7	D4F7	5AF6	5477	E3ZQ0080
3472	曾	D4F8	D4F8	5AF7	5478	E3ZR0080
3473	赠	D4F9	D4F9	5AF8	5479	E3ZS0080
3474	扎	D4FA	D4FA	5AF9	547A	E3ZT0080
3475	渣	D4FB	D4FB	5AFA	547B	E3ZU0080
3476	渣	D4FC	D4FC	5AFB	547C	E3ZV0080
3477	札	D4FD	D4FD	5AFC	547D	E3ZW0080
3478	轧	D4FE	D4FE	5AFD	547E	E3ZX0080
3479	铡	D5A1	D5A1	5B41	5521	E4010080
3480	闸	D5A2	D5A2	5B42	5522	E4020080
3481	眨	D5A3	D5A3	5B43	5523	E4030080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 17 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3482	栅	D5A4	D5A4	5B44	5524	E4040080
3483	榨	D5A5	D5A5	5B45	5525	E4050080
3484	咋	D5A6	D5A6	5B46	5526	E4060080
3485	乍	D5A7	D5A7	5B47	5527	E4070080
3486	炸	D5A8	D5A8	5B48	5528	E4080080
3487	诈	D5A9	D5A9	5B49	5529	E4090080
3488	摘	D5AA	D5AA	5B4A	552A	E40A0080
3489	斋	D5AB	D5AB	5B4B	552B	E40B0080
3490	宅	D5AC	D5AC	5B4C	552C	E40C0080
3491	窄	D5AD	D5AD	5B4D	552D	E40D0080
3492	债	D5AE	D5AE	5B4E	552E	E40E0080
3493	寨	D5AF	D5AF	5B4F	552F	E40F0080
3494	瞻	D5B0	D5B0	5B50	5530	E40G0080
3495	毡	D5B1	D5B1	5B51	5531	E40H0080
3496	詹	D5B2	D5B2	5B52	5532	E40I0080
3497	粘	D5B3	D5B3	5B53	5533	E40J0080
3498	沾	D5B4	D5B4	5B54	5534	E40K0080
3499	盞	D5B5	D5B5	5B55	5535	E40L0080
3500	斩	D5B6	D5B6	5B56	5536	E40M0080
3501	辗	D5B7	D5B7	5B57	5537	E40N0080
3502	崭	D5B8	D5B8	5B58	5538	E40O0080
3503	展	D5B9	D5B9	5B59	5539	E40P0080
3504	蘸	D5BA	D5BA	5B5A	553A	E40Q0080
3505	栈	D5BB	D5BB	5B5B	553B	E40R0080
3506	占	D5BC	D5BC	5B5C	553C	E40S0080
3507	战	D5BD	D5BD	5B5D	553D	E40T0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 18 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3508	站	D5BE	D5BE	5B5E	553E	E40U0080
3509	湛	D5BF	D5BF	5B5F	553F	E40V0080
3510	绽	D5C0	D5C0	5B60	5540	E40W0080
3511	樟	D5C1	D5C1	5B61	5541	E40X0080
3512	章	D5C2	D5C2	5B62	5542	E40Y0080
3513	彰	D5C3	D5C3	5B63	5543	E40Z0080
3514	漳	D5C4	D5C4	5B64	5544	E4100080
3515	张	D5C5	D5C5	5B65	5545	E4110080
3516	掌	D5C6	D5C6	5B66	5546	E4120080
3517	涨	D5C7	D5C7	5B67	5547	E4130080
3518	杖	D5C8	D5C8	5B68	5548	E4140080
3519	丈	D5C9	D5C9	5B69	5549	E4150080
3520	帐	D5CA	D5CA	5B6A	554A	E4160080
3521	账	D5CB	D5CB	5B6B	554B	E4170080
3522	仗	D5CC	D5CC	5B6C	554C	E4180080
3523	胀	D5CD	D5CD	5B6D	554D	E4190080
3524	瘡	D5CE	D5CE	5B6E	554E	E41A0080
3525	障	D5CF	D5CF	5B6F	554F	E41B0080
3526	招	D5D0	D5D0	5B70	5550	E41C0080
3527	昭	D5D1	D5D1	5B71	5551	E41D0080
3528	找	D5D2	D5D2	5B72	5552	E41E0080
3529	沼	D5D3	D5D3	5B73	5553	E41F0080
3530	赵	D5D4	D5D4	5B74	5554	E41G0080
3531	照	D5D5	D5D5	5B75	5555	E41H0080
3532	罩	D5D6	D5D6	5B76	5556	E41I0080
3533	兆	D5D7	D5D7	5B77	5557	E41J0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 19 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3534	肇	D5D8	D5D8	5B78	5558	E41K0080
3535	召	D5D9	D5D9	5B79	5559	E41L0080
3536	遮	D5DA	D5DA	5B7A	555A	E41M0080
3537	折	D5DB	D5DB	5B7B	555B	E41N0080
3538	哲	D5DC	D5DC	5B7C	555C	E41O0080
3539	蛰	D5DD	D5DD	5B7D	555D	E41P0080
3540	辙	D5DE	D5DE	5B7E	555E	E41Q0080
3541	者	D5DF	D5DF	5B7F	555F	E41R0080
3542	锺	D5E0	D5E0	5B81	5560	E41T0080
3543	蔗	D5E1	D5E1	5B82	5561	E41U0080
3544	这	D5E2	D5E2	5B83	5562	E41V0080
3545	浙	D5E3	D5E3	5B84	5563	E41W0080
3546	珍	D5E4	D5E4	5B85	5564	E41X0080
3547	斟	D5E5	D5E5	5B86	5565	E41Y0080
3548	真	D5E6	D5E6	5B87	5566	E41Z0080
3549	甄	D5E7	D5E7	5B88	5567	E4200080
3550	砧	D5E8	D5E8	5B89	5568	E4210080
3551	臻	D5E9	D5E9	5B8A	5569	E4220080
3552	贞	D5EA	D5EA	5B8B	556A	E4230080
3553	针	D5EB	D5EB	5B8C	556B	E4240080
3554	侦	D5EC	D5EC	5B8D	556C	E4250080
3555	枕	D5ED	D5ED	5B8E	556D	E4260080
3556	疹	D5EE	D5EE	5B8F	556E	E4270080
3557	诊	D5EF	D5EF	5B90	556F	E4280080
3558	震	D5F0	D5F0	5B91	5570	E4290080
3559	振	D5F1	D5F1	5B92	5571	E42A0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 20 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3560	镇	D5F2	D5F2	5B93	5572	E42B0080
3561	阵	D5F3	D5F3	5B94	5573	E42C0080
3562	蒸	D5F4	D5F4	5B95	5574	E42D0080
3563	挣	D5F5	D5F5	5B96	5575	E42E0080
3564	睁	D5F6	D5F6	5B97	5576	E42F0080
3565	征	D5F7	D5F7	5B98	5577	E42G0080
3566	狰	D5F8	D5F8	5B99	5578	E42H0080
3567	争	D5F9	D5F9	5B9A	5579	E42I0080
3568	怔	D5FA	D5FA	5B9B	557A	E42J0080
3569	整	D5FB	D5FB	5B9C	557B	E42K0080
3570	拯	D5FC	D5FC	5B9D	557C	E42L0080
3571	正	D5FD	D5FD	5B9E	557D	E42M0080
3572	政	D5FE	D5FE	5B9F	557E	E42N0080
3573	帧	D6A1	D6A1	5BA0	5621	E42O0080
3574	症	D6A2	D6A2	5BA1	5622	E42P0080
3575	郑	D6A3	D6A3	5BA2	5623	E42Q0080
3576	证	D6A4	D6A4	5BA3	5624	E42R0080
3577	芝	D6A5	D6A5	5BA4	5625	E42S0080
3578	枝	D6A6	D6A6	5BA5	5626	E42T0080
3579	支	D6A7	D6A7	5BA6	5627	E42U0080
3580	歧	D6A8	D6A8	5BA7	5628	E42V0080
3581	蜘	D6A9	D6A9	5BA8	5629	E42W0080
3582	知	D6AA	D6AA	5BA9	562A	E42X0080
3583	肢	D6AB	D6AB	5BAA	562B	E42Y0080
3584	脂	D6AC	D6AC	5BAB	562C	E42Z0080
3585	汁	D6AD	D6AD	5BAC	562D	E4300080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 21 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3586	之	D6AE	D6AE	5BAD	562E	E4310080
3587	织	D6AF	D6AF	5BAE	562F	E4320080
3588	职	D6B0	D6B0	5BAF	5630	E4330080
3589	直	D6B1	D6B1	5BB0	5631	E4340080
3590	植	D6B2	D6B2	5BB1	5632	E4350080
3591	殖	D6B3	D6B3	5BB2	5633	E4360080
3592	执	D6B4	D6B4	5BB3	5634	E4370080
3593	值	D6B5	D6B5	5BB4	5635	E4380080
3594	侄	D6B6	D6B6	5BB5	5636	E4390080
3595	址	D6B7	D6B7	5BB6	5637	E43A0080
3596	指	D6B8	D6B8	5BB7	5638	E43B0080
3597	止	D6B9	D6B9	5BB8	5639	E43C0080
3598	趾	D6BA	D6BA	5BB9	563A	E43D0080
3599	只	D6BB	D6BB	5BBA	563B	E43E0080
3600	旨	D6BC	D6BC	5BBB	563C	E43F0080
3601	纸	D6BD	D6BD	5BBC	563D	E43G0080
3602	志	D6BE	D6BE	5BBD	563E	E43H0080
3603	摠	D6BF	D6BF	5BBE	563F	E43I0080
3604	擲	D6C0	D6C0	5BBF	5640	E43J0080
3605	至	D6C1	D6C1	5BC0	5641	E43K0080
3606	致	D6C2	D6C2	5BC1	5642	E43L0080
3607	置	D6C3	D6C3	5BC2	5643	E43M0080
3608	帜	D6C4	D6C4	5BC3	5644	E43N0080
3609	峙	D6C5	D6C5	5BC4	5645	E43O0080
3610	制	D6C6	D6C6	5BC5	5646	E43P0080
3611	智	D6C7	D6C7	5BC6	5647	E43Q0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 22 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3612	秩	D6C8	D6C8	5BC7	5648	E43R0080
3613	稚	D6C9	D6C9	5BC8	5649	E43S0080
3614	质	D6CA	D6CA	5BC9	564A	E43T0080
3615	炙	D6CB	D6CB	5BCA	564B	E43U0080
3616	痔	D6CC	D6CC	5BCB	564C	E43V0080
3617	滞	D6CD	D6CD	5BCC	564D	E43W0080
3618	治	D6CE	D6CE	5BCD	564E	E43X0080
3619	窒	D6CF	D6CF	5BCE	564F	E43Y0080
3620	中	D6D0	D6D0	5BCF	5650	E43Z0080
3621	盅	D6D1	D6D1	5BD0	5651	E4400080
3622	忠	D6D2	D6D2	5BD1	5652	E4410080
3623	钟	D6D3	D6D3	5BD2	5653	E4420080
3624	衷	D6D4	D6D4	5BD3	5654	E4430080
3625	终	D6D5	D6D5	5BD4	5655	E4440080
3626	种	D6D6	D6D6	5BD5	5656	E4450080
3627	肿	D6D7	D6D7	5BD6	5657	E4460080
3628	重	D6D8	D6D8	5BD7	5658	E4470080
3629	仲	D6D9	D6D9	5BD8	5659	E4480080
3630	众	D6DA	D6DA	5BD9	565A	E4490080
3631	舟	D6DB	D6DB	5BDA	565B	E44A0080
3632	周	D6DC	D6DC	5BDB	565C	E44B0080
3633	州	D6DD	D6DD	5BDC	565D	E44C0080
3634	洲	D6DE	D6DE	5BDD	565E	E44D0080
3635	诒	D6DF	D6DF	5BDE	565F	E44E0080
3636	粥	D6E0	D6E0	5BDF	5660	E44F0080
3637	轴	D6E1	D6E1	5BE0	5661	E44G0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 23 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3638	肘	D6E2	D6E2	5BE1	5662	E44H0080
3639	帚	D6E3	D6E3	5BE2	5663	E44I0080
3640	咒	D6E4	D6E4	5BE3	5664	E44J0080
3641	皱	D6E5	D6E5	5BE4	5665	E44K0080
3642	宙	D6E6	D6E6	5BE5	5666	E44L0080
3643	昼	D6E7	D6E7	5BE6	5667	E44M0080
3644	骤	D6E8	D6E8	5BE7	5668	E44N0080
3645	珠	D6E9	D6E9	5BE8	5669	E44O0080
3646	株	D6EA	D6EA	5BE9	566A	E44P0080
3647	蛛	D6EB	D6EB	5BEA	566B	E44Q0080
3648	朱	D6EC	D6EC	5BEB	566C	E44R0080
3649	猪	D6ED	D6ED	5BEC	566D	E44S0080
3650	诸	D6EE	D6EE	5BED	566E	E44T0080
3651	诛	D6EF	D6EF	5BEE	566F	E44U0080
3652	逐	D6F0	D6F0	5BEF	5670	E44V0080
3653	竹	D6F1	D6F1	5BF0	5671	E44W0080
3654	烛	D6F2	D6F2	5BF1	5672	E44X0080
3655	煮	D6F3	D6F3	5BF2	5673	E44Y0080
3656	拄	D6F4	D6F4	5BF3	5674	E44Z0080
3657	瞩	D6F5	D6F5	5BF4	5675	E4500080
3658	嘱	D6F6	D6F6	5BF5	5676	E4510080
3659	主	D6F7	D6F7	5BF6	5677	E4520080
3660	著	D6F8	D6F8	5BF7	5678	E4530080
3661	柱	D6F9	D6F9	5BF8	5679	E4540080
3662	助	D6FA	D6FA	5BF9	567A	E4550080
3663	蛀	D6FB	D6FB	5BFA	567B	E4560080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 24 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3664	贮	D6FC	D6FC	5BFB	567C	E4570080
3665	铸	D6FD	D6FD	5BFC	567D	E4580080
3666	筑	D6FE	D6FE	5BFD	567E	E4590080
3667	住	D7A1	D7A1	5C41	5721	E45D0080
3668	注	D7A2	D7A2	5C42	5722	E45E0080
3669	祝	D7A3	D7A3	5C43	5723	E45F0080
3670	驻	D7A4	D7A4	5C44	5724	E45G0080
3671	抓	D7A5	D7A5	5C45	5725	E45H0080
3672	爪	D7A6	D7A6	5C46	5726	E45I0080
3673	拽	D7A7	D7A7	5C47	5727	E45J0080
3674	专	D7A8	D7A8	5C48	5728	E45K0080
3675	砖	D7A9	D7A9	5C49	5729	E45L0080
3676	转	D7AA	D7AA	5C4A	572A	E45M0080
3677	撰	D7AB	D7AB	5C4B	572B	E45N0080
3678	赚	D7AC	D7AC	5C4C	572C	E45O0080
3679	篆	D7AD	D7AD	5C4D	572D	E45P0080
3680	桩	D7AE	D7AE	5C4E	572E	E45Q0080
3681	庄	D7AF	D7AF	5C4F	572F	E45R0080
3682	装	D7B0	D7B0	5C50	5730	E45S0080
3683	妆	D7B1	D7B1	5C51	5731	E45T0080
3684	撞	D7B2	D7B2	5C52	5732	E45U0080
3685	壮	D7B3	D7B3	5C53	5733	E45V0080
3686	状	D7B4	D7B4	5C54	5734	E45W0080
3687	椎	D7B5	D7B5	5C55	5735	E45X0080
3688	锥	D7B6	D7B6	5C56	5736	E45Y0080
3689	追	D7B7	D7B7	5C57	5737	E45Z0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 8 (Page 25 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3690	赘	D7B8	D7B8	5C58	5738	E4600080
3691	坠	D7B9	D7B9	5C59	5739	E4610080
3692	缀	D7BA	D7BA	5C5A	573A	E4620080
3693	淳	D7BB	D7BB	5C5B	573B	E4630080
3694	准	D7BC	D7BC	5C5C	573C	E4640080
3695	捉	D7BD	D7BD	5C5D	573D	E4650080
3696	拙	D7BE	D7BE	5C5E	573E	E4660080
3697	卓	D7BF	D7BF	5C5F	573F	E4670080
3698	桌	D7C0	D7C0	5C60	5740	E4680080
3699	琢	D7C1	D7C1	5C61	5741	E4690080
3700	茁	D7C2	D7C2	5C62	5742	E46A0080
3701	酌	D7C3	D7C3	5C63	5743	E46B0080
3702	啄	D7C4	D7C4	5C64	5744	E46C0080
3703	着	D7C5	D7C5	5C65	5745	E46D0080
3704	灼	D7C6	D7C6	5C66	5746	E46E0080
3705	浊	D7C7	D7C7	5C67	5747	E46F0080
3706	兹	D7C8	D7C8	5C68	5748	E46G0080
3707	咨	D7C9	D7C9	5C69	5749	E46H0080
3708	资	D7CA	D7CA	5C6A	574A	E46I0080
3709	姿	D7CB	D7CB	5C6B	574B	E46J0080
3710	滋	D7CC	D7CC	5C6C	574C	E46K0080
3711	淄	D7CD	D7CD	5C6D	574D	E46L0080
3712	孜	D7CE	D7CE	5C6E	574E	E46M0080
3713	紫	D7CF	D7CF	5C6F	574F	E46N0080
3714	仔	D7D0	D7D0	5C70	5750	E46O0080
3715	籽	D7D1	D7D1	5C71	5751	E46P0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 26 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3716	淬	D7D2	D7D2	5C72	5752	E46Q0080
3717	子	D7D3	D7D3	5C73	5753	E46R0080
3718	自	D7D4	D7D4	5C74	5754	E46S0080
3719	渍	D7D5	D7D5	5C75	5755	E46T0080
3720	字	D7D6	D7D6	5C76	5756	E46U0080
3721	鬃	D7D7	D7D7	5C77	5757	E46V0080
3722	棕	D7D8	D7D8	5C78	5758	E46W0080
3723	踪	D7D9	D7D9	5C79	5759	E46X0080
3724	宗	D7DA	D7DA	5C7A	575A	E46Y0080
3725	综	D7DB	D7DB	5C7B	575B	E46Z0080
3726	总	D7DC	D7DC	5C7C	575C	E4700080
3727	纵	D7DD	D7DD	5C7D	575D	E4710080
3728	邹	D7DE	D7DE	5C7E	575E	E4720080
3729	走	D7DF	D7DF	5C7F	575F	E4730080
3730	奏	D7E0	D7E0	5C81	5760	E4750080
3731	揍	D7E1	D7E1	5C82	5761	E4760080
3732	租	D7E2	D7E2	5C83	5762	E4770080
3733	足	D7E3	D7E3	5C84	5763	E4780080
3734	卒	D7E4	D7E4	5C85	5764	E4790080
3735	族	D7E5	D7E5	5C86	5765	E47A0080
3736	祖	D7E6	D7E6	5C87	5766	E47B0080
3737	诅	D7E7	D7E7	5C88	5767	E47C0080
3738	阻	D7E8	D7E8	5C89	5768	E47D0080
3739	组	D7E9	D7E9	5C8A	5769	E47E0080
3740	钻	D7EA	D7EA	5C8B	576A	E47F0080
3741	纂	D7EB	D7EB	5C8C	576B	E47G0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 8 (Page 27 of 27). Level 1 Chinese Character Set (3 of 3), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
3742	嘴	D7EC	D7EC	5C8D	576C	E47H0080
3743	醉	D7ED	D7ED	5C8E	576D	E47I0080
3744	最	D7EE	D7EE	5C8F	576E	E47J0080
3745	罪	D7EF	D7EF	5C90	576F	E47K0080
3746	尊	D7F0	D7F0	5C91	5770	E47L0080
3747	遵	D7F1	D7F1	5C92	5771	E47M0080
3748	昨	D7F2	D7F2	5C93	5772	E47N0080
3749	左	D7F3	D7F3	5C94	5773	E47O0080
3750	佐	D7F4	D7F4	5C95	5774	E47P0080
3751	柞	D7F5	D7F5	5C96	5775	E47Q0080
3752	做	D7F6	D7F6	5C97	5776	E47R0080
3753	作	D7F7	D7F7	5C98	5777	E47S0080
3754	坐	D7F8	D7F8	5C99	5778	E47T0080
3755	座	D7F9	D7F9	5C9A	5779	E47U0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.5 Level 2 Chinese Character Set (1 of 2)

Table 9 (Page 1 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1	亍	D8A1	D8A1	5CA0	5821	E4800080
2	丌	D8A2	D8A2	5CA1	5822	E4810080
3	兀	D8A3	D8A3	5CA2	5823	E4820080
4	丂	D8A4	D8A4	5CA3	5824	E4830080
5	廿	D8A5	D8A5	5CA4	5825	E4840080
6	卅	D8A6	D8A6	5CA5	5826	E4850080
7	丕	D8A7	D8A7	5CA6	5827	E4860080
8	亘	D8A8	D8A8	5CA7	5828	E4870080
9	丞	D8A9	D8A9	5CA8	5829	E4880080
10	鬲	D8AA	D8AA	5CA9	582A	E4890080
11	彝	D8AB	D8AB	5CAA	582B	E48A0080
12	罍	D8AC	D8AC	5CAB	582C	E48B0080
13	丨	D8AD	D8AD	5CAC	582D	E48C0080
14	禺	D8AE	D8AE	5CAD	582E	E48D0080
15	丿	D8AF	D8AF	5CAE	582F	E48E0080
16	匕	D8B0	D8B0	5CAF	5830	E48F0080
17	乇	D8B1	D8B1	5CB0	5831	E48G0080
18	夭	D8B2	D8B2	5CB1	5832	E48H0080
19	爻	D8B3	D8B3	5CB2	5833	E48I0080
20	卮	D8B4	D8B4	5CB3	5834	E48J0080
21	氏	D8B5	D8B5	5CB4	5835	E48K0080
22	囟	D8B6	D8B6	5CB5	5836	E48L0080
23	胤	D8B7	D8B7	5CB6	5837	E48M0080
24	馗	D8B8	D8B8	5CB7	5838	E48N0080
25	毓	D8B9	D8B9	5CB8	5839	E48O0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC

Table 9 (Page 2 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
26	嶽	D8BA	D8BA	5CB9	583A	E48P0080
27	畿	D8BB	D8BB	5CBA	583B	E48Q0080
28	、	D8BC	D8BC	5CBB	583C	E48R0080
29	亟	D8BD	D8BD	5CBC	583D	E48S0080
30	甬	D8BE	D8BE	5CBD	583E	E48T0080
31	乚	D8BF	D8BF	5CBE	583F	E48U0080
32	乚	D8C0	D8C0	5CBF	5840	E48V0080
33	亅	D8C1	D8C1	5CC0	5841	E48W0080
34	𠂇	D8C2	D8C2	5CC1	5842	E48X0080
35	孛	D8C3	D8C3	5CC2	5843	E48Y0080
36	音	D8C4	D8C4	5CC3	5844	E48Z0080
37	嘏	D8C5	D8C5	5CC4	5845	E4900080
38	仄	D8C6	D8C6	5CC5	5846	E4910080
39	庠	D8C7	D8C7	5CC6	5847	E4920080
40	厝	D8C8	D8C8	5CC7	5848	E4930080
41	厝	D8C9	D8C9	5CC8	5849	E4940080
42	厥	D8CA	D8CA	5CC9	584A	E4950080
43	厮	D8CB	D8CB	5CCA	584B	E4960080
44	厝	D8CC	D8CC	5CCB	584C	E4970080
45	賸	D8CD	D8CD	5CCC	584D	E4980080
46	亓	D8CE	D8CE	5CCD	584E	E4990080
47	亓	D8CF	D8CF	5CCE	584F	E49A0080
48	甌	D8D0	D8D0	5CCF	5850	E49B0080
49	賸	D8D1	D8D1	5CD0	5851	E49C0080
50	廬	D8D2	D8D2	5CD1	5852	E49D0080
51	曠	D8D3	D8D3	5CD2	5853	E49E0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 3 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
52	卦	D8D4	D8D4	5CD3	5854	E49F0080
53	卣	D8D5	D8D5	5CD4	5855	E49G0080
54	卩	D8D6	D8D6	5CD5	5856	E49H0080
55	刈	D8D7	D8D7	5CD6	5857	E49I0080
56	芻	D8D8	D8D8	5CD7	5858	E49J0080
57	剝	D8D9	D8D9	5CD8	5859	E49K0080
58	剝	D8DA	D8DA	5CD9	585A	E49L0080
59	剝	D8DB	D8DB	5CDA	585B	E49M0080
60	剝	D8DC	D8DC	5CDB	585C	E49N0080
61	刺	D8DD	D8DD	5CDC	585D	E49O0080
62	剝	D8DE	D8DE	5CDD	585E	E49P0080
63	剝	D8DF	D8DF	5CDE	585F	E49Q0080
64	剝	D8E0	D8E0	5CDF	5860	E49R0080
65	蒯	D8E1	D8E1	5CE0	5861	E49S0080
66	剝	D8E2	D8E2	5CE1	5862	E49T0080
67	剝	D8E3	D8E3	5CE2	5863	E49U0080
68	剝	D8E4	D8E4	5CE3	5864	E49V0080
69	剝	D8E5	D8E5	5CE4	5865	E49W0080
70	剝	D8E6	D8E6	5CE5	5866	E49X0080
71	冂	D8E7	D8E7	5CE6	5867	E49Y0080
72	冂	D8E8	D8E8	5CE7	5868	E49Z0080
73	亻	D8E9	D8E9	5CE8	5869	E4A00080
74	亻	D8EA	D8EA	5CE9	586A	E4A10080
75	仇	D8EB	D8EB	5CEA	586B	E4A20080
76	仉	D8EC	D8EC	5CEB	586C	E4A30080
77	仉	D8ED	D8ED	5CEC	586D	E4A40080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 4 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
78	仡	D8EE	D8EE	5CED	586E	E4A50080
79	仢	D8EF	D8EF	5CEE	586F	E4A60080
80	代	D8F0	D8F0	5CEF	5870	E4A70080
81	令	D8F1	D8F1	5CF0	5871	E4A80080
82	以	D8F2	D8F2	5CF1	5872	E4A90080
83	仦	D8F3	D8F3	5CF2	5873	E4AA0080
84	仧	D8F4	D8F4	5CF3	5874	E4AB0080
85	仨	D8F5	D8F5	5CF4	5875	E4AC0080
86	代	D8F6	D8F6	5CF5	5876	E4AD0080
87	令	D8F7	D8F7	5CF6	5877	E4AE0080
88	以	D8F8	D8F8	5CF7	5878	E4AF0080
89	仦	D8F9	D8F9	5CF8	5879	E4AG0080
90	仧	D8FA	D8FA	5CF9	587A	E4AH0080
91	仨	D8FB	D8FB	5CFA	587B	E4AI0080
92	代	D8FC	D8FC	5CFB	587C	E4AJ0080
93	令	D8FD	D8FD	5CFC	587D	E4AK0080
94	以	D8FE	D8FE	5CFD	587E	E4AL0080
95	仦	D9A1	D9A1	5D41	5921	E4AP0080
96	仧	D9A2	D9A2	5D42	5922	E4AQ0080
97	仨	D9A3	D9A3	5D43	5923	E4AR0080
98	代	D9A4	D9A4	5D44	5924	E4AS0080
99	令	D9A5	D9A5	5D45	5925	E4AT0080
100	以	D9A6	D9A6	5D46	5926	E4AU0080
101	仦	D9A7	D9A7	5D47	5927	E4AV0080
102	仧	D9A8	D9A8	5D48	5928	E4AW0080
103	仨	D9A9	D9A9	5D49	5929	E4AX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 5 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
104	侏	D9AA	D9AA	5D4A	592A	E4AY0080
105	侗	D9AB	D9AB	5D4B	592B	E4AZ0080
106	佻	D9AC	D9AC	5D4C	592C	E4B00080
107	侏	D9AD	D9AD	5D4D	592D	E4B10080
108	佼	D9AE	D9AE	5D4E	592E	E4B20080
109	侏	D9AF	D9AF	5D4F	592F	E4B30080
110	侏	D9B0	D9B0	5D50	5930	E4B40080
111	侏	D9B1	D9B1	5D51	5931	E4B50080
112	侏	D9B2	D9B2	5D52	5932	E4B60080
113	侏	D9B3	D9B3	5D53	5933	E4B70080
114	侏	D9B4	D9B4	5D54	5934	E4B80080
115	侏	D9B5	D9B5	5D55	5935	E4B90080
116	侏	D9B6	D9B6	5D56	5936	E4BA0080
117	侏	D9B7	D9B7	5D57	5937	E4BB0080
118	侏	D9B8	D9B8	5D58	5938	E4BC0080
119	侏	D9B9	D9B9	5D59	5939	E4BD0080
120	侏	D9BA	D9BA	5D5A	593A	E4BE0080
121	侏	D9BB	D9BB	5D5B	593B	E4BF0080
122	侏	D9BC	D9BC	5D5C	593C	E4BG0080
123	侏	D9BD	D9BD	5D5D	593D	E4BH0080
124	侏	D9BE	D9BE	5D5E	593E	E4BI0080
125	侏	D9BF	D9BF	5D5F	593F	E4BJ0080
126	侏	D9C0	D9C0	5D60	5940	E4BK0080
127	侏	D9C1	D9C1	5D61	5941	E4BL0080
128	侏	D9C2	D9C2	5D62	5942	E4BM0080
129	侏	D9C3	D9C3	5D63	5943	E4BN0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 6 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
130	信	D9C4	D9C4	5D64	5944	E4B00080
131	控	D9C5	D9C5	5D65	5945	E4BP0080
132	倨	D9C6	D9C6	5D66	5946	E4BQ0080
133	债	D9C7	D9C7	5D67	5947	E4BR0080
134	偃	D9C8	D9C8	5D68	5948	E4BS0080
135	偕	D9C9	D9C9	5D69	5949	E4BT0080
136	偈	D9CA	D9CA	5D6A	594A	E4BU0080
137	偨	D9CB	D9CB	5D6B	594B	E4BV0080
138	偸	D9CC	D9CC	5D6C	594C	E4BW0080
139	倭	D9CD	D9CD	5D6D	594D	E4BX0080
140	儁	D9CE	D9CE	5D6E	594E	E4BY0080
141	候	D9CF	D9CF	5D6F	594F	E4BZ0080
142	雉	D9D0	D9D0	5D70	5950	E4C00080
143	傣	D9D1	D9D1	5D71	5951	E4C10080
144	僖	D9D2	D9D2	5D72	5952	E4C20080
145	傲	D9D3	D9D3	5D73	5953	E4C30080
146	僭	D9D4	D9D4	5D74	5954	E4C40080
147	僛	D9D5	D9D5	5D75	5955	E4C50080
148	僞	D9D6	D9D6	5D76	5956	E4C60080
149	僮	D9D7	D9D7	5D77	5957	E4C70080
150	僨	D9D8	D9D8	5D78	5958	E4C80080
151	僥	D9D9	D9D9	5D79	5959	E4C90080
152	仝	D9DA	D9DA	5D7A	595A	E4CA0080
153	余	D9DB	D9DB	5D7B	595B	E4CB0080
154	侖	D9DC	D9DC	5D7C	595C	E4CC0080
155	仝	D9DD	D9DD	5D7D	595D	E4CD0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 7 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
156	俎	D9DE	D9DE	5D7E	595E	E4CE0080
157	龠	D9DF	D9DF	5D7F	595F	E4CF0080
158	余	D9E0	D9E0	5D81	5960	E4CH0080
159	余	D9E1	D9E1	5D82	5961	E4CI0080
160	兮	D9E2	D9E2	5D83	5962	E4CJ0080
161	巽	D9E3	D9E3	5D84	5963	E4CK0080
162	簧	D9E4	D9E4	5D85	5964	E4CL0080
163	馘	D9E5	D9E5	5D86	5965	E4CM0080
164	鞣	D9E6	D9E6	5D87	5966	E4CN0080
165	夔	D9E7	D9E7	5D88	5967	E4CO0080
166	勺	D9E8	D9E8	5D89	5968	E4CP0080
167	匍	D9E9	D9E9	5D8A	5969	E4CQ0080
168	匍	D9EA	D9EA	5D8B	596A	E4CR0080
169	匍	D9EB	D9EB	5D8C	596B	E4CS0080
170	鳧	D9EC	D9EC	5D8D	596C	E4CT0080
171	夙	D9ED	D9ED	5D8E	596D	E4CU0080
172	兕	D9EE	D9EE	5D8F	596E	E4CV0080
173	尗	D9EF	D9EF	5D90	596F	E4CW0080
174	充	D9F0	D9F0	5D91	5970	E4CX0080
175	毫	D9F1	D9F1	5D92	5971	E4CY0080
176	袞	D9F2	D9F2	5D93	5972	E4CZ0080
177	裘	D9F3	D9F3	5D94	5973	E4D00080
178	裘	D9F4	D9F4	5D95	5974	E4D10080
179	裔	D9F5	D9F5	5D96	5975	E4D20080
180	衷	D9F6	D9F6	5D97	5976	E4D30080
181	稟	D9F7	D9F7	5D98	5977	E4D40080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC

Table 9 (Page 8 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
182	羸	D9F8	D9F8	5D99	5978	E4D50080
183	羸	D9F9	D9F9	5D9A	5979	E4D60080
184	羸	D9FA	D9FA	5D9B	597A	E4D70080
185	彳	D9FB	D9FB	5D9C	597B	E4D80080
186	冫	D9FC	D9FC	5D9D	597C	E4D90080
187	冽	D9FD	D9FD	5D9E	597D	E4DA0080
188	洗	D9FE	D9FE	5D9F	597E	E4DB0080
189	淞	DAA1	DAA1	5DA0	5A21	E4DC0080
190	冫	DAA2	DAA2	5DA1	5A22	E4DD0080
191	冫	DAA3	DAA3	5DA2	5A23	E4DE0080
192	冥	DAA4	DAA4	5DA3	5A24	E4DF0080
193	冫	DAA5	DAA5	5DA4	5A25	E4DG0080
194	讪	DAA6	DAA6	5DA5	5A26	E4DH0080
195	冫	DAA7	DAA7	5DA6	5A27	E4DI0080
196	讪	DAA8	DAA8	5DA7	5A28	E4DJ0080
197	讪	DAA9	DAA9	5DA8	5A29	E4DK0080
198	讪	DAAA	DAAA	5DA9	5A2A	E4DL0080
199	讪	DAAB	DAAB	5DAA	5A2B	E4DM0080
200	诘	DAAC	DAAC	5DAB	5A2C	E4DN0080
201	诘	DAAD	DAAD	5DAC	5A2D	E4DO0080
202	诘	DAAE	DAAE	5DAD	5A2E	E4DP0080
203	诏	DAAF	DAAF	5DAE	5A2F	E4DQ0080
204	诘	DAB0	DAB0	5DAF	5A30	E4DR0080
205	诘	DAB1	DAB1	5DB0	5A31	E4DS0080
206	诘	DAB2	DAB2	5DB1	5A32	E4DT0080
207	诘	DAB3	DAB3	5DB2	5A33	E4DU0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 9 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
208	洼	DAB4	DAB4	5DB3	5A34	E4DV0080
209	诘	DAB5	DAB5	5DB4	5A35	E4DW0080
210	诙	DAB6	DAB6	5DB5	5A36	E4DX0080
211	洗	DAB7	DAB7	5DB6	5A37	E4DY0080
212	诟	DAB8	DAB8	5DB7	5A38	E4DZ0080
213	诠	DAB9	DAB9	5DB8	5A39	E4E00080
214	诤	DABA	DABA	5DB9	5A3A	E4E10080
215	诤	DABB	DABB	5DBA	5A3B	E4E20080
216	诩	DABC	DABC	5DBB	5A3C	E4E30080
217	诿	DABD	DABD	5DBC	5A3D	E4E40080
218	诿	DABE	DABE	5DBD	5A3E	E4E50080
219	诬	DABF	DABF	5DBE	5A3F	E4E60080
220	诶	DAC0	DAC0	5DBF	5A40	E4E70080
221	诶	DAC1	DAC1	5DC0	5A41	E4E80080
222	啄	DAC2	DAC2	5DC1	5A42	E4E90080
223	倭	DAC3	DAC3	5DC2	5A43	E4EA0080
224	谏	DAC4	DAC4	5DC3	5A44	E4EB0080
225	谏	DAC5	DAC5	5DC4	5A45	E4EC0080
226	谄	DAC6	DAC6	5DC5	5A46	E4ED0080
227	谄	DAC7	DAC7	5DC6	5A47	E4EE0080
228	谄	DAC8	DAC8	5DC7	5A48	E4EF0080
229	谏	DAC9	DAC9	5DC8	5A49	E4EG0080
230	谄	DACA	DACA	5DC9	5A4A	E4EH0080
231	谒	DACB	DACB	5DCA	5A4B	E4EI0080
232	谗	DACC	DACC	5DCB	5A4C	E4EJ0080
233	谗	DACD	DACD	5DCC	5A4D	E4EK0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 10 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
234	谗	DACE	DACE	5DCD	5A4E	E4EL0080
235	谄	DACF	DACF	5DCE	5A4F	E4EM0080
236	谛	DAD0	DAD0	5DCF	5A50	E4EN0080
237	谔	DAD1	DAD1	5DD0	5A51	E4EO0080
238	谝	DAD2	DAD2	5DD1	5A52	E4EP0080
239	谞	DAD3	DAD3	5DD2	5A53	E4EQ0080
240	说	DAD4	DAD4	5DD3	5A54	E4ER0080
241	谠	DAD5	DAD5	5DD4	5A55	E4ES0080
242	谡	DAD6	DAD6	5DD5	5A56	E4ET0080
243	谣	DAD7	DAD7	5DD6	5A57	E4EU0080
244	谤	DAD8	DAD8	5DD7	5A58	E4EV0080
245	谥	DAD9	DAD9	5DD8	5A59	E4EW0080
246	谪	DADA	DADA	5DD9	5A5A	E4EX0080
247	谫	DADB	DADB	5DDA	5A5B	E4EY0080
248	谼	DADC	DADC	5ddb	5A5C	E4EZ0080
249	谟	DADD	DADD	5DDC	5A5D	E4F00080
250	谠	DADE	DADE	5DDD	5A5E	E4F10080
251	讠	DADF	DADF	5DDE	5A5F	E4F20080
252	计	DAE0	DAE0	5DDF	5A60	E4F30080
253	订	DAE1	DAE1	5DE0	5A61	E4F40080
254	讣	DAE2	DAE2	5DE1	5A62	E4F50080
255	认	DAE3	DAE3	5DE2	5A63	E4F60080
256	讥	DAE4	DAE4	5DE3	5A64	E4F70080
257	讦	DAE5	DAE5	5DE4	5A65	E4F80080
258	讧	DAE6	DAE6	5DE5	5A66	E4F90080
259	讨	DAE7	DAE7	5DE6	5A67	E4FA0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 11 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
260	阼	DAE8	DAE8	5DE7	5A68	E4FB0080
261	陂	DAE9	DAE9	5DE8	5A69	E4FC0080
262	陉	DAEA	DAEA	5DE9	5A6A	E4FD0080
263	陔	DAEB	DAEB	5DEA	5A6B	E4FE0080
264	陟	DAEC	DAEC	5DEB	5A6C	E4FF0080
265	陞	DAED	DAED	5DEC	5A6D	E4FG0080
266	陬	DAEE	DAEE	5DED	5A6E	E4FH0080
267	陓	DAEF	DAEF	5DEE	5A6F	E4FI0080
268	陛	DAF0	DAF0	5DEF	5A70	E4FJ0080
269	隈	DAF1	DAF1	5DF0	5A71	E4FK0080
270	隍	DAF2	DAF2	5DF1	5A72	E4FL0080
271	隗	DAF3	DAF3	5DF2	5A73	E4FM0080
272	隰	DAF4	DAF4	5DF3	5A74	E4FN0080
273	邗	DAF5	DAF5	5DF4	5A75	E4FO0080
274	邙	DAF6	DAF6	5DF5	5A76	E4FP0080
275	邙	DAF7	DAF7	5DF6	5A77	E4FQ0080
276	邙	DAF8	DAF8	5DF7	5A78	E4FR0080
277	邙	DAF9	DAF9	5DF8	5A79	E4FS0080
278	邙	DAFA	DAFA	5DF9	5A7A	E4FT0080
279	邙	DAFB	DAFB	5DFA	5A7B	E4FU0080
280	邙	DAFC	DAFC	5DFB	5A7C	E4FV0080
281	邙	DAFD	DAFD	5DFC	5A7D	E4FW0080
282	邙	DAFE	DAFE	5DFD	5A7E	E4FX0080
283	邙	DBA1	DBA1	5E41	5B21	E4G10080
284	邙	DBA2	DBA2	5E42	5B22	E4G20080
285	邙	DBA3	DBA3	5E43	5B23	E4G30080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 12 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
286	郅	DBA4	DBA4	5E44	5B24	E4G40080
287	邾	DBA5	DBA5	5E45	5B25	E4G50080
288	郈	DBA6	DBA6	5E46	5B26	E4G60080
289	邲	DBA7	DBA7	5E47	5B27	E4G70080
290	郇	DBA8	DBA8	5E48	5B28	E4G80080
291	邳	DBA9	DBA9	5E49	5B29	E4G90080
292	郚	DBAA	DBAA	5E4A	5B2A	E4GA0080
293	郛	DBAB	DBAB	5E4B	5B2B	E4GB0080
294	郜	DBAC	DBAC	5E4C	5B2C	E4GC0080
295	郟	DBAD	DBAD	5E4D	5B2D	E4GD0080
296	郠	DBAE	DBAE	5E4E	5B2E	E4GE0080
297	郡	DBAF	DBAF	5E4F	5B2F	E4GF0080
298	郢	DBB0	DBB0	5E50	5B30	E4GG0080
299	郣	DBB1	DBB1	5E51	5B31	E4GH0080
300	郤	DBB2	DBB2	5E52	5B32	E4GI0080
301	郤	DBB3	DBB3	5E53	5B33	E4GJ0080
302	郥	DBB4	DBB4	5E54	5B34	E4GK0080
303	郦	DBB5	DBB5	5E55	5B35	E4GL0080
304	郦	DBB6	DBB6	5E56	5B36	E4GM0080
305	郧	DBB7	DBB7	5E57	5B37	E4GN0080
306	郯	DBB8	DBB8	5E58	5B38	E4GO0080
307	郰	DBB9	DBB9	5E59	5B39	E4GP0080
308	郱	DBBA	DBBA	5E5A	5B3A	E4GQ0080
309	郲	DBBB	DBBB	5E5B	5B3B	E4GR0080
310	郳	DBBC	DBBC	5E5C	5B3C	E4GS0080
311	郴	DBBD	DBBD	5E5D	5B3D	E4GT0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 13 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
312	劬	DBBE	DBBE	5E5E	5B3E	E4GU0080
313	劬	DBBF	DBBF	5E5F	5B3F	E4GV0080
314	劬	DBC0	DBC0	5E60	5B40	E4GW0080
315	劬	DBC1	DBC1	5E61	5B41	E4GX0080
316	劬	DBC2	DBC2	5E62	5B42	E4GY0080
317	劬	DBC3	DBC3	5E63	5B43	E4GZ0080
318	劬	DBC4	DBC4	5E64	5B44	E4H00080
319	叟	DBC5	DBC5	5E65	5B45	E4H10080
320	叟	DBC6	DBC6	5E66	5B46	E4H20080
321	叟	DBC7	DBC7	5E67	5B47	E4H30080
322	叟	DBC8	DBC8	5E68	5B48	E4H40080
323	叟	DBC9	DBC9	5E69	5B49	E4H50080
324	叟	DBCA	DBCA	5E6A	5B4A	E4H60080
325	叟	DBCB	DBCB	5E6B	5B4B	E4H70080
326	叟	DBCC	DBCC	5E6C	5B4C	E4H80080
327	弁	DBCD	DBCD	5E6D	5B4D	E4H90080
328	弁	DBCE	DBCE	5E6E	5B4E	E4HA0080
329	疏	DBCF	DBCF	5E6F	5B4F	E4HB0080
330	全	DBD0	DBD0	5E70	5B50	E4HC0080
331	全	DBD1	DBD1	5E71	5B51	E4HD0080
332	全	DBD2	DBD2	5E72	5B52	E4HE0080
333	塾	DBD3	DBD3	5E73	5B53	E4HF0080
334	塾	DBD4	DBD4	5E74	5B54	E4HG0080
335	壅	DBD5	DBD5	5E75	5B55	E4HH0080
336	壑	DBD6	DBD6	5E76	5B56	E4HI0080
337	圩	DBD7	DBD7	5E77	5B57	E4HJ0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)


DBCS-EUC

Table 9 (Page 14 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
338	圪	DBD8	DBD8	5E78	5B58	E4HK0080
339	圫	DBD9	DBD9	5E79	5B59	E4HL0080
340	圳	DBDA	DBDA	5E7A	5B5A	E4HM0080
341	圯	DBDB	DBDB	5E7B	5B5B	E4HN0080
342	圪	DBDC	DBDC	5E7C	5B5C	E4HO0080
343	圯	DBDD	DBDD	5E7D	5B5D	E4HP0080
344	圯	DBDE	DBDE	5E7E	5B5E	E4HQ0080
345	圯	DBDF	DBDF	5E7F	5B5F	E4HR0080
346	坂	DBE0	DBE0	5E81	5B60	E4HT0080
347	坩	DBE1	DBE1	5E82	5B61	E4HU0080
348	坩	DBE2	DBE2	5E83	5B62	E4HV0080
349	坩	DBE3	DBE3	5E84	5B63	E4HW0080
350	坩	DBE4	DBE4	5E85	5B64	E4HX0080
351	坩	DBE5	DBE5	5E86	5B65	E4HY0080
352	坩	DBE6	DBE6	5E87	5B66	E4HZ0080
353	坩	DBE7	DBE7	5E88	5B67	E4I00080
354	坩	DBE8	DBE8	5E89	5B68	E4I10080
355	坩	DBE9	DBE9	5E8A	5B69	E4I20080
356	坩	DBEA	DBEA	5E8B	5B6A	E4I30080
357	坩	DBEB	DBEB	5E8C	5B6B	E4I40080
358	坩	DBEC	DBEC	5E8D	5B6C	E4I50080
359	坩	DBED	DBED	5E8E	5B6D	E4I60080
360	坩	DBEE	DBEE	5E8F	5B6E	E4I70080
361	坩	DBEF	DBEF	5E90	5B6F	E4I80080
362	坩	DBF0	DBF0	5E91	5B70	E4I90080
363	坩	DBF1	DBF1	5E92	5B71	E4IA0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 15 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
364	垓	DBF2	DBF2	5E93	5B72	E4IB0080
365	垠	DBF3	DBF3	5E94	5B73	E4IC0080
366	垡	DBF4	DBF4	5E95	5B74	E4ID0080
367	垢	DBF5	DBF5	5E96	5B75	E4IE0080
368	垤	DBF6	DBF6	5E97	5B76	E4IF0080
369	垥	DBF7	DBF7	5E98	5B77	E4IG0080
370	垦	DBF8	DBF8	5E99	5B78	E4IH0080
371	垧	DBF9	DBF9	5E9A	5B79	E4II0080
372	垨	DBFA	DBFA	5E9B	5B7A	E4IJ0080
373	垩	DBFB	DBFB	5E9C	5B7B	E4IK0080
374	垪	DBFC	DBFC	5E9D	5B7C	E4IL0080
375	垫	DBFD	DBFD	5E9E	5B7D	E4IM0080
376	垬	DBFE	DBFE	5E9F	5B7E	E4IN0080
377	垭	DCA1	DCA1	5EA0	5C21	E4IO0080
378	垢	DCA2	DCA2	5EA1	5C22	E4IP0080
379	垤	DCA3	DCA3	5EA2	5C23	E4IQ0080
380	垥	DCA4	DCA4	5EA3	5C24	E4IR0080
381	垦	DCA5	DCA5	5EA4	5C25	E4IS0080
382	垧	DCA6	DCA6	5EA5	5C26	E4IT0080
383	垨	DCA7	DCA7	5EA6	5C27	E4IU0080
384	垩	DCA8	DCA8	5EA7	5C28	E4IV0080
385	垪	DCA9	DCA9	5EA8	5C29	E4IW0080
386	垫	DCAA	DCAA	5EA9	5C2A	E4IX0080
387	垬	DCAB	DCAB	5EAA	5C2B	E4IY0080
388	垭	DCAC	DCAC	5EAB	5C2C	E4IZ0080
389	垢	DCAD	DCAD	5EAC	5C2D	E4J00080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 16 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
390	堦	DCAE	DCAE	5EAD	5C2E	E4J10080
391	墀	DCAF	DCAF	5EAE	5C2F	E4J20080
392	馨	DCB0	DCB0	5EAF	5C30	E4J30080
393	罄	DCB1	DCB1	5EB0	5C31	E4J40080
394	懿	DCB2	DCB2	5EB1	5C32	E4J50080
395	卅	DCB3	DCB3	5EB2	5C33	E4J60080
396	苁	DCB4	DCB4	5EB3	5C34	E4J70080
397	芳	DCB5	DCB5	5EB4	5C35	E4J80080
398	苜	DCB6	DCB6	5EB5	5C36	E4J90080
399	芊	DCB7	DCB7	5EB6	5C37	E4JA0080
400	苈	DCB8	DCB8	5EB7	5C38	E4JB0080
401	芄	DCB9	DCB9	5EB8	5C39	E4JC0080
402	芎	DCBA	DCBA	5EB9	5C3A	E4JD0080
403	芑	DCBB	DCBB	5EBA	5C3B	E4JE0080
404	芎	DCBC	DCBC	5EBB	5C3C	E4JF0080
405	芙	DCBD	DCBD	5EBC	5C3D	E4JG0080
406	芈	DCBE	DCBE	5EBD	5C3E	E4JH0080
407	芸	DCBF	DCBF	5EBE	5C3F	E4JI0080
408	芾	DCC0	DCC0	5EBF	5C40	E4JJ0080
409	芰	DCC1	DCC1	5EC0	5C41	E4JK0080
410	芨	DCC2	DCC2	5EC1	5C42	E4JL0080
411	芩	DCC3	DCC3	5EC2	5C43	E4JM0080
412	苎	DCC4	DCC4	5EC3	5C44	E4JN0080
413	苈	DCC5	DCC5	5EC4	5C45	E4JO0080
414	芷	DCC6	DCC6	5EC5	5C46	E4JP0080
415	芮	DCC7	DCC7	5EC6	5C47	E4JQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 17 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
416	菟	DCC8	DCC8	5EC7	5C48	E4JR0080
417	蓑	DCC9	DCC9	5EC8	5C49	E4JS0080
418	苻	DCCA	DCCA	5EC9	5C4A	E4JT0080
419	苈	DCCB	DCCB	5ECA	5C4B	E4JU0080
420	苊	DCCC	DCCC	5ECB	5C4C	E4JV0080
421	苋	DCCD	DCCD	5ECC	5C4D	E4JW0080
422	苌	DCCE	DCCE	5ECD	5C4E	E4JX0080
423	苍	DCCF	DCCF	5ECE	5C4F	E4JY0080
424	芊	DCD0	DCD0	5ECF	5C50	E4JZ0080
425	苎	DCD1	DCD1	5ED0	5C51	E4K00080
426	扎	DCD2	DCD2	5ED1	5C52	E4K10080
427	苕	DCD3	DCD3	5ED2	5C53	E4K20080
428	茉	DCD4	DCD4	5ED3	5C54	E4K30080
429	苜	DCD5	DCD5	5ED4	5C55	E4K40080
430	苜	DCD6	DCD6	5ED5	5C56	E4K50080
431	茈	DCD7	DCD7	5ED6	5C57	E4K60080
432	苈	DCD8	DCD8	5ED7	5C58	E4K70080
433	苜	DCD9	DCD9	5ED8	5C59	E4K80080
434	苴	DCDA	DCDA	5ED9	5C5A	E4K90080
435	苽	DCDB	DCDB	5EDA	5C5B	E4KA0080
436	苾	DCDC	DCDC	5EDB	5C5C	E4KB0080
437	苿	DCDD	DCDD	5EDC	5C5D	E4KC0080
438	苻	DCDE	DCDE	5EDD	5C5E	E4KD0080
439	苿	DCDF	DCDF	5EDE	5C5F	E4KE0080
440	苻	DCE0	DCE0	5EDF	5C60	E4KF0080
441	苻	DCE1	DCE1	5EE0	5C61	E4KG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 18 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
442	茆	DCE2	DCE2	5EE1	5C62	E4KH0080
443	莹	DCE3	DCE3	5EE2	5C63	E4KI0080
444	葇	DCE4	DCE4	5EE3	5C64	E4KJ0080
445	莨	DCE5	DCE5	5EE4	5C65	E4KK0080
446	苕	DCE6	DCE6	5EE5	5C66	E4KL0080
447	茜	DCE7	DCE7	5EE6	5C67	E4KM0080
448	蕘	DCE8	DCE8	5EE7	5C68	E4KN0080
449	莠	DCE9	DCE9	5EE8	5C69	E4KO0080
450	荦	DCEA	DCEA	5EE9	5C6A	E4KP0080
451	苳	DCEB	DCEB	5EEA	5C6B	E4KQ0080
452	苕	DCEC	DCEC	5EEB	5C6C	E4KR0080
453	苣	DCED	DCED	5EEC	5C6D	E4KS0080
454	苕	DCEE	DCEE	5EED	5C6E	E4KT0080
455	茺	DCEF	DCEF	5EEE	5C6F	E4KU0080
456	蕘	DCF0	DCF0	5EEF	5C70	E4KV0080
457	莽	DCF1	DCF1	5EF0	5C71	E4KW0080
458	茷	DCF2	DCF2	5EF1	5C72	E4KX0080
459	茺	DCF3	DCF3	5EF2	5C73	E4KY0080
460	苻	DCF4	DCF4	5EF3	5C74	E4KZ0080
461	荃	DCF5	DCF5	5EF4	5C75	E4L00080
462	荟	DCF6	DCF6	5EF5	5C76	E4L10080
463	荀	DCF7	DCF7	5EF6	5C77	E4L20080
464	茗	DCF8	DCF8	5EF7	5C78	E4L30080
465	芥	DCF9	DCF9	5EF8	5C79	E4L40080
466	菱	DCFA	DCFA	5EF9	5C7A	E4L50080
467	茺	DCFB	DCFB	5EFA	5C7B	E4L60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 19 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
468	苙	DCFC	DCFC	5EFB	5C7C	E4L70080
469	葶	DCFD	DCFD	5EFC	5C7D	E4L80080
470	葶	DCFE	DCFE	5EFD	5C7E	E4L90080
471	葶	DDA1	DDA1	5F41	5D21	E4LD0080
472	葶	DDA2	DDA2	5F42	5D22	E4LE0080
473	葶	DDA3	DDA3	5F43	5D23	E4LF0080
474	葶	DDA4	DDA4	5F44	5D24	E4LG0080
475	葶	DDA5	DDA5	5F45	5D25	E4LH0080
476	葶	DDA6	DDA6	5F46	5D26	E4LI0080
477	葶	DDA7	DDA7	5F47	5D27	E4LJ0080
478	葶	DDA8	DDA8	5F48	5D28	E4LK0080
479	葶	DDA9	DDA9	5F49	5D29	E4LL0080
480	葶	DDAA	DDAA	5F4A	5D2A	E4LM0080
481	葶	DDAB	DDAB	5F4B	5D2B	E4LN0080
482	葶	DDAC	DDAC	5F4C	5D2C	E4LO0080
483	葶	DDAD	DDAD	5F4D	5D2D	E4LP0080
484	葶	DDAE	DDAE	5F4E	5D2E	E4LQ0080
485	葶	DDAF	DDAF	5F4F	5D2F	E4LR0080
486	葶	DDB0	DDB0	5F50	5D30	E4LS0080
487	葶	DDB1	DDB1	5F51	5D31	E4LT0080
488	葶	DDB2	DDB2	5F52	5D32	E4LU0080
489	葶	DDB3	DDB3	5F53	5D33	E4LV0080
490	葶	DDB4	DDB4	5F54	5D34	E4LW0080
491	葶	DDB5	DDB5	5F55	5D35	E4LX0080
492	葶	DDB6	DDB6	5F56	5D36	E4LY0080
493	葶	DDB7	DDB7	5F57	5D37	E4LZ0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 20 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
494	莞	DDB8	DDB8	5F58	5D38	E4M00080
495	菘	DDB9	DDB9	5F59	5D39	E4M10080
496	菡	DDBA	DDBA	5F5A	5D3A	E4M20080
497	菹	DDBB	DDBB	5F5B	5D3B	E4M30080
498	菁	DDBC	DDBC	5F5C	5D3C	E4M40080
499	萁	DDBD	DDBD	5F5D	5D3D	E4M50080
500	菪	DDBE	DDBE	5F5E	5D3E	E4M60080
501	菵	DDBF	DDBF	5F5F	5D3F	E4M70080
502	菶	DDC0	DDC0	5F60	5D40	E4M80080
503	菷	DDC1	DDC1	5F61	5D41	E4M90080
504	菸	DDC2	DDC2	5F62	5D42	E4MA0080
505	菹	DDC3	DDC3	5F63	5D43	E4MB0080
506	菺	DDC4	DDC4	5F64	5D44	E4MC0080
507	菻	DDC5	DDC5	5F65	5D45	E4MD0080
508	菽	DDC6	DDC6	5F66	5D46	E4ME0080
509	菼	DDC7	DDC7	5F67	5D47	E4MF0080
510	菽	DDC8	DDC8	5F68	5D48	E4MG0080
511	菽	DDC9	DDC9	5F69	5D49	E4MH0080
512	菽	DDCA	DDCA	5F6A	5D4A	E4MI0080
513	菽	DDCB	DDCB	5F6B	5D4B	E4MJ0080
514	菽	DDCC	DDCC	5F6C	5D4C	E4MK0080
515	菽	DDCD	DDCD	5F6D	5D4D	E4ML0080
516	菽	DDCE	DDCE	5F6E	5D4E	E4MM0080
517	菽	DDCF	DDCF	5F6F	5D4F	E4MN0080
518	菽	DDD0	DDD0	5F70	5D50	E4MO0080
519	菽	DDD1	DDD1	5F71	5D51	E4MP0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 21 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
520	菀	DDD2	DDD2	5F72	5D52	E4MQ0080
521	索	DDD3	DDD3	5F73	5D53	E4MR0080
522	菰	DDD4	DDD4	5F74	5D54	E4MS0080
523	菌	DDD5	DDD5	5F75	5D55	E4MT0080
524	蕻	DDD6	DDD6	5F76	5D56	E4MU0080
525	葑	DDD7	DDD7	5F77	5D57	E4MV0080
526	葚	DDD8	DDD8	5F78	5D58	E4MW0080
527	稍	DDD9	DDD9	5F79	5D59	E4MX0080
528	葳	DDDA	DDDA	5F7A	5D5A	E4MY0080
529	葸	DDDB	DDDB	5F7B	5D5B	E4MZ0080
530	萸	DDDC	DDDC	5F7C	5D5C	E4N00080
531	葶	DDDD	DDDD	5F7D	5D5D	E4N10080
532	蕞	DDDE	DDDE	5F7E	5D5E	E4N20080
533	蕝	DDDF	DDDF	5F7F	5D5F	E4N30080
534	萼	DDE0	DDE0	5F81	5D60	E4N50080
535	葆	DDE1	DDE1	5F82	5D61	E4N60080
536	葩	DDE2	DDE2	5F83	5D62	E4N70080
537	葶	DDE3	DDE3	5F84	5D63	E4N80080
538	菱	DDE4	DDE4	5F85	5D64	E4N90080
539	蕨	DDE5	DDE5	5F86	5D65	E4NA0080
540	萱	DDE6	DDE6	5F87	5D66	E4NB0080
541	葭	DDE7	DDE7	5F88	5D67	E4NC0080
542	藜	DDE8	DDE8	5F89	5D68	E4ND0080
543	藜	DDE9	DDE9	5F8A	5D69	E4NE0080
544	蓐	DDEA	DDEA	5F8B	5D6A	E4NF0080
545	葛	DDEB	DDEB	5F8C	5D6B	E4NG0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 22 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
546	葱	DDEC	DDEC	5F8D	5D6C	E4NH0080
547	蓓	DDED	DDED	5F8E	5D6D	E4NI0080
548	蓊	DDEE	DDEE	5F8F	5D6E	E4NJ0080
549	蒿	DDEF	DDEF	5F90	5D6F	E4NK0080
550	蒺	DDF0	DDF0	5F91	5D70	E4NL0080
551	蒿	DDF1	DDF1	5F92	5D71	E4NM0080
552	蒟	DDF2	DDF2	5F93	5D72	E4NN0080
553	蒹	DDF3	DDF3	5F94	5D73	E4NO0080
554	蒻	DDF4	DDF4	5F95	5D74	E4NP0080
555	蒨	DDF5	DDF5	5F96	5D75	E4NQ0080
556	葢	DDF6	DDF6	5F97	5D76	E4NR0080
557	蒨	DDF7	DDF7	5F98	5D77	E4NS0080
558	藪	DDF8	DDF8	5F99	5D78	E4NT0080
559	藁	DDF9	DDF9	5F9A	5D79	E4NU0080
560	菟	DDFA	DDFA	5F9B	5D7A	E4NV0080
561	蓀	DDFB	DDFB	5F9C	5D7B	E4NW0080
562	菰	DDFC	DDFC	5F9D	5D7C	E4NX0080
563	蒻	DDFD	DDFD	5F9E	5D7D	E4NY0080
564	藎	DDFE	DDFE	5F9F	5D7E	E4NZ0080
565	藁	DEA1	DEA1	5FA0	5E21	E4O00080
566	藁	DEA2	DEA2	5FA1	5E22	E4O10080
567	蓓	DEA3	DEA3	5FA2	5E23	E4O20080
568	蓼	DEA4	DEA4	5FA3	5E24	E4O30080
569	葱	DEA5	DEA5	5FA4	5E25	E4O40080
570	草	DEA6	DEA6	5FA5	5E26	E4O50080
571	蕨	DEA7	DEA7	5FA6	5E27	E4O60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 23 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
572	蕤	DEA8	DEA8	5FA7	5E28	E4O70080
573	蕞	DEA9	DEA9	5FA8	5E29	E4O80080
574	蕧	DEAA	DEAA	5FA9	5E2A	E4O90080
575	蕨	DEAB	DEAB	5FAA	5E2B	E4OA0080
576	蕨	DEAC	DEAC	5FAB	5E2C	E4OB0080
577	蕨	DEAD	DEAD	5FAC	5E2D	E4OC0080
578	蕨	DEAE	DEAE	5FAD	5E2E	E4OD0080
579	蕨	DEAF	DEAF	5FAE	5E2F	E4OE0080
580	蕨	DEB0	DEB0	5FAF	5E30	E4OF0080
581	蕨	DEB1	DEB1	5FB0	5E31	E4OG0080
582	蕨	DEB2	DEB2	5FB1	5E32	E4OH0080
583	蕨	DEB3	DEB3	5FB2	5E33	E4OI0080
584	蕨	DEB4	DEB4	5FB3	5E34	E4OJ0080
585	蕨	DEB5	DEB5	5FB4	5E35	E4OK0080
586	蕨	DEB6	DEB6	5FB5	5E36	E4OL0080
587	蕨	DEB7	DEB7	5FB6	5E37	E4OM0080
588	蕨	DEB8	DEB8	5FB7	5E38	E4ON0080
589	蕨	DEB9	DEB9	5FB8	5E39	E4OO0080
590	蕨	DEBA	DEBA	5FB9	5E3A	E4OP0080
591	蕨	DEBB	DEBB	5FBA	5E3B	E4OQ0080
592	蕨	DEBC	DEBC	5FBB	5E3C	E4OR0080
593	蕨	DEBD	DEBD	5FBC	5E3D	E4OS0080
594	蕨	DEBE	DEBE	5FBD	5E3E	E4OT0080
595	蕨	DEBF	DEBF	5FBE	5E3F	E4OU0080
596	蕨	DEC0	DEC0	5FBF	5E40	E4OV0080
597	蕨	DEC1	DEC1	5FC0	5E41	E4OW0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 24 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
598	靡	DEC2	DEC2	5FC1	5E42	E4OX0080
599	升	DEC3	DEC3	5FC2	5E43	E4OY0080
600	弈	DEC4	DEC4	5FC3	5E44	E4OZ0080
601	芥	DEC5	DEC5	5FC4	5E45	E4P00080
602	奩	DEC6	DEC6	5FC5	5E46	E4P10080
603	奩	DEC7	DEC7	5FC6	5E47	E4P20080
604	奕	DEC8	DEC8	5FC7	5E48	E4P30080
605	奚	DEC9	DEC9	5FC8	5E49	E4P40080
606	奘	DECA	DECA	5FC9	5E4A	E4P50080
607	匏	DECB	DECB	5FCA	5E4B	E4P60080
608	尢	DECC	DECC	5FCB	5E4C	E4P70080
609	尢	DECD	DECD	5FCC	5E4D	E4P80080
610	尢	DECE	DECE	5FCD	5E4E	E4P90080
611	尢	DECF	DECF	5FCE	5E4F	E4PA0080
612	扌	DED0	DED0	5FCF	5E50	E4PB0080
613	扌	DED1	DED1	5FD0	5E51	E4PC0080
614	扌	DED2	DED2	5FD1	5E52	E4PD0080
615	扌	DED3	DED3	5FD2	5E53	E4PE0080
616	扌	DED4	DED4	5FD3	5E54	E4PF0080
617	扌	DED5	DED5	5FD4	5E55	E4PG0080
618	扌	DED6	DED6	5FD5	5E56	E4PH0080
619	扌	DED7	DED7	5FD6	5E57	E4PI0080
620	扌	DED8	DED8	5FD7	5E58	E4PJ0080
621	扌	DED9	DED9	5FD8	5E59	E4PK0080
622	扌	DEDA	DEDA	5FD9	5E5A	E4PL0080
623	扌	DEDB	DEDB	5FDA	5E5B	E4PM0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 25 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
624	拏	DEDC	DEDC	5FDB	5E5C	E4PN0080
625	捺	DEDD	DEDD	5FDC	5E5D	E4PO0080
626	挪	DEDE	DEDE	5FDD	5E5E	E4PP0080
627	捱	DEDF	DEDF	5FDE	5E5F	E4PQ0080
628	捺	DEE0	DEE0	5FDF	5E60	E4PR0080
629	捺	DEE1	DEE1	5FE0	5E61	E4PS0080
630	捩	DEE2	DEE2	5FE1	5E62	E4PT0080
631	捩	DEE3	DEE3	5FE2	5E63	E4PU0080
632	捩	DEE4	DEE4	5FE3	5E64	E4PV0080
633	捩	DEE5	DEE5	5FE4	5E65	E4PW0080
634	捩	DEE6	DEE6	5FE5	5E66	E4PX0080
635	捩	DEE7	DEE7	5FE6	5E67	E4PY0080
636	捩	DEE8	DEE8	5FE7	5E68	E4PZ0080
637	捩	DEE9	DEE9	5FE8	5E69	E4Q00080
638	捩	DEEA	DEEA	5FE9	5E6A	E4Q10080
639	捩	DEEB	DEEB	5FEA	5E6B	E4Q20080
640	捩	DEEC	DEEC	5FEB	5E6C	E4Q30080
641	捩	DEED	DEED	5FEC	5E6D	E4Q40080
642	捩	DEEE	DEEE	5FED	5E6E	E4Q50080
643	捩	DEEF	DEEF	5FEE	5E6F	E4Q60080
644	捩	DEF0	DEF0	5FEF	5E70	E4Q70080
645	捩	DEF1	DEF1	5FF0	5E71	E4Q80080
646	捩	DEF2	DEF2	5FF1	5E72	E4Q90080
647	捩	DEF3	DEF3	5FF2	5E73	E4QA0080
648	捩	DEF4	DEF4	5FF3	5E74	E4QB0080
649	捩	DEF5	DEF5	5FF4	5E75	E4QC0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 26 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
650	揅	DEF6	DEF6	5FF5	5E76	E4QD0080
651	搨	DEF7	DEF7	5FF6	5E77	E4QE0080
652	搧	DEF8	DEF8	5FF7	5E78	E4QF0080
653	搨	DEF9	DEF9	5FF8	5E79	E4QG0080
654	搯	DEFA	DEFA	5FF9	5E7A	E4QH0080
655	搰	DEFB	DEFB	5FFA	5E7B	E4QI0080
656	搰	DEFC	DEFC	5FFB	5E7C	E4QJ0080
657	搧	DEFD	DEFD	5FFC	5E7D	E4QK0080
658	搧	DEFE	DEFE	5FFD	5E7E	E4QL0080
659	搯	DFA1	DFA1	6041	5F21	E4QP0080
660	搧	DFA2	DFA2	6042	5F22	E4QQ0080
661	搧	DFA3	DFA3	6043	5F23	E4QR0080
662	搧	DFA4	DFA4	6044	5F24	E4QS0080
663	搧	DFA5	DFA5	6045	5F25	E4QT0080
664	搧	DFA6	DFA6	6046	5F26	E4QU0080
665	搧	DFA7	DFA7	6047	5F27	E4QV0080
666	搧	DFA8	DFA8	6048	5F28	E4QW0080
667	搧	DFA9	DFA9	6049	5F29	E4QX0080
668	搧	DFAA	DFAA	604A	5F2A	E4QY0080
669	搧	DFAB	DFAB	604B	5F2B	E4QZ0080
670	搧	DFAC	DFAC	604C	5F2C	E4R00080
671	搧	DFAD	DFAD	604D	5F2D	E4R10080
672	弋	DFAE	DFAE	604E	5F2E	E4R20080
673	弋	DFAF	DFAF	604F	5F2F	E4R30080
674	弋	DFB0	DFB0	6050	5F30	E4R40080
675	弋	DFB1	DFB1	6051	5F31	E4R50080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 27 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
676	卍	DFB2	DFB2	6052	5F32	E4R60080
677	叱	DFB3	DFB3	6053	5F33	E4R70080
678	叭	DFB4	DFB4	6054	5F34	E4R80080
679	叩	DFB5	DFB5	6055	5F35	E4R90080
680	叨	DFB6	DFB6	6056	5F36	E4RA0080
681	叻	DFB7	DFB7	6057	5F37	E4RB0080
682	吒	DFB8	DFB8	6058	5F38	E4RC0080
683	吡	DFB9	DFB9	6059	5F39	E4RD0080
684	咝	DFBA	DFBA	605A	5F3A	E4RE0080
685	味	DFBB	DFBB	605B	5F3B	E4RF0080
686	哧	DFBC	DFBC	605C	5F3C	E4RG0080
687	呖	DFBD	DFBD	605D	5F3D	E4RH0080
688	汰	DFBE	DFBE	605E	5F3E	E4RI0080
689	哧	DFBF	DFBF	605F	5F3F	E4RJ0080
690	哏	DFC0	DFC0	6060	5F40	E4RK0080
691	吡	DFC1	DFC1	6061	5F41	E4RL0080
692	呗	DFC2	DFC2	6062	5F42	E4RM0080
693	另	DFC3	DFC3	6063	5F43	E4RN0080
694	哏	DFC4	DFC4	6064	5F44	E4RO0080
695	哏	DFC5	DFC5	6065	5F45	E4RP0080
696	哏	DFC6	DFC6	6066	5F46	E4RQ0080
697	哏	DFC7	DFC7	6067	5F47	E4RR0080
698	哏	DFC8	DFC8	6068	5F48	E4RS0080
699	呱	DFC9	DFC9	6069	5F49	E4RT0080
700	呤	DFCA	DFCA	606A	5F4A	E4RU0080
701	咚	DFCB	DFCB	606B	5F4B	E4RV0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 28 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
702	吁	DFCC	DFCC	606C	5F4C	E4RW0080
703	咄	DFCD	DFCD	606D	5F4D	E4RX0080
704	呶	DFCE	DFCE	606E	5F4E	E4RY0080
705	呦	DFCF	DFCF	606F	5F4F	E4RZ0080
706	嗤	DFD0	DFD0	6070	5F50	E4S00080
707	哝	DFD1	DFD1	6071	5F51	E4S10080
708	哞	DFD2	DFD2	6072	5F52	E4S20080
709	哏	DFD3	DFD3	6073	5F53	E4S30080
710	咳	DFD4	DFD4	6074	5F54	E4S40080
711	哏	DFD5	DFD5	6075	5F55	E4S50080
712	咧	DFD6	DFD6	6076	5F56	E4S60080
713	咦	DFD7	DFD7	6077	5F57	E4S70080
714	哏	DFD8	DFD8	6078	5F58	E4S80080
715	哏	DFD9	DFD9	6079	5F59	E4S90080
716	哏	DFDA	DFDA	607A	5F5A	E4SA0080
717	哏	DFDB	DFDB	607B	5F5B	E4SB0080
718	哏	DFDC	DFDC	607C	5F5C	E4SC0080
719	哏	DFDD	DFDD	607D	5F5D	E4SD0080
720	哏	DFDE	DFDE	607E	5F5E	E4SE0080
721	哏	DFDF	DFDF	607F	5F5F	E4SF0080
722	哏	DFE0	DFE0	6081	5F60	E4SH0080
723	哏	DFE1	DFE1	6082	5F61	E4SI0080
724	哏	DFE2	DFE2	6083	5F62	E4SJ0080
725	哏	DFE3	DFE3	6084	5F63	E4SK0080
726	哏	DFE4	DFE4	6085	5F64	E4SL0080
727	哏	DFE5	DFE5	6086	5F65	E4SM0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 9 (Page 29 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
728	啖	DFE6	DFE6	6087	5F66	E4SN0080
729	喂	DFE7	DFE7	6088	5F67	E4SO0080
730	啐	DFE8	DFE8	6089	5F68	E4SP0080
731	唛	DFE9	DFE9	608A	5F69	E4SQ0080
732	唼	DFEA	DFEA	608B	5F6A	E4SR0080
733	唠	DFEB	DFEB	608C	5F6B	E4SS0080
734	哽	DFEC	DFEC	608D	5F6C	E4ST0080
735	唔	DFED	DFED	608E	5F6D	E4SU0080
736	晰	DFEE	DFEE	608F	5F6E	E4SV0080
737	喷	DFEF	DFEF	6090	5F6F	E4SW0080
738	啤	DFF0	DFF0	6091	5F70	E4SX0080
739	唏	DFF1	DFF1	6092	5F71	E4SY0080
740	唑	DFF2	DFF2	6093	5F72	E4SZ0080
741	唧	DFF3	DFF3	6094	5F73	E4T00080
742	嗒	DFF4	DFF4	6095	5F74	E4T10080
743	嘖	DFF5	DFF5	6096	5F75	E4T20080
744	喏	DFF6	DFF6	6097	5F76	E4T30080
745	喵	DFF7	DFF7	6098	5F77	E4T40080
746	唛	DFF8	DFF8	6099	5F78	E4T50080
747	唼	DFF9	DFF9	609A	5F79	E4T60080
748	啁	DFFA	DFFA	609B	5F7A	E4T70080
749	啾	DFFB	DFFB	609C	5F7B	E4T80080
750	唿	DFFC	DFFC	609D	5F7C	E4T90080
751	啐	DFFD	DFFD	609E	5F7D	E4TA0080
752	唛	DFFE	DFFE	609F	5F7E	E4TB0080
753	唷	E0A1	E0A1	60A0	6021	E4TC0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 30 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
754	啖	E0A2	E0A2	60A1	6022	E4TD0080
755	啖	E0A3	E0A3	60A2	6023	E4TE0080
756	啖	E0A4	E0A4	60A3	6024	E4TF0080
757	啖	E0A5	E0A5	60A4	6025	E4TG0080
758	啖	E0A6	E0A6	60A5	6026	E4TH0080
759	啖	E0A7	E0A7	60A6	6027	E4TI0080
760	啖	E0A8	E0A8	60A7	6028	E4TJ0080
761	啖	E0A9	E0A9	60A8	6029	E4TK0080
762	啖	E0AA	E0AA	60A9	602A	E4TL0080
763	啖	E0AB	E0AB	60AA	602B	E4TM0080
764	啖	E0AC	E0AC	60AB	602C	E4TN0080
765	啖	E0AD	E0AD	60AC	602D	E4TO0080
766	啖	E0AE	E0AE	60AD	602E	E4TP0080
767	啖	E0AF	E0AF	60AE	602F	E4TQ0080
768	啖	E0B0	E0B0	60AF	6030	E4TR0080
769	啖	E0B1	E0B1	60B0	6031	E4TS0080
770	啖	E0B2	E0B2	60B1	6032	E4TT0080
771	啖	E0B3	E0B3	60B2	6033	E4TU0080
772	啖	E0B4	E0B4	60B3	6034	E4TV0080
773	啖	E0B5	E0B5	60B4	6035	E4TW0080
774	啖	E0B6	E0B6	60B5	6036	E4TX0080
775	啖	E0B7	E0B7	60B6	6037	E4TY0080
776	啖	E0B8	E0B8	60B7	6038	E4TZ0080
777	啖	E0B9	E0B9	60B8	6039	E4U00080
778	啖	E0BA	E0BA	60B9	603A	E4U10080
779	啖	E0BB	E0BB	60BA	603B	E4U20080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 31 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
780	嗑	E0BC	E0BC	60BB	603C	E4U30080
781	啞	E0BD	E0BD	60BC	603D	E4U40080
782	嗑	E0BE	E0BE	60BD	603E	E4U50080
783	嗑	E0BF	E0BF	60BE	603F	E4U60080
784	嗑	E0C0	E0C0	60BF	6040	E4U70080
785	嗑	E0C1	E0C1	60C0	6041	E4U80080
786	嗑	E0C2	E0C2	60C1	6042	E4U90080
787	嗑	E0C3	E0C3	60C2	6043	E4UA0080
788	嗑	E0C4	E0C4	60C3	6044	E4UB0080
789	嗑	E0C5	E0C5	60C4	6045	E4UC0080
790	嗑	E0C6	E0C6	60C5	6046	E4UD0080
791	嗑	E0C7	E0C7	60C6	6047	E4UE0080
792	嗑	E0C8	E0C8	60C7	6048	E4UF0080
793	嗑	E0C9	E0C9	60C8	6049	E4UG0080
794	嗑	E0CA	E0CA	60C9	604A	E4UH0080
795	嗑	E0CB	E0CB	60CA	604B	E4UI0080
796	嗑	E0CC	E0CC	60CB	604C	E4UJ0080
797	嗑	E0CD	E0CD	60CC	604D	E4UK0080
798	嗑	E0CE	E0CE	60CD	604E	E4UL0080
799	嗑	E0CF	E0CF	60CE	604F	E4UM0080
800	嗑	E0D0	E0D0	60CF	6050	E4UN0080
801	嗑	E0D1	E0D1	60D0	6051	E4UO0080
802	嗑	E0D2	E0D2	60D1	6052	E4UP0080
803	嗑	E0D3	E0D3	60D2	6053	E4UQ0080
804	嗑	E0D4	E0D4	60D3	6054	E4UR0080
805	嗑	E0D5	E0D5	60D4	6055	E4US0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 9 (Page 32 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
806	啮	E0D6	E0D6	60D5	6056	E4UT0080
807	噬	E0D7	E0D7	60D6	6057	E4UU0080
808	噤	E0D8	E0D8	60D7	6058	E4UV0080
809	噤	E0D9	E0D9	60D8	6059	E4UW0080
810	噤	E0DA	E0DA	60D9	605A	E4UX0080
811	噤	E0DB	E0DB	60DA	605B	E4UY0080
812	噤	E0DC	E0DC	60DB	605C	E4UZ0080
813	噤	E0DD	E0DD	60DC	605D	E4V00080
814	噢	E0DE	E0DE	60DD	605E	E4V10080
815	噤	E0DF	E0DF	60DE	605F	E4V20080
816	噤	E0E0	E0E0	60DF	6060	E4V30080
817	噤	E0E1	E0E1	60E0	6061	E4V40080
818	噤	E0E2	E0E2	60E1	6062	E4V50080
819	噤	E0E3	E0E3	60E2	6063	E4V60080
820	噤	E0E4	E0E4	60E3	6064	E4V70080
821	噤	E0E5	E0E5	60E4	6065	E4V80080
822	噤	E0E6	E0E6	60E5	6066	E4V90080
823	噤	E0E7	E0E7	60E6	6067	E4VA0080
824	噤	E0E8	E0E8	60E7	6068	E4VB0080
825	噤	E0E9	E0E9	60E8	6069	E4VC0080
826	噤	E0EA	E0EA	60E9	606A	E4VD0080
827	噤	E0EB	E0EB	60EA	606B	E4VE0080
828	噤	E0EC	E0EC	60EB	606C	E4VF0080
829	口	E0ED	E0ED	60EC	606D	E4VG0080
830	囀	E0EE	E0EE	60ED	606E	E4VH0080
831	囀	E0EF	E0EF	60EE	606F	E4VI0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 33 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
832	囍	E0F0	E0F0	60EF	6070	E4VJ0080
833	匆	E0F1	E0F1	60F0	6071	E4VK0080
834	囧	E0F2	E0F2	60F1	6072	E4VL0080
835	囧	E0F3	E0F3	60F2	6073	E4VM0080
836	囧	E0F4	E0F4	60F3	6074	E4VN0080
837	囧	E0F5	E0F5	60F4	6075	E4VO0080
838	囧	E0F6	E0F6	60F5	6076	E4VP0080
839	囧	E0F7	E0F7	60F6	6077	E4VQ0080
840	帋	E0F8	E0F8	60F7	6078	E4VR0080
841	帋	E0F9	E0F9	60F8	6079	E4VS0080
842	帋	E0FA	E0FA	60F9	607A	E4VT0080
843	帋	E0FB	E0FB	60FA	607B	E4VU0080
844	帋	E0FC	E0FC	60FB	607C	E4VV0080
845	帋	E0FD	E0FD	60FC	607D	E4VW0080
846	帋	E0FE	E0FE	60FD	607E	E4VX0080
847	帷	E1A1	E1A1	6141	6121	E4W10080
848	幄	E1A2	E1A2	6142	6122	E4W20080
849	幔	E1A3	E1A3	6143	6123	E4W30080
850	幃	E1A4	E1A4	6144	6124	E4W40080
851	幃	E1A5	E1A5	6145	6125	E4W50080
852	幃	E1A6	E1A6	6146	6126	E4W60080
853	岌	E1A7	E1A7	6147	6127	E4W70080
854	岌	E1A8	E1A8	6148	6128	E4W80080
855	岌	E1A9	E1A9	6149	6129	E4W90080
856	岐	E1AA	E1AA	614A	612A	E4WA0080
857	岌	E1AB	E1AB	614B	612B	E4WB0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 34 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
858	岬	E1AC	E1AC	614C	612C	E4WC0080
859	岬	E1AD	E1AD	614D	612D	E4WD0080
860	岬	E1AE	E1AE	614E	612E	E4WE0080
861	岑	E1AF	E1AF	614F	612F	E4WF0080
862	岚	E1B0	E1B0	6150	6130	E4WG0080
863	岍	E1B1	E1B1	6151	6131	E4WH0080
864	岍	E1B2	E1B2	6152	6132	E4WI0080
865	岍	E1B3	E1B3	6153	6133	E4WJ0080
866	岍	E1B4	E1B4	6154	6134	E4WK0080
867	岍	E1B5	E1B5	6155	6135	E4WL0080
868	岍	E1B6	E1B6	6156	6136	E4WM0080
869	岍	E1B7	E1B7	6157	6137	E4WN0080
870	岍	E1B8	E1B8	6158	6138	E4WO0080
871	岍	E1B9	E1B9	6159	6139	E4WP0080
872	岍	E1BA	E1BA	615A	613A	E4WQ0080
873	岍	E1BB	E1BB	615B	613B	E4WR0080
874	岍	E1BC	E1BC	615C	613C	E4WS0080
875	岍	E1BD	E1BD	615D	613D	E4WT0080
876	岍	E1BE	E1BE	615E	613E	E4WU0080
877	岍	E1BF	E1BF	615F	613F	E4WV0080
878	崂	E1C0	E1C0	6160	6140	E4WW0080
879	崂	E1C1	E1C1	6161	6141	E4WX0080
880	崂	E1C2	E1C2	6162	6142	E4WY0080
881	崂	E1C3	E1C3	6163	6143	E4WZ0080
882	崂	E1C4	E1C4	6164	6144	E4X00080
883	崂	E1C5	E1C5	6165	6145	E4X10080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 35 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
884	崮	E1C6	E1C6	6166	6146	E4X20080
885	崮	E1C7	E1C7	6167	6147	E4X30080
886	崮	E1C8	E1C8	6168	6148	E4X40080
887	崮	E1C9	E1C9	6169	6149	E4X50080
888	崮	E1CA	E1CA	616A	614A	E4X60080
889	崮	E1CB	E1CB	616B	614B	E4X70080
890	崮	E1CC	E1CC	616C	614C	E4X80080
891	崮	E1CD	E1CD	616D	614D	E4X90080
892	崮	E1CE	E1CE	616E	614E	E4XA0080
893	崮	E1CF	E1CF	616F	614F	E4XB0080
894	崮	E1D0	E1D0	6170	6150	E4XC0080
895	崮	E1D1	E1D1	6171	6151	E4XD0080
896	崮	E1D2	E1D2	6172	6152	E4XE0080
897	崮	E1D3	E1D3	6173	6153	E4XF0080
898	崮	E1D4	E1D4	6174	6154	E4XG0080
899	崮	E1D5	E1D5	6175	6155	E4XH0080
900	崮	E1D6	E1D6	6176	6156	E4XI0080
901	崮	E1D7	E1D7	6177	6157	E4XJ0080
902	崮	E1D8	E1D8	6178	6158	E4XK0080
903	崮	E1D9	E1D9	6179	6159	E4XL0080
904	崮	E1DA	E1DA	617A	615A	E4XM0080
905	崮	E1DB	E1DB	617B	615B	E4XN0080
906	崮	E1DC	E1DC	617C	615C	E4XO0080
907	崮	E1DD	E1DD	617D	615D	E4XP0080
908	崮	E1DE	E1DE	617E	615E	E4XQ0080
909	崮	E1DF	E1DF	617F	615F	E4XR0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 36 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
910	徉	E1E0	E1E0	6181	6160	E4XT0080
911	後	E1E1	E1E1	6182	6161	E4XU0080
912	徠	E1E2	E1E2	6183	6162	E4XV0080
913	徙	E1E3	E1E3	6184	6163	E4XW0080
914	徯	E1E4	E1E4	6185	6164	E4XX0080
915	徨	E1E5	E1E5	6186	6165	E4XY0080
916	徯	E1E6	E1E6	6187	6166	E4XZ0080
917	徯	E1E7	E1E7	6188	6167	E4Y00080
918	徯	E1E8	E1E8	6189	6168	E4Y10080
919	衢	E1E9	E1E9	618A	6169	E4Y20080
920	彡	E1EA	E1EA	618B	616A	E4Y30080
921	彡	E1EB	E1EB	618C	616B	E4Y40080
922	犷	E1EC	E1EC	618D	616C	E4Y50080
923	犷	E1ED	E1ED	618E	616D	E4Y60080
924	犷	E1EE	E1EE	618F	616E	E4Y70080
925	犷	E1EF	E1EF	6190	616F	E4Y80080
926	犷	E1F0	E1F0	6191	6170	E4Y90080
927	犷	E1F1	E1F1	6192	6171	E4YA0080
928	狎	E1F2	E1F2	6193	6172	E4YB0080
929	狎	E1F3	E1F3	6194	6173	E4YC0080
930	狎	E1F4	E1F4	6195	6174	E4YD0080
931	狎	E1F5	E1F5	6196	6175	E4YE0080
932	狎	E1F6	E1F6	6197	6176	E4YF0080
933	狩	E1F7	E1F7	6198	6177	E4YG0080
934	狎	E1F8	E1F8	6199	6178	E4YH0080
935	狎	E1F9	E1F9	619A	6179	E4YI0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 37 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
936	狷	E1FA	E1FA	619B	617A	E4YJ0080
937	獬	E1FB	E1FB	619C	617B	E4YK0080
938	狻	E1FC	E1FC	619D	617C	E4YL0080
939	狷	E1FD	E1FD	619E	617D	E4YM0080
940	狷	E1FE	E1FE	619F	617E	E4YN0080
941	狻	E2A1	E2A1	61A0	6221	E4YO0080
942	狻	E2A2	E2A2	61A1	6222	E4YP0080
943	狻	E2A3	E2A3	61A2	6223	E4YQ0080
944	狻	E2A4	E2A4	61A3	6224	E4YR0080
945	狻	E2A5	E2A5	61A4	6225	E4YS0080
946	狻	E2A6	E2A6	61A5	6226	E4YT0080
947	狻	E2A7	E2A7	61A6	6227	E4YU0080
948	狻	E2A8	E2A8	61A7	6228	E4YV0080
949	狻	E2A9	E2A9	61A8	6229	E4YW0080
950	狻	E2AA	E2AA	61A9	622A	E4YX0080
951	狻	E2AB	E2AB	61AA	622B	E4YY0080
952	狻	E2AC	E2AC	61AB	622C	E4YZ0080
953	狻	E2AD	E2AD	61AC	622D	E4Z00080
954	狻	E2AE	E2AE	61AD	622E	E4Z10080
955	狻	E2AF	E2AF	61AE	622F	E4Z20080
956	狻	E2B0	E2B0	61AF	6230	E4Z30080
957	狻	E2B1	E2B1	61B0	6231	E4Z40080
958	狻	E2B2	E2B2	61B1	6232	E4Z50080
959	狻	E2B3	E2B3	61B2	6233	E4Z60080
960	狻	E2B4	E2B4	61B3	6234	E4Z70080
961	狻	E2B5	E2B5	61B4	6235	E4Z80080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 38 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
962	舛	E2B6	E2B6	61B5	6236	E4Z90080
963	夥	E2B7	E2B7	61B6	6237	E4ZA0080
964	飧	E2B8	E2B8	61B7	6238	E4ZB0080
965	飧	E2B9	E2B9	61B8	6239	E4ZC0080
966	舛	E2BA	E2BA	61B9	623A	E4ZD0080
967	舛	E2BB	E2BB	61BA	623B	E4ZE0080
968	飧	E2BC	E2BC	61BB	623C	E4ZF0080
969	饨	E2BD	E2BD	61BC	623D	E4ZG0080
970	饩	E2BE	E2BE	61BD	623E	E4ZH0080
971	饪	E2BF	E2BF	61BE	623F	E4ZI0080
972	饩	E2C0	E2C0	61BF	6240	E4ZJ0080
973	饩	E2C1	E2C1	61C0	6241	E4ZK0080
974	饩	E2C2	E2C2	61C1	6242	E4ZL0080
975	饩	E2C3	E2C3	61C2	6243	E4ZM0080
976	饩	E2C4	E2C4	61C3	6244	E4ZN0080
977	馐	E2C5	E2C5	61C4	6245	E4ZO0080
978	馄	E2C6	E2C6	61C5	6246	E4ZP0080
979	饩	E2C7	E2C7	61C6	6247	E4ZQ0080
980	馐	E2C8	E2C8	61C7	6248	E4ZR0080
981	饩	E2C9	E2C9	61C8	6249	E4ZS0080
982	饩	E2CA	E2CA	61C9	624A	E4ZT0080
983	饩	E2CB	E2CB	61CA	624B	E4ZU0080
984	馐	E2CC	E2CC	61CB	624C	E4ZV0080
985	馐	E2CD	E2CD	61CC	624D	E4ZW0080
986	饩	E2CE	E2CE	61CD	624E	E4ZX0080
987	庀	E2CF	E2CF	61CE	624F	E4ZY0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 39 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
988	庑	E2D0	E2D0	61CF	6250	E4ZZ0080
989	庑	E2D1	E2D1	61D0	6251	E5000080
990	庑	E2D2	E2D2	61D1	6252	E5010080
991	庑	E2D3	E2D3	61D2	6253	E5020080
992	庑	E2D4	E2D4	61D3	6254	E5030080
993	庑	E2D5	E2D5	61D4	6255	E5040080
994	庵	E2D6	E2D6	61D5	6256	E5050080
995	庑	E2D7	E2D7	61D6	6257	E5060080
996	庑	E2D8	E2D8	61D7	6258	E5070080
997	庑	E2D9	E2D9	61D8	6259	E5080080
998	庑	E2DA	E2DA	61D9	625A	E5090080
999	庑	E2DB	E2DB	61DA	625B	E50A0080
1000	庑	E2DC	E2DC	61DB	625C	E50B0080
1001	庑	E2DD	E2DD	61DC	625D	E50C0080
1002	庑	E2DE	E2DE	61DD	625E	E50D0080
1003	庑	E2DF	E2DF	61DE	625F	E50E0080
1004	忡	E2E0	E2E0	61DF	6260	E50F0080
1005	忡	E2E1	E2E1	61E0	6261	E50G0080
1006	忡	E2E2	E2E2	61E1	6262	E50H0080
1007	忡	E2E3	E2E3	61E2	6263	E50I0080
1008	忡	E2E4	E2E4	61E3	6264	E50J0080
1009	忡	E2E5	E2E5	61E4	6265	E50K0080
1010	忡	E2E6	E2E6	61E5	6266	E50L0080
1011	忡	E2E7	E2E7	61E6	6267	E50M0080
1012	忡	E2E8	E2E8	61E7	6268	E50N0080
1013	忡	E2E9	E2E9	61E8	6269	E50O0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 9 (Page 40 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1014	悵	E2EA	E2EA	61E9	626A	E50P0080
1015	愴	E2EB	E2EB	61EA	626B	E50Q0080
1016	忪	E2EC	E2EC	61EB	626C	E50R0080
1017	忭	E2ED	E2ED	61EC	626D	E50S0080
1018	忸	E2EE	E2EE	61ED	626E	E50T0080
1019	怙	E2EF	E2EF	61EE	626F	E50U0080
1020	怵	E2F0	E2F0	61EF	6270	E50V0080
1021	怦	E2F1	E2F1	61F0	6271	E50W0080
1022	怛	E2F2	E2F2	61F1	6272	E50X0080
1023	怏	E2F3	E2F3	61F2	6273	E50Y0080
1024	怍	E2F4	E2F4	61F3	6274	E50Z0080
1025	怩	E2F5	E2F5	61F4	6275	E5100080
1026	怦	E2F6	E2F6	61F5	6276	E5110080
1027	怦	E2F7	E2F7	61F6	6277	E5120080
1028	怦	E2F8	E2F8	61F7	6278	E5130080
1029	怦	E2F9	E2F9	61F8	6279	E5140080
1030	怦	E2FA	E2FA	61F9	627A	E5150080
1031	怦	E2FB	E2FB	61FA	627B	E5160080
1032	怦	E2FC	E2FC	61FB	627C	E5170080
1033	怦	E2FD	E2FD	61FC	627D	E5180080
1034	恂	E2FE	E2FE	61FD	627E	E5190080
1035	恪	E3A1	E3A1	6241	6321	E51D0080
1036	恇	E3A2	E3A2	6242	6322	E51E0080
1037	悖	E3A3	E3A3	6243	6323	E51F0080
1038	悚	E3A4	E3A4	6244	6324	E51G0080
1039	慳	E3A5	E3A5	6245	6325	E51H0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 41 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1040	悝	E3A6	E3A6	6246	6326	E51I0080
1041	悞	E3A7	E3A7	6247	6327	E51J0080
1042	悝	E3A8	E3A8	6248	6328	E51K0080
1043	悞	E3A9	E3A9	6249	6329	E51L0080
1044	悝	E3AA	E3AA	624A	632A	E51M0080
1045	悞	E3AB	E3AB	624B	632B	E51N0080
1046	悝	E3AC	E3AC	624C	632C	E51O0080
1047	悞	E3AD	E3AD	624D	632D	E51P0080
1048	悝	E3AE	E3AE	624E	632E	E51Q0080
1049	悞	E3AF	E3AF	624F	632F	E51R0080
1050	悝	E3B0	E3B0	6250	6330	E51S0080
1051	悞	E3B1	E3B1	6251	6331	E51T0080
1052	悝	E3B2	E3B2	6252	6332	E51U0080
1053	悞	E3B3	E3B3	6253	6333	E51V0080
1054	悝	E3B4	E3B4	6254	6334	E51W0080
1055	悞	E3B5	E3B5	6255	6335	E51X0080
1056	悝	E3B6	E3B6	6256	6336	E51Y0080
1057	悞	E3B7	E3B7	6257	6337	E51Z0080
1058	悝	E3B8	E3B8	6258	6338	E5200080
1059	悞	E3B9	E3B9	6259	6339	E5210080
1060	悝	E3BA	E3BA	625A	633A	E5220080
1061	悞	E3BB	E3BB	625B	633B	E5230080
1062	悝	E3BC	E3BC	625C	633C	E5240080
1063	悞	E3BD	E3BD	625D	633D	E5250080
1064	悝	E3BE	E3BE	625E	633E	E5260080
1065	悞	E3BF	E3BF	625F	633F	E5270080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 42 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1066	憊	E3C0	E3C0	6260	6340	E5280080
1067	憊	E3C1	E3C1	6261	6341	E5290080
1068	憊	E3C2	E3C2	6262	6342	E52A0080
1069	忝	E3C3	E3C3	6263	6343	E52B0080
1070	驥	E3C4	E3C4	6264	6344	E52C0080
1071	冃	E3C5	E3C5	6265	6345	E52D0080
1072	冃	E3C6	E3C6	6266	6346	E52E0080
1073	冃	E3C7	E3C7	6267	6347	E52F0080
1074	冃	E3C8	E3C8	6268	6348	E52G0080
1075	冃	E3C9	E3C9	6269	6349	E52H0080
1076	冃	E3CA	E3CA	626A	634A	E52I0080
1077	冃	E3CB	E3CB	626B	634B	E52J0080
1078	冃	E3CC	E3CC	626C	634C	E52K0080
1079	冃	E3CD	E3CD	626D	634D	E52L0080
1080	冃	E3CE	E3CE	626E	634E	E52M0080
1081	冃	E3CF	E3CF	626F	634F	E52N0080
1082	冃	E3D0	E3D0	6270	6350	E52O0080
1083	冃	E3D1	E3D1	6271	6351	E52P0080
1084	冃	E3D2	E3D2	6272	6352	E52Q0080
1085	冃	E3D3	E3D3	6273	6353	E52R0080
1086	冃	E3D4	E3D4	6274	6354	E52S0080
1087	冃	E3D5	E3D5	6275	6355	E52T0080
1088	冃	E3D6	E3D6	6276	6356	E52U0080
1089	冃	E3D7	E3D7	6277	6357	E52V0080
1090	冃	E3D8	E3D8	6278	6358	E52W0080
1091	冃	E3D9	E3D9	6279	6359	E52X0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 43 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1092	颀	E3DA	E3DA	627A	635A	E52Y0080
1093	颀	E3DB	E3DB	627B	635B	E52Z0080
1094	斗	E3DC	E3DC	627C	635C	E5300080
1095	片	E3DD	E3DD	627D	635D	E5310080
1096	戕	E3DE	E3DE	627E	635E	E5320080
1097	彡	E3DF	E3DF	627F	635F	E5330080
1098	汜	E3E0	E3E0	6281	6360	E5350080
1099	汜	E3E1	E3E1	6282	6361	E5360080
1100	汜	E3E2	E3E2	6283	6362	E5370080
1101	汜	E3E3	E3E3	6284	6363	E5380080
1102	沅	E3E4	E3E4	6285	6364	E5390080
1103	沐	E3E5	E3E5	6286	6365	E53A0080
1104	沔	E3E6	E3E6	6287	6366	E53B0080
1105	沌	E3E7	E3E7	6288	6367	E53C0080
1106	汨	E3E8	E3E8	6289	6368	E53D0080
1107	汨	E3E9	E3E9	628A	6369	E53E0080
1108	汨	E3EA	E3EA	628B	636A	E53F0080
1109	汶	E3EB	E3EB	628C	636B	E53G0080
1110	沆	E3EC	E3EC	628D	636C	E53H0080
1111	沔	E3ED	E3ED	628E	636D	E53I0080
1112	泐	E3EE	E3EE	628F	636E	E53J0080
1113	泔	E3EF	E3EF	6290	636F	E53K0080
1114	沐	E3F0	E3F0	6291	6370	E53L0080
1115	泔	E3F1	E3F1	6292	6371	E53M0080
1116	泸	E3F2	E3F2	6293	6372	E53N0080
1117	泐	E3F3	E3F3	6294	6373	E53O0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 9 (Page 44 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1118	泗	E3F4	E3F4	6295	6374	E53P0080
1119	淹	E3F5	E3F5	6296	6375	E53Q0080
1120	泠	E3F6	E3F6	6297	6376	E53R0080
1121	泖	E3F7	E3F7	6298	6377	E53S0080
1122	冻	E3F8	E3F8	6299	6378	E53T0080
1123	泫	E3F9	E3F9	629A	6379	E53U0080
1124	泮	E3FA	E3FA	629B	637A	E53V0080
1125	沱	E3FB	E3FB	629C	637B	E53W0080
1126	泓	E3FC	E3FC	629D	637C	E53X0080
1127	混	E3FD	E3FD	629E	637D	E53Y0080
1128	泾	E3FE	E3FE	629F	637E	E53Z0080
1129	洄	E4A1	E4A1	62A0	6421	E5400080
1130	洧	E4A2	E4A2	62A1	6422	E5410080
1131	洌	E4A3	E4A3	62A2	6423	E5420080
1132	洑	E4A4	E4A4	62A3	6424	E5430080
1133	洔	E4A5	E4A5	62A4	6425	E5440080
1134	洕	E4A6	E4A6	62A5	6426	E5450080
1135	洖	E4A7	E4A7	62A6	6427	E5460080
1136	洗	E4A8	E4A8	62A7	6428	E5470080
1137	洘	E4A9	E4A9	62A8	6429	E5480080
1138	洙	E4AA	E4AA	62A9	642A	E5490080
1139	洚	E4AB	E4AB	62AA	642B	E54A0080
1140	洛	E4AC	E4AC	62AB	642C	E54B0080
1141	洜	E4AD	E4AD	62AC	642D	E54C0080
1142	洝	E4AE	E4AE	62AD	642E	E54D0080
1143	洞	E4AF	E4AF	62AE	642F	E54E0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 45 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1144	浒	E4B0	E4B0	62AF	6430	E54F0080
1145	浔	E4B1	E4B1	62B0	6431	E54G0080
1146	洳	E4B2	E4B2	62B1	6432	E54H0080
1147	涑	E4B3	E4B3	62B2	6433	E54I0080
1148	浯	E4B4	E4B4	62B3	6434	E54J0080
1149	涑	E4B5	E4B5	62B4	6435	E54K0080
1150	洴	E4B6	E4B6	62B5	6436	E54L0080
1151	浞	E4B7	E4B7	62B6	6437	E54M0080
1152	涓	E4B8	E4B8	62B7	6438	E54N0080
1153	洵	E4B9	E4B9	62B8	6439	E54O0080
1154	浈	E4BA	E4BA	62B9	643A	E54P0080
1155	浹	E4BB	E4BB	62BA	643B	E54Q0080
1156	洳	E4BC	E4BC	62BB	643C	E54R0080
1157	浺	E4BD	E4BD	62BC	643D	E54S0080
1158	渚	E4BE	E4BE	62BD	643E	E54T0080
1159	淇	E4BF	E4BF	62BE	643F	E54U0080
1160	淅	E4C0	E4C0	62BF	6440	E54V0080
1161	淞	E4C1	E4C1	62C0	6441	E54W0080
1162	渎	E4C2	E4C2	62C1	6442	E54X0080
1163	涿	E4C3	E4C3	62C2	6443	E54Y0080
1164	涿	E4C4	E4C4	62C3	6444	E54Z0080
1165	涓	E4C5	E4C5	62C4	6445	E5500080
1166	淦	E4C6	E4C6	62C5	6446	E5510080
1167	淝	E4C7	E4C7	62C6	6447	E5520080
1168	淙	E4C8	E4C8	62C7	6448	E5530080
1169	涿	E4C9	E4C9	62C8	6449	E5540080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 46 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1170	涓	E4CA	E4CA	62C9	644A	E5550080
1171	涿	E4CB	E4CB	62CA	644B	E5560080
1172	涮	E4CC	E4CC	62CB	644C	E5570080
1173	渌	E4CD	E4CD	62CC	644D	E5580080
1174	涿	E4CE	E4CE	62CD	644E	E5590080
1175	涸	E4CF	E4CF	62CE	644F	E55A0080
1176	涸	E4D0	E4D0	62CF	6450	E55B0080
1177	涸	E4D1	E4D1	62D0	6451	E55C0080
1178	涸	E4D2	E4D2	62D1	6452	E55D0080
1179	涸	E4D3	E4D3	62D2	6453	E55E0080
1180	涸	E4D4	E4D4	62D3	6454	E55F0080
1181	涸	E4D5	E4D5	62D4	6455	E55G0080
1182	涸	E4D6	E4D6	62D5	6456	E55H0080
1183	涸	E4D7	E4D7	62D6	6457	E55I0080
1184	涸	E4D8	E4D8	62D7	6458	E55J0080
1185	涸	E4D9	E4D9	62D8	6459	E55K0080
1186	涸	E4DA	E4DA	62D9	645A	E55L0080
1187	涸	E4DB	E4DB	62DA	645B	E55M0080
1188	涸	E4DC	E4DC	62DB	645C	E55N0080
1189	涸	E4DD	E4DD	62DC	645D	E55O0080
1190	涸	E4DE	E4DE	62DD	645E	E55P0080
1191	涸	E4DF	E4DF	62DE	645F	E55Q0080
1192	涸	E4E0	E4E0	62DF	6460	E55R0080
1193	涸	E4E1	E4E1	62E0	6461	E55S0080
1194	涸	E4E2	E4E2	62E1	6462	E55T0080
1195	涸	E4E3	E4E3	62E2	6463	E55U0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 47 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1196	滢	E4E4	E4E4	62E3	6464	E55V0080
1197	溴	E4E5	E4E5	62E4	6465	E55W0080
1198	滢	E4E6	E4E6	62E5	6466	E55X0080
1199	滢	E4E7	E4E7	62E6	6467	E55Y0080
1200	滢	E4E8	E4E8	62E7	6468	E55Z0080
1201	溟	E4E9	E4E9	62E8	6469	E5600080
1202	潢	E4EA	E4EA	62E9	646A	E5610080
1203	滢	E4EB	E4EB	62EA	646B	E5620080
1204	瀟	E4EC	E4EC	62EB	646C	E5630080
1205	淩	E4ED	E4ED	62EC	646D	E5640080
1206	漕	E4EE	E4EE	62ED	646E	E5650080
1207	滢	E4EF	E4EF	62EE	646F	E5660080
1208	潔	E4F0	E4F0	62EF	6470	E5670080
1209	漣	E4F1	E4F1	62F0	6471	E5680080
1210	澍	E4F2	E4F2	62F1	6472	E5690080
1211	滢	E4F3	E4F3	62F2	6473	E56A0080
1212	漪	E4F4	E4F4	62F3	6474	E56B0080
1213	漣	E4F5	E4F5	62F4	6475	E56C0080
1214	漩	E4F6	E4F6	62F5	6476	E56D0080
1215	澍	E4F7	E4F7	62F6	6477	E56E0080
1216	澍	E4F8	E4F8	62F7	6478	E56F0080
1217	澍	E4F9	E4F9	62F8	6479	E56G0080
1218	潛	E4FA	E4FA	62F9	647A	E56H0080
1219	滢	E4FB	E4FB	62FA	647B	E56I0080
1220	潼	E4FC	E4FC	62FB	647C	E56J0080
1221	滢	E4FD	E4FD	62FC	647D	E56K0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 48 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1222	濼	E4FE	E4FE	62FD	647E	E56L0080
1223	濼	E5A1	E5A1	6341	6521	E56P0080
1224	澧	E5A2	E5A2	6342	6522	E56Q0080
1225	澧	E5A3	E5A3	6343	6523	E56R0080
1226	澧	E5A4	E5A4	6344	6524	E56S0080
1227	濼	E5A5	E5A5	6345	6525	E56T0080
1228	濼	E5A6	E5A6	6346	6526	E56U0080
1229	濼	E5A7	E5A7	6347	6527	E56V0080
1230	濼	E5A8	E5A8	6348	6528	E56W0080
1231	濼	E5A9	E5A9	6349	6529	E56X0080
1232	濼	E5AA	E5AA	634A	652A	E56Y0080
1233	濼	E5AB	E5AB	634B	652B	E56Z0080
1234	濼	E5AC	E5AC	634C	652C	E5700080
1235	濼	E5AD	E5AD	634D	652D	E5710080
1236	濼	E5AE	E5AE	634E	652E	E5720080
1237	濼	E5AF	E5AF	634F	652F	E5730080
1238	濼	E5B0	E5B0	6350	6530	E5740080
1239	濼	E5B1	E5B1	6351	6531	E5750080
1240	宀	E5B2	E5B2	6352	6532	E5760080
1241	宀	E5B3	E5B3	6353	6533	E5770080
1242	宀	E5B4	E5B4	6354	6534	E5780080
1243	宀	E5B5	E5B5	6355	6535	E5790080
1244	宀	E5B6	E5B6	6356	6536	E57A0080
1245	宸	E5B7	E5B7	6357	6537	E57B0080
1246	宵	E5B8	E5B8	6358	6538	E57C0080
1247	宵	E5B9	E5B9	6359	6539	E57D0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 49 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1248	褰	E5BA	E5BA	635A	653A	E57E0080
1249	寤	E5BB	E5BB	635B	653B	E57F0080
1250	寮	E5BC	E5BC	635C	653C	E57G0080
1251	褰	E5BD	E5BD	635D	653D	E57H0080
1252	寰	E5BE	E5BE	635E	653E	E57I0080
1253	蹇	E5BF	E5BF	635F	653F	E57J0080
1254	審	E5C0	E5C0	6360	6540	E57K0080
1255	迓	E5C1	E5C1	6361	6541	E57L0080
1256	迓	E5C2	E5C2	6362	6542	E57M0080
1257	迓	E5C3	E5C3	6363	6543	E57N0080
1258	迓	E5C4	E5C4	6364	6544	E57O0080
1259	迓	E5C5	E5C5	6365	6545	E57P0080
1260	迓	E5C6	E5C6	6366	6546	E57Q0080
1261	迓	E5C7	E5C7	6367	6547	E57R0080
1262	迓	E5C8	E5C8	6368	6548	E57S0080
1263	迓	E5C9	E5C9	6369	6549	E57T0080
1264	迓	E5CA	E5CA	636A	654A	E57U0080
1265	迓	E5CB	E5CB	636B	654B	E57V0080
1266	逢	E5CC	E5CC	636C	654C	E57W0080
1267	逋	E5CD	E5CD	636D	654D	E57X0080
1268	迓	E5CE	E5CE	636E	654E	E57Y0080
1269	逋	E5CF	E5CF	636F	654F	E57Z0080
1270	逍	E5D0	E5D0	6370	6550	E5800080
1271	逋	E5D1	E5D1	6371	6551	E5810080
1272	逋	E5D2	E5D2	6372	6552	E5820080
1273	逋	E5D3	E5D3	6373	6553	E5830080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC


Table 9 (Page 50 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1274	透	E5D4	E5D4	6374	6554	E5840080
1275	迨	E5D5	E5D5	6375	6555	E5850080
1276	逯	E5D6	E5D6	6376	6556	E5860080
1277	遄	E5D7	E5D7	6377	6557	E5870080
1278	遑	E5D8	E5D8	6378	6558	E5880080
1279	遒	E5D9	E5D9	6379	6559	E5890080
1280	遐	E5DA	E5DA	637A	655A	E58A0080
1281	遨	E5DB	E5DB	637B	655B	E58B0080
1282	遒	E5DC	E5DC	637C	655C	E58C0080
1283	遒	E5DD	E5DD	637D	655D	E58D0080
1284	遒	E5DE	E5DE	637E	655E	E58E0080
1285	遒	E5DF	E5DF	637F	655F	E58F0080
1286	遒	E5E0	E5E0	6381	6560	E58H0080
1287	遒	E5E1	E5E1	6382	6561	E58I0080
1288	遒	E5E2	E5E2	6383	6562	E58J0080
1289	遒	E5E3	E5E3	6384	6563	E58K0080
1290	遒	E5E4	E5E4	6385	6564	E58L0080
1291	遒	E5E5	E5E5	6386	6565	E58M0080
1292	𠄎	E5E6	E5E6	6387	6566	E58N0080
1293	彗	E5E7	E5E7	6388	6567	E58O0080
1294	彖	E5E8	E5E8	6389	6568	E58P0080
1295	彖	E5E9	E5E9	638A	6569	E58Q0080
1296	𠄎	E5EA	E5EA	638B	656A	E58R0080
1297	𠄎	E5EB	E5EB	638C	656B	E58S0080
1298	𠄎	E5EC	E5EC	638D	656C	E58T0080
1299	𠄎	E5ED	E5ED	638E	656D	E58U0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 51 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1300	孱	E5EE	E5EE	638F	656E	E58V0080
1301	屣	E5EF	E5EF	6390	656F	E58W0080
1302	屣	E5F0	E5F0	6391	6570	E58X0080
1303	孱	E5F1	E5F1	6392	6571	E58Y0080
1304	彘	E5F2	E5F2	6393	6572	E58Z0080
1305	弩	E5F3	E5F3	6394	6573	E5900080
1306	弭	E5F4	E5F4	6395	6574	E5910080
1307	艷	E5F5	E5F5	6396	6575	E5920080
1308	粥	E5F6	E5F6	6397	6576	E5930080
1309	鸞	E5F7	E5F7	6398	6577	E5940080
1310	屮	E5F8	E5F8	6399	6578	E5950080
1311	妁	E5F9	E5F9	639A	6579	E5960080
1312	妃	E5FA	E5FA	639B	657A	E5970080
1313	妍	E5FB	E5FB	639C	657B	E5980080
1314	妩	E5FC	E5FC	639D	657C	E5990080
1315	姬	E5FD	E5FD	639E	657D	E59A0080
1316	妣	E5FE	E5FE	639F	657E	E59B0080
1317	姪	E6A1	E6A1	63A0	6621	E59C0080
1318	姊	E6A2	E6A2	63A1	6622	E59D0080
1319	姊	E6A3	E6A3	63A2	6623	E59E0080
1320	姪	E6A4	E6A4	63A3	6624	E59F0080
1321	姪	E6A5	E6A5	63A4	6625	E59G0080
1322	姪	E6A6	E6A6	63A5	6626	E59H0080
1323	姐	E6A7	E6A7	63A6	6627	E59I0080
1324	妯	E6A8	E6A8	63A7	6628	E59J0080
1325	姍	E6A9	E6A9	63A8	6629	E59K0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 52 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1326	妾	E6AA	E6AA	63A9	662A	E59L0080
1327	娅	E6AB	E6AB	63AA	662B	E59M0080
1328	娆	E6AC	E6AC	63AB	662C	E59N0080
1329	姝	E6AD	E6AD	63AC	662D	E59O0080
1330	婁	E6AE	E6AE	63AD	662E	E59P0080
1331	姣	E6AF	E6AF	63AE	662F	E59Q0080
1332	姘	E6B0	E6B0	63AF	6630	E59R0080
1333	姤	E6B1	E6B1	63B0	6631	E59S0080
1334	媪	E6B2	E6B2	63B1	6632	E59T0080
1335	媯	E6B3	E6B3	63B2	6633	E59U0080
1336	媮	E6B4	E6B4	63B3	6634	E59V0080
1337	媮	E6B5	E6B5	63B4	6635	E59W0080
1338	娑	E6B6	E6B6	63B5	6636	E59X0080
1339	娣	E6B7	E6B7	63B6	6637	E59Y0080
1340	媯	E6B8	E6B8	63B7	6638	E59Z0080
1341	媯	E6B9	E6B9	63B8	6639	E5A00080
1342	媯	E6BA	E6BA	63B9	663A	E5A10080
1343	媯	E6BB	E6BB	63BA	663B	E5A20080
1344	媯	E6BC	E6BC	63BB	663C	E5A30080
1345	媯	E6BD	E6BD	63BC	663D	E5A40080
1346	媯	E6BE	E6BE	63BD	663E	E5A50080
1347	媯	E6BF	E6BF	63BE	663F	E5A60080
1348	媯	E6C0	E6C0	63BF	6640	E5A70080
1349	媯	E6C1	E6C1	63C0	6641	E5A80080
1350	媯	E6C2	E6C2	63C1	6642	E5A90080
1351	媯	E6C3	E6C3	63C2	6643	E5AA0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 53 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1352	婺	E6C4	E6C4	63C3	6644	E5AB0080
1353	媵	E6C5	E6C5	63C4	6645	E5AC0080
1354	嫫	E6C6	E6C6	63C5	6646	E5AD0080
1355	媿	E6C7	E6C7	63C6	6647	E5AE0080
1356	媛	E6C8	E6C8	63C7	6648	E5AF0080
1357	嫫	E6C9	E6C9	63C8	6649	E5AG0080
1358	媿	E6CA	E6CA	63C9	664A	E5AH0080
1359	嫫	E6CB	E6CB	63CA	664B	E5AI0080
1360	媿	E6CC	E6CC	63CB	664C	E5AJ0080
1361	媿	E6CD	E6CD	63CC	664D	E5AK0080
1362	嫫	E6CE	E6CE	63CD	664E	E5AL0080
1363	媿	E6CF	E6CF	63CE	664F	E5AM0080
1364	嫫	E6D0	E6D0	63CF	6650	E5AN0080
1365	嫫	E6D1	E6D1	63D0	6651	E5AO0080
1366	媿	E6D2	E6D2	63D1	6652	E5AP0080
1367	媿	E6D3	E6D3	63D2	6653	E5AQ0080
1368	媿	E6D4	E6D4	63D3	6654	E5AR0080
1369	媿	E6D5	E6D5	63D4	6655	E5AS0080
1370	媿	E6D6	E6D6	63D5	6656	E5AT0080
1371	媿	E6D7	E6D7	63D6	6657	E5AU0080
1372	孛	E6D8	E6D8	63D7	6658	E5AV0080
1373	孛	E6D9	E6D9	63D8	6659	E5AW0080
1374	孛	E6DA	E6DA	63D9	665A	E5AX0080
1375	孛	E6DB	E6DB	63DA	665B	E5AY0080
1376	孛	E6DC	E6DC	63DB	665C	E5AZ0080
1377	孛	E6DD	E6DD	63DC	665D	E5B00080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 9 (Page 54 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1378	孑	E6DE	E6DE	63DD	665E	E5B10080
1379	抱	E6DF	E6DF	63DE	665F	E5B20080
1380	馐	E6E0	E6E0	63DF	6660	E5B30080
1381	駟	E6E1	E6E1	63E0	6661	E5B40080
1382	駙	E6E2	E6E2	63E1	6662	E5B50080
1383	駘	E6E3	E6E3	63E2	6663	E5B60080
1384	驛	E6E4	E6E4	63E3	6664	E5B70080
1385	駑	E6E5	E6E5	63E4	6665	E5B80080
1386	駘	E6E6	E6E6	63E5	6666	E5B90080
1387	驍	E6E7	E6E7	63E6	6667	E5BA0080
1388	驛	E6E8	E6E8	63E7	6668	E5BB0080
1389	駢	E6E9	E6E9	63E8	6669	E5BC0080
1390	駢	E6EA	E6EA	63E9	666A	E5BD0080
1391	驥	E6EB	E6EB	63EA	666B	E5BE0080
1392	驥	E6EC	E6EC	63EB	666C	E5BF0080
1393	駘	E6ED	E6ED	63EC	666D	E5BG0080
1394	驂	E6EE	E6EE	63ED	666E	E5BH0080
1395	駑	E6EF	E6EF	63EE	666F	E5BI0080
1396	駑	E6F0	E6F0	63EF	6670	E5BJ0080
1397	駑	E6F1	E6F1	63F0	6671	E5BK0080
1398	驢	E6F2	E6F2	63F1	6672	E5BL0080
1399	驢	E6F3	E6F3	63F2	6673	E5BM0080
1400	驢	E6F4	E6F4	63F3	6674	E5BN0080
1401	驢	E6F5	E6F5	63F4	6675	E5BO0080
1402	驢	E6F6	E6F6	63F5	6676	E5BP0080
1403	驢	E6F7	E6F7	63F6	6677	E5BQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 55 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1404	骧	E6F8	E6F8	63F7	6678	E5BR0080
1405	纡	E6F9	E6F9	63F8	6679	E5BS0080
1406	纡	E6FA	E6FA	63F9	667A	E5BT0080
1407	纡	E6FB	E6FB	63FA	667B	E5BU0080
1408	纡	E6FC	E6FC	63FB	667C	E5BV0080
1409	纡	E6FD	E6FD	63FC	667D	E5BW0080
1410	纡	E6FE	E6FE	63FD	667E	E5BX0080
1411	纡	E7A1	E7A1	6441	6721	E5C10080
1412	纡	E7A2	E7A2	6442	6722	E5C20080
1413	纡	E7A3	E7A3	6443	6723	E5C30080
1414	纡	E7A4	E7A4	6444	6724	E5C40080
1415	纡	E7A5	E7A5	6445	6725	E5C50080
1416	纡	E7A6	E7A6	6446	6726	E5C60080
1417	纡	E7A7	E7A7	6447	6727	E5C70080
1418	纡	E7A8	E7A8	6448	6728	E5C80080
1419	纡	E7A9	E7A9	6449	6729	E5C90080
1420	纡	E7AA	E7AA	644A	672A	E5CA0080
1421	纡	E7AB	E7AB	644B	672B	E5CB0080
1422	纡	E7AC	E7AC	644C	672C	E5CC0080
1423	纡	E7AD	E7AD	644D	672D	E5CD0080
1424	纡	E7AE	E7AE	644E	672E	E5CE0080
1425	纡	E7AF	E7AF	644F	672F	E5CF0080
1426	纡	E7B0	E7B0	6450	6730	E5CG0080
1427	纡	E7B1	E7B1	6451	6731	E5CH0080
1428	纡	E7B2	E7B2	6452	6732	E5CI0080
1429	纡	E7B3	E7B3	6453	6733	E5CJ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 56 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1430	绌	E7B4	E7B4	6454	6734	E5CK0080
1431	纛	E7B5	E7B5	6455	6735	E5CL0080
1432	纛	E7B6	E7B6	6456	6736	E5CM0080
1433	纛	E7B7	E7B7	6457	6737	E5CN0080
1434	纛	E7B8	E7B8	6458	6738	E5CO0080
1435	纛	E7B9	E7B9	6459	6739	E5CP0080
1436	纛	E7BA	E7BA	645A	673A	E5CQ0080
1437	纛	E7BB	E7BB	645B	673B	E5CR0080
1438	纛	E7BC	E7BC	645C	673C	E5CS0080
1439	纛	E7BD	E7BD	645D	673D	E5CT0080
1440	纛	E7BE	E7BE	645E	673E	E5CU0080
1441	纛	E7BF	E7BF	645F	673F	E5CV0080
1442	纛	E7C0	E7C0	6460	6740	E5CW0080
1443	纛	E7C1	E7C1	6461	6741	E5CX0080
1444	纛	E7C2	E7C2	6462	6742	E5CY0080
1445	纛	E7C3	E7C3	6463	6743	E5CZ0080
1446	纛	E7C4	E7C4	6464	6744	E5D00080
1447	纛	E7C5	E7C5	6465	6745	E5D10080
1448	纛	E7C6	E7C6	6466	6746	E5D20080
1449	纛	E7C7	E7C7	6467	6747	E5D30080
1450	纛	E7C8	E7C8	6468	6748	E5D40080
1451	纛	E7C9	E7C9	6469	6749	E5D50080
1452	纛	E7CA	E7CA	646A	674A	E5D60080
1453	纛	E7CB	E7CB	646B	674B	E5D70080
1454	纛	E7CC	E7CC	646C	674C	E5D80080
1455	纛	E7CD	E7CD	646D	674D	E5D90080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 57 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1456	缥	E7CE	E7CE	646E	674E	E5DA0080
1457	纈	E7CF	E7CF	646F	674F	E5DB0080
1458	纉	E7D0	E7D0	6470	6750	E5DC0080
1459	纊	E7D1	E7D1	6471	6751	E5DD0080
1460	纋	E7D2	E7D2	6472	6752	E5DE0080
1461	續	E7D3	E7D3	6473	6753	E5DF0080
1462	纍	E7D4	E7D4	6474	6754	E5DG0080
1463	纍	E7D5	E7D5	6475	6755	E5DH0080
1464	纆	E7D6	E7D6	6476	6756	E5DI0080
1465	纎	E7D7	E7D7	6477	6757	E5DJ0080
1466	纏	E7D8	E7D8	6478	6758	E5DK0080
1467	纐	E7D9	E7D9	6479	6759	E5DL0080
1468	纑	E7DA	E7DA	647A	675A	E5DM0080
1469	么	E7DB	E7DB	647B	675B	E5DN0080
1470	畿	E7DC	E7DC	647C	675C	E5DO0080
1471	ㄩ	E7DD	E7DD	647D	675D	E5DP0080
1472	甾	E7DE	E7DE	647E	675E	E5DQ0080
1473	邕	E7DF	E7DF	647F	675F	E5DR0080
1474	玓	E7E0	E7E0	6481	6760	E5DT0080
1475	玒	E7E1	E7E1	6482	6761	E5DU0080
1476	玮	E7E2	E7E2	6483	6762	E5DV0080
1477	玢	E7E3	E7E3	6484	6763	E5DW0080
1478	玣	E7E4	E7E4	6485	6764	E5DX0080
1479	珏	E7E5	E7E5	6486	6765	E5DY0080
1480	珂	E7E6	E7E6	6487	6766	E5DZ0080
1481	珑	E7E7	E7E7	6488	6767	E5E00080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 58 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1482	玷	E7E8	E7E8	6489	6768	E5E10080
1483	玳	E7E9	E7E9	648A	6769	E5E20080
1484	珀	E7EA	E7EA	648B	676A	E5E30080
1485	珉	E7EB	E7EB	648C	676B	E5E40080
1486	珈	E7EC	E7EC	648D	676C	E5E50080
1487	珥	E7ED	E7ED	648E	676D	E5E60080
1488	珙	E7EE	E7EE	648F	676E	E5E70080
1489	瑛	E7EF	E7EF	6490	676F	E5E80080
1490	琊	E7F0	E7F0	6491	6770	E5E90080
1491	珩	E7F1	E7F1	6492	6771	E5EA0080
1492	珧	E7F2	E7F2	6493	6772	E5EB0080
1493	珞	E7F3	E7F3	6494	6773	E5EC0080
1494	玺	E7F4	E7F4	6495	6774	E5ED0080
1495	琿	E7F5	E7F5	6496	6775	E5EE0080
1496	琿	E7F6	E7F6	6497	6776	E5EF0080
1497	琪	E7F7	E7F7	6498	6777	E5EG0080
1498	瑛	E7F8	E7F8	6499	6778	E5EH0080
1499	琦	E7F9	E7F9	649A	6779	E5EI0080
1500	琥	E7FA	E7FA	649B	677A	E5EJ0080
1501	琨	E7FB	E7FB	649C	677B	E5EK0080
1502	琰	E7FC	E7FC	649D	677C	E5EL0080
1503	琮	E7FD	E7FD	649E	677D	E5EM0080
1504	琬	E7FE	E7FE	649F	677E	E5EN0080
1505	琛	E8A1	E8A1	64A0	6821	E5EO0080
1506	琚	E8A2	E8A2	64A1	6822	E5EP0080
1507	瑁	E8A3	E8A3	64A2	6823	E5EQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 9 (Page 59 of 59). Level 2 Chinese Character Set (1 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1508	瑜	E8A4	E8A4	64A3	6824	E5ER0080
1509	璦	E8A5	E8A5	64A4	6825	E5ES0080
1510	瑕	E8A6	E8A6	64A5	6826	E5ET0080
1511	璫	E8A7	E8A7	64A6	6827	E5EU0080
1512	璡	E8A8	E8A8	64A7	6828	E5EV0080
1513	璢	E8A9	E8A9	64A8	6829	E5EW0080
1514	璣	E8AA	E8AA	64A9	682A	E5EX0080
1515	璧	E8AB	E8AB	64AA	682B	E5EY0080
1516	璨	E8AC	E8AC	64AB	682C	E5EZ0080
1517	璩	E8AD	E8AD	64AC	682D	E5F00080
1518	璲	E8AE	E8AE	64AD	682E	E5F10080
1519	璳	E8AF	E8AF	64AE	682F	E5F20080
1520	璋	E8B0	E8B0	64AF	6830	E5F30080
1521	璞	E8B1	E8B1	64B0	6831	E5F40080
1522	璠	E8B2	E8B2	64B1	6832	E5F50080
1523	璡	E8B3	E8B3	64B2	6833	E5F60080
1524	璢	E8B4	E8B4	64B3	6834	E5F70080
1525	璣	E8B5	E8B5	64B4	6835	E5F80080
1526	璤	E8B6	E8B6	64B5	6836	E5F90080
1527	璥	E8B7	E8B7	64B6	6837	E5FA0080
1528	璦	E8B8	E8B8	64B7	6838	E5FB0080
1529	璧	E8B9	E8B9	64B8	6839	E5FC0080
1530	璨	E8BA	E8BA	64B9	683A	E5FD0080
1531	璩	E8BB	E8BB	64BA	683B	E5FE0080
1532	璪	E8BC	E8BC	64BB	683C	E5FF0080
1533	杞	E8BD	E8BD	64BC	683D	E5FG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.6 Level 2 Chinese Character Set (2 of 2)

Table 10 (Page 1 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1534	杈	E8BE	E8BE	64BD	683E	E5FH0080
1535	杓	E8BF	E8BF	64BE	683F	E5FI0080
1536	枋	E8C0	E8C0	64BF	6840	E5FJ0080
1537	枇	E8C1	E8C1	64C0	6841	E5FK0080
1538	杪	E8C2	E8C2	64C1	6842	E5FL0080
1539	杳	E8C3	E8C3	64C2	6843	E5FM0080
1540	枊	E8C4	E8C4	64C3	6844	E5FN0080
1541	枛	E8C5	E8C5	64C4	6845	E5FO0080
1542	杵	E8C6	E8C6	64C5	6846	E5FP0080
1543	枞	E8C7	E8C7	64C6	6847	E5FQ0080
1544	枫	E8C8	E8C8	64C7	6848	E5FR0080
1545	枬	E8C9	E8C9	64C8	6849	E5FS0080
1546	枭	E8CA	E8CA	64C9	684A	E5FT0080
1547	杷	E8CB	E8CB	64CA	684B	E5FU0080
1548	杼	E8CC	E8CC	64CB	684C	E5FV0080
1549	柰	E8CD	E8CD	64CC	684D	E5FW0080
1550	栉	E8CE	E8CE	64CD	684E	E5FX0080
1551	柘	E8CF	E8CF	64CE	684F	E5FY0080
1552	栊	E8D0	E8D0	64CF	6850	E5FZ0080
1553	柃	E8D1	E8D1	64D0	6851	E5G00080
1554	栎	E8D2	E8D2	64D1	6852	E5G10080
1555	栌	E8D3	E8D3	64D2	6853	E5G20080
1556	柗	E8D4	E8D4	64D3	6854	E5G30080
1557	柘	E8D5	E8D5	64D4	6855	E5G40080
1558	柚	E8D6	E8D6	64D5	6856	E5G50080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 2 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1559	枳	E8D7	E8D7	64D6	6857	E5G60080
1560	柝	E8D8	E8D8	64D7	6858	E5G70080
1561	梃	E8D9	E8D9	64D8	6859	E5G80080
1562	柃	E8DA	E8DA	64D9	685A	E5G90080
1563	枸	E8DB	E8DB	64DA	685B	E5GA0080
1564	柢	E8DC	E8DC	64DB	685C	E5GB0080
1565	栎	E8DD	E8DD	64DC	685D	E5GC0080
1566	柅	E8DE	E8DE	64DD	685E	E5GD0080
1567	桤	E8DF	E8DF	64DE	685F	E5GE0080
1568	栲	E8E0	E8E0	64DF	6860	E5GF0080
1569	栳	E8E1	E8E1	64E0	6861	E5GG0080
1570	桲	E8E2	E8E2	64E1	6862	E5GH0080
1571	桳	E8E3	E8E3	64E2	6863	E5GI0080
1572	桷	E8E4	E8E4	64E3	6864	E5GJ0080
1573	桸	E8E5	E8E5	64E4	6865	E5GK0080
1574	桯	E8E6	E8E6	64E5	6866	E5GL0080
1575	桰	E8E7	E8E7	64E6	6867	E5GM0080
1576	桱	E8E8	E8E8	64E7	6868	E5GN0080
1577	栝	E8E9	E8E9	64E8	6869	E5GO0080
1578	栞	E8EA	E8EA	64E9	686A	E5GP0080
1579	栟	E8EB	E8EB	64EA	686B	E5GQ0080
1580	栠	E8EC	E8EC	64EB	686C	E5GR0080
1581	校	E8ED	E8ED	64EC	686D	E5GS0080
1582	栢	E8EE	E8EE	64ED	686E	E5GT0080
1583	栣	E8EF	E8EF	64EE	686F	E5GU0080
1584	栤	E8F0	E8F0	64EF	6870	E5GV0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 3 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1585	桉	E8F1	E8F1	64F0	6871	E5GW0080
1586	栩	E8F2	E8F2	64F1	6872	E5GX0080
1587	梵	E8F3	E8F3	64F2	6873	E5GY0080
1588	梛	E8F4	E8F4	64F3	6874	E5GZ0080
1589	桴	E8F5	E8F5	64F4	6875	E5H00080
1590	楠	E8F6	E8F6	64F5	6876	E5H10080
1591	梓	E8F7	E8F7	64F6	6877	E5H20080
1592	杪	E8F8	E8F8	64F7	6878	E5H30080
1593	椴	E8F9	E8F9	64F8	6879	E5H40080
1594	楮	E8FA	E8FA	64F9	687A	E5H50080
1595	棼	E8FB	E8FB	64FA	687B	E5H60080
1596	榎	E8FC	E8FC	64FB	687C	E5H70080
1597	槩	E8FD	E8FD	64FC	687D	E5H80080
1598	棹	E8FE	E8FE	64FD	687E	E5H90080
1599	椶	E9A1	E9A1	6541	6921	E5HD0080
1600	榧	E9A2	E9A2	6542	6922	E5HE0080
1601	椋	E9A3	E9A3	6543	6923	E5HF0080
1602	榑	E9A4	E9A4	6544	6924	E5HG0080
1603	榑	E9A5	E9A5	6545	6925	E5HH0080
1604	棣	E9A6	E9A6	6546	6926	E5HI0080
1605	椐	E9A7	E9A7	6547	6927	E5HJ0080
1606	榑	E9A8	E9A8	6548	6928	E5HK0080
1607	榑	E9A9	E9A9	6549	6929	E5HL0080
1608	楠	E9AA	E9AA	654A	692A	E5HM0080
1609	楂	E9AB	E9AB	654B	692B	E5HN0080
1610	棟	E9AC	E9AC	654C	692C	E5HO0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 4 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1611	榄	E9AD	E9AD	654D	692D	E5HP0080
1612	楫	E9AE	E9AE	654E	692E	E5HQ0080
1613	楫	E9AF	E9AF	654F	692F	E5HR0080
1614	架	E9B0	E9B0	6550	6930	E5HS0080
1615	楸	E9B1	E9B1	6551	6931	E5HT0080
1616	楸	E9B2	E9B2	6552	6932	E5HU0080
1617	槌	E9B3	E9B3	6553	6933	E5HV0080
1618	棕	E9B4	E9B4	6554	6934	E5HW0080
1619	榈	E9B5	E9B5	6555	6935	E5HX0080
1620	槎	E9B6	E9B6	6556	6936	E5HY0080
1621	榉	E9B7	E9B7	6557	6937	E5HZ0080
1622	榎	E9B8	E9B8	6558	6938	E5I00080
1623	楣	E9B9	E9B9	6559	6939	E5I10080
1624	楹	E9BA	E9BA	655A	693A	E5I20080
1625	榛	E9BB	E9BB	655B	693B	E5I30080
1626	榧	E9BC	E9BC	655C	693C	E5I40080
1627	榧	E9BD	E9BD	655D	693D	E5I50080
1628	榉	E9BE	E9BE	655E	693E	E5I60080
1629	榭	E9BF	E9BF	655F	693F	E5I70080
1630	榉	E9C0	E9C0	6560	6940	E5I80080
1631	榉	E9C1	E9C1	6561	6941	E5I90080
1632	槁	E9C2	E9C2	6562	6942	E5IA0080
1633	槩	E9C3	E9C3	6563	6943	E5IB0080
1634	槩	E9C4	E9C4	6564	6944	E5IC0080
1635	榕	E9C5	E9C5	6565	6945	E5ID0080
1636	楮	E9C6	E9C6	6566	6946	E5IE0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 5 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1637	梶	E9C7	E9C7	6567	6947	E5IF0080
1638	槿	E9C8	E9C8	6568	6948	E5IG0080
1639	檣	E9C9	E9C9	6569	6949	E5IH0080
1640	械	E9CA	E9CA	656A	694A	E5II0080
1641	檣	E9CB	E9CB	656B	694B	E5IJ0080
1642	檣	E9CC	E9CC	656C	694C	E5IK0080
1643	槩	E9CD	E9CD	656D	694D	E5IL0080
1644	槩	E9CE	E9CE	656E	694E	E5IM0080
1645	檣	E9CF	E9CF	656F	694F	E5IN0080
1646	槩	E9D0	E9D0	6570	6950	E5IO0080
1647	槩	E9D1	E9D1	6571	6951	E5IP0080
1648	槩	E9D2	E9D2	6572	6952	E5IQ0080
1649	槩	E9D3	E9D3	6573	6953	E5IR0080
1650	槩	E9D4	E9D4	6574	6954	E5IS0080
1651	槩	E9D5	E9D5	6575	6955	E5IT0080
1652	槩	E9D6	E9D6	6576	6956	E5IU0080
1653	槩	E9D7	E9D7	6577	6957	E5IV0080
1654	槩	E9D8	E9D8	6578	6958	E5IW0080
1655	槩	E9D9	E9D9	6579	6959	E5IX0080
1656	槩	E9DA	E9DA	657A	695A	E5IY0080
1657	槩	E9DB	E9DB	657B	695B	E5IZ0080
1658	槩	E9DC	E9DC	657C	695C	E5J00080
1659	槩	E9DD	E9DD	657D	695D	E5J10080
1660	槩	E9DE	E9DE	657E	695E	E5J20080
1661	槩	E9DF	E9DF	657F	695F	E5J30080
1662	猷	E9E0	E9E0	6581	6960	E5J50080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 6 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1663	葵	E9E1	E9E1	6582	6961	E5J60080
1664	歿	E9E2	E9E2	6583	6962	E5J70080
1665	殂	E9E3	E9E3	6584	6963	E5J80080
1666	殍	E9E4	E9E4	6585	6964	E5J90080
1667	殄	E9E5	E9E5	6586	6965	E5JA0080
1668	殒	E9E6	E9E6	6587	6966	E5JB0080
1669	殓	E9E7	E9E7	6588	6967	E5JC0080
1670	殍	E9E8	E9E8	6589	6968	E5JD0080
1671	殍	E9E9	E9E9	658A	6969	E5JE0080
1672	殍	E9EA	E9EA	658B	696A	E5JF0080
1673	殍	E9EB	E9EB	658C	696B	E5JG0080
1674	殍	E9EC	E9EC	658D	696C	E5JH0080
1675	轳	E9ED	E9ED	658E	696D	E5JI0080
1676	轳	E9EE	E9EE	658F	696E	E5JJ0080
1677	轳	E9EF	E9EF	6590	696F	E5JK0080
1678	轳	E9F0	E9F0	6591	6970	E5JL0080
1679	轳	E9F1	E9F1	6592	6971	E5JM0080
1680	轳	E9F2	E9F2	6593	6972	E5JN0080
1681	轳	E9F3	E9F3	6594	6973	E5JO0080
1682	轳	E9F4	E9F4	6595	6974	E5JP0080
1683	轳	E9F5	E9F5	6596	6975	E5JQ0080
1684	轳	E9F6	E9F6	6597	6976	E5JR0080
1685	轳	E9F7	E9F7	6598	6977	E5JS0080
1686	轳	E9F8	E9F8	6599	6978	E5JT0080
1687	轳	E9F9	E9F9	659A	6979	E5JU0080
1688	轳	E9FA	E9FA	659B	697A	E5JV0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 7 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1689	辘	E9FB	E9FB	659C	697B	E5JW0080
1690	辄	E9FC	E9FC	659D	697C	E5JX0080
1691	辇	E9FD	E9FD	659E	697D	E5JY0080
1692	辘	E9FE	E9FE	659F	697E	E5JZ0080
1693	辘	EAA1	EAA1	65A0	6A21	E5K00080
1694	辘	EAA2	EAA2	65A1	6A22	E5K10080
1695	辘	EAA3	EAA3	65A2	6A23	E5K20080
1696	辘	EAA4	EAA4	65A3	6A24	E5K30080
1697	辘	EAA5	EAA5	65A4	6A25	E5K40080
1698	戛	EAA6	EAA6	65A5	6A26	E5K50080
1699	戛	EAA7	EAA7	65A6	6A27	E5K60080
1700	戛	EAA8	EAA8	65A7	6A28	E5K70080
1701	戛	EAA9	EAA9	65A8	6A29	E5K80080
1702	戛	EAAA	EAAA	65A9	6A2A	E5K90080
1703	戛	EAAB	EAAB	65AA	6A2B	E5KA0080
1704	戛	EAAC	EAAC	65AB	6A2C	E5KB0080
1705	戛	EAAD	EAAD	65AC	6A2D	E5KC0080
1706	戛	EAAE	EAAE	65AD	6A2E	E5KD0080
1707	戛	EAAF	EAAF	65AE	6A2F	E5KE0080
1708	臧	EAB0	EAB0	65AF	6A30	E5KF0080
1709	瓠	EAB1	EAB1	65B0	6A31	E5KG0080
1710	瓠	EAB2	EAB2	65B1	6A32	E5KH0080
1711	瓠	EAB3	EAB3	65B2	6A33	E5KI0080
1712	髡	EAB4	EAB4	65B3	6A34	E5KJ0080
1713	甑	EAB5	EAB5	65B4	6A35	E5KK0080
1714	甑	EAB6	EAB6	65B5	6A36	E5KL0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 8 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1715	支	EAB7	EAB7	65B6	6A37	E5KM0080
1716	沓	EAB8	EAB8	65B7	6A38	E5KN0080
1717	晃	EAB9	EAB9	65B8	6A39	E5KO0080
1718	盱	EABA	EABA	65B9	6A3A	E5KP0080
1719	昊	EABB	EABB	65BA	6A3B	E5KQ0080
1720	晁	EABC	EABC	65BB	6A3C	E5KR0080
1721	杲	EABD	EABD	65BC	6A3D	E5KS0080
1722	晡	EABE	EABE	65BD	6A3E	E5KT0080
1723	昕	EABF	EABF	65BE	6A3F	E5KU0080
1724	昀	EAC0	EAC0	65BF	6A40	E5KV0080
1725	晙	EAC1	EAC1	65C0	6A41	E5KW0080
1726	曷	EAC2	EAC2	65C1	6A42	E5KX0080
1727	咎	EAC3	EAC3	65C2	6A43	E5KY0080
1728	昴	EAC4	EAC4	65C3	6A44	E5KZ0080
1729	昱	EAC5	EAC5	65C4	6A45	E5L00080
1730	昶	EAC6	EAC6	65C5	6A46	E5L10080
1731	昵	EAC7	EAC7	65C6	6A47	E5L20080
1732	耆	EAC8	EAC8	65C7	6A48	E5L30080
1733	晟	EAC9	EAC9	65C8	6A49	E5L40080
1734	晔	EACA	EACA	65C9	6A4A	E5L50080
1735	晁	EACB	EACB	65CA	6A4B	E5L60080
1736	晏	EACC	EACC	65CB	6A4C	E5L70080
1737	暉	EACD	EACD	65CC	6A4D	E5L80080
1738	晡	EACE	EACE	65CD	6A4E	E5L90080
1739	晗	EACF	EACF	65CE	6A4F	E5LA0080
1740	晷	EAD0	EAD0	65CF	6A50	E5LB0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 9 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1741	暄	EAD1	EAD1	65D0	6A51	E5LC0080
1742	擘	EAD2	EAD2	65D1	6A52	E5LD0080
1743	暖	EAD3	EAD3	65D2	6A53	E5LE0080
1744	暝	EAD4	EAD4	65D3	6A54	E5LF0080
1745	嗽	EAD5	EAD5	65D4	6A55	E5LG0080
1746	曛	EAD6	EAD6	65D5	6A56	E5LH0080
1747	曜	EAD7	EAD7	65D6	6A57	E5LI0080
1748	曦	EAD8	EAD8	65D7	6A58	E5LJ0080
1749	曩	EAD9	EAD9	65D8	6A59	E5LK0080
1750	贲	EADA	EADA	65D9	6A5A	E5LL0080
1751	贲	EADB	EADB	65DA	6A5B	E5LM0080
1752	贲	EADC	EADC	65DB	6A5C	E5LN0080
1753	贲	EADD	EADD	65DC	6A5D	E5LO0080
1754	贲	EADE	EADE	65DD	6A5E	E5LP0080
1755	贲	EADF	EADF	65DE	6A5F	E5LQ0080
1756	咳	EAE0	EAE0	65DF	6A60	E5LR0080
1757	赅	EAE1	EAE1	65E0	6A61	E5LS0080
1758	赅	EAE2	EAE2	65E1	6A62	E5LT0080
1759	赅	EAE3	EAE3	65E2	6A63	E5LU0080
1760	赅	EAE4	EAE4	65E3	6A64	E5LV0080
1761	赅	EAE5	EAE5	65E4	6A65	E5LW0080
1762	赅	EAE6	EAE6	65E5	6A66	E5LX0080
1763	赅	EAE7	EAE7	65E6	6A67	E5LY0080
1764	赅	EAE8	EAE8	65E7	6A68	E5LZ0080
1765	赅	EAE9	EAE9	65E8	6A69	E5M00080
1766	赅	EAEA	EAEA	65E9	6A6A	E5M10080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 10 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1767	覷	EAEB	EAEB	65EA	6A6B	E5M20080
1768	覸	EAEC	EAEC	65EB	6A6C	E5M30080
1769	覹	EAED	EAED	65EC	6A6D	E5M40080
1770	覽	EAEF	EAEF	65ED	6A6E	E5M50080
1771	覿	EAEF	EAEF	65EE	6A6F	E5M60080
1772	犇	EAFO	EAFO	65EF	6A70	E5M70080
1773	犂	EAF1	EAF1	65F0	6A71	E5M80080
1774	牝	EAF2	EAF2	65F1	6A72	E5M90080
1775	牝	EAF3	EAF3	65F2	6A73	E5MA0080
1776	牝	EAF4	EAF4	65F3	6A74	E5MB0080
1777	牝	EAF5	EAF5	65F4	6A75	E5MC0080
1778	牝	EAF6	EAF6	65F5	6A76	E5MD0080
1779	牝	EAF7	EAF7	65F6	6A77	E5ME0080
1780	牝	EAF8	EAF8	65F7	6A78	E5MF0080
1781	牝	EAF9	EAF9	65F8	6A79	E5MG0080
1782	牝	EAFA	EAFA	65F9	6A7A	E5MH0080
1783	牝	EAFB	EAFB	65FA	6A7B	E5MI0080
1784	牝	E AFC	E AFC	65FB	6A7C	E5MJ0080
1785	牝	EAFD	EAFD	65FC	6A7D	E5MK0080
1786	牝	EAFE	EAFE	65FD	6A7E	E5ML0080
1787	犇	EBA1	EBA1	6641	6B21	E5MP0080
1788	犇	EBA2	EBA2	6642	6B22	E5MQ0080
1789	犇	EBA3	EBA3	6643	6B23	E5MR0080
1790	犇	EBA4	EBA4	6644	6B24	E5MS0080
1791	犇	EBA5	EBA5	6645	6B25	E5MT0080
1792	犇	EBA6	EBA6	6646	6B26	E5MU0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 11 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1793	麩	EBA7	EBA7	6647	6B27	E5MV0080
1794	餈	EBA8	EBA8	6648	6B28	E5MW0080
1795	警	EBA9	EBA9	6649	6B29	E5MX0080
1796	魯	EBAA	EBAA	664A	6B2A	E5MY0080
1797	魯	EBAB	EBAB	664B	6B2B	E5MZ0080
1798	𪛗	EBAC	EBAC	664C	6B2C	E5N00080
1799	𪛘	EBAD	EBAD	664D	6B2D	E5N10080
1800	𪛙	EBAE	EBAE	664E	6B2E	E5N20080
1801	𪛚	EBAF	EBAF	664F	6B2F	E5N30080
1802	𪛛	EBB0	EBB0	6650	6B30	E5N40080
1803	𪛜	EBB1	EBB1	6651	6B31	E5N50080
1804	𪛝	EBB2	EBB2	6652	6B32	E5N60080
1805	𪛞	EBB3	EBB3	6653	6B33	E5N70080
1806	𪛟	EBB4	EBB4	6654	6B34	E5N80080
1807	𪛠	EBB5	EBB5	6655	6B35	E5N90080
1808	𪛡	EBB6	EBB6	6656	6B36	E5NA0080
1809	𪛢	EBB7	EBB7	6657	6B37	E5NB0080
1810	𪛣	EBB8	EBB8	6658	6B38	E5NC0080
1811	𪛤	EBB9	EBB9	6659	6B39	E5ND0080
1812	𪛥	EBBA	EBBA	665A	6B3A	E5NE0080
1813	𪛦	EBBB	EBBB	665B	6B3B	E5NF0080
1814	𪛧	EBBC	EBBC	665C	6B3C	E5NG0080
1815	𪛨	EBBD	EBBD	665D	6B3D	E5NH0080
1816	𪛩	EBBE	EBBE	665E	6B3E	E5NI0080
1817	𪛪	EBBF	EBBF	665F	6B3F	E5NJ0080
1818	𪛫	EBC0	EBC0	6660	6B40	E5NK0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 12 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1819	育	EBC1	EBC1	6661	6B41	E5NL0080
1820	肼	EBC2	EBC2	6662	6B42	E5NM0080
1821	肫	EBC3	EBC3	6663	6B43	E5NN0080
1822	肼	EBC4	EBC4	6664	6B44	E5NO0080
1823	肼	EBC5	EBC5	6665	6B45	E5NP0080
1824	肼	EBC6	EBC6	6666	6B46	E5NQ0080
1825	肼	EBC7	EBC7	6667	6B47	E5NR0080
1826	肼	EBC8	EBC8	6668	6B48	E5NS0080
1827	肼	EBC9	EBC9	6669	6B49	E5NT0080
1828	肼	EBCA	EBCA	666A	6B4A	E5NU0080
1829	肼	EBCB	EBCB	666B	6B4B	E5NV0080
1830	肼	EBCC	EBCC	666C	6B4C	E5NW0080
1831	肼	EBCD	EBCD	666D	6B4D	E5NX0080
1832	肼	EBCE	EBCE	666E	6B4E	E5NY0080
1833	肼	EBCF	EBCF	666F	6B4F	E5NZ0080
1834	肼	EBD0	EBD0	6670	6B50	E5O00080
1835	肼	EBD1	EBD1	6671	6B51	E5O10080
1836	肼	EBD2	EBD2	6672	6B52	E5O20080
1837	肼	EBD3	EBD3	6673	6B53	E5O30080
1838	肼	EBD4	EBD4	6674	6B54	E5O40080
1839	肼	EBD5	EBD5	6675	6B55	E5O50080
1840	肼	EBD6	EBD6	6676	6B56	E5O60080
1841	肼	EBD7	EBD7	6677	6B57	E5O70080
1842	肼	EBD8	EBD8	6678	6B58	E5O80080
1843	肼	EBD9	EBD9	6679	6B59	E5O90080
1844	肼	EBDA	EBDA	667A	6B5A	E5OA0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 13 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1845	豚	EBDB	EBDB	667B	6B5B	E50B0080
1846	骸	EBDC	EBDC	667C	6B5C	E50C0080
1847	胼	EBDD	EBDD	667D	6B5D	E50D0080
1848	朕	EBDE	EBDE	667E	6B5E	E50E0080
1849	眈	EBDF	EBDF	667F	6B5F	E50F0080
1850	豚	EBE0	EBE0	6681	6B60	E50H0080
1851	轔	EBE1	EBE1	6682	6B61	E50I0080
1852	脞	EBE2	EBE2	6683	6B62	E50J0080
1853	脞	EBE3	EBE3	6684	6B63	E50K0080
1854	脞	EBE4	EBE4	6685	6B64	E50L0080
1855	脞	EBE5	EBE5	6686	6B65	E50M0080
1856	脞	EBE6	EBE6	6687	6B66	E50N0080
1857	脞	EBE7	EBE7	6688	6B67	E50O0080
1858	脞	EBE8	EBE8	6689	6B68	E50P0080
1859	脞	EBE9	EBE9	668A	6B69	E50Q0080
1860	脞	EBEA	EBEA	668B	6B6A	E50R0080
1861	脞	EBEB	EBEB	668C	6B6B	E50S0080
1862	脞	EBEC	EBEC	668D	6B6C	E50T0080
1863	脞	EBED	EBED	668E	6B6D	E50U0080
1864	脞	EBEE	EBEE	668F	6B6E	E50V0080
1865	脞	EBEF	EBEF	6690	6B6F	E50W0080
1866	脞	EBF0	EBF0	6691	6B70	E50X0080
1867	脞	EBF1	EBF1	6692	6B71	E50Y0080
1868	脞	EBF2	EBF2	6693	6B72	E50Z0080
1869	脞	EBF3	EBF3	6694	6B73	E5P00080
1870	脞	EBF4	EBF4	6695	6B74	E5P10080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 14 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1871	膈	EBF5	EBF5	6696	6B75	E5P20080
1872	膻	EBF6	EBF6	6697	6B76	E5P30080
1873	臄	EBF7	EBF7	6698	6B77	E5P40080
1874	滕	EBF8	EBF8	6699	6B78	E5P50080
1875	膪	EBF9	EBF9	669A	6B79	E5P60080
1876	臄	EBFA	EBFA	669B	6B7A	E5P70080
1877	臄	EBFB	EBFB	669C	6B7B	E5P80080
1878	臄	EBFC	EBFC	669D	6B7C	E5P90080
1879	臄	EBFD	EBFD	669E	6B7D	E5PA0080
1880	臄	EBFE	EBFE	669F	6B7E	E5PB0080
1881	臄	ECA1	ECA1	66A0	6C21	E5PC0080
1882	臄	ECA2	ECA2	66A1	6C22	E5PD0080
1883	欻	ECA3	ECA3	66A2	6C23	E5PE0080
1884	欻	ECA4	ECA4	66A3	6C24	E5PF0080
1885	欻	ECA5	ECA5	66A4	6C25	E5PG0080
1886	欻	ECA6	ECA6	66A5	6C26	E5PH0080
1887	欻	ECA7	ECA7	66A6	6C27	E5PI0080
1888	欻	ECA8	ECA8	66A7	6C28	E5PJ0080
1889	飏	ECA9	ECA9	66A8	6C29	E5PK0080
1890	飏	ECAA	ECAA	66A9	6C2A	E5PL0080
1891	飏	ECAB	ECAB	66AA	6C2B	E5PM0080
1892	飏	ECAC	ECAC	66AB	6C2C	E5PN0080
1893	飏	ECAD	ECAD	66AC	6C2D	E5PO0080
1894	飏	ECAE	ECAE	66AD	6C2E	E5PP0080
1895	彗	ECAF	ECAF	66AE	6C2F	E5PQ0080
1896	彗	ECB0	ECB0	66AF	6C30	E5PR0080




IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 15 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1897	穀	ECB1	ECB1	66B0	6C31	E5PS0080
1898	穀	ECB2	ECB2	66B1	6C32	E5PT0080
1899	斐	ECB3	ECB3	66B2	6C33	E5PU0080
1900	齋	ECB4	ECB4	66B3	6C34	E5PV0080
1901	瀾	ECB5	ECB5	66B4	6C35	E5PW0080
1902	於	ECB6	ECB6	66B5	6C36	E5PX0080
1903	旆	ECB7	ECB7	66B6	6C37	E5PY0080
1904	旄	ECB8	ECB8	66B7	6C38	E5PZ0080
1905	旃	ECB9	ECB9	66B8	6C39	E5Q00080
1906	旌	ECBA	ECBA	66B9	6C3A	E5Q10080
1907	旒	ECBB	ECBB	66BA	6C3B	E5Q20080
1908	旖	ECBC	ECBC	66BB	6C3C	E5Q30080
1909	旗	ECBD	ECBD	66BC	6C3D	E5Q40080
1910	炆	ECBE	ECBE	66BD	6C3E	E5Q50080
1911	炜	ECBF	ECBF	66BE	6C3F	E5Q60080
1912	炖	ECC0	ECC0	66BF	6C40	E5Q70080
1913	炅	ECC1	ECC1	66C0	6C41	E5Q80080
1914	炆	ECC2	ECC2	66C1	6C42	E5Q90080
1915	烱	ECC3	ECC3	66C2	6C43	E5QA0080
1916	炷	ECC4	ECC4	66C3	6C44	E5QB0080
1917	炫	ECC5	ECC5	66C4	6C45	E5QC0080
1918	灸	ECC6	ECC6	66C5	6C46	E5QD0080
1919	焯	ECC7	ECC7	66C6	6C47	E5QE0080
1920	焯	ECC8	ECC8	66C7	6C48	E5QF0080
1921	焯	ECC9	ECC9	66C8	6C49	E5QG0080
1922	焯	ECCA	ECCA	66C9	6C4A	E5QH0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 16 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1923	炯	ECCB	ECCB	66CA	6C4B	E5QI0080
1924	焯	ECCC	ECCC	66CB	6C4C	E5QJ0080
1925	焱	ECCD	ECCD	66CC	6C4D	E5QK0080
1926	焮	ECCE	ECCE	66CD	6C4E	E5QL0080
1927	煜	ECCF	ECCF	66CE	6C4F	E5QM0080
1928	煨	ECD0	ECD0	66CF	6C50	E5QN0080
1929	煨	ECD1	ECD1	66D0	6C51	E5QO0080
1930	煲	ECD2	ECD2	66D1	6C52	E5QP0080
1931	煊	ECD3	ECD3	66D2	6C53	E5QQ0080
1932	煊	ECD4	ECD4	66D3	6C54	E5QR0080
1933	煊	ECD5	ECD5	66D4	6C55	E5QS0080
1934	熠	ECD6	ECD6	66D5	6C56	E5QT0080
1935	熯	ECD7	ECD7	66D6	6C57	E5QU0080
1936	熯	ECD8	ECD8	66D7	6C58	E5QV0080
1937	熯	ECD9	ECD9	66D8	6C59	E5QW0080
1938	熠	ECDA	ECDA	66D9	6C5A	E5QX0080
1939	煨	ECDB	ECDB	66DA	6C5B	E5QY0080
1940	燔	ECDC	ECDC	66DB	6C5C	E5QZ0080
1941	燧	ECDD	ECDD	66DC	6C5D	E5R00080
1942	燧	ECDE	ECDE	66DD	6C5E	E5R10080
1943	燧	ECDF	ECDF	66DE	6C5F	E5R20080
1944	爨	ECE0	ECE0	66DF	6C60	E5R30080
1945	𤇀	ECE1	ECE1	66E0	6C61	E5R40080
1946	煮	ECE2	ECE2	66E1	6C62	E5R50080
1947	煦	ECE3	ECE3	66E2	6C63	E5R60080
1948	熹	ECE4	ECE4	66E3	6C64	E5R70080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 17 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1949	戾	ECE5	ECE5	66E4	6C65	E5R80080
1950	庠	ECE6	ECE6	66E5	6C66	E5R90080
1951	肩	ECE7	ECE7	66E6	6C67	E5RA0080
1952	扈	ECE8	ECE8	66E7	6C68	E5RB0080
1953	扉	ECE9	ECE9	66E8	6C69	E5RC0080
1954	禘	ECEA	ECEA	66E9	6C6A	E5RD0080
1955	祀	ECEB	ECEB	66EA	6C6B	E5RE0080
1956	祆	ECEC	ECEC	66EB	6C6C	E5RF0080
1957	祉	ECED	ECED	66EC	6C6D	E5RG0080
1958	祛	ECEE	ECEE	66ED	6C6E	E5RH0080
1959	祛	ECEF	ECEF	66EE	6C6F	E5RI0080
1960	袂	ECF0	ECF0	66EF	6C70	E5RJ0080
1961	袞	ECF1	ECF1	66F0	6C71	E5RK0080
1962	袷	ECF2	ECF2	66F1	6C72	E5RL0080
1963	袈	ECF3	ECF3	66F2	6C73	E5RM0080
1964	祠	ECF4	ECF4	66F3	6C74	E5RN0080
1965	禛	ECF5	ECF5	66F4	6C75	E5RO0080
1966	禛	ECF6	ECF6	66F5	6C76	E5RP0080
1967	祺	ECF7	ECF7	66F6	6C77	E5RQ0080
1968	禪	ECF8	ECF8	66F7	6C78	E5RR0080
1969	禳	ECF9	ECF9	66F8	6C79	E5RS0080
1970	禳	ECFA	ECFA	66F9	6C7A	E5RT0080
1971	禳	ECFB	ECFB	66FA	6C7B	E5RU0080
1972	禳	ECFC	ECFC	66FB	6C7C	E5RV0080
1973	志	ECFD	ECFD	66FC	6C7D	E5RW0080
1974	志	ECFE	ECFE	66FD	6C7E	E5RX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 18 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1975	忒	EDA1	EDA1	6741	6D21	E5S10080
1976	恧	EDA2	EDA2	6742	6D22	E5S20080
1977	恖	EDA3	EDA3	6743	6D23	E5S30080
1978	恗	EDA4	EDA4	6744	6D24	E5S40080
1979	恘	EDA5	EDA5	6745	6D25	E5S50080
1980	恙	EDA6	EDA6	6746	6D26	E5S60080
1981	恚	EDA7	EDA7	6747	6D27	E5S70080
1982	恛	EDA8	EDA8	6748	6D28	E5S80080
1983	恜	EDA9	EDA9	6749	6D29	E5S90080
1984	恝	EDAA	EDAA	674A	6D2A	E5SA0080
1985	恞	EDAB	EDAB	674B	6D2B	E5SB0080
1986	恟	EDAC	EDAC	674C	6D2C	E5SC0080
1987	恠	EDAD	EDAD	674D	6D2D	E5SD0080
1988	恡	EDAE	EDAE	674E	6D2E	E5SE0080
1989	恢	EDAF	EDAF	674F	6D2F	E5SF0080
1990	恣	EDB0	EDB0	6750	6D30	E5SG0080
1991	忝	EDB1	EDB1	6751	6D31	E5SH0080
1992	忞	EDB2	EDB2	6752	6D32	E5SI0080
1993	忟	EDB3	EDB3	6753	6D33	E5SJ0080
1994	忠	EDB4	EDB4	6754	6D34	E5SK0080
1995	忡	EDB5	EDB5	6755	6D35	E5SL0080
1996	忢	EDB6	EDB6	6756	6D36	E5SM0080
1997	忣	EDB7	EDB7	6757	6D37	E5SN0080
1998	忤	EDB8	EDB8	6758	6D38	E5SO0080
1999	忥	EDB9	EDB9	6759	6D39	E5SP0080
2000	忦	EDBA	EDBA	675A	6D3A	E5SQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 19 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2001	砵	EDBB	EDBB	675B	6D3B	E5SR0080
2002	研	EDBC	EDBC	675C	6D3C	E5SS0080
2003	斫	EDBD	EDBD	675D	6D3D	E5ST0080
2004	砭	EDBE	EDBE	675E	6D3E	E5SU0080
2005	砷	EDBF	EDBF	675F	6D3F	E5SV0080
2006	砧	EDC0	EDC0	6760	6D40	E5SW0080
2007	砣	EDC1	EDC1	6761	6D41	E5SX0080
2008	砵	EDC2	EDC2	6762	6D42	E5SY0080
2009	砶	EDC3	EDC3	6763	6D43	E5SZ0080
2010	砧	EDC4	EDC4	6764	6D44	E5T00080
2011	砣	EDC5	EDC5	6765	6D45	E5T10080
2012	砧	EDC6	EDC6	6766	6D46	E5T20080
2013	砣	EDC7	EDC7	6767	6D47	E5T30080
2014	砧	EDC8	EDC8	6768	6D48	E5T40080
2015	砣	EDC9	EDC9	6769	6D49	E5T50080
2016	砧	EDCA	EDCA	676A	6D4A	E5T60080
2017	砣	EDCB	EDCB	676B	6D4B	E5T70080
2018	砧	EDCC	EDCC	676C	6D4C	E5T80080
2019	砣	EDCD	EDCD	676D	6D4D	E5T90080
2020	砧	EDCE	EDCE	676E	6D4E	E5TA0080
2021	砣	EDCF	EDCF	676F	6D4F	E5TB0080
2022	砧	EDD0	EDD0	6770	6D50	E5TC0080
2023	砣	EDD1	EDD1	6771	6D51	E5TD0080
2024	砧	EDD2	EDD2	6772	6D52	E5TE0080
2025	砣	EDD3	EDD3	6773	6D53	E5TF0080
2026	砧	EDD4	EDD4	6774	6D54	E5TG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 20 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2027	碚	EDD5	EDD5	6775	6D55	E5TH0080
2028	碓	EDD6	EDD6	6776	6D56	E5TI0080
2029	礲	EDD7	EDD7	6777	6D57	E5TJ0080
2030	礱	EDD8	EDD8	6778	6D58	E5TK0080
2031	礲	EDD9	EDD9	6779	6D59	E5TL0080
2032	碓	EDDA	EDDA	677A	6D5A	E5TM0080
2033	碓	EDDB	EDDB	677B	6D5B	E5TN0080
2034	礲	EDDC	EDDC	677C	6D5C	E5TO0080
2035	礲	EDDD	EDDD	677D	6D5D	E5TP0080
2036	礲	EDDE	EDDE	677E	6D5E	E5TQ0080
2037	礲	EDDF	EDDF	677F	6D5F	E5TR0080
2038	礲	EDE0	EDE0	6781	6D60	E5TT0080
2039	礲	EDE1	EDE1	6782	6D61	E5TU0080
2040	礲	EDE2	EDE2	6783	6D62	E5TV0080
2041	礲	EDE3	EDE3	6784	6D63	E5TW0080
2042	礲	EDE4	EDE4	6785	6D64	E5TX0080
2043	礲	EDE5	EDE5	6786	6D65	E5TY0080
2044	礲	EDE6	EDE6	6787	6D66	E5TZ0080
2045	礲	EDE7	EDE7	6788	6D67	E5U00080
2046	龕	EDE8	EDE8	6789	6D68	E5U10080
2047	滂	EDE9	EDE9	678A	6D69	E5U20080
2048	滂	EDEA	EDEA	678B	6D6A	E5U30080
2049	滂	EDEB	EDEB	678C	6D6B	E5U40080
2050	盱	EDEC	EDEC	678D	6D6C	E5U50080
2051	眄	EDED	EDED	678E	6D6D	E5U60080
2052	眄	EDEE	EDEE	678F	6D6E	E5U70080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 21 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2053	吨	EDEF	EDEF	6790	6D6F	E5U80080
2054	眇	EDF0	EDF0	6791	6D70	E5U90080
2055	眈	EDF1	EDF1	6792	6D71	E5UA0080
2056	眈	EDF2	EDF2	6793	6D72	E5UB0080
2057	眈	EDF3	EDF3	6794	6D73	E5UC0080
2058	眈	EDF4	EDF4	6795	6D74	E5UD0080
2059	眈	EDF5	EDF5	6796	6D75	E5UE0080
2060	眈	EDF6	EDF6	6797	6D76	E5UF0080
2061	眈	EDF7	EDF7	6798	6D77	E5UG0080
2062	眈	EDF8	EDF8	6799	6D78	E5UH0080
2063	眈	EDF9	EDF9	679A	6D79	E5UI0080
2064	眈	EDFA	EDFA	679B	6D7A	E5UJ0080
2065	眈	EDFB	EDFB	679C	6D7B	E5UK0080
2066	眈	EDFC	EDFC	679D	6D7C	E5UL0080
2067	眈	EDFD	EDFD	679E	6D7D	E5UM0080
2068	眈	EDFE	EDFE	679F	6D7E	E5UN0080
2069	睪	EEA1	EEA1	67A0	6E21	E5UO0080
2070	睪	EEA2	EEA2	67A1	6E22	E5UP0080
2071	睪	EEA3	EEA3	67A2	6E23	E5UQ0080
2072	睪	EEA4	EEA4	67A3	6E24	E5UR0080
2073	睪	EEA5	EEA5	67A4	6E25	E5US0080
2074	睪	EEA6	EEA6	67A5	6E26	E5UT0080
2075	睪	EEA7	EEA7	67A6	6E27	E5UU0080
2076	睪	EEA8	EEA8	67A7	6E28	E5UV0080
2077	睪	EEA9	EEA9	67A8	6E29	E5UW0080
2078	睪	EEAA	EEAA	67A9	6E2A	E5UX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 22 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2079	瞰	EEAB	EEAB	67AA	6E2B	E5UY0080
2080	隣	EEAC	EEAC	67AB	6E2C	E5UZ0080
2081	瞽	EEAD	EEAD	67AC	6E2D	E5V00080
2082	町	EEAE	EEAE	67AD	6E2E	E5V10080
2083	界	EEAF	EEAF	67AE	6E2F	E5V20080
2084	吠	EEB0	EEB0	67AF	6E30	E5V30080
2085	畋	EEB1	EEB1	67B0	6E31	E5V40080
2086	畋	EEB2	EEB2	67B1	6E32	E5V50080
2087	畋	EEB3	EEB3	67B2	6E33	E5V60080
2088	畋	EEB4	EEB4	67B3	6E34	E5V70080
2089	畋	EEB5	EEB5	67B4	6E35	E5V80080
2090	瞳	EEB6	EEB6	67B5	6E36	E5V90080
2091	罟	EEB7	EEB7	67B6	6E37	E5VA0080
2092	罟	EEB8	EEB8	67B7	6E38	E5VB0080
2093	罟	EEB9	EEB9	67B8	6E39	E5VC0080
2094	罟	EEBA	EEBA	67B9	6E3A	E5VD0080
2095	罟	EEBB	EEBB	67BA	6E3B	E5VE0080
2096	罟	EEBC	EEBC	67BB	6E3C	E5VF0080
2097	罟	EEBD	EEBD	67BC	6E3D	E5VG0080
2098	罟	EEBE	EEBE	67BD	6E3E	E5VH0080
2099	罟	EEBF	EEBF	67BE	6E3F	E5VI0080
2100	罟	EEC0	EEC0	67BF	6E40	E5VJ0080
2101	罟	EEC1	EEC1	67C0	6E41	E5VK0080
2102	罟	EEC2	EEC2	67C1	6E42	E5VL0080
2103	罟	EEC3	EEC3	67C2	6E43	E5VM0080
2104	罟	EEC4	EEC4	67C3	6E44	E5VN0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 23 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2105	钷	EEC5	EEC5	67C4	6E45	E5V00080
2106	钷	EEC6	EEC6	67C5	6E46	E5VP0080
2107	钷	EEC7	EEC7	67C6	6E47	E5VQ0080
2108	钷	EEC8	EEC8	67C7	6E48	E5VR0080
2109	钷	EEC9	EEC9	67C8	6E49	E5VS0080
2110	钷	EECA	EECA	67C9	6E4A	E5VT0080
2111	钷	EECB	EECB	67CA	6E4B	E5VU0080
2112	钷	EECC	EECC	67CB	6E4C	E5VV0080
2113	钷	EECD	EECD	67CC	6E4D	E5VW0080
2114	钷	EECE	EECE	67CD	6E4E	E5VX0080
2115	钷	EECF	EECF	67CE	6E4F	E5VY0080
2116	钷	EED0	EED0	67CF	6E50	E5VZ0080
2117	钷	EED1	EED1	67D0	6E51	E5W00080
2118	钷	EED2	EED2	67D1	6E52	E5W10080
2119	钷	EED3	EED3	67D2	6E53	E5W20080
2120	钷	EED4	EED4	67D3	6E54	E5W30080
2121	钷	EED5	EED5	67D4	6E55	E5W40080
2122	钷	EED6	EED6	67D5	6E56	E5W50080
2123	钷	EED7	EED7	67D6	6E57	E5W60080
2124	钷	EED8	EED8	67D7	6E58	E5W70080
2125	钷	EED9	EED9	67D8	6E59	E5W80080
2126	钷	EEDA	EEDA	67D9	6E5A	E5W90080
2127	钷	EEDB	EEDB	67DA	6E5B	E5WA0080
2128	钷	EEDC	EEDC	67DB	6E5C	E5WB0080
2129	钷	EEDD	EEDD	67DC	6E5D	E5WC0080
2130	钷	EEDE	EEDE	67DD	6E5E	E5WD0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 24 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2131	铈	EEDF	EEDF	67DE	6E5F	E5WE0080
2132	铉	EEE0	EEE0	67DF	6E60	E5WF0080
2133	铊	EEE1	EEE1	67E0	6E61	E5WG0080
2134	铋	EEE2	EEE2	67E1	6E62	E5WH0080
2135	铌	EEE3	EEE3	67E2	6E63	E5WI0080
2136	铍	EEE4	EEE4	67E3	6E64	E5WJ0080
2137	铍	EEE5	EEE5	67E4	6E65	E5WK0080
2138	铈	EEE6	EEE6	67E5	6E66	E5WL0080
2139	铉	EEE7	EEE7	67E6	6E67	E5WM0080
2140	铊	EEE8	EEE8	67E7	6E68	E5WN0080
2141	铋	EEE9	EEE9	67E8	6E69	E5WO0080
2142	铌	EEEE	EEEE	67E9	6E6A	E5WP0080
2143	铍	EEEB	EEEB	67EA	6E6B	E5WQ0080
2144	铈	EEEC	EEEC	67EB	6E6C	E5WR0080
2145	铉	EEED	EEED	67EC	6E6D	E5WS0080
2146	铊	EEEE	EEEE	67ED	6E6E	E5WT0080
2147	铋	EEEF	EEEF	67EE	6E6F	E5WU0080
2148	铌	EEF0	EEF0	67EF	6E70	E5WV0080
2149	铍	EEF1	EEF1	67F0	6E71	E5WW0080
2150	铈	EEF2	EEF2	67F1	6E72	E5WX0080
2151	铉	EEF3	EEF3	67F2	6E73	E5WY0080
2152	铊	EEF4	EEF4	67F3	6E74	E5WZ0080
2153	铋	EEF5	EEF5	67F4	6E75	E5X00080
2154	铌	EEF6	EEF6	67F5	6E76	E5X10080
2155	铍	EEF7	EEF7	67F6	6E77	E5X20080
2156	铈	EEF8	EEF8	67F7	6E78	E5X30080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 25 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2157	铱	EEF9	EEF9	67F8	6E79	E5X40080
2158	铊	EEFA	EEFA	67F9	6E7A	E5X50080
2159	铋	EEFB	EEFB	67FA	6E7B	E5X60080
2160	铋	EEFC	EEFC	67FB	6E7C	E5X70080
2161	铋	EEFD	EEFD	67FC	6E7D	E5X80080
2162	铋	EEFE	EEFE	67FD	6E7E	E5X90080
2163	铋	EFA1	EFA1	6841	6F21	E5XD0080
2164	铋	EFA2	EFA2	6842	6F22	E5XE0080
2165	铋	EFA3	EFA3	6843	6F23	E5XF0080
2166	铋	EFA4	EFA4	6844	6F24	E5XG0080
2167	铋	EFA5	EFA5	6845	6F25	E5XH0080
2168	铋	EFA6	EFA6	6846	6F26	E5XI0080
2169	铋	EFA7	EFA7	6847	6F27	E5XJ0080
2170	铋	EFA8	EFA8	6848	6F28	E5XK0080
2171	铋	EFA9	EFA9	6849	6F29	E5XL0080
2172	铋	EFAA	EFAA	684A	6F2A	E5XM0080
2173	铋	EFAB	EFAB	684B	6F2B	E5XN0080
2174	铋	EFAC	EFAC	684C	6F2C	E5XO0080
2175	铋	EFAD	EFAD	684D	6F2D	E5XP0080
2176	铋	EFAE	EFAE	684E	6F2E	E5XQ0080
2177	铋	EFAF	EFAF	684F	6F2F	E5XR0080
2178	铋	EFB0	EFB0	6850	6F30	E5XS0080
2179	铋	EFB1	EFB1	6851	6F31	E5XT0080
2180	铋	EFB2	EFB2	6852	6F32	E5XU0080
2181	铋	EFB3	EFB3	6853	6F33	E5XV0080
2182	铋	EFB4	EFB4	6854	6F34	E5XW0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 26 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2183	铜	EFB5	EFB5	6855	6F35	E5XX0080
2184	铨	EFB6	EFB6	6856	6F36	E5XY0080
2185	铊	EFB7	EFB7	6857	6F37	E5XZ0080
2186	铜	EFB8	EFB8	6858	6F38	E5Y00080
2187	铈	EFB9	EFB9	6859	6F39	E5Y10080
2188	铉	EFBA	EFBA	685A	6F3A	E5Y20080
2189	铊	EFBB	EFBB	685B	6F3B	E5Y30080
2190	铋	EFBC	EFBC	685C	6F3C	E5Y40080
2191	铋	EFBD	EFBD	685D	6F3D	E5Y50080
2192	铌	EFBE	EFBE	685E	6F3E	E5Y60080
2193	铍	EFBF	EFBF	685F	6F3F	E5Y70080
2194	铉	EFC0	EFC0	6860	6F40	E5Y80080
2195	铊	EFC1	EFC1	6861	6F41	E5Y90080
2196	铋	EFC2	EFC2	6862	6F42	E5YA0080
2197	铌	EFC3	EFC3	6863	6F43	E5YB0080
2198	铍	EFC4	EFC4	6864	6F44	E5YC0080
2199	铉	EFC5	EFC5	6865	6F45	E5YD0080
2200	铊	EFC6	EFC6	6866	6F46	E5YE0080
2201	铋	EFC7	EFC7	6867	6F47	E5YF0080
2202	铌	EFC8	EFC8	6868	6F48	E5YG0080
2203	铍	EFC9	EFC9	6869	6F49	E5YH0080
2204	铉	EFCA	EFCA	686A	6F4A	E5YI0080
2205	铊	EFCB	EFCB	686B	6F4B	E5YJ0080
2206	铋	EFCC	EFCC	686C	6F4C	E5YK0080
2207	铌	EFCD	EFCD	686D	6F4D	E5YL0080
2208	铍	EFCE	EFCE	686E	6F4E	E5YM0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 27 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2209	铍	EFCF	EFCF	686F	6F4F	E5YN0080
2210	铈	EFD0	EFD0	6870	6F50	E5YO0080
2211	铉	EFD1	EFD1	6871	6F51	E5YP0080
2212	铊	EFD2	EFD2	6872	6F52	E5YQ0080
2213	铋	EFD3	EFD3	6873	6F53	E5YR0080
2214	铋	EFD4	EFD4	6874	6F54	E5YS0080
2215	铋	EFD5	EFD5	6875	6F55	E5YT0080
2216	铋	EFD6	EFD6	6876	6F56	E5YU0080
2217	铋	EFD7	EFD7	6877	6F57	E5YV0080
2218	铋	EFD8	EFD8	6878	6F58	E5YW0080
2219	铋	EFD9	EFD9	6879	6F59	E5YX0080
2220	铋	EFDA	EFDA	687A	6F5A	E5YY0080
2221	铋	EFDB	EFDB	687B	6F5B	E5YZ0080
2222	铋	EFDC	EFDC	687C	6F5C	E5Z00080
2223	铋	EFDD	EFDD	687D	6F5D	E5Z10080
2224	铋	EFDE	EFDE	687E	6F5E	E5Z20080
2225	铋	EFDF	EFDF	687F	6F5F	E5Z30080
2226	铋	EFE0	EFE0	6881	6F60	E5Z50080
2227	铋	EFE1	EFE1	6882	6F61	E5Z60080
2228	铋	EFE2	EFE2	6883	6F62	E5Z70080
2229	铋	EFE3	EFE3	6884	6F63	E5Z80080
2230	铋	EFE4	EFE4	6885	6F64	E5Z90080
2231	铋	EFE5	EFE5	6886	6F65	E5ZA0080
2232	铋	EFE6	EFE6	6887	6F66	E5ZB0080
2233	铋	EFE7	EFE7	6888	6F67	E5ZC0080
2234	铋	EFE8	EFE8	6889	6F68	E5ZD0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 28 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2235	镗	EFE9	EFE9	688A	6F69	E5ZE0080
2236	镞	EFEA	EFEA	688B	6F6A	E5ZF0080
2237	镠	EFEB	EFEB	688C	6F6B	E5ZG0080
2238	镡	EFE9	EFE9	688D	6F6C	E5ZH0080
2239	镢	EFED	EFED	688E	6F6D	E5ZI0080
2240	镣	EFE9	EFE9	688F	6F6E	E5ZJ0080
2241	镤	EFEF	EFEF	6890	6F6F	E5ZK0080
2242	镥	EFF0	EFF0	6891	6F70	E5ZL0080
2243	镧	EFF1	EFF1	6892	6F71	E5ZM0080
2244	铈	EFF2	EFF2	6893	6F72	E5ZN0080
2245	铉	EFF3	EFF3	6894	6F73	E5ZO0080
2246	铊	EFF4	EFF4	6895	6F74	E5ZP0080
2247	铋	EFF5	EFF5	6896	6F75	E5ZQ0080
2248	铋	EFF6	EFF6	6897	6F76	E5ZR0080
2249	铋	EFF7	EFF7	6898	6F77	E5ZS0080
2250	铋	EFF8	EFF8	6899	6F78	E5ZT0080
2251	铋	EFF9	EFF9	689A	6F79	E5ZU0080
2252	铋	EFFA	EFFA	689B	6F7A	E5ZV0080
2253	铋	EFFB	EFFB	689C	6F7B	E5ZW0080
2254	铋	EFFC	EFFC	689D	6F7C	E5ZX0080
2255	铋	EFFD	EFFD	689E	6F7D	E5ZY0080
2256	铋	EFFE	EFFE	689F	6F7E	E5ZZ0080
2257	稃	F0A1	F0A1	68A0	7021	E6000080
2258	稄	F0A2	F0A2	68A1	7022	E6010080
2259	稅	F0A3	F0A3	68A2	7023	E6020080
2260	黏	F0A4	F0A4	68A3	7024	E6030080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 29 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2261	馥	F0A5	F0A5	68A4	7025	E6040080
2262	穰	F0A6	F0A6	68A5	7026	E6050080
2263	皈	F0A7	F0A7	68A6	7027	E6060080
2264	皎	F0A8	F0A8	68A7	7028	E6070080
2265	皓	F0A9	F0A9	68A8	7029	E6080080
2266	皙	F0AA	F0AA	68A9	702A	E6090080
2267	幡	F0AB	F0AB	68AA	702B	E60A0080
2268	旆	F0AC	F0AC	68AB	702C	E60B0080
2269	瓠	F0AD	F0AD	68AC	702D	E60C0080
2270	甬	F0AE	F0AE	68AD	702E	E60D0080
2271	鳩	F0AF	F0AF	68AE	702F	E60E0080
2272	鸢	F0B0	F0B0	68AF	7030	E60F0080
2273	鸪	F0B1	F0B1	68B0	7031	E60G0080
2274	鸬	F0B2	F0B2	68B1	7032	E60H0080
2275	鸴	F0B3	F0B3	68B2	7033	E60I0080
2276	鸺	F0B4	F0B4	68B3	7034	E60J0080
2277	鸺	F0B5	F0B5	68B4	7035	E60K0080
2278	鸺	F0B6	F0B6	68B5	7036	E60L0080
2279	鸺	F0B7	F0B7	68B6	7037	E60M0080
2280	鸺	F0B8	F0B8	68B7	7038	E60N0080
2281	鸺	F0B9	F0B9	68B8	7039	E60O0080
2282	鸺	F0BA	F0BA	68B9	703A	E60P0080
2283	鸺	F0BB	F0BB	68BA	703B	E60Q0080
2284	鸺	F0BC	F0BC	68BB	703C	E60R0080
2285	鸺	F0BD	F0BD	68BC	703D	E60S0080
2286	鸺	F0BE	F0BE	68BD	703E	E60T0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 30 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2287	鹇	F0BF	F0BF	68BE	703F	E60U0080
2288	鸪	F0C0	F0C0	68BF	7040	E60V0080
2289	鸬	F0C1	F0C1	68C0	7041	E60W0080
2290	鸬	F0C2	F0C2	68C1	7042	E60X0080
2291	鸬	F0C3	F0C3	68C2	7043	E60Y0080
2292	鸬	F0C4	F0C4	68C3	7044	E60Z0080
2293	鸬	F0C5	F0C5	68C4	7045	E6100080
2294	鸬	F0C6	F0C6	68C5	7046	E6110080
2295	鸬	F0C7	F0C7	68C6	7047	E6120080
2296	鸬	F0C8	F0C8	68C7	7048	E6130080
2297	鸬	F0C9	F0C9	68C8	7049	E6140080
2298	鸬	F0CA	F0CA	68C9	704A	E6150080
2299	鸬	F0CB	F0CB	68CA	704B	E6160080
2300	鸬	F0CC	F0CC	68CB	704C	E6170080
2301	鸬	F0CD	F0CD	68CC	704D	E6180080
2302	鸬	F0CE	F0CE	68CD	704E	E6190080
2303	鸬	F0CF	F0CF	68CE	704F	E61A0080
2304	鸬	F0D0	F0D0	68CF	7050	E61B0080
2305	鸬	F0D1	F0D1	68D0	7051	E61C0080
2306	鸬	F0D2	F0D2	68D1	7052	E61D0080
2307	鸬	F0D3	F0D3	68D2	7053	E61E0080
2308	鸬	F0D4	F0D4	68D3	7054	E61F0080
2309	鸬	F0D5	F0D5	68D4	7055	E61G0080
2310	鸬	F0D6	F0D6	68D5	7056	E61H0080
2311	鸬	F0D7	F0D7	68D6	7057	E61I0080
2312	鸬	F0D8	F0D8	68D7	7058	E61J0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 31 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2313	鸛	F0D9	F0D9	68D8	7059	E61K0080
2314	疔	F0DA	F0DA	68D9	705A	E61L0080
2315	疔	F0DB	F0DB	68DA	705B	E61M0080
2316	疔	F0DC	F0DC	68DB	705C	E61N0080
2317	疔	F0DD	F0DD	68DC	705D	E61O0080
2318	疔	F0DE	F0DE	68DD	705E	E61P0080
2319	疔	F0DF	F0DF	68DE	705F	E61Q0080
2320	疔	F0E0	F0E0	68DF	7060	E61R0080
2321	疔	F0E1	F0E1	68E0	7061	E61S0080
2322	疔	F0E2	F0E2	68E1	7062	E61T0080
2323	疔	F0E3	F0E3	68E2	7063	E61U0080
2324	疔	F0E4	F0E4	68E3	7064	E61V0080
2325	疔	F0E5	F0E5	68E4	7065	E61W0080
2326	疔	F0E6	F0E6	68E5	7066	E61X0080
2327	疔	F0E7	F0E7	68E6	7067	E61Y0080
2328	疔	F0E8	F0E8	68E7	7068	E61Z0080
2329	疔	F0E9	F0E9	68E8	7069	E6200080
2330	疔	F0EA	F0EA	68E9	706A	E6210080
2331	疔	F0EB	F0EB	68EA	706B	E6220080
2332	疔	F0EC	F0EC	68EB	706C	E6230080
2333	疔	F0ED	F0ED	68EC	706D	E6240080
2334	疔	F0EE	F0EE	68ED	706E	E6250080
2335	疔	F0EF	F0EF	68EE	706F	E6260080
2336	痧	F0F0	F0F0	68EF	7070	E6270080
2337	痧	F0F1	F0F1	68F0	7071	E6280080
2338	疔	F0F2	F0F2	68F1	7072	E6290080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 32 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2339	痼	F0F3	F0F3	68F2	7073	E62A0080
2340	痿	F0F4	F0F4	68F3	7074	E62B0080
2341	痲	F0F5	F0F5	68F4	7075	E62C0080
2342	痲	F0F6	F0F6	68F5	7076	E62D0080
2343	瘴	F0F7	F0F7	68F6	7077	E62E0080
2344	痢	F0F8	F0F8	68F7	7078	E62F0080
2345	瘞	F0F9	F0F9	68F8	7079	E62G0080
2346	瘵	F0FA	F0FA	68F9	707A	E62H0080
2347	瘥	F0FB	F0FB	68FA	707B	E62I0080
2348	瘧	F0FC	F0FC	68FB	707C	E62J0080
2349	痲	F0FD	F0FD	68FC	707D	E62K0080
2350	瘡	F0FE	F0FE	68FD	707E	E62L0080
2351	癩	F1A1	F1A1	6941	7121	E62P0080
2352	癩	F1A2	F1A2	6942	7122	E62Q0080
2353	癩	F1A3	F1A3	6943	7123	E62R0080
2354	瘡	F1A4	F1A4	6944	7124	E62S0080
2355	癩	F1A5	F1A5	6945	7125	E62T0080
2356	癩	F1A6	F1A6	6946	7126	E62U0080
2357	癩	F1A7	F1A7	6947	7127	E62V0080
2358	癩	F1A8	F1A8	6948	7128	E62W0080
2359	癩	F1A9	F1A9	6949	7129	E62X0080
2360	癩	F1AA	F1AA	694A	712A	E62Y0080
2361	癩	F1AB	F1AB	694B	712B	E62Z0080
2362	瘰	F1AC	F1AC	694C	712C	E6300080
2363	癩	F1AD	F1AD	694D	712D	E6310080
2364	癩	F1AE	F1AE	694E	712E	E6320080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 33 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2365	瘵	F1AF	F1AF	694F	712F	E6330080
2366	癥	F1B0	F1B0	6950	7130	E6340080
2367	癖	F1B1	F1B1	6951	7131	E6350080
2368	癩	F1B2	F1B2	6952	7132	E6360080
2369	瘰	F1B3	F1B3	6953	7133	E6370080
2370	翊	F1B4	F1B4	6954	7134	E6380080
2371	竦	F1B5	F1B5	6955	7135	E6390080
2372	窆	F1B6	F1B6	6956	7136	E63A0080
2373	穹	F1B7	F1B7	6957	7137	E63B0080
2374	窰	F1B8	F1B8	6958	7138	E63C0080
2375	窆	F1B9	F1B9	6959	7139	E63D0080
2376	窆	F1BA	F1BA	695A	713A	E63E0080
2377	窆	F1BB	F1BB	695B	713B	E63F0080
2378	窆	F1BC	F1BC	695C	713C	E63G0080
2379	窆	F1BD	F1BD	695D	713D	E63H0080
2380	窆	F1BE	F1BE	695E	713E	E63I0080
2381	窆	F1BF	F1BF	695F	713F	E63J0080
2382	窆	F1C0	F1C0	6960	7140	E63K0080
2383	窆	F1C1	F1C1	6961	7141	E63L0080
2384	衤	F1C2	F1C2	6962	7142	E63M0080
2385	袂	F1C3	F1C3	6963	7143	E63N0080
2386	衲	F1C4	F1C4	6964	7144	E63O0080
2387	衲	F1C5	F1C5	6965	7145	E63P0080
2388	衲	F1C6	F1C6	6966	7146	E63Q0080
2389	袂	F1C7	F1C7	6967	7147	E63R0080
2390	袂	F1C8	F1C8	6968	7148	E63S0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 34 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2391	裆	F1C9	F1C9	6969	7149	E63T0080
2392	裕	F1CA	F1CA	696A	714A	E63U0080
2393	裕	F1CB	F1CB	696B	714B	E63V0080
2394	裨	F1CC	F1CC	696C	714C	E63W0080
2395	裨	F1CD	F1CD	696D	714D	E63X0080
2396	裨	F1CE	F1CE	696E	714E	E63Y0080
2397	裨	F1CF	F1CF	696F	714F	E63Z0080
2398	裨	F1D0	F1D0	6970	7150	E6400080
2399	裨	F1D1	F1D1	6971	7151	E6410080
2400	褚	F1D2	F1D2	6972	7152	E6420080
2401	裨	F1D3	F1D3	6973	7153	E6430080
2402	裨	F1D4	F1D4	6974	7154	E6440080
2403	裾	F1D5	F1D5	6975	7155	E6450080
2404	裾	F1D6	F1D6	6976	7156	E6460080
2405	裾	F1D7	F1D7	6977	7157	E6470080
2406	裾	F1D8	F1D8	6978	7158	E6480080
2407	裾	F1D9	F1D9	6979	7159	E6490080
2408	裾	F1DA	F1DA	697A	715A	E64A0080
2409	褊	F1DB	F1DB	697B	715B	E64B0080
2410	褊	F1DC	F1DC	697C	715C	E64C0080
2411	褊	F1DD	F1DD	697D	715D	E64D0080
2412	褶	F1DE	F1DE	697E	715E	E64E0080
2413	襁	F1DF	F1DF	697F	715F	E64F0080
2414	襦	F1E0	F1E0	6981	7160	E64H0080
2415	襦	F1E1	F1E1	6982	7161	E64I0080
2416	疋	F1E2	F1E2	6983	7162	E64J0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 35 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2417	胥	F1E3	F1E3	6984	7163	E64K0080
2418	皴	F1E4	F1E4	6985	7164	E64L0080
2419	皴	F1E5	F1E5	6986	7165	E64M0080
2420	矜	F1E6	F1E6	6987	7166	E64N0080
2421	耒	F1E7	F1E7	6988	7167	E64O0080
2422	耒	F1E8	F1E8	6989	7168	E64P0080
2423	秒	F1E9	F1E9	698A	7169	E64Q0080
2424	耜	F1EA	F1EA	698B	716A	E64R0080
2425	耜	F1EB	F1EB	698C	716B	E64S0080
2426	耒	F1EC	F1EC	698D	716C	E64T0080
2427	耒	F1ED	F1ED	698E	716D	E64U0080
2428	耦	F1EE	F1EE	698F	716E	E64V0080
2429	耒	F1EF	F1EF	6990	716F	E64W0080
2430	耒	F1F0	F1F0	6991	7170	E64X0080
2431	耒	F1F1	F1F1	6992	7171	E64Y0080
2432	耒	F1F2	F1F2	6993	7172	E64Z0080
2433	耒	F1F3	F1F3	6994	7173	E6500080
2434	聃	F1F4	F1F4	6995	7174	E6510080
2435	聃	F1F5	F1F5	6996	7175	E6520080
2436	聆	F1F6	F1F6	6997	7176	E6530080
2437	聆	F1F7	F1F7	6998	7177	E6540080
2438	聃	F1F8	F1F8	6999	7178	E6550080
2439	聃	F1F9	F1F9	699A	7179	E6560080
2440	聃	F1FA	F1FA	699B	717A	E6570080
2441	聃	F1FB	F1FB	699C	717B	E6580080
2442	聃	F1FC	F1FC	699D	717C	E6590080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 36 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2443	颀	F1FD	F1FD	699E	717D	E65A0080
2444	颀	F1FE	F1FE	699F	717E	E65B0080
2445	颔	F2A1	F2A1	69A0	7221	E65C0080
2446	颌	F2A2	F2A2	69A1	7222	E65D0080
2447	颢	F2A3	F2A3	69A2	7223	E65E0080
2448	颣	F2A4	F2A4	69A3	7224	E65F0080
2449	颌	F2A5	F2A5	69A4	7225	E65G0080
2450	颥	F2A6	F2A6	69A5	7226	E65H0080
2451	颇	F2A7	F2A7	69A6	7227	E65I0080
2452	颈	F2A8	F2A8	69A7	7228	E65J0080
2453	颉	F2A9	F2A9	69A8	7229	E65K0080
2454	颋	F2AA	F2AA	69A9	722A	E65L0080
2455	颌	F2AB	F2AB	69AA	722B	E65M0080
2456	颍	F2AC	F2AC	69AB	722C	E65N0080
2457	颍	F2AD	F2AD	69AC	722D	E65O0080
2458	虍	F2AE	F2AE	69AD	722E	E65P0080
2459	虔	F2AF	F2AF	69AE	722F	E65Q0080
2460	虬	F2B0	F2B0	69AF	7230	E65R0080
2461	虬	F2B1	F2B1	69B0	7231	E65S0080
2462	虬	F2B2	F2B2	69B1	7232	E65T0080
2463	虬	F2B3	F2B3	69B2	7233	E65U0080
2464	虬	F2B4	F2B4	69B3	7234	E65V0080
2465	虬	F2B5	F2B5	69B4	7235	E65W0080
2466	虬	F2B6	F2B6	69B5	7236	E65X0080
2467	虬	F2B7	F2B7	69B6	7237	E65Y0080
2468	虬	F2B8	F2B8	69B7	7238	E65Z0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 37 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2469	蚬	F2B9	F2B9	69B8	7239	E6600080
2470	蚝	F2BA	F2BA	69B9	723A	E6610080
2471	蚧	F2BB	F2BB	69BA	723B	E6620080
2472	蚣	F2BC	F2BC	69BB	723C	E6630080
2473	蚪	F2BD	F2BD	69BC	723D	E6640080
2474	蚓	F2BE	F2BE	69BD	723E	E6650080
2475	蚩	F2BF	F2BF	69BE	723F	E6660080
2476	蚰	F2C0	F2C0	69BF	7240	E6670080
2477	蛄	F2C1	F2C1	69C0	7241	E6680080
2478	蚶	F2C2	F2C2	69C1	7242	E6690080
2479	蛎	F2C3	F2C3	69C2	7243	E66A0080
2480	蚰	F2C4	F2C4	69C3	7244	E66B0080
2481	蛄	F2C5	F2C5	69C4	7245	E66C0080
2482	蚱	F2C6	F2C6	69C5	7246	E66D0080
2483	蚯	F2C7	F2C7	69C6	7247	E66E0080
2484	蛉	F2C8	F2C8	69C7	7248	E66F0080
2485	蛭	F2C9	F2C9	69C8	7249	E66G0080
2486	蚋	F2CA	F2CA	69C9	724A	E66H0080
2487	蚤	F2CB	F2CB	69CA	724B	E66I0080
2488	蛱	F2CC	F2CC	69CB	724C	E66J0080
2489	蛲	F2CD	F2CD	69CC	724D	E66K0080
2490	蛭	F2CE	F2CE	69CD	724E	E66L0080
2491	蚶	F2CF	F2CF	69CE	724F	E66M0080
2492	蚰	F2D0	F2D0	69CF	7250	E66N0080
2493	蛭	F2D1	F2D1	69D0	7251	E66O0080
2494	蛞	F2D2	F2D2	69D1	7252	E66P0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 38 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2495	蛭	F2D3	F2D3	69D2	7253	E66Q0080
2496	蛟	F2D4	F2D4	69D3	7254	E66R0080
2497	蚌	F2D5	F2D5	69D4	7255	E66S0080
2498	蚌	F2D6	F2D6	69D5	7256	E66T0080
2499	蜃	F2D7	F2D7	69D6	7257	E66U0080
2500	蜚	F2D8	F2D8	69D7	7258	E66V0080
2501	蛸	F2D9	F2D9	69D8	7259	E66W0080
2502	蜈	F2DA	F2DA	69D9	725A	E66X0080
2503	蛎	F2DB	F2DB	69DA	725B	E66Y0080
2504	蛛	F2DC	F2DC	69DB	725C	E66Z0080
2505	蜂	F2DD	F2DD	69DC	725D	E6700080
2506	蛻	F2DE	F2DE	69DD	725E	E6710080
2507	蜻	F2DF	F2DF	69DE	725F	E6720080
2508	蜚	F2E0	F2E0	69DF	7260	E6730080
2509	蜥	F2E1	F2E1	69E0	7261	E6740080
2510	蛾	F2E2	F2E2	69E1	7262	E6750080
2511	蜚	F2E3	F2E3	69E2	7263	E6760080
2512	螺	F2E4	F2E4	69E3	7264	E6770080
2513	蛔	F2E5	F2E5	69E4	7265	E6780080
2514	蝎	F2E6	F2E6	69E5	7266	E6790080
2515	蟀	F2E7	F2E7	69E6	7267	E67A0080
2516	蝟	F2E8	F2E8	69E7	7268	E67B0080
2517	蝮	F2E9	F2E9	69E8	7269	E67C0080
2518	蜿	F2EA	F2EA	69E9	726A	E67D0080
2519	螂	F2EB	F2EB	69EA	726B	E67E0080
2520	蝻	F2EC	F2EC	69EB	726C	E67F0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 39 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2521	螭	F2ED	F2ED	69EC	726D	E67G0080
2522	蝶	F2EE	F2EE	69ED	726E	E67H0080
2523	蛹	F2EF	F2EF	69EE	726F	E67I0080
2524	蝠	F2F0	F2F0	69EF	7270	E67J0080
2525	蝻	F2F1	F2F1	69F0	7271	E67K0080
2526	蝌	F2F2	F2F2	69F1	7272	E67L0080
2527	蝮	F2F3	F2F3	69F2	7273	E67M0080
2528	蝮	F2F4	F2F4	69F3	7274	E67N0080
2529	蝮	F2F5	F2F5	69F4	7275	E67O0080
2530	蝮	F2F6	F2F6	69F5	7276	E67P0080
2531	蝮	F2F7	F2F7	69F6	7277	E67Q0080
2532	蝮	F2F8	F2F8	69F7	7278	E67R0080
2533	蝮	F2F9	F2F9	69F8	7279	E67S0080
2534	蝮	F2FA	F2FA	69F9	727A	E67T0080
2535	蝮	F2FB	F2FB	69FA	727B	E67U0080
2536	蝮	F2FC	F2FC	69FB	727C	E67V0080
2537	蝮	F2FD	F2FD	69FC	727D	E67W0080
2538	蝮	F2FE	F2FE	69FD	727E	E67X0080
2539	蝮	F3A1	F3A1	6A41	7321	E6810080
2540	蝮	F3A2	F3A2	6A42	7322	E6820080
2541	蝮	F3A3	F3A3	6A43	7323	E6830080
2542	蝮	F3A4	F3A4	6A44	7324	E6840080
2543	蝮	F3A5	F3A5	6A45	7325	E6850080
2544	蝮	F3A6	F3A6	6A46	7326	E6860080
2545	蝮	F3A7	F3A7	6A47	7327	E6870080
2546	蝮	F3A8	F3A8	6A48	7328	E6880080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 40 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2547	螬	F3A9	F3A9	6A49	7329	E6890080
2548	螭	F3AA	F3AA	6A4A	732A	E68A0080
2549	螳	F3AB	F3AB	6A4B	732B	E68B0080
2550	蟋	F3AC	F3AC	6A4C	732C	E68C0080
2551	螻	F3AD	F3AD	6A4D	732D	E68D0080
2552	蝥	F3AE	F3AE	6A4E	732E	E68E0080
2553	蟑	F3AF	F3AF	6A4F	732F	E68F0080
2554	蟀	F3B0	F3B0	6A50	7330	E68G0080
2555	蝻	F3B1	F3B1	6A51	7331	E68H0080
2556	蚱	F3B2	F3B2	6A52	7332	E68I0080
2557	螻	F3B3	F3B3	6A53	7333	E68J0080
2558	蝻	F3B4	F3B4	6A54	7334	E68K0080
2559	蝻	F3B5	F3B5	6A55	7335	E68L0080
2560	螻	F3B6	F3B6	6A56	7336	E68M0080
2561	螻	F3B7	F3B7	6A57	7337	E68N0080
2562	蝻	F3B8	F3B8	6A58	7338	E68O0080
2563	螻	F3B9	F3B9	6A59	7339	E68P0080
2564	螻	F3BA	F3BA	6A5A	733A	E68Q0080
2565	蝻	F3BB	F3BB	6A5B	733B	E68R0080
2566	蝻	F3BC	F3BC	6A5C	733C	E68S0080
2567	蝻	F3BD	F3BD	6A5D	733D	E68T0080
2568	缶	F3BE	F3BE	6A5E	733E	E68U0080
2569	罍	F3BF	F3BF	6A5F	733F	E68V0080
2570	罄	F3C0	F3C0	6A60	7340	E68W0080
2571	罍	F3C1	F3C1	6A61	7341	E68X0080
2572	舐	F3C2	F3C2	6A62	7342	E68Y0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 41 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2573	竺	F3C3	F3C3	6A63	7343	E68Z0080
2574	笋	F3C4	F3C4	6A64	7344	E6900080
2575	笈	F3C5	F3C5	6A65	7345	E6910080
2576	筠	F3C6	F3C6	6A66	7346	E6920080
2577	笄	F3C7	F3C7	6A67	7347	E6930080
2578	笊	F3C8	F3C8	6A68	7348	E6940080
2579	笊	F3C9	F3C9	6A69	7349	E6950080
2580	笊	F3CA	F3CA	6A6A	734A	E6960080
2581	笊	F3CB	F3CB	6A6B	734B	E6970080
2582	笊	F3CC	F3CC	6A6C	734C	E6980080
2583	笊	F3CD	F3CD	6A6D	734D	E6990080
2584	笊	F3CE	F3CE	6A6E	734E	E69A0080
2585	笊	F3CF	F3CF	6A6F	734F	E69B0080
2586	笊	F3D0	F3D0	6A70	7350	E69C0080
2587	笊	F3D1	F3D1	6A71	7351	E69D0080
2588	笊	F3D2	F3D2	6A72	7352	E69E0080
2589	笊	F3D3	F3D3	6A73	7353	E69F0080
2590	笊	F3D4	F3D4	6A74	7354	E69G0080
2591	笊	F3D5	F3D5	6A75	7355	E69H0080
2592	笊	F3D6	F3D6	6A76	7356	E69I0080
2593	笊	F3D7	F3D7	6A77	7357	E69J0080
2594	笊	F3D8	F3D8	6A78	7358	E69K0080
2595	笊	F3D9	F3D9	6A79	7359	E69L0080
2596	笊	F3DA	F3DA	6A7A	735A	E69M0080
2597	笊	F3DB	F3DB	6A7B	735B	E69N0080
2598	笊	F3DC	F3DC	6A7C	735C	E69O0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 42 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2599	箏	F3DD	F3DD	6A7D	735D	E69P0080
2600	筠	F3DE	F3DE	6A7E	735E	E69Q0080
2601	筮	F3DF	F3DF	6A7F	735F	E69R0080
2602	簞	F3E0	F3E0	6A81	7360	E69T0080
2603	箆	F3E1	F3E1	6A82	7361	E69U0080
2604	筍	F3E2	F3E2	6A83	7362	E69V0080
2605	筱	F3E3	F3E3	6A84	7363	E69W0080
2606	箐	F3E4	F3E4	6A85	7364	E69X0080
2607	箐	F3E5	F3E5	6A86	7365	E69Y0080
2608	篋	F3E6	F3E6	6A87	7366	E69Z0080
2609	箸	F3E7	F3E7	6A88	7367	E6A00080
2610	箸	F3E8	F3E8	6A89	7368	E6A10080
2611	箝	F3E9	F3E9	6A8A	7369	E6A20080
2612	箝	F3EA	F3EA	6A8B	736A	E6A30080
2613	算	F3EB	F3EB	6A8C	736B	E6A40080
2614	箎	F3EC	F3EC	6A8D	736C	E6A50080
2615	箎	F3ED	F3ED	6A8E	736D	E6A60080
2616	箎	F3EE	F3EE	6A8F	736E	E6A70080
2617	箎	F3EF	F3EF	6A90	736F	E6A80080
2618	箎	F3F0	F3F0	6A91	7370	E6A90080
2619	箎	F3F1	F3F1	6A92	7371	E6AA0080
2620	箎	F3F2	F3F2	6A93	7372	E6AB0080
2621	箎	F3F3	F3F3	6A94	7373	E6AC0080
2622	箎	F3F4	F3F4	6A95	7374	E6AD0080
2623	箎	F3F5	F3F5	6A96	7375	E6AE0080
2624	箎	F3F6	F3F6	6A97	7376	E6AF0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 43 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2625	篋	F3F7	F3F7	6A98	7377	E6AG0080
2626	篋	F3F8	F3F8	6A99	7378	E6AH0080
2627	箨	F3F9	F3F9	6A9A	7379	E6AI0080
2628	箨	F3FA	F3FA	6A9B	737A	E6AJ0080
2629	箨	F3FB	F3FB	6A9C	737B	E6AK0080
2630	箨	F3FC	F3FC	6A9D	737C	E6AL0080
2631	箨	F3FD	F3FD	6A9E	737D	E6AM0080
2632	篋	F3FE	F3FE	6A9F	737E	E6AN0080
2633	箨	F4A1	F4A1	6AA0	7421	E6AO0080
2634	箨	F4A2	F4A2	6AA1	7422	E6AP0080
2635	箨	F4A3	F4A3	6AA2	7423	E6AQ0080
2636	箨	F4A4	F4A4	6AA3	7424	E6AR0080
2637	箨	F4A5	F4A5	6AA4	7425	E6AS0080
2638	箨	F4A6	F4A6	6AA5	7426	E6AT0080
2639	呔	F4A7	F4A7	6AA6	7427	E6AU0080
2640	呔	F4A8	F4A8	6AA7	7428	E6AV0080
2641	春	F4A9	F4A9	6AA8	7429	E6AW0080
2642	舄	F4AA	F4AA	6AA9	742A	E6AX0080
2643	舄	F4AB	F4AB	6AAA	742B	E6AY0080
2644	舄	F4AC	F4AC	6AAB	742C	E6AZ0080
2645	舄	F4AD	F4AD	6AAC	742D	E6B00080
2646	舄	F4AE	F4AE	6AAD	742E	E6B10080
2647	舄	F4AF	F4AF	6AAE	742F	E6B20080
2648	舄	F4B0	F4B0	6AAF	7430	E6B30080
2649	舄	F4B1	F4B1	6AB0	7431	E6B40080
2650	舄	F4B2	F4B2	6AB1	7432	E6B50080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 44 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2651	舫	F4B3	F4B3	6AB2	7433	E6B60080
2652	舫	F4B4	F4B4	6AB3	7434	E6B70080
2653	舫	F4B5	F4B5	6AB4	7435	E6B80080
2654	舫	F4B6	F4B6	6AB5	7436	E6B90080
2655	舫	F4B7	F4B7	6AB6	7437	E6BA0080
2656	舫	F4B8	F4B8	6AB7	7438	E6BB0080
2657	舫	F4B9	F4B9	6AB8	7439	E6BC0080
2658	舫	F4BA	F4BA	6AB9	743A	E6BD0080
2659	舫	F4BB	F4BB	6ABA	743B	E6BE0080
2660	舫	F4BC	F4BC	6ABB	743C	E6BF0080
2661	舫	F4BD	F4BD	6ABC	743D	E6BG0080
2662	舫	F4BE	F4BE	6ABD	743E	E6BH0080
2663	舫	F4BF	F4BF	6ABE	743F	E6BI0080
2664	衾	F4C0	F4C0	6ABF	7440	E6BJ0080
2665	衾	F4C1	F4C1	6AC0	7441	E6BK0080
2666	袈	F4C2	F4C2	6AC1	7442	E6BL0080
2667	裘	F4C3	F4C3	6AC2	7443	E6BM0080
2668	裘	F4C4	F4C4	6AC3	7444	E6BN0080
2669	襞	F4C5	F4C5	6AC4	7445	E6BO0080
2670	羝	F4C6	F4C6	6AC5	7446	E6BP0080
2671	羝	F4C7	F4C7	6AC6	7447	E6BQ0080
2672	羝	F4C8	F4C8	6AC7	7448	E6BR0080
2673	羝	F4C9	F4C9	6AC8	7449	E6BS0080
2674	羝	F4CA	F4CA	6AC9	744A	E6BT0080
2675	羲	F4CB	F4CB	6ACA	744B	E6BU0080
2676	糝	F4CC	F4CC	6ACB	744C	E6BV0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 45 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2677	救	F4CD	F4CD	6ACC	744D	E6BW0080
2678	粍	F4CE	F4CE	6ACD	744E	E6BX0080
2679	粍	F4CF	F4CF	6ACE	744F	E6BY0080
2680	糞	F4D0	F4D0	6ACF	7450	E6BZ0080
2681	糞	F4D1	F4D1	6AD0	7451	E6C00080
2682	糞	F4D2	F4D2	6AD1	7452	E6C10080
2683	糞	F4D3	F4D3	6AD2	7453	E6C20080
2684	糞	F4D4	F4D4	6AD3	7454	E6C30080
2685	糞	F4D5	F4D5	6AD4	7455	E6C40080
2686	糞	F4D6	F4D6	6AD5	7456	E6C50080
2687	糞	F4D7	F4D7	6AD6	7457	E6C60080
2688	糞	F4D8	F4D8	6AD7	7458	E6C70080
2689	糞	F4D9	F4D9	6AD8	7459	E6C80080
2690	糞	F4DA	F4DA	6AD9	745A	E6C90080
2691	糞	F4DB	F4DB	6ADA	745B	E6CA0080
2692	糞	F4DC	F4DC	6ADB	745C	E6CB0080
2693	糞	F4DD	F4DD	6ADC	745D	E6CC0080
2694	糞	F4DE	F4DE	6ADD	745E	E6CD0080
2695	糞	F4DF	F4DF	6ADE	745F	E6CE0080
2696	羿	F4E0	F4E0	6ADF	7460	E6CF0080
2697	翎	F4E1	F4E1	6AE0	7461	E6CG0080
2698	翕	F4E2	F4E2	6AE1	7462	E6CH0080
2699	翕	F4E3	F4E3	6AE2	7463	E6CI0080
2700	翕	F4E4	F4E4	6AE3	7464	E6CJ0080
2701	翕	F4E5	F4E5	6AE4	7465	E6CK0080
2702	翕	F4E6	F4E6	6AE5	7466	E6CL0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 46 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2703	翮	F4E7	F4E7	6AE6	7467	E6CM0080
2704	翳	F4E8	F4E8	6AE7	7468	E6CN0080
2705	糸	F4E9	F4E9	6AE8	7469	E6CO0080
2706	紕	F4EA	F4EA	6AE9	746A	E6CP0080
2707	綦	F4EB	F4EB	6AEA	746B	E6CQ0080
2708	縈	F4EC	F4EC	6AEB	746C	E6CR0080
2709	繇	F4ED	F4ED	6AEC	746D	E6CS0080
2710	纛	F4EE	F4EE	6AED	746E	E6CT0080
2711	麸	F4EF	F4EF	6AEE	746F	E6CU0080
2712	麴	F4F0	F4F0	6AEF	7470	E6CV0080
2713	赳	F4F1	F4F1	6AF0	7471	E6CW0080
2714	赳	F4F2	F4F2	6AF1	7472	E6CX0080
2715	赳	F4F3	F4F3	6AF2	7473	E6CY0080
2716	赳	F4F4	F4F4	6AF3	7474	E6CZ0080
2717	赳	F4F5	F4F5	6AF4	7475	E6D00080
2718	赳	F4F6	F4F6	6AF5	7476	E6D10080
2719	赳	F4F7	F4F7	6AF6	7477	E6D20080
2720	赳	F4F8	F4F8	6AF7	7478	E6D30080
2721	豉	F4F9	F4F9	6AF8	7479	E6D40080
2722	酊	F4FA	F4FA	6AF9	747A	E6D50080
2723	酊	F4FB	F4FB	6AFA	747B	E6D60080
2724	酊	F4FC	F4FC	6AFB	747C	E6D70080
2725	酊	F4FD	F4FD	6AFC	747D	E6D80080
2726	酊	F4FE	F4FE	6AFD	747E	E6D90080
2727	酢	F5A1	F5A1	6B41	7521	E6DD0080
2728	酞	F5A2	F5A2	6B42	7522	E6DE0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 47 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2729	酰	F5A3	F5A3	6B43	7523	E6DF0080
2730	酞	F5A4	F5A4	6B44	7524	E6DG0080
2731	酯	F5A5	F5A5	6B45	7525	E6DH0080
2732	酞	F5A6	F5A6	6B46	7526	E6DI0080
2733	酞	F5A7	F5A7	6B47	7527	E6DJ0080
2734	酞	F5A8	F5A8	6B48	7528	E6DK0080
2735	酞	F5A9	F5A9	6B49	7529	E6DL0080
2736	酞	F5AA	F5AA	6B4A	752A	E6DM0080
2737	酞	F5AB	F5AB	6B4B	752B	E6DN0080
2738	酞	F5AC	F5AC	6B4C	752C	E6DO0080
2739	酞	F5AD	F5AD	6B4D	752D	E6DP0080
2740	酞	F5AE	F5AE	6B4E	752E	E6DQ0080
2741	酞	F5AF	F5AF	6B4F	752F	E6DR0080
2742	酞	F5B0	F5B0	6B50	7530	E6DS0080
2743	酞	F5B1	F5B1	6B51	7531	E6DT0080
2744	酞	F5B2	F5B2	6B52	7532	E6DU0080
2745	酞	F5B3	F5B3	6B53	7533	E6DV0080
2746	酞	F5B4	F5B4	6B54	7534	E6DW0080
2747	酞	F5B5	F5B5	6B55	7535	E6DX0080
2748	酞	F5B6	F5B6	6B56	7536	E6DY0080
2749	酞	F5B7	F5B7	6B57	7537	E6DZ0080
2750	酞	F5B8	F5B8	6B58	7538	E6E00080
2751	豕	F5B9	F5B9	6B59	7539	E6E10080
2752	豕	F5BA	F5BA	6B5A	753A	E6E20080
2753	豕	F5BB	F5BB	6B5B	753B	E6E30080
2754	豕	F5BC	F5BC	6B5C	753C	E6E40080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 48 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2755	蹇	F5BD	F5BD	6B5D	753D	E6E50080
2756	蹇	F5BE	F5BE	6B5E	753E	E6E60080
2757	蹇	F5BF	F5BF	6B5F	753F	E6E70080
2758	趵	F5C0	F5C0	6B60	7540	E6E80080
2759	趵	F5C1	F5C1	6B61	7541	E6E90080
2760	趵	F5C2	F5C2	6B62	7542	E6EA0080
2761	趵	F5C3	F5C3	6B63	7543	E6EB0080
2762	趵	F5C4	F5C4	6B64	7544	E6EC0080
2763	趵	F5C5	F5C5	6B65	7545	E6ED0080
2764	趵	F5C6	F5C6	6B66	7546	E6EE0080
2765	趵	F5C7	F5C7	6B67	7547	E6EF0080
2766	趵	F5C8	F5C8	6B68	7548	E6EG0080
2767	趵	F5C9	F5C9	6B69	7549	E6EH0080
2768	趵	F5CA	F5CA	6B6A	754A	E6EI0080
2769	趵	F5CB	F5CB	6B6B	754B	E6EJ0080
2770	趵	F5CC	F5CC	6B6C	754C	E6EK0080
2771	趵	F5CD	F5CD	6B6D	754D	E6EL0080
2772	趵	F5CE	F5CE	6B6E	754E	E6EM0080
2773	趵	F5CF	F5CF	6B6F	754F	E6EN0080
2774	趵	F5D0	F5D0	6B70	7550	E6EO0080
2775	趵	F5D1	F5D1	6B71	7551	E6EP0080
2776	趵	F5D2	F5D2	6B72	7552	E6EQ0080
2777	趵	F5D3	F5D3	6B73	7553	E6ER0080
2778	趵	F5D4	F5D4	6B74	7554	E6ES0080
2779	趵	F5D5	F5D5	6B75	7555	E6ET0080
2780	趵	F5D6	F5D6	6B76	7556	E6EU0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 49 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2781	踝	F5D7	F5D7	6B77	7557	E6EV0080
2782	跣	F5D8	F5D8	6B78	7558	E6EW0080
2783	蹠	F5D9	F5D9	6B79	7559	E6EX0080
2784	跣	F5DA	F5DA	6B7A	755A	E6EY0080
2785	蹠	F5DB	F5DB	6B7B	755B	E6EZ0080
2786	蹠	F5DC	F5DC	6B7C	755C	E6F00080
2787	蹠	F5DD	F5DD	6B7D	755D	E6F10080
2788	蹠	F5DE	F5DE	6B7E	755E	E6F20080
2789	蹠	F5DF	F5DF	6B7F	755F	E6F30080
2790	蹠	F5E0	F5E0	6B81	7560	E6F50080
2791	蹠	F5E1	F5E1	6B82	7561	E6F60080
2792	蹠	F5E2	F5E2	6B83	7562	E6F70080
2793	蹠	F5E3	F5E3	6B84	7563	E6F80080
2794	蹠	F5E4	F5E4	6B85	7564	E6F90080
2795	蹠	F5E5	F5E5	6B86	7565	E6FA0080
2796	蹠	F5E6	F5E6	6B87	7566	E6FB0080
2797	蹠	F5E7	F5E7	6B88	7567	E6FC0080
2798	蹠	F5E8	F5E8	6B89	7568	E6FD0080
2799	蹠	F5E9	F5E9	6B8A	7569	E6FE0080
2800	蹠	F5EA	F5EA	6B8B	756A	E6FF0080
2801	蹠	F5EB	F5EB	6B8C	756B	E6FG0080
2802	蹠	F5EC	F5EC	6B8D	756C	E6FH0080
2803	蹠	F5ED	F5ED	6B8E	756D	E6FI0080
2804	蹠	F5EE	F5EE	6B8F	756E	E6FJ0080
2805	蹠	F5EF	F5EF	6B90	756F	E6FK0080
2806	蹠	F5F0	F5F0	6B91	7570	E6FL0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 50 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2807	躡	F5F1	F5F1	6B92	7571	E6FM0080
2808	躑	F5F2	F5F2	6B93	7572	E6FN0080
2809	躒	F5F3	F5F3	6B94	7573	E6FO0080
2810	豸	F5F4	F5F4	6B95	7574	E6FP0080
2811	貂	F5F5	F5F5	6B96	7575	E6FQ0080
2812	貉	F5F6	F5F6	6B97	7576	E6FR0080
2813	貅	F5F7	F5F7	6B98	7577	E6FS0080
2814	貔	F5F8	F5F8	6B99	7578	E6FT0080
2815	貔	F5F9	F5F9	6B9A	7579	E6FU0080
2816	斛	F5FA	F5FA	6B9B	757A	E6FV0080
2817	觥	F5FB	F5FB	6B9C	757B	E6FW0080
2818	觥	F5FC	F5FC	6B9D	757C	E6FX0080
2819	觥	F5FD	F5FD	6B9E	757D	E6FY0080
2820	觥	F5FE	F5FE	6B9F	757E	E6FZ0080
2821	觥	F6A1	F6A1	6BA0	7621	E6G00080
2822	觥	F6A2	F6A2	6BA1	7622	E6G10080
2823	觥	F6A3	F6A3	6BA2	7623	E6G20080
2824	觥	F6A4	F6A4	6BA3	7624	E6G30080
2825	觥	F6A5	F6A5	6BA4	7625	E6G40080
2826	觥	F6A6	F6A6	6BA5	7626	E6G50080
2827	霁	F6A7	F6A7	6BA6	7627	E6G60080
2828	霁	F6A8	F6A8	6BA7	7628	E6G70080
2829	霁	F6A9	F6A9	6BA8	7629	E6G80080
2830	霁	F6AA	F6AA	6BA9	762A	E6G90080
2831	霁	F6AB	F6AB	6BAA	762B	E6GA0080
2832	霁	F6AC	F6AC	6BAB	762C	E6GB0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 51 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2833	霏	F6AD	F6AD	6BAC	762D	E6GC0080
2834	霏	F6AE	F6AE	6BAD	762E	E6GD0080
2835	霏	F6AF	F6AF	6BAE	762F	E6GE0080
2836	霏	F6B0	F6B0	6BAF	7630	E6GF0080
2837	霏	F6B1	F6B1	6BB0	7631	E6GG0080
2838	霏	F6B2	F6B2	6BB1	7632	E6GH0080
2839	𪛗	F6B3	F6B3	6BB2	7633	E6GI0080
2840	𪛘	F6B4	F6B4	6BB3	7634	E6GJ0080
2841	𪛙	F6B5	F6B5	6BB4	7635	E6GK0080
2842	𪛚	F6B6	F6B6	6BB5	7636	E6GL0080
2843	𪛛	F6B7	F6B7	6BB6	7637	E6GM0080
2844	𪛜	F6B8	F6B8	6BB7	7638	E6GN0080
2845	𪛝	F6B9	F6B9	6BB8	7639	E6GO0080
2846	𪛞	F6BA	F6BA	6BB9	763A	E6GP0080
2847	𪛟	F6BB	F6BB	6BBA	763B	E6GQ0080
2848	𪛠	F6BC	F6BC	6BBB	763C	E6GR0080
2849	𪛡	F6BD	F6BD	6BBC	763D	E6GS0080
2850	𪛢	F6BE	F6BE	6BBD	763E	E6GT0080
2851	隹	F6BF	F6BF	6BBE	763F	E6GU0080
2852	隹	F6C0	F6C0	6BBF	7640	E6GV0080
2853	隹	F6C1	F6C1	6BC0	7641	E6GW0080
2854	隹	F6C2	F6C2	6BC1	7642	E6GX0080
2855	隹	F6C3	F6C3	6BC2	7643	E6GY0080
2856	隹	F6C4	F6C4	6BC3	7644	E6GZ0080
2857	隹	F6C5	F6C5	6BC4	7645	E6H00080
2858	隹	F6C6	F6C6	6BC5	7646	E6H10080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 52 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2859	盞	F6C7	F6C7	6BC6	7647	E6H20080
2860	盞	F6C8	F6C8	6BC7	7648	E6H30080
2861	盞	F6C9	F6C9	6BC8	7649	E6H40080
2862	盞	F6CA	F6CA	6BC9	764A	E6H50080
2863	盞	F6CB	F6CB	6BCA	764B	E6H60080
2864	盞	F6CC	F6CC	6BCB	764C	E6H70080
2865	盞	F6CD	F6CD	6BCC	764D	E6H80080
2866	盞	F6CE	F6CE	6BCD	764E	E6H90080
2867	魷	F6CF	F6CF	6BCE	764F	E6HA0080
2868	魷	F6D0	F6D0	6BCF	7650	E6HB0080
2869	魷	F6D1	F6D1	6BD0	7651	E6HC0080
2870	魷	F6D2	F6D2	6BD1	7652	E6HD0080
2871	魷	F6D3	F6D3	6BD2	7653	E6HE0080
2872	魷	F6D4	F6D4	6BD3	7654	E6HF0080
2873	魷	F6D5	F6D5	6BD4	7655	E6HG0080
2874	魷	F6D6	F6D6	6BD5	7656	E6HH0080
2875	魷	F6D7	F6D7	6BD6	7657	E6HI0080
2876	魷	F6D8	F6D8	6BD7	7658	E6HJ0080
2877	魷	F6D9	F6D9	6BD8	7659	E6HK0080
2878	魷	F6DA	F6DA	6BD9	765A	E6HL0080
2879	魷	F6DB	F6DB	6BDA	765B	E6HM0080
2880	魷	F6DC	F6DC	6BDB	765C	E6HN0080
2881	魷	F6DD	F6DD	6BDC	765D	E6HO0080
2882	魷	F6DE	F6DE	6BDD	765E	E6HP0080
2883	魷	F6DF	F6DF	6BDE	765F	E6HQ0080
2884	魷	F6E0	F6E0	6BDF	7660	E6HR0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 53 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2885	鯉	F6E1	F6E1	6BE0	7661	E6HS0080
2886	鯽	F6E2	F6E2	6BE1	7662	E6HT0080
2887	鯊	F6E3	F6E3	6BE2	7663	E6HU0080
2888	鯉	F6E4	F6E4	6BE3	7664	E6HV0080
2889	鯽	F6E5	F6E5	6BE4	7665	E6HW0080
2890	鯊	F6E6	F6E6	6BE5	7666	E6HX0080
2891	鯉	F6E7	F6E7	6BE6	7667	E6HY0080
2892	鯽	F6E8	F6E8	6BE7	7668	E6HZ0080
2893	鯊	F6E9	F6E9	6BE8	7669	E6I00080
2894	鯉	F6EA	F6EA	6BE9	766A	E6I10080
2895	鯽	F6EB	F6EB	6BEA	766B	E6I20080
2896	鯊	F6EC	F6EC	6BEB	766C	E6I30080
2897	鯉	F6ED	F6ED	6BEC	766D	E6I40080
2898	鯽	F6EE	F6EE	6BED	766E	E6I50080
2899	鯊	F6EF	F6EF	6BEE	766F	E6I60080
2900	鯉	F6F0	F6F0	6BEF	7670	E6I70080
2901	鯽	F6F1	F6F1	6BF0	7671	E6I80080
2902	鯊	F6F2	F6F2	6BF1	7672	E6I90080
2903	鯉	F6F3	F6F3	6BF2	7673	E6IA0080
2904	鯽	F6F4	F6F4	6BF3	7674	E6IB0080
2905	鯊	F6F5	F6F5	6BF4	7675	E6IC0080
2906	鯉	F6F6	F6F6	6BF5	7676	E6ID0080
2907	鯽	F6F7	F6F7	6BF6	7677	E6IE0080
2908	鯊	F6F8	F6F8	6BF7	7678	E6IF0080
2909	鯉	F6F9	F6F9	6BF8	7679	E6IG0080
2910	鯽	F6FA	F6FA	6BF9	767A	E6IH0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 54 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2911	𩺰	F6FB	F6FB	6BFA	767B	E6II0080
2912	𩺱	F6FC	F6FC	6BFB	767C	E6IJ0080
2913	𩺲	F6FD	F6FD	6BFC	767D	E6IK0080
2914	𩺳	F6FE	F6FE	6BFD	767E	E6IL0080
2915	𩺴	F7A1	F7A1	6C41	7721	E6IP0080
2916	𩺵	F7A2	F7A2	6C42	7722	E6IQ0080
2917	𩺶	F7A3	F7A3	6C43	7723	E6IR0080
2918	𩺷	F7A4	F7A4	6C44	7724	E6IS0080
2919	𩺸	F7A5	F7A5	6C45	7725	E6IT0080
2920	𩺹	F7A6	F7A6	6C46	7726	E6IU0080
2921	𩺺	F7A7	F7A7	6C47	7727	E6IV0080
2922	𩺻	F7A8	F7A8	6C48	7728	E6IW0080
2923	𩺼	F7A9	F7A9	6C49	7729	E6IX0080
2924	𩺽	F7AA	F7AA	6C4A	772A	E6IY0080
2925	𩺾	F7AB	F7AB	6C4B	772B	E6IZ0080
2926	𩺿	F7AC	F7AC	6C4C	772C	E6J00080
2927	𩻀	F7AD	F7AD	6C4D	772D	E6J10080
2928	𩻁	F7AE	F7AE	6C4E	772E	E6J20080
2929	𩻂	F7AF	F7AF	6C4F	772F	E6J30080
2930	𩻃	F7B0	F7B0	6C50	7730	E6J40080
2931	𩻄	F7B1	F7B1	6C51	7731	E6J50080
2932	𩻅	F7B2	F7B2	6C52	7732	E6J60080
2933	𩻆	F7B3	F7B3	6C53	7733	E6J70080
2934	𩻇	F7B4	F7B4	6C54	7734	E6J80080
2935	𩻈	F7B5	F7B5	6C55	7735	E6J90080
2936	𩻉	F7B6	F7B6	6C56	7736	E6JA0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 55 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2937	鞣	F7B7	F7B7	6C57	7737	E6JB0080
2938	鞣	F7B8	F7B8	6C58	7738	E6JC0080
2939	鞣	F7B9	F7B9	6C59	7739	E6JD0080
2940	骹	F7BA	F7BA	6C5A	773A	E6JE0080
2941	骹	F7BB	F7BB	6C5B	773B	E6JF0080
2942	骹	F7BC	F7BC	6C5C	773C	E6JG0080
2943	骹	F7BD	F7BD	6C5D	773D	E6JH0080
2944	骹	F7BE	F7BE	6C5E	773E	E6JI0080
2945	骹	F7BF	F7BF	6C5F	773F	E6JJ0080
2946	骹	F7C0	F7C0	6C60	7740	E6JK0080
2947	骹	F7C1	F7C1	6C61	7741	E6JL0080
2948	骹	F7C2	F7C2	6C62	7742	E6JM0080
2949	骹	F7C3	F7C3	6C63	7743	E6JN0080
2950	骹	F7C4	F7C4	6C64	7744	E6JO0080
2951	骹	F7C5	F7C5	6C65	7745	E6JP0080
2952	骹	F7C6	F7C6	6C66	7746	E6JQ0080
2953	骹	F7C7	F7C7	6C67	7747	E6JR0080
2954	魅	F7C8	F7C8	6C68	7748	E6JS0080
2955	魅	F7C9	F7C9	6C69	7749	E6JT0080
2956	魃	F7CA	F7CA	6C6A	774A	E6JU0080
2957	魃	F7CB	F7CB	6C6B	774B	E6JV0080
2958	魃	F7CC	F7CC	6C6C	774C	E6JW0080
2959	魃	F7CD	F7CD	6C6D	774D	E6JX0080
2960	魃	F7CE	F7CE	6C6E	774E	E6JY0080
2961	飧	F7CF	F7CF	6C6F	774F	E6JZ0080
2962	饕	F7D0	F7D0	6C70	7750	E6K00080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 10 (Page 56 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2963	髻	F7D1	F7D1	6C71	7751	E6K10080
2964	髻	F7D2	F7D2	6C72	7752	E6K20080
2965	髻	F7D3	F7D3	6C73	7753	E6K30080
2966	髻	F7D4	F7D4	6C74	7754	E6K40080
2967	髻	F7D5	F7D5	6C75	7755	E6K50080
2968	髻	F7D6	F7D6	6C76	7756	E6K60080
2969	髻	F7D7	F7D7	6C77	7757	E6K70080
2970	髻	F7D8	F7D8	6C78	7758	E6K80080
2971	髻	F7D9	F7D9	6C79	7759	E6K90080
2972	髻	F7DA	F7DA	6C7A	775A	E6KA0080
2973	髻	F7DB	F7DB	6C7B	775B	E6KB0080
2974	髻	F7DC	F7DC	6C7C	775C	E6KC0080
2975	髻	F7DD	F7DD	6C7D	775D	E6KD0080
2976	髻	F7DE	F7DE	6C7E	775E	E6KE0080
2977	髻	F7DF	F7DF	6C7F	775F	E6KF0080
2978	鬣	F7E0	F7E0	6C81	7760	E6KH0080
2979	麼	F7E1	F7E1	6C82	7761	E6KI0080
2980	麼	F7E2	F7E2	6C83	7762	E6KJ0080
2981	麼	F7E3	F7E3	6C84	7763	E6KK0080
2982	麁	F7E4	F7E4	6C85	7764	E6KL0080
2983	麁	F7E5	F7E5	6C86	7765	E6KM0080
2984	麁	F7E6	F7E6	6C87	7766	E6KN0080
2985	麁	F7E7	F7E7	6C88	7767	E6KO0080
2986	麒	F7E8	F7E8	6C89	7768	E6KP0080
2987	麁	F7E9	F7E9	6C8A	7769	E6KQ0080
2988	麁	F7EA	F7EA	6C8B	776A	E6KR0080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 10 (Page 57 of 57). Level 2 Chinese Character Set (2 of 2), DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
2989	麟	F7EB	F7EB	6C8C	776B	E6KS0080
2990	黛	F7EC	F7EC	6C8D	776C	E6KT0080
2991	黜	F7ED	F7ED	6C8E	776D	E6KU0080
2992	黝	F7EE	F7EE	6C8F	776E	E6KV0080
2993	黠	F7EF	F7EF	6C90	776F	E6KW0080
2994	黜	F7F0	F7F0	6C91	7770	E6KX0080
2995	黠	F7F1	F7F1	6C92	7771	E6KY0080
2996	黠	F7F2	F7F2	6C93	7772	E6KZ0080
2997	黠	F7F3	F7F3	6C94	7773	E6L00080
2998	黠	F7F4	F7F4	6C95	7774	E6L10080
2999	黠	F7F5	F7F5	6C96	7775	E6L20080
3000	黠	F7F6	F7F6	6C97	7776	E6L30080
3001	黠	F7F7	F7F7	6C98	7777	E6L40080
3002	黠	F7F8	F7F8	6C99	7778	E6L50080
3003	黠	F7F9	F7F9	6C9A	7779	E6L60080
3004	黠	F7FA	F7FA	6C9B	777A	E6L70080
3005	黠	F7FB	F7FB	6C9C	777B	E6L80080
3006	黠	F7FC	F7FC	6C9D	777C	E6L90080
3007	黠	F7FD	F7FD	6C9E	777D	E6LA0080
3008	黠	F7FE	F7FE	6C9F	777E	E6LB0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.7 IBM Selected Character Set

Table 11 (Page 1 of 2). IBM Selected Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1	i	FEE0	8CE0	41B1		NR010080
2	ii	FEE1	8CE1	41B2		NR020080
3	iii	FEE2	8CE2	41B3		NR030080
4	iv	FEE3	8CE3	41B4		NR040080
5	v	FEE4	8CE4	41B5		NR050080
6	vi	FEE5	8CE5	41B6		NR060080
7	vii	FEE6	8CE6	41B7		NR070080
8	viii	FEE7	8CE7	41B8		NR080080
9	ix	FEE8	8CE8	41B9		NR090080
10	x	FEE9	8CE9	41BA		NR100080
11	冫	FEEA	8CEA	425F		SM660080
12	丨	FEEB	8CEB	426A		SM650080
13	丿	FEEC	8CEC	427D		SP050080
14	一	FEED	8CED	4358		JX700080
15	¥	FEED	8CEE	435B		SC050080
16	ゝ	FEED	8CEF	43BE		JX710080
17	°	FEF0	8CF0	43BF		JX720080
18	ゝ	FEF1	8CF1	43DC		JQ750080
19	ゝ	FEF2	8CF2	43DD		JQ760080
20	—	FEF3	8CF3	445A		SP320080
21	仝	FEF4	8CF4	445C		SS760080
22	𠂇	FEF5	8CF5	445E		SS720080
23	○	FEF6	8CF6	445F		ND100087
24	〒	FEF7	8CF7	446C		SS730080
25	𠂇	FEF8	8CF8	446D		SS740080
26	TEL	FEF9	8CF9	446F		SS710080
27	••	FEFA	8CFA	447E		SV430080



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

Table 11 (Page 2 of 2). IBM Selected Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
28	↳	FEFB	8CFB	44DC		RQ750080
29	↻	FEFC	8CFC	44DD		RQ760080
30	▽	FEFD	8CFD	44EB		SM740080
31	▼	FEFE	8CFE	44EC		SV040080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

10.8 User Definable Character Set

Table 12 (Page 1 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1		A2A1	8DA1	7641		X8010080
2		A2A2	8DA2	7642		X8020080
3		A2A3	8DA3	7643		X8030080
4		A2A4	8DA4	7644		X8040080
5		A2A5	8DA5	7645		X8050080
6		A2A6	8DA6	7646		X8060080
7		A2A7	8DA7	7647		X8070080
8		A2A8	8DA8	7648		X8080080
9		A2A9	8DA9	7649		X8090080
10		A2AA	8DAA	764A		X80A0080
11		A2AB	8DAB	764B		X80B0080
12		A2AC	8DAC	764C		X80C0080
13		A2AD	8DAD	764D		X80D0080
14		A2AE	8DAE	764E		X80E0080
15		A2AF	8DAF	764F		X80F0080
16		A2B0	8DB0	7650		X80G0080
17		A2E3	8DB1	7651		X80H0080
18		A2E4	8DB2	7652		X80I0080
19		A2EF	8DB3	7653		X80J0080
20		A2F0	8DB4	7654		X80K0080
21		A2FD	8DB5	7655		X80L0080
22		A2FE	8DB6	7656		X80M0080
23		A4F4	8DB7	7657		X80N0080
24		A4F5	8DB8	7658		X80O0080
25		A4F6	8DB9	7659		X80P0080
26		A4F7	8DBA	765A		X80Q0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 2 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
27		A4F8	8DBB	765B		X80R0080
28		A4F9	8DBC	765C		X80S0080
29		A4FA	8DBD	765D		X80T0080
30		A4FB	8DBE	765E		X80U0080
31		A4FC	8DBF	765F		X80V0080
32		A4FD	8DC0	7660		X80W0080
33		A4FE	8DC1	7661		X80X0080
34		A5F7	8DC2	7662		X80Y0080
35		A5F8	8DC3	7663		X80Z0080
36		A5F9	8DC4	7664		X8100080
37		A5FA	8DC5	7665		X8110080
38		A5FB	8DC6	7666		X8120080
39		A5FC	8DC7	7667		X8130080
40		A5FD	8DC8	7668		X8140080
41		A5FE	8DC9	7669		X8150080
42		A6B9	8DCA	766A		X8160080
43		A6BA	8DCB	766B		X8170080
44		A6BB	8DCC	766C		X8180080
45		A6BC	8DCD	766D		X8190080
46		A6BD	8DCE	766E		X81A0080
47		A6BE	8DCF	766F		X81B0080
48		A6BF	8DD0	7670		X81C0080
49		A6C0	8DD1	7671		X81D0080
50		A6D9	8DD2	7672		X81E0080
51		A6DA	8DD3	7673		X81F0080
52		A6DB	8DD4	7674		X81G0080
53		A6DC	8DD5	7675		X81H0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 3 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
54		A6DD	8DD6	7676		X81I0080
55		A6DE	8DD7	7677		X81J0080
56		A6DF	8DD8	7678		X81K0080
57		A6E0	8DD9	7679		X81L0080
58		A6E1	8DDA	767A		X81M0080
59		A6E2	8ddb	767B		X81N0080
60		A6E3	8DDC	767C		X81O0080
61		A6E4	8DDD	767D		X81P0080
62		A6E5	8DDE	767E		X81Q0080
63		A6E6	8DDF	767F		X81R0080
64		A6E7	8DE0	7681		X81T0080
65		A6E8	8DE1	7682		X81U0080
66		A6E9	8DE2	7683		X81V0080
67		A6EA	8DE3	7684		X81W0080
68		A6EB	8DE4	7685		X81X0080
69		A6EC	8DE5	7686		X81Y0080
70		A6ED	8DE6	7687		X81Z0080
71		A6EE	8DE7	7688		X8200080
72		A6EF	8DE8	7689		X8210080
73		A6F0	8DE9	768A		X8220080
74		A6F1	8DEA	768B		X8230080
75		A6F2	8DEB	768C		X8240080
76		A6F3	8DEC	768D		X8250080
77		A6F4	8DED	768E		X8260080
78		A6F5	8DEE	768F		X8270080
79		A6F6	8DEF	7690		X8280080
80		A6F7	8DF0	7691		X8290080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC


Table 12 (Page 4 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
81		A6F8	8DF1	7692		X82A0080
82		A6F9	8DF2	7693		X82B0080
83		A6FA	8DF3	7694		X82C0080
84		A6FB	8DF4	7695		X82D0080
85		A6FC	8DF5	7696		X82E0080
86		A6FD	8DF6	7697		X82F0080
87		A6FE	8DF7	7698		X82G0080
88		A7C2	8DF8	7699		X82H0080
89		A7C3	8DF9	769A		X82I0080
90		A7C4	8DFA	769B		X82J0080
91		A7C5	8DFB	769C		X82K0080
92		A7C6	8DFC	769D		X82L0080
93		A7C7	8DFD	769E		X82M0080
94		A7C8	8DFE	769F		X82N0080
95		A7C9	8EA1	76A0		X82O0080
96		A7CA	8EA2	76A1		X82P0080
97		A7CB	8EA3	76A2		X82Q0080
98		A7CC	8EA4	76A3		X82R0080
99		A7CD	8EA5	76A4		X82S0080
100		A7CE	8EA6	76A5		X82T0080
101		A7CF	8EA7	76A6		X82U0080
102		A7D0	8EA8	76A7		X82V0080
103		A7F2	8EA9	76A8		X82W0080
104		A7F3	8EAA	76A9		X82X0080
105		A7F4	8EAB	76AA		X82Y0080
106		A7F5	8EAC	76AB		X82Z0080
107		A7F6	8EAD	76AC		X8300080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 5 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
108		A7F7	8EAE	76AD		X8310080
109		A7F8	8EAF	76AE		X8320080
110		A7F9	8EB0	76AF		X8330080
111		A7FA	8EB1	76B0		X8340080
112		A7FB	8EB2	76B1		X8350080
113		A7FC	8EB3	76B2		X8360080
114		A7FD	8EB4	76B3		X8370080
115		A7FE	8EB5	76B4		X8380080
116		A8BB	8EB6	76B5		X8390080
117		A8BC	8EB7	76B6		X83A0080
118		A8BD	8EB8	76B7		X83B0080
119		A8BE	8EB9	76B8		X83C0080
120		A8BF	8EBA	76B9		X83D0080
121		A8C0	8EBB	76BA		X83E0080
122		A8C1	8EBC	76BB		X83F0080
123		A8C2	8EBD	76BC		X83G0080
124		A8C3	8EBE	76BD		X83H0080
125		A8C4	8EBF	76BE		X83I0080
126		A8EA	8EC0	76BF		X83J0080
127		A8EB	8EC1	76C0		X83K0080
128		A8EC	8EC2	76C1		X83L0080
129		A8ED	8EC3	76C2		X83M0080
130		A8EE	8EC4	76C3		X83N0080
131		A8EF	8EC5	76C4		X83O0080
132		A8F0	8EC6	76C5		X83P0080
133		A8F1	8EC7	76C6		X83Q0080
134		A8F2	8EC8	76C7		X83R0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 6 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
135		A8F3	8EC9	76C8		X83S0080
136		A8F4	8ECA	76C9		X83T0080
137		A8F5	8ECB	76CA		X83U0080
138		A8F6	8ECC	76CB		X83V0080
139		A8F7	8ECD	76CC		X83W0080
140		A8F8	8ECE	76CD		X83X0080
141		A8F9	8ECF	76CE		X83Y0080
142		A8FA	8ED0	76CF		X83Z0080
143		A8FB	8ED1	76D0		X8400080
144		A8FC	8ED2	76D1		X8410080
145		A8FD	8ED3	76D2		X8420080
146		A8FE	8ED4	76D3		X8430080
147		A9A1	8ED5	76D4		X8440080
148		A9A2	8ED6	76D5		X8450080
149		A9A3	8ED7	76D6		X8460080
150		A9F0	8ED8	76D7		X8470080
151		A9F1	8ED9	76D8		X8480080
152		A9F2	8EDA	76D9		X8490080
153		A9F3	8EDB	76DA		X84A0080
154		A9F4	8EDC	76DB		X84B0080
155		A9F5	8EDD	76DC		X84C0080
156		A9F6	8EDE	76DD		X84D0080
157		A9F7	8EDF	76DE		X84E0080
158		A9F8	8EE0	76DF		X84F0080
159		A9F9	8EE1	76E0		X84G0080
160		A9FA	8EE2	76E1		X84H0080
161		A9FB	8EE3	76E2		X84I0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 7 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
162		A9FC	8EE4	76E3		X84J0080
163		A9FD	8EE5	76E4		X84K0080
164		A9FE	8EE6	76E5		X84L0080
165		AAA1	8EE7	76E6		X84M0080
166		AAA2	8EE8	76E7		X84N0080
167		AAA3	8EE9	76E8		X84O0080
168		AAA4	8EEA	76E9		X84P0080
169		AAA5	8EEB	76EA		X84Q0080
170		AAA6	8EEC	76EB		X84R0080
171		AAA7	8EED	76EC		X84S0080
172		AAA8	8EEE	76ED		X84T0080
173		AAA9	8EEF	76EE		X84U0080
174		AAAA	8EF0	76EF		X84V0080
175		AAAB	8EF1	76F0		X84W0080
176		AAAC	8EF2	76F1		X84X0080
177		AAAD	8EF3	76F2		X84Y0080
178		AAAE	8EF4	76F3		X84Z0080
179		AAAF	8EF5	76F4		X8500080
180		AAB0	8EF6	76F5		X8510080
181		AAB1	8EF7	76F6		X8520080
182		AAB2	8EF8	76F7		X8530080
183		AAB3	8EF9	76F8		X8540080
184		AAB4	8EFA	76F9		X8550080
185		AAB5	8EFB	76FA		X8560080
186		AAB6	8EFC	76FB		X8570080
187		AAB7	8EFD	76FC		X8580080
188		AAB8	8EFE	76FD		X8590080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 8 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
189		AAB9	8FA1	7741		X85D0080
190		AABA	8FA2	7742		X85E0080
191		AABB	8FA3	7743		X85F0080
192		AABC	8FA4	7744		X85G0080
193		AABD	8FA5	7745		X85H0080
194		AABE	8FA6	7746		X85I0080
195		AABF	8FA7	7747		X85J0080
196		AAC0	8FA8	7748		X85K0080
197		AAC1	8FA9	7749		X85L0080
198		AAC2	8FAA	774A		X85M0080
199		AAC3	8FAB	774B		X85N0080
200		AAC4	8FAC	774C		X85O0080
201		AAC5	8FAD	774D		X85P0080
202		AAC6	8FAE	774E		X85Q0080
203		AAC7	8FAF	774F		X85R0080
204		AAC8	8FB0	7750		X85S0080
205		AAC9	8FB1	7751		X85T0080
206		AACA	8FB2	7752		X85U0080
207		AACB	8FB3	7753		X85V0080
208		AACC	8FB4	7754		X85W0080
209		AACD	8FB5	7755		X85X0080
210		AACE	8FB6	7756		X85Y0080
211		AACF	8FB7	7757		X85Z0080
212		AAD0	8FB8	7758		X8600080
213		AAD1	8FB9	7759		X8610080
214		AAD2	8FBA	775A		X8620080
215		AAD3	8FBB	775B		X8630080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 9 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
216		AAD4	8FBC	775C		X8640080
217		AAD5	8FBD	775D		X8650080
218		AAD6	8FBE	775E		X8660080
219		AAD7	8FBF	775F		X8670080
220		AAD8	8FC0	7760		X8680080
221		AAD9	8FC1	7761		X8690080
222		AADA	8FC2	7762		X86A0080
223		AADB	8FC3	7763		X86B0080
224		AADC	8FC4	7764		X86C0080
225		AADD	8FC5	7765		X86D0080
226		AADE	8FC6	7766		X86E0080
227		AADF	8FC7	7767		X86F0080
228		AAE0	8FC8	7768		X86G0080
229		AAE1	8FC9	7769		X86H0080
230		AAE2	8FCA	776A		X86I0080
231		AAE3	8FCB	776B		X86J0080
232		AAE4	8FCC	776C		X86K0080
233		AAE5	8FCD	776D		X86L0080
234		AAE6	8FCE	776E		X86M0080
235		AAE7	8FCF	776F		X86N0080
236		AAE8	8FD0	7770		X86O0080
237		AAE9	8FD1	7771		X86P0080
238		AAEA	8FD2	7772		X86Q0080
239		AAEB	8FD3	7773		X86R0080
240		AAEC	8FD4	7774		X86S0080
241		AAED	8FD5	7775		X86T0080
242		AAEE	8FD6	7776		X86U0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 10 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
243		AAEF	8FD7	7777		X86V0080
244		AAF0	8FD8	7778		X86W0080
245		AAF1	8FD9	7779		X86X0080
246		AAF2	8FDA	777A		X86Y0080
247		AAF3	8FDB	777B		X86Z0080
248		AAF4	8FDC	777C		X8700080
249		AAF5	8FDD	777D		X8710080
250		AAF6	8FDE	777E		X8720080
251		AAF7	8FDF	777F		X8730080
252		AAF8	8FE0	7781		X8750080
253		AAF9	8FE1	7782		X8760080
254		AAFA	8FE2	7783		X8770080
255		AAFB	8FE3	7784		X8780080
256		AAFC	8FE4	7785		X8790080
257		AAFD	8FE5	7786		X87A0080
258		AAFE	8FE6	7787		X87B0080
259		ABA1	8FE7	7788		X87C0080
260		ABA2	8FE8	7789		X87D0080
261		ABA3	8FE9	778A		X87E0080
262		ABA4	8FEA	778B		X87F0080
263		ABA5	8FEB	778C		X87G0080
264		ABA6	8FEC	778D		X87H0080
265		ABA7	8FED	778E		X87I0080
266		ABA8	8FEE	778F		X87J0080
267		ABA9	8FEF	7790		X87K0080
268		ABAA	8FF0	7791		X87L0080
269		ABAB	8FF1	7792		X87M0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 11 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
270		ABAC	8FF2	7793		X87N0080
271		ABAD	8FF3	7794		X87O0080
272		ABAE	8FF4	7795		X87P0080
273		ABAF	8FF5	7796		X87Q0080
274		ABB0	8FF6	7797		X87R0080
275		ABB1	8FF7	7798		X87S0080
276		ABB2	8FF8	7799		X87T0080
277		ABB3	8FF9	779A		X87U0080
278		ABB4	8FFA	779B		X87V0080
279		ABB5	8FFB	779C		X87W0080
280		ABB6	8FFC	779D		X87X0080
281		ABB7	8FFD	779E		X87Y0080
282		ABB8	8FFE	779F		X87Z0080
283		ABB9	90A1	77A0		X8800080
284		ABBA	90A2	77A1		X8810080
285		ABBB	90A3	77A2		X8820080
286		ABBC	90A4	77A3		X8830080
287		ABBD	90A5	77A4		X8840080
288		ABBE	90A6	77A5		X8850080
289		ABBF	90A7	77A6		X8860080
290		ABC0	90A8	77A7		X8870080
291		ABC1	90A9	77A8		X8880080
292		ABC2	90AA	77A9		X8890080
293		ABC3	90AB	77AA		X88A0080
294		ABC4	90AC	77AB		X88B0080
295		ABC5	90AD	77AC		X88C0080
296		ABC6	90AE	77AD		X88D0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 12 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
297		ABC7	90AF	77AE		X88E0080
298		ABC8	90B0	77AF		X88F0080
299		ABC9	90B1	77B0		X88G0080
300		ABCA	90B2	77B1		X88H0080
301		ABCB	90B3	77B2		X88I0080
302		ABCC	90B4	77B3		X88J0080
303		ABCD	90B5	77B4		X88K0080
304		ABCE	90B6	77B5		X88L0080
305		ABCF	90B7	77B6		X88M0080
306		ABD0	90B8	77B7		X88N0080
307		ABD1	90B9	77B8		X88O0080
308		ABD2	90BA	77B9		X88P0080
309		ABD3	90BB	77BA		X88Q0080
310		ABD4	90BC	77BB		X88R0080
311		ABD5	90BD	77BC		X88S0080
312		ABD6	90BE	77BD		X88T0080
313		ABD7	90BF	77BE		X88U0080
314		ABD8	90C0	77BF		X88V0080
315		ABD9	90C1	77C0		X88W0080
316		ABDA	90C2	77C1		X88X0080
317		ABDB	90C3	77C2		X88Y0080
318		ABDC	90C4	77C3		X88Z0080
319		ABDD	90C5	77C4		X8900080
320		ABDE	90C6	77C5		X8910080
321		ABDF	90C7	77C6		X8920080
322		ABE0	90C8	77C7		X8930080
323		ABE1	90C9	77C8		X8940080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 13 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
324		ABE2	90CA	77C9		X8950080
325		ABE3	90CB	77CA		X8960080
326		ABE4	90CC	77CB		X8970080
327		ABE5	90CD	77CC		X8980080
328		ABE6	90CE	77CD		X8990080
329		ABE7	90CF	77CE		X89A0080
330		ABE8	90D0	77CF		X89B0080
331		ABE9	90D1	77D0		X89C0080
332		ABEA	90D2	77D1		X89D0080
333		ABEB	90D3	77D2		X89E0080
334		ABEC	90D4	77D3		X89F0080
335		ABED	90D5	77D4		X89G0080
336		ABEE	90D6	77D5		X89H0080
337		ABEF	90D7	77D6		X89I0080
338		ABF0	90D8	77D7		X89J0080
339		ABF1	90D9	77D8		X89K0080
340		ABF2	90DA	77D9		X89L0080
341		ABF3	90DB	77DA		X89M0080
342		ABF4	90DC	77DB		X89N0080
343		ABF5	90DD	77DC		X89O0080
344		ABF6	90DE	77DD		X89P0080
345		ABF7	90DF	77DE		X89Q0080
346		ABF8	90E0	77DF		X89R0080
347		ABF9	90E1	77E0		X89S0080
348		ABFA	90E2	77E1		X89T0080
349		ABFB	90E3	77E2		X89U0080
350		ABFC	90E4	77E3		X89V0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 14 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
351		ABFD	90E5	77E4		X89W0080
352		ABFE	90E6	77E5		X89X0080
353		ACA1	90E7	77E6		X89Y0080
354		ACA2	90E8	77E7		X89Z0080
355		ACA3	90E9	77E8		X8A00080
356		ACA4	90EA	77E9		X8A10080
357		ACA5	90EB	77EA		X8A20080
358		ACA6	90EC	77EB		X8A30080
359		ACA7	90ED	77EC		X8A40080
360		ACA8	90EE	77ED		X8A50080
361		ACA9	90EF	77EE		X8A60080
362		ACAA	90F0	77EF		X8A70080
363		ACAB	90F1	77F0		X8A80080
364		ACAC	90F2	77F1		X8A90080
365		ACAD	90F3	77F2		X8AA0080
366		ACAE	90F4	77F3		X8AB0080
367		ACAF	90F5	77F4		X8AC0080
368		ACB0	90F6	77F5		X8AD0080
369		ACB1	90F7	77F6		X8AE0080
370		ACB2	90F8	77F7		X8AF0080
371		ACB3	90F9	77F8		X8AG0080
372		ACB4	90FA	77F9		X8AH0080
373		ACB5	90FB	77FA		X8AI0080
374		ACB6	90FC	77FB		X8AJ0080
375		ACB7	90FD	77FC		X8AK0080
376		ACB8	90FE	77FD		X8AL0080
377		ACB9	91A1	7841		X8AP0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 15 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
378		ACBA	91A2	7842		X8AQ0080
379		ACBB	91A3	7843		X8AR0080
380		ACBC	91A4	7844		X8AS0080
381		ACBD	91A5	7845		X8AT0080
382		ACBE	91A6	7846		X8AU0080
383		ACBF	91A7	7847		X8AV0080
384		ACC0	91A8	7848		X8AW0080
385		ACC1	91A9	7849		X8AX0080
386		ACC2	91AA	784A		X8AY0080
387		ACC3	91AB	784B		X8AZ0080
388		ACC4	91AC	784C		X8B00080
389		ACC5	91AD	784D		X8B10080
390		ACC6	91AE	784E		X8B20080
391		ACC7	91AF	784F		X8B30080
392		ACC8	91B0	7850		X8B40080
393		ACC9	91B1	7851		X8B50080
394		ACCA	91B2	7852		X8B60080
395		ACCB	91B3	7853		X8B70080
396		ACCC	91B4	7854		X8B80080
397		ACCD	91B5	7855		X8B90080
398		ACCE	91B6	7856		X8BA0080
399		ACCF	91B7	7857		X8BB0080
400		ACD0	91B8	7858		X8BC0080
401		ACD1	91B9	7859		X8BD0080
402		ACD2	91BA	785A		X8BE0080
403		ACD3	91BB	785B		X8BF0080
404		ACD4	91BC	785C		X8BG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 16 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
405		ACD5	91BD	785D		X8BH0080
406		ACD6	91BE	785E		X8BI0080
407		ACD7	91BF	785F		X8BJ0080
408		ACD8	91C0	7860		X8BK0080
409		ACD9	91C1	7861		X8BL0080
410		ACDA	91C2	7862		X8BM0080
411		ACDB	91C3	7863		X8BN0080
412		ACDC	91C4	7864		X8BO0080
413		ACDD	91C5	7865		X8BP0080
414		ACDE	91C6	7866		X8BQ0080
415		ACDF	91C7	7867		X8BR0080
416		ACE0	91C8	7868		X8BS0080
417		ACE1	91C9	7869		X8BT0080
418		ACE2	91CA	786A		X8BU0080
419		ACE3	91CB	786B		X8BV0080
420		ACE4	91CC	786C		X8BW0080
421		ACE5	91CD	786D		X8BX0080
422		ACE6	91CE	786E		X8BY0080
423		ACE7	91CF	786F		X8BZ0080
424		ACE8	91D0	7870		X8C00080
425		ACE9	91D1	7871		X8C10080
426		ACEA	91D2	7872		X8C20080
427		ACEB	91D3	7873		X8C30080
428		ACEC	91D4	7874		X8C40080
429		ACED	91D5	7875		X8C50080
430		ACEE	91D6	7876		X8C60080
431		ACEF	91D7	7877		X8C70080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 17 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
432		ACF0	91D8	7878		X8C80080
433		ACF1	91D9	7879		X8C90080
434		ACF2	91DA	787A		X8CA0080
435		ACF3	91DB	787B		X8CB0080
436		ACF4	91DC	787C		X8CC0080
437		ACF5	91DD	787D		X8CD0080
438		ACF6	91DE	787E		X8CE0080
439		ACF7	91DF	787F		X8CF0080
440		ACF8	91E0	7881		X8CH0080
441		ACF9	91E1	7882		X8CI0080
442		ACFA	91E2	7883		X8CJ0080
443		ACFB	91E3	7884		X8CK0080
444		ACFC	91E4	7885		X8CL0080
445		ACFD	91E5	7886		X8CM0080
446		ACFE	91E6	7887		X8CN0080
447		ADA1	91E7	7888		X8CO0080
448		ADA2	91E8	7889		X8CP0080
449		ADA3	91E9	788A		X8CQ0080
450		ADA4	91EA	788B		X8CR0080
451		ADA5	91EB	788C		X8CS0080
452		ADA6	91EC	788D		X8CT0080
453		ADA7	91ED	788E		X8CU0080
454		ADA8	91EE	788F		X8CV0080
455		ADA9	91EF	7890		X8CW0080
456		ADAA	91F0	7891		X8CX0080
457		ADAB	91F1	7892		X8CY0080
458		ADAC	91F2	7893		X8CZ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 18 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
459		ADAD	91F3	7894		X8D00080
460		ADAE	91F4	7895		X8D10080
461		ADAF	91F5	7896		X8D20080
462		ADB0	91F6	7897		X8D30080
463		ADB1	91F7	7898		X8D40080
464		ADB2	91F8	7899		X8D50080
465		ADB3	91F9	789A		X8D60080
466		ADB4	91FA	789B		X8D70080
467		ADB5	91FB	789C		X8D80080
468		ADB6	91FC	789D		X8D90080
469		ADB7	91FD	789E		X8DA0080
470		ADB8	91FE	789F		X8DB0080
471		ADB9	92A1	78A0		X8DC0080
472		ADBA	92A2	78A1		X8DD0080
473		ADBB	92A3	78A2		X8DE0080
474		ADBC	92A4	78A3		X8DF0080
475		ADBD	92A5	78A4		X8DG0080
476		ADBE	92A6	78A5		X8DH0080
477		ADBF	92A7	78A6		X8DI0080
478		ADC0	92A8	78A7		X8DJ0080
479		ADC1	92A9	78A8		X8DK0080
480		ADC2	92AA	78A9		X8DL0080
481		ADC3	92AB	78AA		X8DM0080
482		ADC4	92AC	78AB		X8DN0080
483		ADC5	92AD	78AC		X8DO0080
484		ADC6	92AE	78AD		X8DP0080
485		ADC7	92AF	78AE		X8DQ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 19 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
486		ADC8	92B0	78AF		X8DR0080
487		ADC9	92B1	78B0		X8DS0080
488		ADCA	92B2	78B1		X8DT0080
489		ADCB	92B3	78B2		X8DU0080
490		ADCC	92B4	78B3		X8DV0080
491		ADCD	92B5	78B4		X8DW0080
492		ADCE	92B6	78B5		X8DX0080
493		ADCF	92B7	78B6		X8DY0080
494		ADD0	92B8	78B7		X8DZ0080
495		ADD1	92B9	78B8		X8E00080
496		ADD2	92BA	78B9		X8E10080
497		ADD3	92BB	78BA		X8E20080
498		ADD4	92BC	78BB		X8E30080
499		ADD5	92BD	78BC		X8E40080
500		ADD6	92BE	78BD		X8E50080
501		ADD7	92BF	78BE		X8E60080
502		ADD8	92C0	78BF		X8E70080
503		ADD9	92C1	78C0		X8E80080
504		ADDA	92C2	78C1		X8E90080
505		ADDB	92C3	78C2		X8EA0080
506		ADDC	92C4	78C3		X8EB0080
507		ADDD	92C5	78C4		X8EC0080
508		ADDE	92C6	78C5		X8ED0080
509		ADDF	92C7	78C6		X8EE0080
510		ADE0	92C8	78C7		X8EF0080
511		ADE1	92C9	78C8		X8EG0080
512		ADE2	92CA	78C9		X8EH0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 20 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
513		ADE3	92CB	78CA		X8EI0080
514		ADE4	92CC	78CB		X8EJ0080
515		ADE5	92CD	78CC		X8EK0080
516		ADE6	92CE	78CD		X8EL0080
517		ADE7	92CF	78CE		X8EM0080
518		ADE8	92D0	78CF		X8EN0080
519		ADE9	92D1	78D0		X8EO0080
520		ADEA	92D2	78D1		X8EP0080
521		ADEB	92D3	78D2		X8EQ0080
522		ADEC	92D4	78D3		X8ER0080
523		ADED	92D5	78D4		X8ES0080
524		ADEE	92D6	78D5		X8ET0080
525		ADEF	92D7	78D6		X8EU0080
526		ADF0	92D8	78D7		X8EV0080
527		ADF1	92D9	78D8		X8EW0080
528		ADF2	92DA	78D9		X8EX0080
529		ADF3	92DB	78DA		X8EY0080
530		ADF4	92DC	78DB		X8EZ0080
531		ADF5	92DD	78DC		X8F00080
532		ADF6	92DE	78DD		X8F10080
533		ADF7	92DF	78DE		X8F20080
534		ADF8	92E0	78DF		X8F30080
535		ADF9	92E1	78E0		X8F40080
536		ADFA	92E2	78E1		X8F50080
537		ADFB	92E3	78E2		X8F60080
538		ADFC	92E4	78E3		X8F70080
539		ADFD	92E5	78E4		X8F80080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 21 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
540		ADFE	92E6	78E5		X8F90080
541		AEA1	92E7	78E6		X8FA0080
542		AEA2	92E8	78E7		X8FB0080
543		AEA3	92E9	78E8		X8FC0080
544		AEA4	92EA	78E9		X8FD0080
545		AEA5	92EB	78EA		X8FE0080
546		AEA6	92EC	78EB		X8FF0080
547		AEA7	92ED	78EC		X8FG0080
548		AEA8	92EE	78ED		X8FH0080
549		AEA9	92EF	78EE		X8FI0080
550		AEAA	92F0	78EF		X8FJ0080
551		AEAB	92F1	78F0		X8FK0080
552		AEAC	92F2	78F1		X8FL0080
553		AEAD	92F3	78F2		X8FM0080
554		AEAE	92F4	78F3		X8FN0080
555		AEAF	92F5	78F4		X8FO0080
556		AEB0	92F6	78F5		X8FP0080
557		AEB1	92F7	78F6		X8FQ0080
558		AEB2	92F8	78F7		X8FR0080
559		AEB3	92F9	78F8		X8FS0080
560		AEB4	92FA	78F9		X8FT0080
561		AEB5	92FB	78FA		X8FU0080
562		AEB6	92FC	78FB		X8FV0080
563		AEB7	92FD	78FC		X8FW0080
564		AEB8	92FE	78FD		X8FX0080
565		AEB9	93A1	7941		X8G10080
566		AEBA	93A2	7942		X8G20080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 22 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
567		AEBB	93A3	7943		X8G30080
568		AEBC	93A4	7944		X8G40080
569		AEBD	93A5	7945		X8G50080
570		AEBE	93A6	7946		X8G60080
571		AEBF	93A7	7947		X8G70080
572		AEC0	93A8	7948		X8G80080
573		AEC1	93A9	7949		X8G90080
574		AEC2	93AA	794A		X8GA0080
575		AEC3	93AB	794B		X8GB0080
576		AEC4	93AC	794C		X8GC0080
577		AEC5	93AD	794D		X8GD0080
578		AEC6	93AE	794E		X8GE0080
579		AEC7	93AF	794F		X8GF0080
580		AEC8	93B0	7950		X8GG0080
581		AEC9	93B1	7951		X8GH0080
582		AECA	93B2	7952		X8GI0080
583		AECB	93B3	7953		X8GJ0080
584		AECC	93B4	7954		X8GK0080
585		AECD	93B5	7955		X8GL0080
586		AECE	93B6	7956		X8GM0080
587		AECF	93B7	7957		X8GN0080
588		AED0	93B8	7958		X8GO0080
589		AED1	93B9	7959		X8GP0080
590		AED2	93BA	795A		X8GQ0080
591		AED3	93BB	795B		X8GR0080
592		AED4	93BC	795C		X8GS0080
593		AED5	93BD	795D		X8GT0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 23 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
594		AED6	93BE	795E		X8GU0080
595		AED7	93BF	795F		X8GV0080
596		AED8	93C0	7960		X8GW0080
597		AED9	93C1	7961		X8GX0080
598		AEDA	93C2	7962		X8GY0080
599		AEDB	93C3	7963		X8GZ0080
600		AEDC	93C4	7964		X8H00080
601		AEDD	93C5	7965		X8H10080
602		AEDE	93C6	7966		X8H20080
603		AEDF	93C7	7967		X8H30080
604		AEE0	93C8	7968		X8H40080
605		AEE1	93C9	7969		X8H50080
606		AEE2	93CA	796A		X8H60080
607		AEE3	93CB	796B		X8H70080
608		AEE4	93CC	796C		X8H80080
609		AEE5	93CD	796D		X8H90080
610		AEE6	93CE	796E		X8HA0080
611		AEE7	93CF	796F		X8HB0080
612		AEE8	93D0	7970		X8HC0080
613		AEE9	93D1	7971		X8HD0080
614		AEEA	93D2	7972		X8HE0080
615		AEEB	93D3	7973		X8HF0080
616		AEEC	93D4	7974		X8HG0080
617		AEED	93D5	7975		X8HH0080
618		AEEE	93D6	7976		X8HI0080
619		AEEF	93D7	7977		X8HJ0080
620		AEF0	93D8	7978		X8HK0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 24 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
621		AEF1	93D9	7979		X8HL0080
622		AEF2	93DA	797A		X8HM0080
623		AEF3	93DB	797B		X8HN0080
624		AEF4	93DC	797C		X8HO0080
625		AEF5	93DD	797D		X8HP0080
626		AEF6	93DE	797E		X8HQ0080
627		AEF7	93DF	797F		X8HR0080
628		AEF8	93E0	7981		X8HT0080
629		AEF9	93E1	7982		X8HU0080
630		AEFA	93E2	7983		X8HV0080
631		AEFB	93E3	7984		X8HW0080
632		AEFC	93E4	7985		X8HX0080
633		AEFD	93E5	7986		X8HY0080
634		AEFE	93E6	7987		X8HZ0080
635		AFA1	93E7	7988		X8I00080
636		AFA2	93E8	7989		X8I10080
637		AFA3	93E9	798A		X8I20080
638		AFA4	93EA	798B		X8I30080
639		AFA5	93EB	798C		X8I40080
640		AFA6	93EC	798D		X8I50080
641		AFA7	93ED	798E		X8I60080
642		AFA8	93EE	798F		X8I70080
643		AFA9	93EF	7990		X8I80080
644		AFAA	93F0	7991		X8I90080
645		AFAB	93F1	7992		X8IA0080
646		AFAC	93F2	7993		X8IB0080
647		AFAD	93F3	7994		X8IC0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 25 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
648		AFAE	93F4	7995		X8ID0080
649		AFAF	93F5	7996		X8IE0080
650		AFB0	93F6	7997		X8IF0080
651		AFB1	93F7	7998		X8IG0080
652		AFB2	93F8	7999		X8IH0080
653		AFB3	93F9	799A		X8II0080
654		AFB4	93FA	799B		X8IJ0080
655		AFB5	93FB	799C		X8IK0080
656		AFB6	93FC	799D		X8IL0080
657		AFB7	93FD	799E		X8IM0080
658		AFB8	93FE	799F		X8IN0080
659		AFB9	94A1	79A0		X8IO0080
660		AFBA	94A2	79A1		X8IP0080
661		AFBB	94A3	79A2		X8IQ0080
662		AFBC	94A4	79A3		X8IR0080
663		AFBD	94A5	79A4		X8IS0080
664		AFBE	94A6	79A5		X8IT0080
665		AFBF	94A7	79A6		X8IU0080
666		AFC0	94A8	79A7		X8IV0080
667		AFC1	94A9	79A8		X8IW0080
668		AFC2	94AA	79A9		X8IX0080
669		AFC3	94AB	79AA		X8IY0080
670		AFC4	94AC	79AB		X8IZ0080
671		AFC5	94AD	79AC		X8J00080
672		AFC6	94AE	79AD		X8J10080
673		AFC7	94AF	79AE		X8J20080
674		AFC8	94B0	79AF		X8J30080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 26 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
675		AFC9	94B1	79B0		X8J40080
676		AFCA	94B2	79B1		X8J50080
677		AFCB	94B3	79B2		X8J60080
678		AFCC	94B4	79B3		X8J70080
679		AFCD	94B5	79B4		X8J80080
680		AFCE	94B6	79B5		X8J90080
681		AFCF	94B7	79B6		X8JA0080
682		AFD0	94B8	79B7		X8JB0080
683		AFD1	94B9	79B8		X8JC0080
684		AFD2	94BA	79B9		X8JD0080
685		AFD3	94BB	79BA		X8JE0080
686		AFD4	94BC	79BB		X8JF0080
687		AFD5	94BD	79BC		X8JG0080
688		AFD6	94BE	79BD		X8JH0080
689		AFD7	94BF	79BE		X8JI0080
690		AFD8	94C0	79BF		X8JJ0080
691		AFD9	94C1	79C0		X8JK0080
692		AFDA	94C2	79C1		X8JL0080
693		AFDB	94C3	79C2		X8JM0080
694		AFDC	94C4	79C3		X8JN0080
695		AFDD	94C5	79C4		X8JO0080
696		AFDE	94C6	79C5		X8JP0080
697		AFDF	94C7	79C6		X8JQ0080
698		AFE0	94C8	79C7		X8JR0080
699		AFE1	94C9	79C8		X8JS0080
700		AFE2	94CA	79C9		X8JT0080
701		AFE3	94CB	79CA		X8JU0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 27 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
702		AFE4	94CC	79CB		X8JV0080
703		AFE5	94CD	79CC		X8JW0080
704		AFE6	94CE	79CD		X8JX0080
705		AFE7	94CF	79CE		X8JY0080
706		AFE8	94D0	79CF		X8JZ0080
707		AFE9	94D1	79D0		X8K00080
708		AFEA	94D2	79D1		X8K10080
709		AFEB	94D3	79D2		X8K20080
710		AFEC	94D4	79D3		X8K30080
711		AFED	94D5	79D4		X8K40080
712		AFEE	94D6	79D5		X8K50080
713		AFEF	94D7	79D6		X8K60080
714		AFF0	94D8	79D7		X8K70080
715		AFF1	94D9	79D8		X8K80080
716		AFF2	94DA	79D9		X8K90080
717		AFF3	94DB	79DA		X8KA0080
718		AFF4	94DC	79DB		X8KB0080
719		AFF5	94DD	79DC		X8KC0080
720		AFF6	94DE	79DD		X8KD0080
721		AFF7	94DF	79DE		X8KE0080
722		AFF8	94E0	79DF		X8KF0080
723		AFF9	94E1	79E0		X8KG0080
724		AFFA	94E2	79E1		X8KH0080
725		AFFB	94E3	79E2		X8KI0080
726		AFFC	94E4	79E3		X8KJ0080
727		AFFD	94E5	79E4		X8KK0080
728		AFFE	94E6	79E5		X8KL0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC

Table 12 (Page 28 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
729		D7FA	94E7	79E6		X8KM0080
730		D7FB	94E8	79E7		X8KN0080
731		D7FC	94E9	79E8		X8KO0080
732		D7FD	94EA	79E9		X8KP0080
733		D7FE	94EB	79EA		X8KQ0080
734		F8A1	94EC	79EB		X8KR0080
735		F8A2	94ED	79EC		X8KS0080
736		F8A3	94EE	79ED		X8KT0080
737		F8A4	94EF	79EE		X8KU0080
738		F8A5	94F0	79EF		X8KV0080
739		F8A6	94F1	79F0		X8KW0080
740		F8A7	94F2	79F1		X8KX0080
741		F8A8	94F3	79F2		X8KY0080
742		F8A9	94F4	79F3		X8KZ0080
743		F8AA	94F5	79F4		X8L00080
744		F8AB	94F6	79F5		X8L10080
745		F8AC	94F7	79F6		X8L20080
746		F8AD	94F8	79F7		X8L30080
747		F8AE	94F9	79F8		X8L40080
748		F8AF	94FA	79F9		X8L50080
749		F8B0	94FB	79FA		X8L60080
750		F8B1	94FC	79FB		X8L70080
751		F8B2	94FD	79FC		X8L80080
752		F8B3	94FE	79FD		X8L90080
753		F8B4	95A1	7A41		X8LD0080
754		F8B5	95A2	7A42		X8LE0080
755		F8B6	95A3	7A43		X8LF0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 29 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
756		F8B7	95A4	7A44		X8LG0080
757		F8B8	95A5	7A45		X8LH0080
758		F8B9	95A6	7A46		X8LI0080
759		F8BA	95A7	7A47		X8LJ0080
760		F8BB	95A8	7A48		X8LK0080
761		F8BC	95A9	7A49		X8LL0080
762		F8BD	95AA	7A4A		X8LM0080
763		F8BE	95AB	7A4B		X8LN0080
764		F8BF	95AC	7A4C		X8LO0080
765		F8C0	95AD	7A4D		X8LP0080
766		F8C1	95AE	7A4E		X8LQ0080
767		F8C2	95AF	7A4F		X8LR0080
768		F8C3	95B0	7A50		X8LS0080
769		F8C4	95B1	7A51		X8LT0080
770		F8C5	95B2	7A52		X8LU0080
771		F8C6	95B3	7A53		X8LV0080
772		F8C7	95B4	7A54		X8LW0080
773		F8C8	95B5	7A55		X8LX0080
774		F8C9	95B6	7A56		X8LY0080
775		F8CA	95B7	7A57		X8LZ0080
776		F8CB	95B8	7A58		X8M00080
777		F8CC	95B9	7A59		X8M10080
778		F8CD	95BA	7A5A		X8M20080
779		F8CE	95BB	7A5B		X8M30080
780		F8CF	95BC	7A5C		X8M40080
781		F8D0	95BD	7A5D		X8M50080
782		F8D1	95BE	7A5E		X8M60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 30 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
783		F8D2	95BF	7A5F		X8M70080
784		F8D3	95C0	7A60		X8M80080
785		F8D4	95C1	7A61		X8M90080
786		F8D5	95C2	7A62		X8MA0080
787		F8D6	95C3	7A63		X8MB0080
788		F8D7	95C4	7A64		X8MC0080
789		F8D8	95C5	7A65		X8MD0080
790		F8D9	95C6	7A66		X8ME0080
791		F8DA	95C7	7A67		X8MF0080
792		F8DB	95C8	7A68		X8MG0080
793		F8DC	95C9	7A69		X8MH0080
794		F8DD	95CA	7A6A		X8MI0080
795		F8DE	95CB	7A6B		X8MJ0080
796		F8DF	95CC	7A6C		X8MK0080
797		F8E0	95CD	7A6D		X8ML0080
798		F8E1	95CE	7A6E		X8MM0080
799		F8E2	95CF	7A6F		X8MN0080
800		F8E3	95D0	7A70		X8MO0080
801		F8E4	95D1	7A71		X8MP0080
802		F8E5	95D2	7A72		X8MQ0080
803		F8E6	95D3	7A73		X8MR0080
804		F8E7	95D4	7A74		X8MS0080
805		F8E8	95D5	7A75		X8MT0080
806		F8E9	95D6	7A76		X8MU0080
807		F8EA	95D7	7A77		X8MV0080
808		F8EB	95D8	7A78		X8MW0080
809		F8EC	95D9	7A79		X8MX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 31 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
810		F8ED	95DA	7A7A		X8MY0080
811		F8EE	95DB	7A7B		X8MZ0080
812		F8EF	95DC	7A7C		X8N00080
813		F8F0	95DD	7A7D		X8N10080
814		F8F1	95DE	7A7E		X8N20080
815		F8F2	95DF	7A7F		X8N30080
816		F8F3	95E0	7A81		X8N50080
817		F8F4	95E1	7A82		X8N60080
818		F8F5	95E2	7A83		X8N70080
819		F8F6	95E3	7A84		X8N80080
820		F8F7	95E4	7A85		X8N90080
821		F8F8	95E5	7A86		X8NA0080
822		F8F9	95E6	7A87		X8NB0080
823		F8FA	95E7	7A88		X8NC0080
824		F8FB	95E8	7A89		X8ND0080
825		F8FC	95E9	7A8A		X8NE0080
826		F8FD	95EA	7A8B		X8NF0080
827		F8FE	95EB	7A8C		X8NG0080
828		F9A1	95EC	7A8D		X8NH0080
829		F9A2	95ED	7A8E		X8NI0080
830		F9A3	95EE	7A8F		X8NJ0080
831		F9A4	95EF	7A90		X8NK0080
832		F9A5	95F0	7A91		X8NL0080
833		F9A6	95F1	7A92		X8NM0080
834		F9A7	95F2	7A93		X8NN0080
835		F9A8	95F3	7A94		X8NO0080
836		F9A9	95F4	7A95		X8NP0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 32 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
837		F9AA	95F5	7A96		X8NQ0080
838		F9AB	95F6	7A97		X8NR0080
839		F9AC	95F7	7A98		X8NS0080
840		F9AD	95F8	7A99		X8NT0080
841		F9AE	95F9	7A9A		X8NU0080
842		F9AF	95FA	7A9B		X8NV0080
843		F9B0	95FB	7A9C		X8NW0080
844		F9B1	95FC	7A9D		X8NX0080
845		F9B2	95FD	7A9E		X8NY0080
846		F9B3	95FE	7A9F		X8NZ0080
847		F9B4	96A1	7AA0		X8O00080
848		F9B5	96A2	7AA1		X8O10080
849		F9B6	96A3	7AA2		X8O20080
850		F9B7	96A4	7AA3		X8O30080
851		F9B8	96A5	7AA4		X8O40080
852		F9B9	96A6	7AA5		X8O50080
853		F9BA	96A7	7AA6		X8O60080
854		F9BB	96A8	7AA7		X8O70080
855		F9BC	96A9	7AA8		X8O80080
856		F9BD	96AA	7AA9		X8O90080
857		F9BE	96AB	7AAA		X8OA0080
858		F9BF	96AC	7AAB		X8OB0080
859		F9C0	96AD	7AAC		X8OC0080
860		F9C1	96AE	7AAD		X8OD0080
861		F9C2	96AF	7AAE		X8OE0080
862		F9C3	96B0	7AAF		X8OF0080
863		F9C4	96B1	7AB0		X8OG0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 33 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
864		F9C5	96B2	7AB1		X8OH0080
865		F9C6	96B3	7AB2		X8OI0080
866		F9C7	96B4	7AB3		X8OJ0080
867		F9C8	96B5	7AB4		X8OK0080
868		F9C9	96B6	7AB5		X8OL0080
869		F9CA	96B7	7AB6		X8OM0080
870		F9CB	96B8	7AB7		X8ON0080
871		F9CC	96B9	7AB8		X8OO0080
872		F9CD	96BA	7AB9		X8OP0080
873		F9CE	96BB	7ABA		X8OQ0080
874		F9CF	96BC	7ABB		X8OR0080
875		F9D0	96BD	7ABC		X8OS0080
876		F9D1	96BE	7ABD		X8OT0080
877		F9D2	96BF	7ABE		X8OU0080
878		F9D3	96C0	7ABF		X8OV0080
879		F9D4	96C1	7AC0		X8OW0080
880		F9D5	96C2	7AC1		X8OX0080
881		F9D6	96C3	7AC2		X8OY0080
882		F9D7	96C4	7AC3		X8OZ0080
883		F9D8	96C5	7AC4		X8P00080
884		F9D9	96C6	7AC5		X8P10080
885		F9DA	96C7	7AC6		X8P20080
886		F9DB	96C8	7AC7		X8P30080
887		F9DC	96C9	7AC8		X8P40080
888		F9DD	96CA	7AC9		X8P50080
889		F9DE	96CB	7ACA		X8P60080
890		F9DF	96CC	7ACB		X8P70080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 34 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
891		F9E0	96CD	7ACC		X8P80080
892		F9E1	96CE	7ACD		X8P90080
893		F9E2	96CF	7ACE		X8PA0080
894		F9E3	96D0	7ACF		X8PB0080
895		F9E4	96D1	7AD0		X8PC0080
896		F9E5	96D2	7AD1		X8PD0080
897		F9E6	96D3	7AD2		X8PE0080
898		F9E7	96D4	7AD3		X8PF0080
899		F9E8	96D5	7AD4		X8PG0080
900		F9E9	96D6	7AD5		X8PH0080
901		F9EA	96D7	7AD6		X8PI0080
902		F9EB	96D8	7AD7		X8PJ0080
903		F9EC	96D9	7AD8		X8PK0080
904		F9ED	96DA	7AD9		X8PL0080
905		F9EE	96DB	7ADA		X8PM0080
906		F9EF	96DC	7ADB		X8PN0080
907		F9F0	96DD	7ADC		X8PO0080
908		F9F1	96DE	7ADD		X8PP0080
909		F9F2	96DF	7ADE		X8PQ0080
910		F9F3	96E0	7ADF		X8PR0080
911		F9F4	96E1	7AE0		X8PS0080
912		F9F5	96E2	7AE1		X8PT0080
913		F9F6	96E3	7AE2		X8PU0080
914		F9F7	96E4	7AE3		X8PV0080
915		F9F8	96E5	7AE4		X8PW0080
916		F9F9	96E6	7AE5		X8PX0080
917		F9FA	96E7	7AE6		X8PY0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 35 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
918		F9FB	96E8	7AE7		X8PZ0080
919		F9FC	96E9	7AE8		X8Q00080
920		F9FD	96EA	7AE9		X8Q10080
921		F9FE	96EB	7AEA		X8Q20080
922		FAA1	96EC	7AEB		X8Q30080
923		FAA2	96ED	7AEC		X8Q40080
924		FAA3	96EE	7AED		X8Q50080
925		FAA4	96EF	7AEE		X8Q60080
926		FAA5	96F0	7AEF		X8Q70080
927		FAA6	96F1	7AF0		X8Q80080
928		FAA7	96F2	7AF1		X8Q90080
929		FAA8	96F3	7AF2		X8QA0080
930		FAA9	96F4	7AF3		X8QB0080
931		FAAA	96F5	7AF4		X8QC0080
932		FAAB	96F6	7AF5		X8QD0080
933		FAAC	96F7	7AF6		X8QE0080
934		FAAD	96F8	7AF7		X8QF0080
935		FAAE	96F9	7AF8		X8QG0080
936		FAAF	96FA	7AF9		X8QH0080
937		FAB0	96FB	7AFA		X8QI0080
938		FAB1	96FC	7AFB		X8QJ0080
939		FAB2	96FD	7AFC		X8QK0080
940		FAB3	96FE	7AFD		X8QL0080
941		FAB4	97A1	7B41		X8QP0080
942		FAB5	97A2	7B42		X8QQ0080
943		FAB6	97A3	7B43		X8QR0080
944		FAB7	97A4	7B44		X8QS0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 36 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
945		FAB8	97A5	7B45		X8QT0080
946		FAB9	97A6	7B46		X8QU0080
947		FABA	97A7	7B47		X8QV0080
948		FABB	97A8	7B48		X8QW0080
949		FABC	97A9	7B49		X8QX0080
950		FABD	97AA	7B4A		X8QY0080
951		FABE	97AB	7B4B		X8QZ0080
952		FABF	97AC	7B4C		X8R00080
953		FAC0	97AD	7B4D		X8R10080
954		FAC1	97AE	7B4E		X8R20080
955		FAC2	97AF	7B4F		X8R30080
956		FAC3	97B0	7B50		X8R40080
957		FAC4	97B1	7B51		X8R50080
958		FAC5	97B2	7B52		X8R60080
959		FAC6	97B3	7B53		X8R70080
960		FAC7	97B4	7B54		X8R80080
961		FAC8	97B5	7B55		X8R90080
962		FAC9	97B6	7B56		X8RA0080
963		FACA	97B7	7B57		X8RB0080
964		FACB	97B8	7B58		X8RC0080
965		FACC	97B9	7B59		X8RD0080
966		FACD	97BA	7B5A		X8RE0080
967		FACE	97BB	7B5B		X8RF0080
968		FACF	97BC	7B5C		X8RG0080
969		FAD0	97BD	7B5D		X8RH0080
970		FAD1	97BE	7B5E		X8RI0080
971		FAD2	97BF	7B5F		X8RJ0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 37 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
972		FAD3	97C0	7B60		X8RK0080
973		FAD4	97C1	7B61		X8RL0080
974		FAD5	97C2	7B62		X8RM0080
975		FAD6	97C3	7B63		X8RN0080
976		FAD7	97C4	7B64		X8RO0080
977		FAD8	97C5	7B65		X8RP0080
978		FAD9	97C6	7B66		X8RQ0080
979		FADA	97C7	7B67		X8RR0080
980		FADB	97C8	7B68		X8RS0080
981		FADC	97C9	7B69		X8RT0080
982		FADD	97CA	7B6A		X8RU0080
983		FADE	97CB	7B6B		X8RV0080
984		FADF	97CC	7B6C		X8RW0080
985		FAE0	97CD	7B6D		X8RX0080
986		FAE1	97CE	7B6E		X8RY0080
987		FAE2	97CF	7B6F		X8RZ0080
988		FAE3	97D0	7B70		X8S00080
989		FAE4	97D1	7B71		X8S10080
990		FAE5	97D2	7B72		X8S20080
991		FAE6	97D3	7B73		X8S30080
992		FAE7	97D4	7B74		X8S40080
993		FAE8	97D5	7B75		X8S50080
994		FAE9	97D6	7B76		X8S60080
995		FAEA	97D7	7B77		X8S70080
996		FAEB	97D8	7B78		X8S80080
997		FAEC	97D9	7B79		X8S90080
998		FAED	97DA	7B7A		X8SA0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 38 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
999		FAEE	97DB	7B7B		X8SB0080
1000		FAEF	97DC	7B7C		X8SC0080
1001		FAF0	97DD	7B7D		X8SD0080
1002		FAF1	97DE	7B7E		X8SE0080
1003		FAF2	97DF	7B7F		X8SF0080
1004		FAF3	97E0	7B81		X8SH0080
1005		FAF4	97E1	7B82		X8SI0080
1006		FAF5	97E2	7B83		X8SJ0080
1007		FAF6	97E3	7B84		X8SK0080
1008		FAF7	97E4	7B85		X8SL0080
1009		FAF8	97E5	7B86		X8SM0080
1010		FAF9	97E6	7B87		X8SN0080
1011		FAFA	97E7	7B88		X8SO0080
1012		FAFB	97E8	7B89		X8SP0080
1013		FAFC	97E9	7B8A		X8SQ0080
1014		FAFD	97EA	7B8B		X8SR0080
1015		FAFE	97EB	7B8C		X8SS0080
1016		FBA1	97EC	7B8D		X8ST0080
1017		FBA2	97ED	7B8E		X8SU0080
1018		FBA3	97EE	7B8F		X8SV0080
1019		FBA4	97EF	7B90		X8SW0080
1020		FBA5	97F0	7B91		X8SX0080
1021		FBA6	97F1	7B92		X8SY0080
1022		FBA7	97F2	7B93		X8SZ0080
1023		FBA8	97F3	7B94		X8T00080
1024		FBA9	97F4	7B95		X8T10080
1025		FBA A	97F5	7B96		X8T20080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 39 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1026		FBAB	97F6	7B97		X8T30080
1027		FBAC	97F7	7B98		X8T40080
1028		FBAD	97F8	7B99		X8T50080
1029		FBAE	97F9	7B9A		X8T60080
1030		FBAF	97FA	7B9B		X8T70080
1031		FBB0	97FB	7B9C		X8T80080
1032		FBB1	97FC	7B9D		X8T90080
1033		FBB2	97FD	7B9E		X8TA0080
1034		FBB3	97FE	7B9F		X8TB0080
1035		FBB4	98A1	7BA0		X8TC0080
1036		FBB5	98A2	7BA1		X8TD0080
1037		FBB6	98A3	7BA2		X8TE0080
1038		FBB7	98A4	7BA3		X8TF0080
1039		FBB8	98A5	7BA4		X8TG0080
1040		FBB9	98A6	7BA5		X8TH0080
1041		FBBA	98A7	7BA6		X8TI0080
1042		FBBC	98A8	7BA7		X8TJ0080
1043		FBBC	98A9	7BA8		X8TK0080
1044		FBBD	98AA	7BA9		X8TL0080
1045		FBBE	98AB	7BAA		X8TM0080
1046		FBBF	98AC	7BAB		X8TN0080
1047		FBC0	98AD	7BAC		X8TO0080
1048		FBC1	98AE	7BAD		X8TP0080
1049		FBC2	98AF	7BAE		X8TQ0080
1050		FBC3	98B0	7BAF		X8TR0080
1051		FBC4	98B1	7BB0		X8TS0080
1052		FBC5	98B2	7BB1		X8TT0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 40 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1053		FBC6	98B3	7BB2		X8TU0080
1054		FBC7	98B4	7BB3		X8TV0080
1055		FBC8	98B5	7BB4		X8TW0080
1056		FBC9	98B6	7BB5		X8TX0080
1057		FBCA	98B7	7BB6		X8TY0080
1058		FBCB	98B8	7BB7		X8TZ0080
1059		FBC C	98B9	7BB8		X8U00080
1060		FBCD	98BA	7BB9		X8U10080
1061		FBCE	98BB	7BBA		X8U20080
1062		FBCF	98BC	7BBB		X8U30080
1063		FBD0	98BD	7BBC		X8U40080
1064		FBD1	98BE	7BBD		X8U50080
1065		FBD2	98BF	7BBE		X8U60080
1066		FBD3	98C0	7BBF		X8U70080
1067		FBD4	98C1	7BC0		X8U80080
1068		FBD5	98C2	7BC1		X8U90080
1069		FBD6	98C3	7BC2		X8UA0080
1070		FBD7	98C4	7BC3		X8UB0080
1071		FBD8	98C5	7BC4		X8UC0080
1072		FBD9	98C6	7BC5		X8UD0080
1073		FBDA	98C7	7BC6		X8UE0080
1074		FBDB	98C8	7BC7		X8UF0080
1075		FBDC	98C9	7BC8		X8UG0080
1076		FBDD	98CA	7BC9		X8UH0080
1077		FBDE	98CB	7BCA		X8UI0080
1078		FBD F	98CC	7BCB		X8UJ0080
1079		FBE0	98CD	7BCC		X8UK0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 41 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1080		FBE1	98CE	7BCD		X8UL0080
1081		FBE2	98CF	7BCE		X8UM0080
1082		FBE3	98D0	7BCF		X8UN0080
1083		FBE4	98D1	7BD0		X8UO0080
1084		FBE5	98D2	7BD1		X8UP0080
1085		FBE6	98D3	7BD2		X8UQ0080
1086		FBE7	98D4	7BD3		X8UR0080
1087		FBE8	98D5	7BD4		X8US0080
1088		FBE9	98D6	7BD5		X8UT0080
1089		FBEA	98D7	7BD6		X8UU0080
1090		FBEB	98D8	7BD7		X8UV0080
1091		FBEC	98D9	7BD8		X8UW0080
1092		FBED	98DA	7BD9		X8UX0080
1093		FBEE	98DB	7BDA		X8UY0080
1094		FBEF	98DC	7BDB		X8UZ0080
1095		FBF0	98DD	7BDC		X8V00080
1096		FBF1	98DE	7BDD		X8V10080
1097		FBF2	98DF	7BDE		X8V20080
1098		FBF3	98E0	7BDF		X8V30080
1099		FBF4	98E1	7BE0		X8V40080
1100		FBF5	98E2	7BE1		X8V50080
1101		FBF6	98E3	7BE2		X8V60080
1102		FBF7	98E4	7BE3		X8V70080
1103		FBF8	98E5	7BE4		X8V80080
1104		FBF9	98E6	7BE5		X8V90080
1105		FBFA	98E7	7BE6		X8VA0080
1106		FBFB	98E8	7BE7		X8VB0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 42 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1107		FBFC	98E9	7BE8		X8VC0080
1108		FBFD	98EA	7BE9		X8VD0080
1109		FBFE	98EB	7BEA		X8VE0080
1110		FCA1	98EC	7BEB		X8VF0080
1111		FCA2	98ED	7BEC		X8VG0080
1112		FCA3	98EE	7BED		X8VH0080
1113		FCA4	98EF	7BEE		X8VI0080
1114		FCA5	98F0	7BEF		X8VJ0080
1115		FCA6	98F1	7BF0		X8VK0080
1116		FCA7	98F2	7BF1		X8VL0080
1117		FCA8	98F3	7BF2		X8VM0080
1118		FCA9	98F4	7BF3		X8VN0080
1119		FCAA	98F5	7BF4		X8VO0080
1120		FCAB	98F6	7BF5		X8VP0080
1121		FCAC	98F7	7BF6		X8VQ0080
1122		FCAD	98F8	7BF7		X8VR0080
1123		FCAE	98F9	7BF8		X8VS0080
1124		FCAF	98FA	7BF9		X8VT0080
1125		FCB0	98FB	7BFA		X8VU0080
1126		FCB1	98FC	7BFB		X8VV0080
1127		FCB2	98FD	7BFC		X8VW0080
1128		FCB3	98FE	7BFD		X8VX0080
1129		FCB4	99A1	7C41		X8W10080
1130		FCB5	99A2	7C42		X8W20080
1131		FCB6	99A3	7C43		X8W30080
1132		FCB7	99A4	7C44		X8W40080
1133		FCB8	99A5	7C45		X8W50080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 43 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1134		FCB9	99A6	7C46		X8W60080
1135		FCBA	99A7	7C47		X8W70080
1136		FCBB	99A8	7C48		X8W80080
1137		FCBC	99A9	7C49		X8W90080
1138		FCBD	99AA	7C4A		X8WA0080
1139		FCBE	99AB	7C4B		X8WB0080
1140		FCBF	99AC	7C4C		X8WC0080
1141		FCC0	99AD	7C4D		X8WD0080
1142		FCC1	99AE	7C4E		X8WE0080
1143		FCC2	99AF	7C4F		X8WF0080
1144		FCC3	99B0	7C50		X8WG0080
1145		FCC4	99B1	7C51		X8WH0080
1146		FCC5	99B2	7C52		X8WI0080
1147		FCC6	99B3	7C53		X8WJ0080
1148		FCC7	99B4	7C54		X8WK0080
1149		FCC8	99B5	7C55		X8WL0080
1150		FCC9	99B6	7C56		X8WM0080
1151		FCCA	99B7	7C57		X8WN0080
1152		FCCB	99B8	7C58		X8WO0080
1153		FCCC	99B9	7C59		X8WP0080
1154		FCCD	99BA	7C5A		X8WQ0080
1155		FCCE	99BB	7C5B		X8WR0080
1156		FCCF	99BC	7C5C		X8WS0080
1157		FCD0	99BD	7C5D		X8WT0080
1158		FCD1	99BE	7C5E		X8WU0080
1159		FCD2	99BF	7C5F		X8WV0080
1160		FCD3	99C0	7C60		X8WW0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 44 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1161		FCD4	99C1	7C61		X8WX0080
1162		FCD5	99C2	7C62		X8WY0080
1163		FCD6	99C3	7C63		X8WZ0080
1164		FCD7	99C4	7C64		X8X00080
1165		FCD8	99C5	7C65		X8X10080
1166		FCD9	99C6	7C66		X8X20080
1167		FCDA	99C7	7C67		X8X30080
1168		FCDB	99C8	7C68		X8X40080
1169		FCDC	99C9	7C69		X8X50080
1170		FCDD	99CA	7C6A		X8X60080
1171		FCDE	99CB	7C6B		X8X70080
1172		FCDF	99CC	7C6C		X8X80080
1173		FCE0	99CD	7C6D		X8X90080
1174		FCE1	99CE	7C6E		X8XA0080
1175		FCE2	99CF	7C6F		X8XB0080
1176		FCE3	99D0	7C70		X8XC0080
1177		FCE4	99D1	7C71		X8XD0080
1178		FCE5	99D2	7C72		X8XE0080
1179		FCE6	99D3	7C73		X8XF0080
1180		FCE7	99D4	7C74		X8XG0080
1181		FCE8	99D5	7C75		X8XH0080
1182		FCE9	99D6	7C76		X8XI0080
1183		FCEA	99D7	7C77		X8XJ0080
1184		FCEB	99D8	7C78		X8XK0080
1185		FCEC	99D9	7C79		X8XL0080
1186		FCED	99DA	7C7A		X8XM0080
1187		FCEE	99DB	7C7B		X8XN0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 45 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1188		FCEF	99DC	7C7C		X8XO0080
1189		FCF0	99DD	7C7D		X8XP0080
1190		FCF1	99DE	7C7E		X8XQ0080
1191		FCF2	99DF	7C7F		X8XR0080
1192		FCF3	99E0	7C81		X8XT0080
1193		FCF4	99E1	7C82		X8XU0080
1194		FCF5	99E2	7C83		X8XV0080
1195		FCF6	99E3	7C84		X8XW0080
1196		FCF7	99E4	7C85		X8XX0080
1197		FCF8	99E5	7C86		X8XY0080
1198		FCF9	99E6	7C87		X8XZ0080
1199		FCFA	99E7	7C88		X8Y00080
1200		FCFB	99E8	7C89		X8Y10080
1201		FCFC	99E9	7C8A		X8Y20080
1202		FCFD	99EA	7C8B		X8Y30080
1203		FCFE	99EB	7C8C		X8Y40080
1204		FDA1	99EC	7C8D		X8Y50080
1205		FDA2	99ED	7C8E		X8Y60080
1206		FDA3	99EE	7C8F		X8Y70080
1207		FDA4	99EF	7C90		X8Y80080
1208		FDA5	99F0	7C91		X8Y90080
1209		FDA6	99F1	7C92		X8YA0080
1210		FDA7	99F2	7C93		X8YB0080
1211		FDA8	99F3	7C94		X8YC0080
1212		FDA9	99F4	7C95		X8YD0080
1213		FDA A	99F5	7C96		X8YE0080
1214		FDA B	99F6	7C97		X8YF0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**


DBCS-EUC

Table 12 (Page 46 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1215		FDAC	99F7	7C98		X8YG0080
1216		FDAD	99F8	7C99		X8YH0080
1217		FDAE	99F9	7C9A		X8YI0080
1218		FDAF	99FA	7C9B		X8YJ0080
1219		FDB0	99FB	7C9C		X8YK0080
1220		FDB1	99FC	7C9D		X8YL0080
1221		FDB2	99FD	7C9E		X8YM0080
1222		FDB3	99FE	7C9F		X8YN0080
1223		FDB4	9AA1	7CA0		X8YO0080
1224		FDB5	9AA2	7CA1		X8YP0080
1225		FDB6	9AA3	7CA2		X8YQ0080
1226		FDB7	9AA4	7CA3		X8YR0080
1227		FDB8	9AA5	7CA4		X8YS0080
1228		FDB9	9AA6	7CA5		X8YT0080
1229		FDBA	9AA7	7CA6		X8YU0080
1230		FDBB	9AA8	7CA7		X8YV0080
1231		FDBC	9AA9	7CA8		X8YW0080
1232		FDBD	9AAA	7CA9		X8YX0080
1233		FDBE	9AAB	7CAA		X8YY0080
1234		FDBF	9AAC	7CAB		X8YZ0080
1235		FDC0	9AAD	7CAC		X8Z00080
1236		FDC1	9AAE	7CAD		X8Z10080
1237		FDC2	9AAF	7CAE		X8Z20080
1238		FDC3	9AB0	7CAF		X8Z30080
1239		FDC4	9AB1	7CB0		X8Z40080
1240		FDC5	9AB2	7CB1		X8Z50080
1241		FDC6	9AB3	7CB2		X8Z60080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 47 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1242		FDC7	9AB4	7CB3		X8Z70080
1243		FDC8	9AB5	7CB4		X8Z80080
1244		FDC9	9AB6	7CB5		X8Z90080
1245		FDCA	9AB7	7CB6		X8ZA0080
1246		FDCB	9AB8	7CB7		X8ZB0080
1247		FDCC	9AB9	7CB8		X8ZC0080
1248		FDCD	9ABA	7CB9		X8ZD0080
1249		FDCE	9ABB	7CBA		X8ZE0080
1250		FDCF	9ABC	7CBB		X8ZF0080
1251		FDD0	9ABD	7CBC		X8ZG0080
1252		FDD1	9ABE	7CBD		X8ZH0080
1253		FDD2	9ABF	7CBE		X8ZI0080
1254		FDD3	9AC0	7CBF		X8ZJ0080
1255		FDD4	9AC1	7CC0		X8ZK0080
1256		FDD5	9AC2	7CC1		X8ZL0080
1257		FDD6	9AC3	7CC2		X8ZM0080
1258		FDD7	9AC4	7CC3		X8ZN0080
1259		FDD8	9AC5	7CC4		X8ZO0080
1260		FDD9	9AC6	7CC5		X8ZP0080
1261		FDDA	9AC7	7CC6		X8ZQ0080
1262		Fddb	9AC8	7CC7		X8ZR0080
1263		FDDC	9AC9	7CC8		X8ZS0080
1264		FDDD	9ACA	7CC9		X8ZT0080
1265		FDDE	9ACB	7CCA		X8ZU0080
1266		FDDF	9ACC	7CCB		X8ZV0080
1267		FDE0	9ACD	7CCC		X8ZW0080
1268		FDE1	9ACE	7CCD		X8ZX0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 48 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1269		FDE2	9ACF	7CCE		X8ZY0080
1270		FDE3	9AD0	7CCF		X8ZZ0080
1271		FDE4	9AD1	7CD0		X9000080
1272		FDE5	9AD2	7CD1		X9010080
1273		FDE6	9AD3	7CD2		X9020080
1274		FDE7	9AD4	7CD3		X9030080
1275		FDE8	9AD5	7CD4		X9040080
1276		FDE9	9AD6	7CD5		X9050080
1277		FDEA	9AD7	7CD6		X9060080
1278		FDEB	9AD8	7CD7		X9070080
1279		FDEC	9AD9	7CD8		X9080080
1280		FDED	9ADA	7CD9		X9090080
1281		FDEE	9ADB	7CDA		X90A0080
1282		FDEF	9ADC	7CDB		X90B0080
1283		FDF0	9ADD	7CDC		X90C0080
1284		FDF1	9ADE	7CDD		X90D0080
1285		FDF2	9ADF	7CDE		X90E0080
1286		FDF3	9AE0	7CDF		X90F0080
1287		FDF4	9AE1	7CE0		X90G0080
1288		FDF5	9AE2	7CE1		X90H0080
1289		FDF6	9AE3	7CE2		X90I0080
1290		FDF7	9AE4	7CE3		X90J0080
1291		FDF8	9AE5	7CE4		X90K0080
1292		FDF9	9AE6	7CE5		X90L0080
1293		FDFA	9AE7	7CE6		X90M0080
1294		FDFB	9AE8	7CE7		X90N0080
1295		FDFC	9AE9	7CE8		X90O0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 49 of 51). User Definable Character Set, DBCS-EUC						
Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1296		FDFD	9AEA	7CE9		X90P0080
1297		FDFE	9AEB	7CEA		X90Q0080
1298		FEA1	9AEC	7CEB		X90R0080
1299		FEA2	9AED	7CEC		X90S0080
1300		FEA3	9AEE	7CED		X90T0080
1301		FEA4	9AEF	7CEE		X90U0080
1302		FEA5	9AF0	7CEF		X90V0080
1303		FEA6	9AF1	7CF0		X90W0080
1304		FEA7	9AF2	7CF1		X90X0080
1305		FEA8	9AF3	7CF2		X90Y0080
1306		FEA9	9AF4	7CF3		X90Z0080
1307		FEAA	9AF5	7CF4		X9100080
1308		FEAB	9AF6	7CF5		X9110080
1309		FEAC	9AF7	7CF6		X9120080
1310		FEAD	9AF8	7CF7		X9130080
1311		FEAE	9AF9	7CF8		X9140080
1312		FEAF	9AFA	7CF9		X9150080
1313		FEB0	9AFB	7CFA		X9160080
1314		FEB1	9AFC	7CFB		X9170080
1315		FEB2	9AFD	7CFC		X9180080
1316		FEB3	9AFE	7CFD		X9190080
1317		FEB4	9BA1	7D41		X91D0080
1318		FEB5	9BA2	7D42		X91E0080
1319		FEB6	9BA3	7D43		X91F0080
1320		FEB7	9BA4	7D44		X91G0080
1321		FEB8	9BA5	7D45		X91H0080
1322		FEB9	9BA6	7D46		X91I0080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Table 12 (Page 50 of 51). User Definable Character Set, DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1323		FEBA	9BA7	7D47		X91J0080
1324		FEBB	9BA8	7D48		X91K0080
1325		FEBC	9BA9	7D49		X91L0080
1326		FEBD	9BAA	7D4A		X91M0080
1327		FEBE	9BAB	7D4B		X91N0080
1328		FEBF	9BAC	7D4C		X91O0080
1329		FEC0	9BAD	7D4D		X91P0080
1330		FEC1	9BAE	7D4E		X91Q0080
1331		FEC2	9BAF	7D4F		X91R0080
1332		FEC3	9BB0	7D50		X91S0080
1333		FEC4	9BB1	7D51		X91T0080
1334		FEC5	9BB2	7D52		X91U0080
1335		FEC6	9BB3	7D53		X91V0080
1336		FEC7	9BB4	7D54		X91W0080
1337		FEC8	9BB5	7D55		X91X0080
1338		FEC9	9BB6	7D56		X91Y0080
1339		FECA	9BB7	7D57		X91Z0080
1340		FECB	9BB8	7D58		X9200080
1341		FECC	9BB9	7D59		X9210080
1342		FECD	9BBA	7D5A		X9220080
1343		FECE	9BBB	7D5B		X9230080
1344		FECF	9BBC	7D5C		X9240080
1345		FED0	9BBD	7D5D		X9250080
1346		FED1	9BBE	7D5E		X9260080
1347		FED2	9BBF	7D5F		X9270080
1348		FED3	9BC0	7D60		X9280080
1349		FED4	9BC1	7D61		X9290080

**IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)**

DBCS-EUC

Line Number	Graphic	EUC Code	PC Code	Host Code	GB Code	GCGID
1350		FED5	9BC2	7D62		X92A0080
1351		FED6	9BC3	7D63		X92B0080
1352		FED7	9BC4	7D64		X92C0080
1353		FED8	9BC5	7D65		X92D0080
1354		FED9	9BC6	7D66		X92E0080
1355		FEDA	9BC7	7D67		X92F0080
1356		FEDB	9BC8	7D68		X92G0080
1357		FEDC	9BC9	7D69		X92H0080
1358		FEDD	9BCA	7D6A		X92I0080
1359		FEDE	9BCB	7D6B		X92J0080
1360		FEDF	9BCC	7D6C		X92K0080

IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

Supplementary Information**11. Definition of Terms**

The following terms are defined for the purposes of this document.

11.1 Byte

A unit of string consisting of 8 bits.

11.2 Code

A system of bit-patterns to which specific graphic or control meanings have been assigned.

11.3 Code Page

A specification of *code points* for each *graphic character* in a set, or in a collection of *graphic character sets*. Within a given *code page*, a *code point* can have only one specific meaning.

11.4 Code Page Global Identifier (CPGID)

A 5-digit decimal identifier assigned to a *code page*. See C-H 3-3220-050.

11.5 Code Point

One of the bit-patterns specified by a *code*.

11.6 Coded Graphic Character

A *graphic character* with its assigned *code point*.

11.7 Coded Graphic Character Set

A set of *graphic characters* with their assigned *code points*.

11.8 Coded Graphic Character Set Global Identifier (CGCSGID)

A 10-digit decimal identifier consisting of the concatenation of a *graphic character set global identifier (GCSGID)* and a *code page global identifier (CPGID)*. The *CGCSGID* is also represented as the concatenation of the hexadecimal representation of the *GCSGID* and *CPGID*. See C-H 3-3220-050.

11.9 DBCS

Abbreviation of *Double-Byte Character Set*. It is a *graphic character set* in which each character is represented by two *bytes*. See C-S 3-3220-102 for details.

11.10 DBCS-EUC

A *DBCS code page* which is mainly used with *EUC* coding scheme.

11.11 DBCS-Host

A *DBCS code page* which is mainly used in conjunction with *EBCDIC*.

11.12 DBCS-PC

A *DBCS code page* which is mainly used in conjunction with *PC code*.

11.13 EBCDIC

Abbreviation of *Extended BCD Interchange Code* which is defined in C-S 3-3220-002, *EBCDIC*.

11.14 EBCDIC + DBCS-Host

When a *DBCS-Host* is mixed with an *EBCDIC code page*, *DBCS* string is enclosed with a pair of SO: X'0E' and SI: X'0F'. See C-S 3-3220-002 for the definition of SO and SI. This is also referred to as *Host-Mixed* in CDRA publication.

11.15 EUC

Abbreviation of *Extended UNIX Code*.

Note: *UNIX* is a trademark of UNIX System Laboratories.

11.16 Graphic Character

A graphic symbol character, such as a numeric, alphabetic, special or Chinese.

11.17 Graphic Character Global Identifier (GCGID)

An up to eight-character identifier assigned to each *graphic character*. See C-H 3-3220-055.

11.18 Graphic Character Set

A set of *graphic characters*, treated as an entity.

11.19 Graphic Character Set Global Identifier (GCSGID)

A 5-digit decimal identifier assigned to a *graphic character set*. See C-H 3-3220-050.

11.20 ISO 7/8 bit + DBCS-EUC

The *code extension* technique to combine the *code pages* of ISO 7/8 bit, *DBCS-EUC* is called *EUC*. See Section 12 on page 354 for the details of *EUC* encoding scheme.



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)DBCS-EUC

11.21 Multi-Byte Character Set (MBCS)

Multi-Byte Character Set contains a set of *graphic characters* in which each character is represented by multiple *bytes*.

MBCS may consist of plural *code pages* as follows:

- *EBCDIC + DBCS-Host*
- *PC Code + DBCS-PC*
- *ISO 7/8 bit + DBCS-EUC*.

11.22 PC Code

A *single-byte code page* which is primarily used in the personal computer environment. *PC Code* is based on ISO 646.

11.23 PC Code + DBCS-PC

There is no explicit *code switching* mechanism in the *code extension* of PC environment, as a *DBCS-PC code point* can be distinguished from that of *PC code* by the first *byte* value. The range of the valid first *byte* is *code page* dependent. This is also referred to as PC-Mixed in CDRA publication.

11.24 Product

A hardware or software unit that is individually packaged, that is marketable, and to which a type number/program number or equivalence has been assigned.

11.25 Registered Code Page

A *code page* that has been registered and assigned a *CPGID*.

11.26 Registered Coded Graphic Character Set

A *coded graphic character set*, whose *graphic character set* and *code page* have both been registered.

11.27 SBCS

Abbreviation of *Single-Byte Character Set*. *Single-Byte Character Set* is a *graphic character set* in which each character is represented by one *byte*.

11.28 Unrestricted Code Page

A *registered code page* that has been approved by all affected operating units, and has been placed in the category of “unrestricted.”

11.29 User Definable Character (UDC)

A *graphic character* whose *graphic shape* is definable by users.

11.30 UNIX

An operating system developed at AT&T Bell Laboratories, and is being licensed by UNIX System Laboratories. *UNIX* is a trademark of UNIX System Laboratories.

11.31 Ward

A section of a *Double-Byte Character Set* where the first *bytes* of all of the *code points* belonging to it are the same. A *ward* has a unique numerical value which represents the first *byte* of the *code point* belonging to that *ward*.



IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

12. EUC Encoding Scheme

12.1 Definition

EUC (Extended UNIX Code) is an encoding framework which was based on Japanese *UNIX* internal *code* introduced by the Japanese *UNIX* System Advisory Committee in the proposal entitled “Proposal to AT&T for Japanese Capability on *UNIX* System V” in 1985, and enhanced by AT&T Bell Laboratories for worldwide usage. The *code* extension scheme is defined in compliance with the ISO 2022 *code* extension techniques which can handle both single- and multi-*byte* characters concurrently. The scheme is

designed to be applicable to every coded character set in each country or region in the world, as long as it is defined based on ISO 2022.

As allowed in ISO 2022, *EUC* can deal with a maximum of four *graphic character sets* and corresponding *code pages* at the same time, without using locking shift. It permanently assigns ISO 646 (including variants) character set to the “primary *code set*” (G0) and allows the assignment of country, region or user specific character set(s) to three “supplementary *code sets*” (G1 - G3). The encoding scheme is shown in Table 13.

Table 13. Structure of EUC Encoding Framework

Code Set (*1)	Code Representation				Associated Standards
	1 byte	2 byte	3 byte	4 byte	
C0 (*2)	000xxxxx	N/A	N/A	N/A	ISO 646
C1 (*3)	100xxxxx	N/A	N/A	N/A	ISO 6429
Space	00100000	N/A	N/A	N/A	
Delete	01111111	N/A	N/A	N/A	
G0 (*4)	0xxxxxxx	N/A	N/A	N/A	ISO 646 variant
G1 (*5)	1xxxxxxx	N/A	N/A	N/A	Country/ Region specific
	1xxxxxxx	1xxxxxxx	N/A	N/A	
	1xxxxxxx	1xxxxxxx	1xxxxxxx	N/A	
G2 (*5)	10001110	1xxxxxxx	N/A	N/A	Country/ Region specific
	10001110	1xxxxxxx	1xxxxxxx	N/A	
	10001110	1xxxxxxx	1xxxxxxx	1xxxxxxx	
G3 (*5)	10001111	1xxxxxxx	N/A	N/A	Country/ Region specific
	10001111	1xxxxxxx	1xxxxxxx	N/A	
	10001111	1xxxxxxx	1xxxxxxx	1xxxxxxx	

Notes:

- *1 The name of each *code set* is based on ISO 2022.
- *2 000xxxxx can have values in 00000000 - 00011111 inclusive.
- *3 100xxxxx can have values in 10000000 - 10011111 inclusive.
- *4 0xxxxxxx can have values in 00100001 - 01111110 inclusive.
- *5 1xxxxxxx can have values in 10100000 - 11111111 inclusive.

IBM Simplified Chinese Graphic Character Set for Extended UNIX Code (EUC)

DBCS-EUC

12.2 Simplified Chinese Environment

12.2.1 External CH-S EUC

Unlike other AP countries, there is not a PRC National Standard which specifies an *EUC* and any de facto standards have not been defined for *EUC* by any governmental/non-governmental organizations. The implementation of *EUC* has been varied among system vendors. Most of the vendors basically use the ASCII set as *G0 code* set and the GB 2312 set as *G1 code* set.

12.2.2 IBM CH-S EUC

The priority to keep compatibility with major competitors in PRC has been taken precedence over any other principles when IBM CH-S EUC was designed. IBM CH-S EUC has, therefore, been defined to have the ASCII set as *G0 code* set and the GB 2312 set as *G1 code* set, leaving *G2* and *G3 code* sets as “Undefined” as other vendors do. In addition, 31 IBM selected characters have been allocated as part of *G1 code* set and the remained 1360 *code points* in *G1 code* set have been allocated for *UDCs* in order to keep the number of the *graphic characters* consistent with other IBM *code pages* as much as possible. Table 14 shows the IBM's definition for the CH-S EUC support.

Code Set	Graphic Character Set	Bytes	Columns
G0	ASCII (ISO/IEC 646:1991 IRV)	1	1
G1	GB 2312 1360 UDCs 31 IBM Selected Characters	2	2
G2	Undefined	N/A	N/A
G3	Undefined	N/A	N/A

12.2.3 Relation with Other IBM Code Pages

12.2.3.1 Character Sets

Table 15 shows the relation with other IBM *code pages* in terms of the number of the *graphic characters* defined.

Graphic Characters	EUC	HOST	PC
Graphic Characters (DBCS)	7476	7476	7476
User Definable Characters (DBCS)	1360	1880	1880
Graphic Characters (SBCS)	94	99	99

Notes:

- 1) Keeping the common character set is still IBM China/Hong Kong's direction to ensure IBM character set integrity across all IBM systems.
- 2) *EUC* consists of *CPGIDs* 00367 and 01382.
- 3) Host-Mixed consists of *CPGIDs* 00836 and 00837.
- 4) PC-Mixed consists of *CPGIDs* 01115 and 01380.

12.2.3.2 Code Translation Correspondence

The CH-S *DBCS-EUC code points* are translated to the corresponded *DBCS-PC* or *DBCS-Host code points* which have the same *GCGIDs* as *DBCS-EUC's*. When the last 520 *UDCs* defined *DBCS-PC* and *DBCS-Host* are translated to *DBCS-EUC*, they should be substituted with a substitution character defined on *DBCS-EUC*. The suggested *code point* for the substitution character is X'A1A1' since all the *code points* from X'A1A2' to X'FEFE' are assigned for the valid *graphic characters*.

13. Graphic Character Representation

Although character graphics are inserted as sample graphics of the *coded graphic characters* in the specification tables of Table 4 to Table 11, a *graphic character* is independent of actual size or shape in which it may appear.

This specification does not restrict the style of font design. However, it is recommended that the font design of *graphic characters* for *products* follow the *graphic character* representation in this document as close as possible to avoid confusion in identification of *graphic characters*. On questions about the font design to be implemented, the Standards Project Authority for *DBCS/MBCS* (SIRS 029) may be consulted.



© Copyright IBM Corp. 1994, 2001

International Business Machines Corporation
IBM Standards Program
Old Orchard Road
Armonk, New York 10504, USA

Table Definitions

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
GID	CUSCFK01	5	5
STRFORM	CUSCFK02	6	6
RW1	CUSCFK02	6	6
HOST	33220132 SCRIPT	8	8, 8, 9, 13, 38, 97, 156, 183, 242, 299, 301
HOSTHD	33220132 SCRIPT	8	9, 13, 38, 97, 156, 183, 242, 299, 301
EUCSHM	33220132 SCRIPT	354	354
DSGNATE	33220132 SCRIPT	355	355
OTHER	33220132 SCRIPT	355	355

Figures

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
GBCODE	33220132 SCRIPT	4	1 3

Headings

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
HISTORY	33220132 SCRIPT	3	4, External Standards
CORCH	33220132 SCRIPT	7	7.2.2, Code Translation Correspondence of Chinese Characters
NOCH	33220132 SCRIPT	13	10.1, Non-Chinese Character Set 7
SEL	33220132 SCRIPT	299	10.7, IBM Selected Character Set 8, 8
UDC	33220132 SCRIPT	301	10.8, User Definable Character Set 7, 7
SUPP	33220132 SCRIPT	352	10.8, User Definable Character Set
TERMS	33220132 SCRIPT	352	11, Definition of Terms
EUCES	33220132 SCRIPT	354	12, EUC Encoding Scheme 352
SCSTD	33220132 SCRIPT	355	12.2.1, External CH-S EUC
OTH0	33220132 SCRIPT	355	12.2.3, Relation with Other IBM Code Pages
OTH	33220132 SCRIPT	355	12.2.3.1, Character Sets
MAPGCG	33220132 SCRIPT	355	12.2.3.2, Code Translation Correspondence 7

Tables

<u>id</u>	<u>File</u>	<u>Page</u>	<u>References</u>
CGCSGID	CUSCFK01	5	1
STRUCTE	CUSCFK02	6	2
FORMHO	33220132 SCRIPT	8	3
ASCII1	33220132 SCRIPT	9	4
NOCHCH	33220132 SCRIPT	13	5
PRCHCH1	33220132 SCRIPT	38	6
PRCHCH2	33220132 SCRIPT	97	7
PRCHCH3	33220132 SCRIPT	156	8
SECHCH1	33220132 SCRIPT	183	9
SECHCH2	33220132 SCRIPT	242	10
SLCHCH1	33220132 SCRIPT	299	11
UDCS	33220132 SCRIPT	301	12
EUCGEN	33220132 SCRIPT	354	13
IBMSEUC	33220132 SCRIPT	355	14
OTH	33220132 SCRIPT	355	15

Processing Options

Runtime values:

Document fileid	33220132 SCRIPT
Document type	STDDOC
Document style	IBMS1PL
Profile	EDFPRF40
Service Level	0031
SCRIPT/VS Release	4.0.0
Date	01.08.10
Time	11:31:44
Device	3820A
Number of Passes	3
Index	YES
SYSVAR A	NO
SYSVAR D	YES
SYSVAR S	2
SYSVAR X	YES

Formatting values used:

Annotation	NO
Cross reference listing	YES
Cross reference head prefix only	YES
Dialog	LABEL
Duplex	YES
DVCF conditions file	(none)
DVCF value 1	(none)
DVCF value 2	(none)
DVCF value 3	(none)
DVCF value 4	(none)
DVCF value 5	(none)

DVCF value 6 (none)
 DVCF value 7 (none)
 DVCF value 8 (none)
 DVCF value 9 (none)
 Explode NO
 Figure list on new page NO
 Figure/table number separation YES
 Folio-by-chapter NO
 Head 0 body text (none)
 Head 1 body text (none)
 Head 1 appendix text Appendix
 Hyphenation YES
 Justification YES
 Language ENGL
 Keyboard 395
 Layout 2
 Leader dots YES
 Master index (none)
 Partial TOC (maximum level) 4
 Partial TOC (new page after) INLINE
 Print example id's NO
 Print cross reference page numbers YES
 Process value (none)
 Punctuation move characters ,
 Read cross-reference file (none)
 Running heading/footing rule NONE
 Show index entries NO
 Table of Contents (maximum level) 5
 Table list on new page NO
 Title page (draft) alignment RIGHT
 Write cross-reference file (none)

Imbed Trace

Page 5	CUSCFK01
Page 6	CUSCFK02
Page 9	CUSCFK03
Page 13	CUSCFK04
Page 38	CUSCFK05
Page 97	CUSCFK06
Page 156	CUSCFK07
Page 183	CUSCFK08
Page 242	CUSCFK09
Page 299	CUSCFK10
Page 301	CUSCFK11