

Build Queries by Highlighting Text and Facet Values

Building a query is an iterative process.

After you build one query and search the collection, you can return to the query builder to specify different search conditions.

Build Queries by Highlighting Text and Facet Values

If a Content Analytics administrator authorized users to build queries, you can easily create a complex query by selecting content from a document.

As you create the query, the number of documents that match is displayed. You can run the query or revise the search conditions.

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header shows "IBM Content Analytics" and "Collection: NH... (change)". The main navigation bar includes tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. Below this, a status bar indicates "Results 1211-1217 of 1217 (1217/575366 results matched)" and "Results per page: 10".

The central area shows a table of search results with columns for Flags, Actions, Source, Date, Title, and Thumbnail. The first row is highlighted in blue and contains the following information:

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/19/08	675611	

The text of the document snippet is: "... MY 2006 TOYOTA PRIUS IN TURNING OFF THE LIGHTS, WIDE-SPREAD PROBLEM TH PLATINUM WARRANTY DOES THEN 'PROBABLY' CHECK TI BUMPER MUST BE REMOVE LATER (AFTER THEY ORDER ESTABLISHED ON THIS SITE EFFORTS, TOYOTA NEEDS T RELATED ... SPEAK TO A RE WERE APPARENTLY IGNORE

A callout box is overlaid on the document text, containing the following text:

On the Documents view of the text miner application, you can build a query by clicking the Query Builder icon for the document that you want to use as the basis for the query.

In this scenario, you previously search the collection for PRIUS, and now want to build a query based on terms that appear in those results.

The left sidebar shows a "Facet Navigation" section with a "Filter:" input field and a "Clear" button. Below this, a list of facets is displayed, including:

- Part of Speech ²
- Phrase Constituent ²
- Named entity ²
- Troubles
- Category for Auto
- State
- City
- Vehicle/Equipment Corp
- Vehicle/Equipment Make
- Model
- Model Year
- Component Description
- Date of Manufacture
- Date of Purchase
- Date of Fail

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics web interface. At the top, the IBM logo and 'IBM Content Analytics' are visible, along with navigation links for 'Collection: NH...', 'Logged in as: No...', 'Preferences', 'My Profile', 'Help', and 'About'. Below this is a toolbar with icons for 'Documents', 'Facets', 'Time Series', 'Deviations', 'Trends', 'Facet Pairs', 'Connections', 'Dashboard', and 'Reports'. The main content area shows search results for 'Results 1211-1217 of 1217 (1217/575366 results matched)'. A table lists documents with columns for 'Flags', 'Actions', 'Source', 'Date', 'Title', and 'Thumbnail'. Two documents are visible: one from 'ica' dated '5/19/08' with title '675611', and another from 'ica' dated '6/20/05' with title '547151'. The first document's content is expanded, showing a text snippet where the word 'PRIUS' is highlighted in yellow. A yellow callout box with a hand icon points to the 'Query Builder' icon (a pencil) in the 'Actions' column, with the text 'Click the Query Builder icon.' A tooltip for the Query Builder icon reads: 'Build a query based on the content of this document and its associated facets.' The left sidebar contains a 'Facet Navigation' section with a 'Filter:' input and a list of facet categories including 'Part of Speech', 'Phrase Constituent', 'Named entity', 'Troubles', 'Category for Auto', 'State', 'City', 'Vehicle/Equipment Corp', 'Vehicle/Equipment Make', 'Model', 'Model Year', 'Component Description', 'Date of Manufacture', 'Date of Purchase', and 'Date of Fail'.

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. A yellow callout box contains the following text:

You can build different types of queries, such as a keyword search, a proximity search, or a search of a specific field or date range.

As you build the query, you can select different query types and combine all search conditions into a single query.

The interface includes a 'Build the Query' section with a dropdown menu showing 'Keyword query' selected. A red circle highlights this selection. Below the dropdown, there is a text input field for 'Build keyword queries' and a 'Remove / Remove all' button. The main search area displays 'No results were returned by this query'.

At the bottom of the interface, there is a table of Analytics Facets:

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

Buttons for 'AND Search', 'AND NOT Search', 'OR Search', and 'Close' are visible at the bottom of the query builder window.

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. The top navigation bar includes the IBM logo, 'IBM Content Analytics', and user information: 'Collection: NH... (change)', 'Logged in as: No...', 'Preferences', 'My Profile', 'Help', and 'About'. Below this is a toolbar with icons for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. The main window is titled 'Query Builder - 675611' and contains instructions: 'Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and export the results, click the Run Query button. To minimize the Query Builder, click the Minimize button.' The interface is divided into several sections: 'Filter:' with a search box; 'Facet Navigation' with a tree view showing categories like 'Part of Speech', 'Phrase', 'Named Entity', 'Troubles', 'Category', 'State', 'City', 'Vehicle/Brand', 'Model', 'Model Year', 'Component', 'Date of Manufacture', 'Date of Purchase', and 'Date of Failure'; 'Build the Query' section with a dropdown menu set to 'Keyword query' and a text input field; and a document snippet on the right. A yellow callout box points to a help icon in the window title bar, containing the text: 'Click Help to learn about the different query types.' Below the document snippet is an 'Analytics Facet' table.

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

Below the table are search options: 'AND Search', 'AND NOT Search', 'OR Search', and 'Close'. The document snippet text is partially visible: 'MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DON'T WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESN'T COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY HOPING THAT AN EXIT ... DURING MY WAIT, I WAS ABLE TO RESTART THE ENGINE, BUT IT AGAIN FAILED WITHIN A COUPLE OF MILES, BUT ... THE CAR WAS TOWED TO SPARKS TOYOTA IN MYRTLE BEACH, SC WHO CALLED TO SAY THAT THEY BELIEVE THAT THE ... I DO NOT BELIEVE THAT IT THE CASE AS THIS HAD NOT HAPPENED BEFORE WHEN THE LOW FUEL INDICATOR CAME ...'

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. The main window is titled "Query Builder - 675611". It features a navigation bar with tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. The left sidebar shows a "Facet Navigator" with a "Filter:" section and a list of facets including Part of Speech, Phrase, Named Entity, Troubles, Category, State, City, Vehicle/Brand, Model, Model Year, Component, Date of Manufacture, Date of Purchase, and Date of Failure.

The main content area is divided into two panes. The left pane, titled "Build the Query", contains a dropdown menu for "Query type" set to "Keyword query", a "Build keyword queries:" section with "Remove" and "Remove all" buttons, and a "Select a Saved Search" option. The right pane, titled "Highlight text and facet values to add to the query.", shows a document snippet with the following text: "MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DON'T WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESN'T COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY". The phrase "'NEAR-MISS' ACCIDENT" is highlighted in red. Below the text is a table of "Analytics Facet" values:

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom of the right pane, there are buttons for "AND Search", "AND NOT Search", "OR Search", and "Close". A yellow callout box points to the highlighted text with the text: "To build the query, you can select query terms by highlighting text in the document content...".

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window displays a document snippet with a yellow callout bubble pointing to the facet value '2006' in the 'Analytics Facet' table. The callout bubble contains the text 'By selecting a facet value...'. The facet table has columns 'Name' and 'Value'. The 'Value' column contains '2006', 'TOYOTA PRIUS', and 'TOYOTA'. The 'Name' column contains 'Numeral', 'Noun Sequence', and 'Others'. The document snippet text is: 'MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY'.

IBM Content Analytics
Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Documents Facets Time Series Deviations Trends Facet Pairs Connections Dashboard Reports

Results 12 (1217/5753)

Query Builder - 675611

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

Build the Query

You must select a query type:
Keyword query

Build keyword queries :
Remove / Remove all

No results were returned by this query

By selecting a facet value...

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

Analytics Facet

AND Search AND NOT Search OR Search Close

HOPING THAT AN EXIT ... DURING MY WAIT, I WAS ABLE TO RESTART THE ENGINE, BUT IT AGAIN FAILED WITHIN A COUPLE OF MILES, BUT ... THE CAR WAS TOWED TO SPARKS TOYOTA IN MYRTLE BEACH, SC WHO CALLED TO SAY THAT THEY BELIEVE THAT THE ... I DO NOT BELIEVE THAT IT THE CASE AS THIS HAD NOT HAPPENED BEFORE WHEN THE LOW FUEL INDICATOR CAME ...

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window displays a document snippet with highlighted text. A yellow callout box points to a 'Select a Saved Search' button in the left sidebar. Below the document snippet is a table of Analytics Facets.

Build the Query

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

You must select a query type:
Keyword query

Build keyword queries :
Remove / Remove all

No results were found for the selected query.

Or by selecting a previously saved search that specifies the query terms that you want to apply to the current query.

Select a Saved Search

Highlight text and facet values to add to the query. Clear

MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DON'T WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESN'T COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

HOPING THAT AN EXIT ... DURING MY WAIT, I WAS ABLE TO RESTART THE ENGINE, BUT IT AGAIN FAILED WITHIN A COUPLE OF MILES, BUT ... THE CAR WAS TOWED TO SPARKS TOYOTA IN MYRTLE BEACH, SC WHO CALLED TO SAY THAT THEY BELIEVE THAT THE ... I DO NOT BELIEVE THAT IT THE CASE AS THIS HAD NOT HAPPENED BEFORE WHEN THE LOW FUEL INDICATOR CAME ...

AND Search AND NOT Search OR Search Close

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics interface. A 'Query Builder - 675611' dialog box is open, titled 'Build the Query'. It contains the following text:

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

Build the Query

You must select a query type:

Keyword query

Build keyword queries :

Remove / Remove all

No results were returned by this query

Select a Saved Search

Buttons: AND Search, AND NOT Search, OR Search, Close

A yellow callout bubble points to the 'Keyword query' dropdown with the text: "In this example, you want to search for a specific phrase."

Below the dialog, a table of 'Analytics Facet' values is visible:

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

Background text from the search results is partially visible, including: "HOPING THAT AN EXIT ... DURING MY WAIT, I WAS ABLE TO RESTART THE ENGINE, BUT IT AGAIN FAILED WITHIN A COUPLE OF MILES, BUT ... THE CAR WAS TOWED TO SPARKS TOYOTA IN MYRTLE BEACH, SC WHO CALLED TO SAY THAT THEY BELIEVE THAT THE ... I DO NOT BELIEVE THAT IT THE CASE AS THIS HAD NOT HAPPENED BEFORE WHEN THE LOW FUEL INDICATOR CAME ..."

Build Queries by Highlighting Text and Facet Values

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Documents Facets Time Series Deviations Trends Facet Pairs Connections Dashboard Reports

Results 12 (1217/5753)

Facet Navigation

Filter:

Part of S

Phrase C

Named e

Troubles

Category

State

City

Vehicle/E

Vehicle/E

Model

Model Ye

Compon

Date of M

Date of Purchase

Date of Fail

Additional Details

Build the Query

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

You must select a query type:

- Keyword query
- Keyword query
- Phrase query
- Facet query
- Field query
- Proximity query
- Exact match query
- Base form match query
- Fuzzy query
- Boost query
- Parametric range query
- Date query

Select a Saved Search

Highlight text and facet values to add to the query. [Clear](#)

MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

AND Search AND NOT Search OR Search Close

HOPING THAT AN EXIT ... DURING MY WAIT, I WAS ABLE TO RESTART THE ENGINE, BUT IT AGAIN FAILED WITHIN A COUPLE OF MILES, BUT ... THE CAR WAS TOWED TO SPARKS TOYOTA IN MYRTLE BEACH, SC WHO CALLED TO SAY THAT THEY BELIEVE THAT THE ... I DO NOT BELIEVE THAT IT THE CASE AS THIS HAD NOT HAPPENED BEFORE WHEN THE LOW FUEL INDICATOR CAME ...

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window title is "Query Builder - 675611". The interface includes a navigation bar with tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. A sidebar on the left shows a "Facet Navigator" with a "Filter:" field and a list of facets including Part of Speech, Phrase, Named Entity, Troubles, Category, State, City, Vehicle/Brand, Model, Model Year, Component, Date of Manufacture, Date of Purchase, and Date of Failure.

The main content area is titled "Build the Query" and contains the following text: "Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder." Below this text is a dropdown menu for "You must select a query type:". The dropdown menu is open, showing the following options: Keyword query, Phrase query (highlighted), Facet query, Field query, Proximity query, Exact match query, Base form match query, Fuzzy query, Boost query, Parametric range query, and Date query. A yellow callout box with a hand icon points to the "Phrase query" option, containing the text: "Click to select the Phrase query type."

Below the dropdown menu is a "Select a Saved Search" field. To the right of the dropdown menu is a text input field with the placeholder text "Highlight text and facet values to add to the query." and a "Clear" button. Below this is a preview of a document snippet: "MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HEADLIGHTS, AND BACK ON, WILL USUALLY BRING ME TO A STOP FOR A LITTLE WHILE. THIS HAS CAUSED ME TO STOP WHEN GOING AROUND A CURVE, IN WHICH MY HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DON'T WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESN'T COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

Below the document snippet is an "Analytics Facet" table:

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom of the interface are four search buttons: "AND Search", "AND NOT Search", "OR Search", and "Close".

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window is titled "Query Builder - 675611". It features a navigation bar with tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. The left sidebar contains a "Facet Navigator" with a "Filter:" section and a list of facets including Part of Speech, Phrase, Named Entity, Troubles, Category, State, City, Vehicle/Brand, Model, Model Year, Component, Date of Manufacture, Date of Purchase, Date of Failure, and Add Custom Facets.

The main content area is divided into two sections. The top section, titled "Build the Query", contains instructions: "Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder." Below this, there is a "You must select a query type:" section with a dropdown menu set to "Phrase query". A "Build phrase queries:" section is also present, with a "Remove / Remove all" link.

The bottom section, titled "Highlight text and facet values to add to the query.", contains a text area with a document snippet. A yellow callout box points to the text "HEADLIGHTS FAILED" in the snippet, with the text: "In the document text area, select the text HEADLIGHTS FAILED to highlight the phrase." The document snippet reads: "ERMITTENTLY LOSES ONE OR BOTH OF THE HID THE LIGHTS, AND BACK ON, WILL USUALLY BRING ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO ... WHEN GOING AROUND A CURVE, IN OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

Below the text area is an "Analytics Facet" table:

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom of the window, there are search buttons: "AND Search", "AND NOT Search", "OR Search", and "Close".

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window displays a search for "HEADLIGHTS FAILED" with 196 results. A yellow callout box provides instructions on how to build a query by highlighting text and facet values.

Callout Box Text:

The terms that you select are displayed along with the number of documents that match.

As you build a query, you can remove terms, select additional terms, select a different query type before adding additional terms, or run the query.

Query Builder - 675611

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

Build the Query

You must select a query type:

- Phrase query

Build phrase queries :

Remove / Remove all

HEADLIGHTS FAILED

196 results match

Analytics Facet

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

Search options: AND Search, AND NOT Search, OR Search, Close

Document text: ... HOPING THAT AN EXIT ... DURING MY WAIT, I WAS ABLE TO RESTART THE ENGINE, BUT IT AGAIN FAILED WITHIN A COUPLE OF MILES, BUT ... THE CAR WAS TOWED TO SPARKS TOYOTA IN MYRTLE BEACH, SC WHO CALLED TO SAY THAT THEY BELIEVE THAT THE ... I DO NOT BELIEVE THAT IT THE CASE AS THIS HAD NOT HAPPENED BEFORE WHEN THE LOW FUEL INDICATOR CAME ...

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the IBM logo and 'IBM Content Analytics' are visible, along with the collection name 'NH...' and user information 'Logged in as: No...'. The main navigation bar includes tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports.

The 'Query Builder - 675611' window is open, showing instructions: 'Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.'

The 'Build the Query' section is active, showing a dropdown menu for 'Phrase query' and a list of 'Build phrase queries' including 'HEADLIGHTS FAILED'. A 'Filter:' section on the left lists various facets like Part of Sp, Phrase C, Named e, Troubles, Category, State, City, Vehicle/E, Vehicle/E, Model, Model Ye, Compon, Date of M, Date of Purchase, and Date of Fail.

The main content area displays a document snippet with the text: 'MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY CHECK THE BULBS AT 1.5 HOURS/EACH, SINCE THEY SAY'.

A callout box points to the highlighted text 'HEADLIGHTS FAILED' with the text: 'In this example, you decide to search the collection and explore some of the documents that match.'

At the bottom, there are search buttons for 'AND Search', 'AND NOT Search', 'OR Search', and 'Close'. The 'OR Search' button is highlighted with a red box.

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window displays a document snippet with the text: "MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

The interface includes a "Facet Navigation" sidebar on the left with filters for "Part of S", "Phrase C", "Named e", "Troubles", "Category", "State", "City", "Vehicle/E", "Vehicle/E", "Model", "Model Ye", "Compon", "Date of M", "Date of Purchase", "Date of Fail", and "Add Look Back". The "Build the Query" section shows a "Phrase query" selected, with "HEADLIGHTS FAILED" highlighted in the document text. Below the document text, there is a table of Analytics Facets:

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom of the window, there are buttons for "AND Search", "AND NOT Search", "OR Search", and "Close". A tooltip is visible over the "OR Search" button, stating: "Documents match if they contain any of the keywords specified in the query."

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, 'IBM Content Analytics', and navigation links for 'Collection: NH...', 'Logged in as: No...', 'Preferences', 'My Profile', 'Help', and 'About'. Below the header is a toolbar with icons for 'Documents', 'Facets', 'Time Series', 'Deviations', 'Trends', 'Facet Pairs', 'Connections', 'Dashboard', and 'Reports'. A 'Query Builder - 675611' window is open, showing search options: 'AND Search', 'AND NOT Search', 'OR Search', and 'Close'. The main content area features a 'Facet Navigation' sidebar on the left with a 'Filter:' input and a 'Clear' button. The sidebar lists various facets such as 'Part of Speech', 'Phrase Constituent', 'Named entity', 'Troubles', 'Category for Auto', 'State', 'City', 'Vehicle/Equipment Corp', 'Vehicle/Equipment Make', 'Model', 'Model Year', 'Component Description', 'Date of Manufacture', 'Date of Purchase', and 'Date of Fail'. The main table displays search results with columns for 'Flags', 'Actions', 'Source', and 'Date'. The text in the table is partially highlighted in green, with 'HEADLIGHTS FAILED' appearing in several entries. A yellow callout box with a speech bubble points to the highlighted text, containing the text: 'Note that the Query Builder is automatically minimized so that you can explore documents that match your search conditions.'

Flags	Actions	Source	Date	Thumbnail
<input type="checkbox"/>		ica	1/26/09	
... HID HEADLIGHTS FAILED ON 2007 TOYOTA PRIUS WITH				
<input type="checkbox"/>		ica	1/5/09	
... 1. HID HEADLIGHTS ON 2007 PRIUS WITH LESS THAN 20K MILES FAILED IN POURING RAIN AT NIGHT. 2. FIRST ... 6. BOTH HEADLIGHTS FAILED. ALL IS A DISTANCE OF ABOUT 5 MILES. *TR				
<input type="checkbox"/>		ica	8/5/09	733775
... 2007 PRIUS - STARTED DRIVING AT NIGHT APPROX.9PM. BOTH HEADLIGHTS FAILED LUCKILY STILL IN TOWN WHERE ...				
<input type="checkbox"/>		ica	5/31/09	725782
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS ... THIS CAN BE TEMPORARY REMEDIED BY CYCLING THE HEADLIGHT SWITCH TO THE FULL OFF POSITION, THEN BACK ... ON A TRIP FROM PETERSBURG, VA TO ALEXANDRIA, VA, THE HEADLIGHTS FAILED NO LESS THAN 20 TIMES. NOT ... A SAFETY VIOLATION BUT THE UNPREDICTABLE NATURE OF THIS ISSUE MAY RESULT IN A TRAFFIC VIOLATION ...				
<input type="checkbox"/>		ica	11/25/08	702141

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header shows 'IBM Content Analytics' and 'Collection: NH... (change)'. Below the header is a navigation bar with tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. A 'Query Builder - 675611' window is open, showing search options: AND Search, AND NOT Search, OR Search, and Close. The main area shows a table of search results with columns: Flags, Actions, Source, Date, Title, and Thumbnail. The table contains three rows of results. A callout box with a yellow background and black text is overlaid on the first row, stating: 'As you scroll through the results, you notice that a number of documents seem to pertain to the 2006 model year, and you decide to narrow the results to documents about that year.' The callout box points to the text '2006 TOYOTA' in the first row, which is circled in red. The first row's text is: '2006 TOYOTA HEADLIGHTS FAILED PREMATURELY ON A 2006 TOYOTA PRIUS. MANUFACTURE STATES WOULD LAST LIFE OF VEHICLE ... I HAVE READ THAT HUNDREDS OF OWNERS EXPERIENCED EXACT SAME PROBLEM WITH 2006 PRIUS. OBVIOUS THAT ...'. The second row's text is: '... WHEN DRIVING MY 2006 TOYOTA PRIUS BEFORE DAWN, THE HID HEADLIGHTS FAILED. I TURNED THE LIGHT SWITCH OFF, ... THE SECURITY GUARD AT MY PLACE OF WORK HAD TOLD ME BEFORE THAT ONE OF MY HEADLIGHTS WERE OUT WHEN I ... HAVING RESEARCHED THIS PROBLEM ON THE VARIOUS PRIUS CHAT BOARDS ON THE WEB, THIS IS OBVIOUSLY A ... ISSUE WITH THE HID HEADLIGHTS ON THE 2006 PRIUS. I WOULD HOPE THAT NO ONE HAS TO BE SERIOUSLY ...'. The third row's text is: '... HID HEADLIGHTS FAILED PREMATURELY ON A 2006 TOYOTA PRIUS. MANUFACTURE STATES WOULD LAST LIFE OF VEHICLE ... I HAVE READ THAT HUNDREDS OF OWNERS EXPERIENCED EXACT SAME PROBLEM WITH 2006 PRIUS. OBVIOUS THAT ...'. The left sidebar shows a 'Facet Navigation' panel with a 'Filter:' input field and a 'Clear' button. Below the filter are several facet categories: Part of Speech, Phrase Constituent, Named entity, Troubles, Category for Auto, State, City, Vehicle/Equipment Corp, Vehicle/Equipment Make, Model, Model Year, Component Description, Date of Manufacture, Date of Purchase, and Date of Fail.

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
<input type="checkbox"/>		ica	5/08	702141	
<input type="checkbox"/>		ica	7/11/08	682758	
<input type="checkbox"/>		ica	8/17/09	735182	

Build Queries by Highlighting Text and Facet Values

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Documents Facets Time Series Deviations Trends Facet Pairs Connections Dashboard Reports

Results 1-1 (1398/5753) Query Builder - 675611

AND Search AND NOT Search OR Search Close

Facet Navigation Default order

Filter:

Clear

Part of Speech²

Phrase Constituent²

Named entity²

Troubles

Category for Auto

State

City

Vehicle/Equipment Corp

Vehicle/Equipment Make

Model

Model Year

Component Description

Date of Manufacture

Date of Purchase

Date of Fail

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/0		
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY... HEADLIGHTS IN OUR 2006 PRIUS ... THIS CAN BE TEMPORARY REMEDIED BY CYCLING THE HEADLIGHT SWITCH TO THE FULL OFF POSITION, THEN BACK ... ON A TRIP FROM PETERSBURG, VA TO ALEXANDRIA, VA, THE HEADLIGHTS FAILED NO LESS THAN 20 TIMES. NOT ... A SAFETY VIOLATION BUT THE UNPREDICTABLE NATURE OF THIS ISSUE MAY RESULT IN A TRAFFIC VIOLATION ...					
<input type="checkbox"/>		ica	11/25/08	702141	
... HID HEADLIGHTS FAILED PREMATURELY ON A 2006 TOYOTA PRIUS. MANUFACTURE STATES WOULD LAST LIFE OF VEHICLE ... I HAVE READ THAT HUNDREDS OF OWNERS EXPERIENCED EXACT SAME PROBLEM WITH 2006 PRIUS. OBVIOUS THAT ...					
<input type="checkbox"/>		ica	7/11/08	682758	
... WHEN DRIVING MY 2006 TOYOTA PRIUS BEFORE DAWN, THE HID HEADLIGHTS FAILED. I TURNED THE LIGHT SWITCH OFF, ... THE SECURITY GUARD AT MY PLACE OF WORK HAD TOLD ME BEFORE THAT ONE OF MY HEADLIGHTS WERE OUT WHEN I ... HAVING RESEARCHED THIS PROBLEM ON THE VARIOUS PRIUS CHAT BOARDS ON THE WEB, THIS IS OBVIOUSLY A ... ISSUE WITH THE HID HEADLIGHTS ON THE 2006 PRIUS. I WOULD HOPE THAT NO ONE HAS TO BE SERIOUSLY ...					
<input type="checkbox"/>		ica	8/17/09	735182	

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window displays a document snippet with the text: "MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE...". The text "HEADLIGHTS FAILED" is highlighted in blue. Below the document snippet, an "Analytics Facet" table is visible, showing the following data:

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

The value "2006" in the table is circled in red. A yellow callout box points to the "2006" value with the text: "You see that 2006 is shown as a facet value, and decide to narrow the results by adding that value to the search conditions." The interface also shows a "Build the Query" section with a "Phrase query" type selected and a list of filters including "HEADLIGHTS FAILED". The bottom of the interface shows search buttons for "AND Search", "AND NOT Search", and "OR Search", along with a "Close" button.

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. The main window displays a document snippet with highlighted text. A yellow callout bubble points to a facet value in the table below. The interface includes a navigation bar with tabs for Documents, Facets, Time Series, Deviations, Trends, Facet Pairs, Connections, Dashboard, and Reports. The Query Builder window has a title bar 'Query Builder - 675611' and a close button. The main content area contains instructions: 'Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.' Below this, there is a 'Build the Query' section with a dropdown menu set to 'Keyword query' and a text input field. A 'Remove / Remove all' link is also present. The document snippet text is: 'MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... 'LY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY'. Below the text is a table with columns 'Analytics Facet' and 'Value'. The table contains the following data:

Analytics Facet	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom of the Query Builder window, there are search buttons: 'AND Search', 'AND NOT Search', 'OR Search', and 'Close'. The document snippet at the bottom of the main window shows the text 'SERIOUSLY ...' and a document ID '735182'.

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the header shows 'IBM Content Analytics', 'Collection: NH... (change)', 'Logged in as: No...', and navigation links for 'Preferences', 'My Profile', 'Help', and 'About'. Below the header is a toolbar with icons for 'Documents', 'Facets', 'Time Series', 'Deviations', 'Trends', 'Facet Pairs', 'Connections', 'Dashboard', and 'Reports'. The main content area is titled 'Query Builder - 675611' and contains instructions: 'Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.'

The 'Build the Query' section includes a dropdown menu for 'Keyword query' and a text input field for 'Build keyword queries :'. Below this is a list of facets with the message 'No results were returned by this query'. A 'Select a Saved Search' option is also visible.

The document text being highlighted is: 'MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

The 'Analytics Facet' table below the text is as follows:

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom of the query builder, there are four buttons: 'AND Search' (highlighted with a red box), 'AND NOT Search', 'OR Search', and 'Close'. The bottom status bar shows 'SERIOUSLY ...', a search icon, a document icon labeled 'ica', the date '8/17/09', and the number '735182'.

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics Query Builder interface. A document snippet is displayed with the year '2006' highlighted in green. Below the snippet is a table of Analytics Facets. The table has columns for Name and Value. The facets listed are: Numeral (2006), Noun Sequence (TOYOTA PRIUS), and Others (TOYOTA). A tooltip is visible over the 'AND Search' button, stating: 'Documents match if they contain all of the keywords, facets, field values, or dates specified in the query.'

Query Builder - 675611

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

Build the Query

You must select a query type:
Keyword query

Build keyword queries :
2006

12618 results match

Highlight text and facet values to add to the query. [Clear](#)

MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DONT WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESNT COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN 'PROBABLY' CHECK THE BULBS, AT 1.5 HOURS/EACH, SINCE THEY SAY

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

AND Search **AND NOT Search** **OR Search** **Close**

SERIOUSLY ...

Documents match if they contain all of the keywords, facets, field values, or dates specified in the query.

Build Queries by Highlighting Text and Facet Values

The screenshot shows the IBM Content Analytics interface. At the top, the search query is "(PRIUS OR \"HEADLIGHTS FAILED\") 2006". Below the query input, there are tabs for "Saved Searches (0)", "Advanced Search", and "Query Tree". A red circle highlights the "Query Tree" tab, and a yellow callout box points to it with the text: "As you work with results, you can use the Query Tree to revise the search conditions. First, click to expand the search input area." Below the callout, there are buttons for "AND Search", "AND NOT Search", "OR Search", and "Close". The main results area displays a table with columns: Flags, Actions, Source, Date, Title, and Thumbnail. The table contains three rows of search results, each with a snippet of text. The first row has a date of 5/31/09 and title 725782. The second row has a date of 11/25/08 and title 702141. The third row has a date of 8/29/09 and title 736950. On the left side, there is a "Facet Navigation" panel with a "Filter:" input and a "Clear" button. Below the filter, there are several facet categories: "Part of Speech", "Phrase Constituent", "Named entity", "Troubles", "Category for Auto", "State", "City", "Vehicle/Equipment Corp", "Vehicle/Equipment Make", "Model", and "Model Year".

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

(PRIUS OR "HEADLIGHTS FAILED") 2006 Search Clear ?

Search within results

Saved Searches (0) Advanced Search Query Tree

View the structure of your query as a tree diagram.

As you work with results, you can use the Query Tree to revise the search conditions. First, click to expand the search input area.

Results 1-10 of (355/575366 res) Query Build

You explored for "(PRIUS OR \"HEADLIGHTS FAILED\") 2006" Query language: English

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS ... THIS CAN BE TEMPORARY REMEDIED BY CYCLING THE HEADLIGHT SWITCH TO THE FULL OFF POSITION, THEN BACK ... ON A TRIP FROM PETERSBURG, VA TO ALEXANDRIA, VA, THE HEADLIGHTS FAILED NO LESS THAN 20 TIMES. NOT ... A SAFETY VIOLATION BUT THE UNPREDICTABLE NATURE OF THIS ISSUE MAY RESULT IN A TRAFFIC VIOLATION ...					
<input type="checkbox"/>		ica	11/25/08	702141	
... HID HEADLIGHTS FAILED PREMATURELY ON A 2006 TOYOTA PRIUS. MANUFACTURE STATES WOULD LAST LIFE OF VEHICLE ... I HAVE READ THAT HUNDREDS OF OWNERS EXPERIENCED EXACT SAME PROBLEM WITH 2006 PRIUS. OBVIOUS THAT ...					
<input type="checkbox"/>		ica	8/29/09	736950	
... TOYOTA PRIUS - 2006 - HEADLIGHTS INTERMITTENT OPERATION. *TR					

Facet Navigation Default order

Filter: Clear

- Part of Speech²
- Phrase Constituent²
- Named entity²
- Troubles
- Category for Auto
- State
- City
- Vehicle/Equipment Corp
- Vehicle/Equipment Make
- Model
- Model Year

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the search query is "(PRIUS OR "HEADLIGHTS FAILED") 2006". The results section shows "Results 1-10 of 355 (355/575366 results matched)". A table of results is visible, with columns for Flags, Actions, Source, Date, Title, and Thumbnail. A yellow callout box points to the first result, suggesting to move the Query Builder lower on the page. A "Query Builder - 675611" dialog box is open, showing options for "AND Search", "AND NOT Search", "OR Search", and "Close".

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

(PRIUS OR "HEADLIGHTS FAILED") 2006

Search Clear ?

Search within results

Saved Searches (0) Advanced Search Query Tree

Documents Facets Time Series Deviations Trends Facet Pairs Connections Dashboard

Results 1-10 of 355 (355/575366 results matched)

Results per page: 10

You explored for "(PRIUS OR "HEADLIGHTS FAILED") 2006" Query language: English

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
				... 2006 TOYOTA PRIUS H HEADLIGHTS IN OUR 200 HEADLIGHT SWITCH TO PETERSBURG, VA TO AL NOT ... A SAFETY VIOLATI IN A TRAFFIC VIOLATION E DRIVING. THE HID REMEDIED BY CYCLING THE ON A TRIP FROM NO LESS THAN 20 TIMES. OF THIS ISSUE MAY RESULT
				STATES WOULD LAST LIFE OF VEHICLE ... I HAVE READ THAT HUNDREDS OF OWNERS EXPERIENCED EXACT SAME PROBLEM WITH 2006 PRIUS. OBVIOUS THAT ...	
<input type="checkbox"/>		ica	8/29/09	736950	
				... TOYOTA PRIUS - 2006 - HEADLIGHTS INTERMITTENT OPERATION. *TR	

Facet Navigation Default order

Filter:

Clear

Part of Speech²

Phrase Constituent²

Named entity²

Troubles

Category for

State

City

Vehicle/Equipment Corp

Vehicle/Equipment Make

Model

Model Year

Query Builder - 675611

AND Search AND NOT Search OR Search Close

You might want to move the Query Builder lower on the page to allow room for viewing the tree.

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the search query is "(PRIUS OR "HEADLIGHTS FAILED") 2006". Below the search bar, there are tabs for "Saved Searches (0)", "Advanced Search", and "Query Tree". A red circle highlights the "Query Tree" tab, and a yellow callout bubble points to it with the text "Click to expand the Query Tree." The main results area shows "Results 1-10 of 355 (355/575366 results matched)". A table of results is visible, with the first row containing a document ID of 725782 and a snippet of text: "... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS ... THIS CAN BE TEMPORARY REMEDIED BY CYCLING THE HEADLIGHT SWITCH TO THE FULL OFF POSITION, THEN BACK ... ON A TRIP FROM PETERSBURG, VA TO ALEXANDRIA, VA, THE HEADLIGHTS FAILED NO LESS THAN 20 TIMES. NOT ... A SAFETY VIOLATION BUT THE UNPREDICTABLE NATURE OF THIS ISSUE MAY RESULT IN A TRAFFIC VIOLATION ...". A "Query Builder - 675611" dialog box is open in the foreground, showing options for "AND Search", "AND NOT Search", "OR Search", and "Close". The dialog box is positioned over the search results table.

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

(PRIUS OR "HEADLIGHTS FAILED") 2006

Search Clear ?

Search within results

Saved Searches (0) Advanced Search Query Tree

Documents Facets Time Series Deviations Connections Dashboard

Results 1-10 of 355 (355/575366 results matched)

You explored for "(PRIUS OR "HEADLIGHTS FAILED") 2006" Query language: English

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS ... THIS CAN BE TEMPORARY REMEDIED BY CYCLING THE HEADLIGHT SWITCH TO THE FULL OFF POSITION, THEN BACK ... ON A TRIP FROM PETERSBURG, VA TO ALEXANDRIA, VA, THE HEADLIGHTS FAILED NO LESS THAN 20 TIMES. NOT ... A SAFETY VIOLATION BUT THE UNPREDICTABLE NATURE OF THIS ISSUE MAY RESULT IN A TRAFFIC VIOLATION ...					
<input type="checkbox"/>		ica	8/29/09	736950	
... TOYOTA PRIUS - 2006 - HEADLIGHTS INTERMITTENT OPERATION. *TR					

Facet Navigation Default order

Filter:

Clear

Part of Speech²

Phrase Constituent²

Named entity²

Troubles

Category for

State

City

Vehicle/Equipment Corp

Vehicle/Equipment Make

Model

Model Year

Query Builder - 675611

AND Search AND NOT Search OR Search Close

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH...", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS OR \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are buttons for "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

The main area is titled "Query Tree" and shows a hierarchical structure of search terms. A red circle highlights an "Exclude" icon (a trash can) next to the term "Keyword: '2006' 12618 documents". A tooltip box explains: "You can quickly change the query by modifying and removing query terms. For example, click the **Exclude** icon to remove all documents that contain the specified query term or terms from the search results."

Below the query tree, a "Query Builder - 675611" window is open, showing search options: "AND Search", "AND NOT Search", "OR Search", and "Close". It indicates "(555/57550 results matched)".

The search results section shows the query language as "English". A table displays the results with columns for "Flags", "Actions", "Source", "Date", "Title", and "Thumbnail". The first result is:

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS, THIS CAN BE TEMPORARILY REMEDIATED BY CYCLING THE					

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS OR \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

The main area is titled "Query Tree" and shows a hierarchical structure of query components. A yellow callout box points to an "Edit" icon on the "Quoted : \"HEADLIGHTS FAILED\" 196 documents" node, with the text: "Click the **Edit** icon to switch a Boolean AND condition to OR, or change OR to AND." The tree also shows "AND : 355 documents", "OR : 1398 documents", and "Keyword : \" 2006 \" 12618 documents".

Below the query builder is a "Query Builder - 675611" window. It features buttons for "AND Search", "AND NOT Search", "OR Search", and "Close". Below these buttons, it states "You explored for \"(PRIUS OR \"HEADLIGHTS FAILED\") 2006\" Query language: English".

The bottom section shows a "Facet Navigation" area with a "Filter:" input and a "Clear" button. To the right is a table of search results:

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS. THIS CAN BE TEMPORARILY REMEDIED BY CYCLING THE					

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS OR \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are buttons for "Search", "Clear", and "?", along with a checkbox for "Search within results".

Below the search bar is a "Query Tree" window. It shows a hierarchical structure of the query: "AND : 355 documents" (root), "OR : 1398 documents" (child), "Keyword : \" PRIUS \" 1217 documents" (child of OR), and "Quoted : \" HEADLIGHTS FAILED \" 196 documents" (child of OR). A "Keyword : \" 2006 \" 12618 documents" node is also visible. The "OR" node is highlighted with a mouse cursor.

At the bottom, a "Query Builder - 675611" window is open, showing search options: "AND Search", "AND NOT Search", "OR Search", and "Close". Below this, a message states "You explored for \"(PRIUS OR \"HEADLIGHTS FAILED\") 2006\" Query language: English".

The search results are displayed in a table with columns: "Flags", "Actions", "Source", "Date", "Title", and "Thumbnail". The first result is:

Flags	Actions	Source	Date	Title	Thumbnail
0		ica	5/31/09	725782	

The snippet of the document title is: "... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS. THIS CAN BE TEMPORARILY REMEDIED BY CYCLING THE

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH...", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS OR \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are buttons for "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

Below the search bar is a "Query Tree" panel. It shows a hierarchical structure of the query. A callout box highlights a dropdown menu where the logic is changed from "OR" to "AND". The callout text reads: "In this example, you change the OR logic to AND, to indicate that documents match only if they include PRIUS and HEADLIGHTS FAILED." The tree shows an "AND : 355 documents" node containing two "OR" nodes. The first "OR" node has a "Keyword : \" PRIUS \" 1217 documents" and the second has a "Quoted : \" HEADLIGHTS FAILED \" 196 documents".

Below the Query Tree is a "Query Builder - 675611" window. It features buttons for "AND Search", "AND NOT Search", "OR Search", and "Close". Below these buttons, it states "You explored for \"(PRIUS OR \"HEADLIGHTS FAILED\") 2006\" Query language: English".

At the bottom, there is a "Facet Navigation" section with a "Filter:" input and a "Clear" button. To the right is a table of search results:

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS. THIS CAN BE TEMPORARILY REMEDIED BY CYCLING THE					

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH...", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS OR \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are buttons for "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

Below the search bar is a "Query Tree" window. It shows a hierarchical structure of the query: "AND : 355 documents" (root), "OR : 1398 documents" (intermediate), and "Keyword : \" 2006 \" 12618 documents" (leaf). A mouse cursor is hovering over the "AND/OR" dropdown menu. To the right of the query tree, two facets are visible: "Keyword : \" PRIUS \" 1217 documents" and "Quoted : \" HEADLIGHTS FAILED \" 196 documents".

Below the query tree is a "Query Builder - 675611" window. It features buttons for "AND Search", "AND NOT Search", "OR Search", and "Close". Below these buttons, it states "You explored for \"(PRIUS OR \"HEADLIGHTS FAILED\") 2006\" Query language: English".

At the bottom, there is a "Facet Navigation" section with a "Filter:" input field and a "Clear" button. To the right is a table of search results:

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	
... 2006 TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID HEADLIGHTS IN OUR 2006 PRIUS THIS CAN BE TEMPORARILY REMEDIED BY CYCLING THE					

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are buttons for "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

The central "Query Tree" window shows a hierarchical structure of the query components:

- AND : 8 documents (root node)
- AND : 15 documents (child of root)
- Keyword : " 2006 " 12618 documents (child of AND : 15 documents)
- Keyword : " PRIUS " 1217 documents (child of AND : 15 documents)
- Quoted : " HEADLIGHTS FAILED " 196 documents (child of AND : 15 documents)

Below the Query Tree, a "Query Builder - 675611" window is open, showing search options: "AND Search", "AND NOT Search", "OR Search", and "Close". It indicates "(0/37,500 results matched)". Below this window, a message states: "You explored for \"(PRIUS \"HEADLIGHTS FAILED\") 2006\" Query language: English / Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)".

At the bottom, a "Facet Navigation" section is visible, and a table of search results is shown:

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/> 0		ica	5/31/09	725782	

Below the table, a snippet of a document title is visible: "TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING THE HD".

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS \"HEADLIGHTS FAILED\") 2006". Below the search bar is a "Query Tree" panel with a tree structure showing query components: "AND : 8 documents", "AND : 15 documents", and "Keyword : \" 2006 \" 12618 documents". A red circle highlights the delete icon (trash can) next to the "2006" keyword. A yellow callout box points to this icon with the text: "You can click the **Delete** icon to quickly remove query terms from the query. In this example, you decide to remove 2006 from the search conditions." To the right of the query tree are buttons for "Search", "Clear", and "Search within results". Below the query tree is a toolbar with "AND Search", "AND NOT Search", "OR Search", and "Close" buttons. The main results area shows "Results 1-8 of 8 (8/575366 results matched)" and "Results per page: 10". A suggestion box says "Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)". A table of results is visible at the bottom with columns: Facet Navigation, Flags, Actions, Source, Date, Title, and Thumbnail. The first row shows a document with source "ica", date "5/31/09", and title "725782".

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics Query Builder interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "(PRIUS \"HEADLIGHTS FAILED\") 2006". To the right of the search bar are buttons for "Search", "Clear", and "?", along with a checkbox for "Search within results".

The central "Query Tree" panel shows a hierarchical structure of search terms. It includes:

- "AND : 8 documents" (with a trash icon)
- "AND : 15 documents" (with trash and edit icons)
- "Keyword : \" 2006 \" 12618 documents" (with trash and edit icons, and a "Delete" button being clicked)
- "Keyword : \" PRIUS \" 1217 documents" (with trash and edit icons)
- "Quoted : \" HEADLIGHTS FAILED \" 196 documents" (with trash and edit icons)

Below the query tree is a "Query Builder - 675611" window with buttons for "AND Search", "AND NOT Search", "OR Search", and "Close".

The main results area shows "Results 1-8 of 8 (8/575366 results matched)". It includes a toolbar with various icons and a "Results per page: 10" dropdown. A message states: "You explored for \"(PRIUS \"HEADLIGHTS FAILED\") 2006\" Query language: English / Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)".

At the bottom, there is a "Facet Navigation" section with a "Filter:" input and a "Clear" button. Below this is a table with the following columns: "Flags", "Actions", "Source", "Date", "Title", and "Thumbnail".

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	

Below the table, a snippet of a search result is visible: "TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING THE UP".

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH...", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "PRIUS \"HEADLIGHTS FAILED\"", with "S" and "A" dropdown menus below it. To the right of the search bar are "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

The "Query Tree" panel shows a hierarchical structure with two nodes: "AND : 15 documents" and "Quoted : \"HEADLIGHTS FAILED\" 196 documents". A yellow tooltip box is overlaid on the "Query Tree" panel, containing the following text:

The Query Builder works in collaboration with the Query Tree. You can modify a query by applying query terms from the Query Builder to a specific node in the query tree.

First, reopen the Query Builder and position it so that you can see it and the Query Tree.

The "Query Builder - 675611" window is open, showing search options: "AND Search", "AND NOT Search", "OR Search", and "Close". Below this, the search results are displayed as "Results 1-10 of 15 (15/575366 results matched)". The results per page is set to 10. A message indicates: "You explored for \"PRIUS \"HEADLIGHTS FAILED\"\" Query language: English / Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)".

The results table has the following columns: Facet Navigation, Filter, Flags, Actions, Source, Date, Title, and Thumbnail. The first result is:

Facet Navigation	Filter	Flags	Actions	Source	Date	Title	Thumbnail
		<input type="checkbox"/>		ica	1/26/09	709736	

The snippet for this result is: "... HID **HEADLIGHTS FAILED** ON 2007 TOYOTA **PRIUS** WITH 41K MILES. *TR

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "PRIUS \"HEADLIGHTS FAILED\"". To the right of the search bar are buttons for "Search", "Clear", and a help icon, along with a checkbox for "Search within results".

Below the search bar is a "Query Tree" window. It shows a hierarchical view of the query components: "AND : 15 documents" (with a trash and edit icon), "Keyword : \" PRIUS \" 1217 documents" (with a trash and edit icon), and "Quoted : \" HEADLIGHTS FAILED \" 196 documents" (with a trash and edit icon).

The main results area shows "Results 1-10 of 15 (15/575366 res)". A toolbar includes icons for "Documents", "Facets", "Time Series", "Deviations", "Trends", "Facet Pairs", "Connections", and "Dashboard". Below the toolbar, there are search filters: "AND Search", "AND NOT Search", "OR Search", and "Close". A tooltip "Expand this area" is visible over the search filter buttons.

At the bottom, a table displays search results. The table has columns for "Facet Navigation", "Default order", "Flags", "Actions", "Source", "Date", "Title", and "Thumbnail". The first row shows a document with source "ica", date "1/26/09", and title "709736". The snippet for this document is "...HID HEADLIGHTS FAILED ON 2007 TOYOTA PRIUS WITH 41K MILES. *TR".

Build Queries by Highlighting Text and Facet Values

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

PRIUS "HEADLIGHTS FAILED" Search Clear ?

Search within results

Query Tree

AND : 15 documents Keyword : " PRIUS " 1217 documents Quoted : " HEADLIGHTS FAILED " 196 documents

Query Builder - 675611

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

Build the Query Highlight text and facet values to add to the query. Clear

You must select a query type:
Phrase query

Build phrase queries :
Remove / Remove all

2006

2006

12618 results match

Results 1-1 (15/575366)

You explore

Facet Navigation

Filter: Select a Saved Search

MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HEADLIGHTS, AND BACK ON, WILL USUALLY BRING THEM BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE AN ACCIDENT WHEN GOING AROUND A CURVE, IN WHICH ONE OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND. I HAD TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO MY CAR. A VERY FRIGHTENING EXPERIENCE, THAT I DON'T WANT TO BE APPARENT FROM THE THIS SITE, THAT IT IS A WARNING THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY WARRANTY THAT TOYOTA BRAND PLATINUM WARRANTY DOESN'T COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR... THEN HOPES TO REPLACE THE BULBS AT 15 HOURS EACH. SINCE THEY ONLY

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA
...

AND Search AND NOT Search OR Search Close

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "PRIUS 'HEADLIGHTS FAILED'", with "Search" and "Clear" buttons. A "Query Tree" panel shows a hierarchical structure with "AND : 15 documents" and "Keyword : 'PRIUS' 1217 documents". A yellow callout box points to the "PRIUS" node, stating: "Select the PRIUS node in the Query Tree and then click the AND Search button." Below the query tree, a "Query Builder" window is open, showing a "Phrase query" type and a list of phrase queries including "2006". A "Facet Navigation" panel on the left shows "Results 1-1 (15/575366)" and a "Filter" section. The main content area displays a document snippet with the word "2006" highlighted in green. Below the snippet, an "Analytics Facet" table is visible:

Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA

At the bottom, there are buttons for "AND Search", "AND NOT Search", "OR Search", and "Close".

Build Queries by Highlighting Text and Facet Values

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

PRIUS "HEADLIGHTS FAILED" Search Clear ?

Search within results

Query Tree

AND : 15 documents Keyword : " PRIUS " 1217 documents Quoted : " HEADLIGHTS FAILED " 196 documents

Query Builder - 675611

Select the type of query that you want to build, highlight the document text, facet values, or saved search that you want to include in the query. As you build the query, the number of documents that match is displayed. To run the query and explore documents, click a Search button and minimize the Query Builder.

Build the Query

You must select a query type:
 Phrase query

Build phrase queries :
 +
 Remove / Remove all

2006

12618 results match

Results 1-1 (15/575366)

You explore

Facet Navigation

Filter: Select a Saved Search

Highlight text and facet values to add to the query. Clear

MY 2006 TOYOTA PRIUS INTERMITTENTLY LOSES ONE OR BOTH OF THE HID HEADLIGHTS. TURNING OFF THE LIGHTS, AND BACK ON, WILL USUALLY BRING BOTH OF THE LIGHTS BACK ON... FOR A LITTLE WHILE. THIS HAS CAUSED ME TO HAVE ONE 'NEAR-MISS' ACCIDENT WHEN GOING AROUND A CURVE, IN UNFAMILIAR AREAS. BOTH OF THE HEADLIGHTS FAILED WITHIN A FEW TENTHS OF A SECOND, HELPING ME TO RUN OFF OF THE ROAD. NO DAMAGE WAS DONE TO THE CAR, BUT IT WAS A VERY FRIGHTENING EXPERIENCE, THAT I DON'T WANT TO REPEAT. IT SEEMS APPARENT FROM THE THIS SITE, THAT IT IS A WIDE-SPREAD PROBLEM THAT TOYOTA DOES NOT WANT TO ADMIT TO. EVEN MY TOYOTA BRAND PLATINUM WARRANTY DOESN'T COVER THIS, SINCE THEY SAY THAT 'LIGHT' BULBS ARE AN 'EXPENDABLE' ITEM... THEY MEANT 'EXPENSIVE' ITEM... THAT THEY DO NOT WANT TO PAY FOR. MY LOCAL DEALER STATES THAT THEY WANT TO 'TROUBLESHOOT' IT FOR A FEW HOURS AT ABOUT \$90/HR...

Analytics Facet	
Name	Value
Numeral	2006
Noun Sequence	TOYOTA PRIUS
Others	TOYOTA
...

AND Search AND NOT Search OR Search Close

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics search interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "PRIUS \"HEADLIGHTS FAILED\" \"2006\"", with "Search" and "Clear" buttons to its right. Below the search bar is a "Query Tree" panel showing a hierarchical structure: "Keyword: ' PRIUS ' 1217 documents", "AND: 8 documents", and "Quoted: ' HEADLIGHTS FAILED ' 196 documents". A "Query Builder - 675611" dialog box is open, offering options for "AND Search", "AND NOT Search", "OR Search", and "Close". The main results area shows "Results 1-8 of 8 (8/575366 results matched)" and "Results per page: 10". A message suggests alternative queries: "Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)". Below this is a "Facet Navigation" section with a "Filter:" input and a "Clear" button. The main results table has columns for "Flags", "Actions", "Source", "Date", "Title", and "Thumbnail". The first row shows a document with source "ica", date "5/31/09", and title "725782".

IBM Content Analytics Collection: NH... (change) Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

PRIUS "HEADLIGHTS FAILED" "2006"

Search Clear ?

Search within results

Query Tree

Keyword: " PRIUS " 1217 documents

AND: 8 documents

Quoted: " HEADLIGHTS FAILED " 196 documents

Query Builder - 675611

AND Search AND NOT Search OR Search Close

Documents Facets Time Series Deviations Trends Facet Pairs Connections Dashboard

Results 1-8 of 8 (8/575366 results matched) Results per page: 10

You explored for "PRIUS \"HEADLIGHTS FAILED\" \"2006\"". Query language: English / Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)

Facet Navigation Default order

Filter: Clear

Flags	Actions	Source	Date	Title	Thumbnail
<input type="checkbox"/>		ica	5/31/09	725782	

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, "IBM Content Analytics", and navigation links for "Collection: NH... (change)", "Logged in as: No...", "Preferences", "My Profile", "Help", and "About". A search bar contains the query "PRIUS \"HEADLIGHTS FAILED\" \"2006\"", with "Help for query syntax" and "Search" and "Clear" buttons. A "Search within results" checkbox is also present.

The "Query Tree" section shows a hierarchical view of the query components: "AND: 8 documents", "Quoted: \" PRIUS \" 1217 documents", "Quoted: \" HEADLIGHTS FAILED \"", and "Quoted: \" 2006 \" 12618 documents". A red box highlights a close button in the top right of the Query Tree.

The "Query Builder - 675611" window is open, showing search options: "AND Search", "AND NOT Search", "OR Search", and "Close". A red box highlights the "Close" button. A yellow tooltip above it reads: "When you are finished modifying the query, click Close to close the Query Builder and then close the Query Tree." Another tooltip below the "Close" button reads: "Closes the Query Builder. To save this query to a category rule."

The main results area shows "Results 1-8 of 8 (8/575366 results matched)" and "Results per page: 10". A message indicates a spelling correction: "You explored for \"PRIUS \"HEADLIGHTS FAILED\" \"2006\"\" Query language: English / Did you mean: [headlight](#) [\"HEAD LIGHTS\"](#) [\"HEAD LIGHT\"](#)".

Below the message is a table with columns: "Facet Navigation", "Default order", "Flags", "Actions", "Source", "Date", "Title", and "Thumbnail". The first row shows a document with source "ica", date "5/31/09", and title "725782".

Build Queries by Highlighting Text and Facet Values

IBM Content Analytics
Collection: NH... (change) | Logged in as: No... | Preferences | My Profile | Help | About

Help for query syntax

PRIUS "HEADLIGHTS FAILED" "2006"

Search Clear ?
 Search within results

Query Tree

- Keyword : " PRIUS " 1217 documents
- AND : 8 documents
- Quoted : " HEADLIGHTS FAILED " 196 documents
- Quoted : " 2006 " 12618 documents

Results 1-8 of 8 (8/575366 results matched)


Results per page: 10

You explored for "PRIUS \"HEADLIGHTS FAILED\" \"2006\"". Query language: English / Did you mean: [headlight](#) ["HEAD LIGHTS"](#) ["HEAD LIGHT"](#)

Facet Navigation	Default order	Flags	Actions	Source	Date	Title	Thumbnail
Filter:		<input type="checkbox"/>		ica	5/31/09	725782	

TOYOTA PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING THE LIP

Build Queries by Highlighting Text and Facet Values



IBM Content Analytics

Collection: NH... (change) | Logged in as: No... | Preferences | My Profile | Help | About

Documents | Facets | Time Series | Deviations | Trends | Facet Pairs | Connections | Dashboard | Reports

Results 1-8 of 8 (8/575366 results matched) | Results per page: 10

Facet Navigation

Filter:

- Part of Speech
- Phrase Const
- Named entity
- Troubles
- Category for Auto
- State
- City
- Vehicle/Equipment Corp
- Vehicle/Equipment Make
- Model
- Model Year
- Component Description
- Date of Manufacture
- Date of Purchase
- Date of Fail

Actions	Source	Date	Title	Thumbnail
	ica	5/31/09	725782	
<input type="checkbox"/>	ica	11/25/08	702141	
<input type="checkbox"/>	ica	7/11/08	682758	
<input type="checkbox"/>	ica	8/29/08	690636	

There are several ways to save the query or work with the search results.

For example, click the **Save** icon to save the query so that you can run it again another time.

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header shows 'IBM Content Analytics' and 'Collection: NH... (change)'. Below the header, there are navigation tabs for 'Documents', 'Facets', 'Time Series', 'Deviations', 'Trends', 'Facet Pairs', 'Connections', 'Dashboard', and 'Reports'. The main content area shows search results for 'Results 1-8 of 8 (8/575366 results matched)'. A callout box with a yellow background and a red border points to a document icon in the toolbar, containing the text: 'If you add the query as a category rule, the query terms are applied whenever you explore the collection by selecting the specified category from the Facet Navigation area.'

The results table has columns for 'Source', 'Date', 'Title', and 'Thumbnail'. The first row shows a document from 'ica' dated '5/31/09' with title '725782'. The text snippet below it reads: '... PRIUS HEADLIGHTS INTERMITTENTLY FAIL WHILE DRIVING. THE HID ... OUR 2006 PRIUS ... THIS CAN BE TEMPORARY REMEDIED BY CYCLING THE ... CH TO THE FULL OFF POSITION, THEN BACK ... ON A TRIP FROM ... A TO ALEXANDRIA, VA, THE HEADLIGHTS FAILED NO LESS THAN 20 TIMES. VIOLATION BUT THE UNPREDICTABLE NATURE OF THIS ISSUE MAY RESULT ... LATION ...'.

The second row shows a document from 'ica' dated '11/25/08' with title '702141'. The text snippet below it reads: '... HID HEADLIGHTS FAILED PREMATURELY ON A 2006 TOYOTA PRIUS. MANUFACTURE STATES WOULD LAST LIFE OF VEHICLE ... I HAVE READ THAT HUNDREDS OF OWNERS EXPERIENCED EXACT SAME PROBLEM WITH 2006 PRIUS. OBVIOUS THAT ...'.

The third row shows a document from 'ica' dated '7/11/08' with title '682758'. The text snippet below it reads: '... WHEN DRIVING MY 2006 TOYOTA PRIUS BEFORE DAWN, THE HID HEADLIGHTS FAILED. I TURNED THE LIGHT SWITCH OFF, ... THE SECURITY GUARD AT MY PLACE OF WORK HAD TOLD ME BEFORE THAT ONE OF MY HEADLIGHTS WERE OUT WHEN I ... HAVING RESEARCHED THIS PROBLEM ON THE VARIOUS PRIUS CHAT BOARDS ON THE WEB, THIS IS OBVIOUSLY A ... ISSUE WITH THE HID HEADLIGHTS ON THE 2006 PRIUS. I WOULD HOPE THAT NO ONE HAS TO BE SERIOUSLY ...'.

The fourth row shows a document from 'ica' dated '8/29/08' with title '690636'.

On the left side, the 'Facet Navigation' panel is visible, showing a 'Filter:' section and a list of facets including 'Part of Speech', 'Phrase Constituent', 'Named entity', 'Troubles', 'Category for Auto', 'State', 'City', 'Vehicle/Equipment Corp', 'Vehicle/Equipment Make', 'Model', 'Model Year', 'Component Description', 'Date of Manufacture', 'Date of Purchase', and 'Date of Fail'.

Build Queries by Highlighting Text and Facet Values

The screenshot displays the IBM Content Analytics interface. At the top, the header includes the IBM logo, 'IBM Content Analytics', and navigation links for 'Collection: NH... (change)', 'Logged in as: No...', 'Preferences', 'My Profile', 'Help', and 'About'. Below the header is a toolbar with tabs for 'Documents', 'Facets', 'Time Series', 'Deviations', 'Trends', 'Facet Pairs', 'Connections', 'Dashboard', and 'Reports'. The main content area shows search results for 'Results 1-8 of 8 (8/575366 results matched)'. A callout box highlights the 'Export' icon in the toolbar, stating: 'You can export documents that match your search conditions and use other applications, such as IBM Cognos Business Intelligence or spreadsheet tools, to further analyze the results.' The results table has columns for 'Source', 'Date', 'Title', and 'Thumbnail'. Three results are visible, each with a snippet of text containing highlighted terms like '2006 PRIUS' and 'HEADLIGHTS FAILED'. The left sidebar shows a 'Facet Navigation' section with a 'Filter:' input and various facet categories like 'Part of Speech', 'Phrase Constituent', 'Named entity', 'Troubles', 'Category for Auto', 'State', 'City', 'Vehicle/Equipment Corp', 'Vehicle/Equipment Make', 'Model', 'Model Year', 'Component Description', 'Date of Manufacture', 'Date of Purchase', and 'Date of Fail'.

Source	Date	Title	Thumbnail
ica	5/31/09	725782	
ica	11/25/08	702141	
ica	7/11/08	682758	
ica	8/29/08	690636	

