



Lotus Expeditor 6.1 Education

# IBM® Lotus® Expeditor 6.1 Server

## Changing the Server Administrator Password

**Lotus** software



@business on demand software

© 2006 IBM Corporation

Hello, and welcome to this presentation on changing the administrator password for Lotus Expeditor 6.1 Server.

## Configuration wizard overview

- Expeditor Server configuration wizard
  - ▶ Allows additional configuration needed for production
  - ▶ Hides the underlying complexities
  - ▶ Simplifies choices
- Available options include:
  - ▶ Upgrade to Active Directory® 2003
  - ▶ Update existing Expeditor Server administrator password
  - ▶ Update existing database administrator password
  - ▶ Advanced clustering services

Lotus Expeditor Server provides a configuration wizard to allow for additional configuration changes to the Expeditor Server. The configuration wizard hides the complexity of many common tasks and simplifies the choices you need to make.

The Expeditor Server configuration wizard includes tasks to upgrade to Active Directory 2003, update the Expeditor Server administrator password, update the DB2 administrator password, and several task for clustering the server.

## Using the configuration wizard

- Access the configuration wizard:
  - ▶ Windows®: Start > All Programs > Lotus Expeditor
  - ▶ Linux®: `expeditor_home\Expeditor\config\config.sh`
- Select the configuration to change
  - ▶ Upgrade to Active Directory 2003
  - ▶ **Update existing Expeditor Server administrator password**
  - ▶ Update existing database administrator password
  - ▶ Advanced clustering services

The configuration wizard can be accessed from the start menu on Windows or from a command line script on Linux. To change the administrator's password, select Update existing Expeditor Server Administrator Password from the list of options in the configuration wizard.

## Updating Expeditor Server administrator password

- Behavior is different depending on user registry
  - ▶ DB2® user registry - sets the password
  - ▶ LDAP - assumes password is already changed
    - Configuration wizard validates the credentials against the LDAP server before performing the update.
    - If the Expeditor Server has been clustered, you need to update the deployment manager security configuration before using the wizard.
  
- Updates server configuration with new password

If you are using the DB2 user registry the update administrator password task will set the password in the user registry. If you are using a LDAP server for the user registry, you must change the password in LDAP before running the update administrator password task. The task will update any server configuration that requires the administrator password with the new password.

## Verifying the configuration change

- Run First Steps
- Select Verify Installation

After you run the configuration wizard to update the administrator's password, run verify the installation from the first steps application to verify the Expeditor Server is functioning properly.

## Troubleshooting the configuration change

- Verify that the Expeditor servers are stopped
- Check config\_trace.log
- In a clustered environment ensure:
  - ▶ The deployment manager security has been updated and it was restarted
  - ▶ The node agents on each Expeditor Server node have been restarted

To avoid problems during the update, verify that all Expeditor Servers are stopped before you begin the update. If you encounter problems during the update, check the configuration trace log for errors.

In a clustered environment ensure that you updated the deployment manager security and restarted the deployment manager. Also you will need to restart the node agents on each of the Expeditor Server nodes in the cluster.

## Trademarks, copyrights, and disclaimers

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

DB2 IBM Lotus

Active Directory, Windows, and the Windows logo are registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Product data has been reviewed for accuracy as of the date of initial publication. Product data is subject to change without notice. This document could include technical inaccuracies or typographical errors. IBM may make improvements or changes in the products or programs described herein at any time without notice. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business. Any reference to an IBM Program Product in this document is not intended to state or imply that only that program product may be used. Any functionally equivalent program, that does not infringe IBM's intellectual property rights, may be used instead.

Information is provided "AS IS" without warranty of any kind. THE INFORMATION PROVIDED IN THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IBM EXPRESSLY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT. IBM shall have no responsibility to update this information. IBM products are warranted, if at all, according to the terms and conditions of the agreements (for example, IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided. Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products.

IBM makes no representations or warranties, express or implied, regarding non-IBM products and services.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents or copyrights. Inquiries regarding patent or copyright licenses should be made, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, NY 10504-1785  
U.S.A.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

© Copyright International Business Machines Corporation 2006. All rights reserved.

Note to U.S. Government Users - Documentation related to restricted rights-Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract and IBM Corp.

This concludes this presentation.