


IBM Tivoli Netcool Service Quality Manager V4.1

Service Quality Manager administrative function



© 2010 IBM Corporation

IBM Tivoli® Netcool® Service Quality Manager V4.1: Service Quality Manager administrative function.

This training module is for the Tivoli Netcool Service Quality Manager version 4.1 administrative function.

Assumptions

- You have Tivoli Netcool Service Quality Manager 4.1 installed and running
- You are a user with access to:
 - Service Quality Manager with SLA Template Management
 - SLA Provisioning
 - Party Management
 - Service Quality Manager User Management
 - Service Quality Management Audit
 - SQM Modeling
 - Service Modeling roles

Assumptions.

The assumptions are that you have Tivoli Netcool Service Quality Manager 4.1 installed and running. You must also be a user with access to Service Quality Manager with SLA Template Management, SLA Provisioning, Party Management, Service Quality Manager User Management, Service Quality Management Audit, SQM Modeling, and Service Modeling roles.

Objectives


After you complete this module, you should be able to navigate Service Quality Manager administrative functions, including:

- Service Quality Manager user management
- Party management
- SLA template management
- SLA creation
- Services resources
- SQM modeling
- Service modeling
- SQM audit

Objectives.

After you complete this module, you should be able to navigate Service Quality Manager administrative functions, including Service Quality Manager user management, party management, SLA template management, SLA creation, services resources, SQM modeling, service modeling, and SQM audit.

Service Quality Manager, user management




Service Quality Manager administrative function

© 2010 IBM Corporation

Service Quality Manager user management.

Refer to the **Service Quality Manager, user management** IBM Education Assistant module for further information about user management.

Service Quality Manager Client



Service Quality Manager administrative function

© 2010 IBM Corporation

Service Quality Manager client.

Double-click the **Service Quality Manager Client** icon in the Application Discoverer window.

Login

Application Login

Login Name: sqmuser

Password: *****

Admin Domain:

Login Cancel


Service Quality Manager administrative function

© 2010 IBM Corporation

Login.

Enter your user ID and password to log in. Click **Login**.

SLA provisioning




Service Quality Manager administrative function

© 2010 IBM Corporation

SLA provisioning.

SLA provisioning includes Parties, SLA Templates and SLAs. Click **Parties**.


Create new parties category



Create new parties category.

Click **New**. Click **Category**. Use **New Category** as the name for the new category. Click **OK**.


Category contents



Category contents.

Expand External, Internal, New Category, and Third Party to see companies, departments and people associated with the categories. Highlight **New Category** to add new parties to **New Category**.

Party types



Service Quality Manager administrative function

© 2010 IBM Corporation

Party types.

Click **New**. There are three different party types. The party types include **Company**, **Department**, and **Person**. Click **Company**.

Creating a company party: General Details

The screenshot shows a dialog box titled "Create a New Company" with a sidebar on the left containing three steps: "1. General Details", "2. Contact Details", and "3. Location/Telephone". The main area is divided into sections for "Name:", "Description:", and "Organizational Relationship:". The "Name" field contains "Company AAA", the "Description" field contains "west coast customer", and the "Organizational Relationship" is set to "External" (radio button selected). Below these fields is a note: "The organizational relationship indicates whether the party is part of the operator (like another internal department) or is an external organisation." At the bottom, there are five buttons: "< Back", "Next >", "Finish", "Cancel", and "Help". The "Next >" button is circled in red.

Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a company party: General details.

Enter customer name **Company AAA**. Enter optional description **west coast customer**. Select the organizational relationship **External**. Click **Next**.

Creating a company party: Contact Details

The screenshot shows two overlapping windows from the 'Service Quality Manager administrative function'. The background window is titled 'Create a New Company' and has a sidebar with three options: '1. General Details', '2. Contact Details' (selected), and '3. Location/Telephone'. The foreground window is titled 'Create a New Contact' and contains the following fields:

- Name: John Smith
- Email Address: jsmith@aaa.com
- Telephone Number: 972-123-4567
- Mobile Number: 214-987-6543
- Additional Info: 1st shift manager
- Responsibilities: Report, Contract, Helpdesk, Alarm

Buttons in the 'Create a New Contact' window include '< Back', 'Next >', 'Finish', 'OK', and 'Cancel'. The 'Add...' button in the 'Create a New Company' window is also visible.

Service Quality Manager administrative function © 2010 IBM Corporation

Creating a company party: Contact Details.

You can add contacts. Click **Add**. Enter contact name **John Smith**. You must enter at least an email address, telephone number, or mobile number. Enter email address **jsmith@aaa.com**. Enter telephone number **972-123-4567**. Enter mobile number **214-987-6543**. Additional Info is optional. Enter the additional info **1st shift manager**. You must select at least one responsibility. Select **Contract**. Click **OK**. Click **Next**.

Creating a company party: Location/Telephone

The screenshot shows a dialog box titled "Create a New Company" with a blue header and a close button (X) in the top right corner. On the left, there is a vertical navigation pane with three steps: "1. General Details", "2. Contact Details", and "3. Location/Telephone", which is currently selected. The main area of the dialog is divided into two sections. The top section is labeled "Address:" and contains a large, empty text area with a vertical scrollbar on the right. The bottom section is labeled "Telephone Number:" and "Fax:" and contains two empty text input fields. At the bottom of the dialog, there are five buttons: "< Back", "Next >", "Finish", "Cancel", and "Help". The "Finish" button is circled in red. The dialog box is set against a light beige background.


Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a company party: Location/Telephone.

You can enter optional address, telephone number, and fax information. Click **Finish**.

Creating a department party



Creating a department party.

Click **New**. Click **Department**.

Creating a department party: Department Details

1. Department Details
2. Contact Details
3. Location/Telephone

Department Name: AAA Help Desk
Company Name: Customer AAA
Description: Customer AAA help desk

Organizational Relationship: Internal External

The organizational relationship indicates whether the party is part of the operator (like another internal department) or is an external organisation.

< Back Next > Finish Cancel Help


Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a department party: Department Details.


Enter department name **AAA Help Desk**. Enter optional company name **Customer AAA**. Enter optional description **Customer AAA help desk**. Select the organizational relationship **External**. Click **Next**.

Creating a department party: Finish department party

**Creating a department party: Finish department party.**

You can add contacts. Click **Next**. You can add location or telephone information. Click **Finish**.

Creating a person party



Creating a person party.

Click **New**. Click **Person**.

Creating a person party: General Details

The screenshot shows a window titled "Create a New Person" with a sidebar on the left containing three steps: "1. General Details", "2. Contact Details", and "3. Personal Details". The main area contains the following fields:

- Name:** John Smith
- Role:** 1st shift manager
- Organizational Relationship:** Internal, External

Below the radio buttons is a note: "The organizational relationship indicates whether the party is part of the operator (like another internal department) or is an external organisation."

At the bottom of the window are five buttons: "< Back", "Next >", "Finish", "Cancel", and "Help". The "Next >" button is circled in red.


Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a person party: General Details.


Enter name **John Smith**. Enter optional role **1st shift manager**. Select the organizational relationship **External**. Click **Next**.

Creating a person party: Finish person party

**Creating a person party: Finish person party.**

You can add contacts. Click **Next**. You can add personal information. Click **Finish**.


Party details and contacts



Service Quality Manager administrative function

Party details and contacts.


You can view party details and contacts by selecting a party and clicking the **Details** or **Contacts** tab.



Modify a party.

You can modify a company, department, or person by selecting the party and clicking **Modify**. You can edit information associated with the party.

Moving a party




Service Quality Manager administrative function

© 2010 IBM Corporation

Moving a party.

You can move a party to a different category. Select party **Customer AAA**. Select **Third Party**. Click **OK**. **Customer AAA** is moved to **Third Party**.


Deleting a party



Deleting a party.

You can delete a party. Select **Customer AAA**. Click **Delete**, Click **Yes**.


SLA templates



SLA templates.


Refer to the *Service Quality Manager SLA template creation* IBM Education Assistant module for further information about SLA template creation.

SLA creation

**SLA provisioning.**

Refer to the *Service Quality Manager SLA creation* IBM Education Assistant module for further information about SLA creation.


Services resources



Services resources.


Click **Services Resources**. Expand **Resource Types** to see the technology categories. The technology categories are shown. Expand **Customer**.

Resource Types



Resource types.


The **Resource Types** are shown. Click **Subscriber** to see the subscriber resources. Right-click **Subscriber** and click **Properties...**



Resource properties.

The resource properties are shown. Click **OK**.

Creating a resource



Creating a resource.

Right-click **Subscriber**. Click **Create Resource...**

Creating a resource: Name and description

The screenshot shows a 'Create Resource' dialog box with the following fields and values:

- Resource Name:** Subscriber 1
- Resource Description:** Example subscriber
- Geographic Information:** (empty field with a browse button)
- Time Zone:** (empty dropdown menu)

Navigation buttons at the bottom include: < Back, **Next >**, Finish, Cancel, and Help.


Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a resource: Name and description.

Enter the resource name **Subscriber 1**. Enter the resource description **Example subscriber**. Click **Next**.


Creating a resource: Alias



Creating a resource: Alias.

Click **New**. Enter the resource alias **1st Subscriber**. Select the data source type **any** from the menu. Click **OK**. You can click **Delete** to delete the alias. Click **Finish**.


Modifying a resource



Modifying a resource.

Right click **Subscriber 1**. Click **Modify**. You can change the resource description. Click **Next**. You can add a new alias or delete an alias. Click **Finish**.


Deleting a resource



Deleting a resource.

Right-click **Subscriber 1**. Click **Delete**. Click **Yes** to delete the resource.

Creating a resource group



Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a resource.

Right-click **Subscriber**. Click **Create Resource Group...**

Creating a resource group: Name and description

The screenshot shows the 'Create Resource Group' dialog box. The title bar is blue with a close button. On the left, a sidebar lists '1. Name' (selected) and '2. Resources'. The main area has the following fields:

- Group Name:** A text box containing 'Subscriber Group 1' and 'Example Subscriber Group' on separate lines. A red circle highlights this text.
- Group Description:** A large empty text area.
- Geographic Information:** A text box with a browse button (..) to its right.
- Time Zone:** A dropdown menu.

At the bottom, there are five buttons: '< Back', 'Next >', 'Finish', 'Cancel', and 'Help'. The 'Next >' button is highlighted with a red circle.


Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a resource group: Name and description.

Enter the resource name **Subscriber Group 1**. Enter the resource description **Example Subscriber Group**. Click **Next**.

Creating a resource group: Resources




Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a resource group: Resources.

You can select possible resources to be contained resources, or make all possible resources into contained resources using the appropriate icons. You can select individual or all contained resources to be moved back to possible resources. Click **Finish**.


Modifying a resource group



Modifying a resource group.


Right-click **Subscriber Group 1**. You can change the resource group description. Click **Next**. You can change the possible and contained resources. Click **Finish**.

Deleting a resource group



Deleting a resource group.


Right-click **Subscriber Group 1**. Click **Delete**. Click **Yes** to delete the resource.



Find facility.

Right-click **Subscriber**. Click **Find...** You can enter user label, description, time zone, and geographic information to search. Enter **default** in the Description field. Click **Find Now**. You can click **New Search** to start a new search. Double-click the found resource to see the resource properties. The resource properties are shown in the groups, geographic information, references, name, aliases, tags, and creator tabs. Click **OK**.

SQM modeling: KQI creation




Service Quality Manager administrative function

© 2010 IBM Corporation

SQM modeling: KQI creation.

Refer to the *Service Quality Manager KQI creation* IBM Education Assistant module for further information about KQI creation.


Service Models



Service Models.

Click **Service Models**. Expand **Service Model Categories** to see the service model categories. Select the **COTS_IPVPN_PM** category to see the service models for the service model category in the right pane. Expand the **COTS_IPVPN_PM** category to see the service models for the service model category. Select the **COTS_IPVPN_PM** service model to see the service model, details, and attributes in the tabs. Expand the **COTS_IPVPN_PM** service model to see the service model elements. Select **Enterprise** to see the details, attributes, and KQI model filter in the tabs.

Creating a service model category




Service Quality Manager administrative function

© 2010 IBM Corporation

Creating a service model category.

Click the **COTS_IPVPN_PM** service model category. Click **New**. Click **Category**. You can enter a name for your new category. Click **OK**.


Deleting, pasting, renaming, and moving a service model category



Deleting, pasting, renaming, and moving a service model category.

You can delete, paste, rename, and move service model categories. You can paste copied service models to the current service model category. Click **Delete**. You can delete the service model category. Click **No**. Click **Paste**. You can paste a copy of a service model. Click **OK**. Click **Rename**. You can change the name of the service model category. Click **Cancel**. Click **Move**. You can move the service model category. Click **Cancel**. You can also right-click the service model category to perform the delete, paste, rename, and move tasks.


Creating a service model



Creating a service model.


Click **Service Model** from the **New** list or right-click **New Category**. Click **New**; then click **Service Model**.

Service model general information

**Service model general information.**

Enter the name **New_COTS**. Enter the description **Example service model**. Click the ellipses (...) to select an icon. You can select from the icon categories using the **Category** list. Click **Select** to select the mobile telephone icon. Click **Next**.


Deleting, copying, pasting, modifying, locking, and unlocking a service model



Deleting, copying, pasting, modifying, locking, and unlocking a service model.

You can delete, copy, paste, modify, lock, and unlock service models. Click **Delete**. You can delete the service model. Click **No**. Click **Copy** to copy the service model. You can paste a copy of a service model or service model element by clicking **Paste**. Click **Modify** to modify the service model. You can change the description or image of the service model. Click **Next**. You can create, modify or delete attributes. Click **Finish**. You can lock and unlock the visual editor by clicking **Unlock Visual Editor** or **Lock Visual Editor**. You can also right-click the service model to perform the delete, copy, paste, modify, lock, and unlock tasks.


Service element categories



Service element categories.

Service elements can be shown for a service model. Expand the **COTS_IPVPN_PM** service model to see service elements. Service elements are listed by category. Expand **Service Element Categories**. Expand **COTS_IPVPN_PM** to view service elements.


Creating a service element



Creating a service element.


Select the **COTS_IPVPN_PM** service model. Click **Local Service Element** from the **New** list or right-click **COTS_IPVPN_PM**; click **New**; then click **Local Service Element**.

Service element general information

**Service element general information.**


Enter the name **Example service element**. Enter the description **example**. Click the ellipses (...) to select an icon. You can select from the icon categories using the **Category** list. Click **Select** to select the mobile telephone icon. Click the ellipses (...) to select a background color. Click **Cancel**. Click **Next**.

Service element additional information: Create and modify

**Service element additional information: Create and modify.**

Click **New** to create a new attribute. Enter the name **Customer**. Enter the value **1**. Click **OK**. You can modify attributes. Click the **Customer** attribute. Click **Modify**. Change the value to **2**. Click **OK**.

Service element additional information: Delete




Service Quality Manager administrative function

© 2010 IBM Corporation

Service element additional information: Delete.Click **Delete** to delete the attribute. Click **Next**.


Service element KQI model selection



Service element KQI model selection.

Click **Modify** to modify the KQI selection. You can filter by category by selecting a category from the **Category** list. You can filter the KQI names shown by entering filter text. You can select a KQI model by selecting a model and clicking the right-arrow icon. Select **IPVPN_PM_Enterprise_Jitter** and click the right-arrow icon. You can remove KQI models by selecting a KQI model and clicking the left arrow. Click the **KQI Filters** tab to see KQI filters.

Service element KQI model selection: KQI filters




Service Quality Manager administrative function

© 2010 IBM Corporation

Service element KQI model selection: KQI filters.

The KQI filters tab is shown. Enter the filter **Enterprise**. All KQI models filtered are show in the filter preview. Click **Add** to add the filter. Expand **Enterprise** to see all KQI models that meet the defined filter. You can delete the filter by clicking **Delete**. Click **OK**.


Service element KQI model selection: Finish service element creation



Service element KQI model selection: Finish service element creation.


Click **Finish** to finish KQI model selection. The new service element is shown.

Deleting, copying, and modifying a service element




Deleting, copying, and modifying a service element.

You can delete, copy, and modify service elements. Click **Delete**. You can delete the service element. Click **No**. Click **Copy** to copy the service element. You can paste a copy of a service model element to a service model. Click **Modify** to modify the service element. You can change the description, image, or background color of the service element. Click **Next**. You can create, modify, or delete attributes. Click **Next**. You can modify KQI names and filters. Click **Finish**. You can also right-click the service model to perform the delete, copy, and modify.



Audit manager.

Click **Audit** in the **Auditing** pane. Select **All** to see all audit records. You can sort audit records by clicking the property to sort.



Help.

You can view help by clicking the **Help** menu.

Click **Online Help** to view online help. Online help is shown.

Summary

You should now be able to navigate Service Quality Manager administrative functions, including:

- Service Quality Manager user management
- Party management
- SLA template management
- SLA creation
- Services resources
- SQM modeling
- Service modeling
- SQM audit

Summary.

You should now be able to navigate Service Quality Manager administrative functions, including Service Quality Manager user management, party management, SLA template management, SLA creation, services resources, SQM modeling, service modeling, and SQM audit.

Training roadmap for IBM Tivoli Netcool Service Quality Manager

http://www.ibm.com/software/tivoli/education/edu_prd.html

Training roadmap for IBM Tivoli Netcool Service Quality Manager.

You can see the training roadmap for IBM Tivoli Netcool Service Quality Manager by going to the URL shown on the slide.

Trademarks, disclaimer, and copyright information

IBM, the IBM logo, ibm.com, Netcool, and Tivoli are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of other IBM trademarks is available on the web at "[Copyright and trademark information](http://www.ibm.com/legal/copytrade.shtml)" at <http://www.ibm.com/legal/copytrade.shtml>

THE INFORMATION CONTAINED IN THIS PRESENTATION IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. WHILE EFFORTS WERE MADE TO VERIFY THE COMPLETENESS AND ACCURACY OF THE INFORMATION CONTAINED IN THIS PRESENTATION, IT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. IN ADDITION, THIS INFORMATION IS BASED ON IBM'S CURRENT PRODUCT PLANS AND STRATEGY, WHICH ARE SUBJECT TO CHANGE BY IBM WITHOUT NOTICE. IBM SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES ARISING OUT OF THE USE OF, OR OTHERWISE RELATED TO, THIS PRESENTATION OR ANY OTHER DOCUMENTATION. NOTHING CONTAINED IN THIS PRESENTATION IS INTENDED TO, NOR SHALL HAVE THE EFFECT OF, CREATING ANY WARRANTIES OR REPRESENTATIONS FROM IBM (OR ITS SUPPLIERS OR LICENSORS), OR ALTERING THE TERMS AND CONDITIONS OF ANY AGREEMENT OR LICENSE GOVERNING THE USE OF IBM PRODUCTS OR SOFTWARE.

© Copyright International Business Machines Corporation 2010. All rights reserved.