



IBM Software Group

IBM® WebSphere® Extended Deployment V6

Migration



@business on demand.

© 2005 IBM Corporation
Updated July 29, 2005

This presentation will cover migrating from WebSphere Extended Deployment V5.1 to V6.0.

Agenda

- Overview of the migration process



This presentation will give an overview of the WebSphere XD migration process.

Mixed Version Support

- A WebSphere XD Version 6.0 cell can contain:
 - ▶ WebSphere XD Version 6.0 nodes
 - ▶ WebSphere Application Server Version 6.0 nodes
 - ▶ WebSphere Application Server Version 5.1 nodes
- A WebSphere XD Version 6.0 cell can not contain
 - ▶ WebSphere XD Version 5.1 nodes



Support for mixed-version cells was introduced in WebSphere Application Server V6.0. A cell managed by a WebSphere XD V6.0 Deployment Manager can contain WebSphere XD V6.0 nodes, WebSphere Application Server V5.1 or V6.0 nodes, but importantly, not WebSphere XD version V5.1 nodes.

This implies that when migrating a WebSphere XD V5.1 environment to V6.0, all of the nodes must be migrated at the same time.

Migration Overview

- WebSphere Application Server migration from version 5.1 to 6.0 must be performed first on each node
 - ▶ Each node must also be upgraded to WebSphere Application Server Version 6.0.2
- Only the Deployment Manager requires XD-specific configuration migration



The migration process for WebSphere XD is two-fold. You must first perform the standard WebSphere Application Server V5.1 to V6.0 migration process on each machine in your cell, then complete a WebSphere XD specific migration step on the Deployment Manager.

Migration Steps: Deployment Manager

- Install WebSphere Application Server Version 6.0.2 on the Deployment Manager host
 - ▶ Install WebSphere Application Server 6.0.2, then install Refresh Pack 2
- Create a version 6.0.2 Deployment Manager profile
- Migrate the V5.1 configuration to the new profile
 - ▶ Use WASPreUpgrade and WASPostUpgrade
- Install WebSphere XD Version 6.0 on the host and augment the Deployment Manager profile



Multiple steps are required when migrating from WebSphere XD V5.1 to V6.0. The first step is to install WebSphere Application Server V6.0 on the Deployment Manager host, then install Refresh Pack 2, updating your installation to version 6.0.2. Next, use the Profile Creation Tool installed with WebSphere Application Server V6.0 to create a Deployment Manager profile. Once you have created this profile, use the WASPreUpgrade tool to export the configuration from your version 5.1 environment, then run WASPostUpgrade to import that configuration into your newly created profile. Next, install WebSphere XD on the Deployment Manager host, making sure to augment the Deployment Manager profile. Do not start the Deployment Manager at this point, you will return to it later.

Your node groups and dynamic clusters will be migrated to the new configuration, but custom configuration of resources and variables applied to the dynamic cluster will have to be recreated. If you have configured any manual settings on the Autonomic Request Flow Manager, you will have to migrate those settings separately. Refer to the Information Center for more details.

If you are unfamiliar with WASPreUpgrade and WASPostUpgrade, refer to the WebSphere Information Center for instructions and syntax. Note that you must use the WASPreUpgrade and PostUpgrade tools located in the 'bin' directory of the version 6.0 profile that you just created, not the tools of the same name located in your old version 5.1 installation directory.

Migration Steps: Migrate Each Node

- Install WebSphere Application Server Version 6.0.2 on each host that contains a WebSphere XD Version 5.1 node
- Create a version 6.0.2 Custom Profile with the same node name as each existing node
- Migrate the existing node configurations to the new profiles
 - ▶ Use WASPreUpgrade and WASPostUpgrade
- Install WebSphere XD on each host and augment each profile



After upgrading the Deployment Manager, you will need to upgrade each of your member nodes. On each host, you will repeat the process that you just completed on the Deployment Manager, except you will create Custom Profiles rather than Deployment Manager profiles.

Start by installing WebSphere Application Server V6.0, followed by Refresh Pack 2. Use the Profile Creation Wizard to create a Custom Profile. A custom profile creates a profile with a Node Agent, but no Application Servers. Use WASPreUpgrade and WASPostUpgrade to migrate the configuration from your old installation into the newly created profile. After migrating the configuration data, install WebSphere XD 6.0 and augment each node's profile.

Again, that you must use the WASPreUpgrade and PostUpgrade tools located in the 'bin' directory of the V6.0 profile that you just created, not the tools of the same name located in the old V5.1 installation directory.

Migration Steps: Run XDUpgrade

- The XDUpgrade command is the only WebSphere XD-specific migration step
 - ▶ Imports Deployment Manager data from XD V5.1 into the V6.0.2 Deployment Manager profile
 - ▶ Located in the bin directory of the Deployment Manager profile after WebSphere XD installation
- Example:

```
XDUpgrade c:\WebSphere\DeploymentManager -profileName dmgr
```

- ▶ Imports the configuration from the V5.1 installation in *c:\WebSphere\DeploymentManager* into the profile named 'dmgr'



The final step is running the 'XDUpgrade' command on the Deployment Manager. This is the only step above and beyond regular WebSphere Application Server migration, and it only needs to be run on the Deployment Manager. Run it from the command line, specifying the location of your V5.1 Deployment Manager installation, and the name of your V6.0 Deployment Manager profile.

Log data is written to xdupgrade.log

Summary

- Migrating from WebSphere XD 5.1 to WebSphere XD 6.0 is similar to performing a WebSphere Application Server migration
 - ▶ The standard WebSphere Application Server migration process is followed by running *XDUUpgrade* on the Deployment Manager



In summary, to migrate from WebSphere XD V5.1 to WebSphere XD V6.0, you must first perform the standard WebSphere Application Server migration process on each of your nodes, followed by installing WebSphere XD V6.0, then running 'XDUUpgrade' on the Deployment Manager.

Trademarks, Copyrights, and Disclaimers

The following terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

IBM	CICS	IMS	MQSeries	Tivoli
IBM (logo)	Cloudscape	Informix	OS/390	WebSphere
e(logo)/business	DB2	iSeries	OS/400	xSeries
AIX	DB2 Universal Database	Lotus	pSeries	zSeries

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Intel, ActionMedia, LANDesk, MMX, Pentium and ProShare are trademarks of Intel Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a registered trademark of Linus Torvalds.

Other company, product and service names may be trademarks or service marks of others.

Product data has been reviewed for accuracy as of the date of initial publication. Product data is subject to change without notice. This document could include technical inaccuracies or typographical errors. IBM may make improvements and/or changes in the product(s) and/or program(s) described herein at any time without notice. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business. Any reference to an IBM Program Product in this document is not intended to state or imply that only that program product may be used. Any functionally equivalent program, that does not infringe IBM's intellectual property rights, may be used instead.

Information is provided "AS IS" without warranty of any kind. THE INFORMATION PROVIDED IN THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IBM EXPRESSLY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT. IBM shall have no responsibility to update this information. IBM products are warranted, if at all, according to the terms and conditions of the agreements (e.g., IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided. Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. IBM makes no representations or warranties, express or implied, regarding non-IBM products and services.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents or copyrights. Inquiries regarding patent or copyright licenses should be made, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. The actual throughput or performance that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput or performance improvements equivalent to the ratios stated here.

© Copyright International Business Machines Corporation 2004, 2005. All rights reserved.

Note to U.S. Government Users - Documentation related to restricted rights-Use, duplication or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract and IBM Corp.

