

WebSphere. Lombardi Edition 7.2

Authoring Environment



.....	1
Lombardi	1
Lombardi	1
Lombardi	4
Lombardi Authoring Environment	5
Lombardi Authoring Environment	5
.....	5
Lombardi Authoring Environment	6
Lombardi Authoring Environment	6
Authoring Environment	6
Lombardi Authoring Environment	6
.....	7
Lombardi Authoring Environment 가	7
Lombardi Authoring Environment	8
Lombardi Authoring Environment	11
.....	12
.....	12
.....	13


Lombardi

IBM® WebSphere® Lombardi Edition

Process Center	Process Center Console Lombardi Authoring Environment Process Center Server Performance Data Warehouse가 Process App . Process Center
Process Server	Lombardi Authoring Environment Process Center
Performance Data Warehouse	Lombardi Authoring Environment
Process Center Console	Lombardi Process App, Snapshot Process Server Process App
Authoring Environment	Lombardi Authoring Environment 가
Process Portal	가 Process Portal Process Server (:) Process Center Server
Process Admin Console	가 (:) Lombardi Process Server Process Center Server
Performance Admin Console	가 (:) Lombardi Performance Data Warehouse Process Center Performance Data Warehouse

Lombardi


IBM WebSphere Lombardi Edition



- Lombardi Authoring Environment 가 Process Center
- Lombardi Authoring Environment 가 Process Center (Process App) , Authoring Environment Process Center
- Process Center Environment Process Center Server 가 Performance Data Warehouse가 Lombardi Authoring Process App
- Process Center Console 가 Process App
- Process Center Console 가 Process App
- Process Portal 가 Process App Process Center
- Process Portal Process Center Server Process Server 가 Process App Process Center Server Process Server
- Lombardi Performance Data Warehouse 가 Process Server Process Center Server Lombardi Authoring Environment Process Portal

- Process Admin Console Performance Admin Console Lombardi

Lombardi

	Lombardi Authoring Environment(Windows®)	Lombardi Authoring Environment
	Lombardi Process Center(Process Center Server, Performance Data Warehouse Authoring Environment)	<i>Lombardi Process Center</i>
Lombardi	Lombardi (Process Server Performance Data Warehouse)	<i>Lombardi Runtime Environment</i>
Process Center	Lombardi Lombardi Process Center (Windows)  Process Center <i>Lombardi Process Center</i>	<i>Lombardi Express</i>
Lombardi Process Center	Lombardi Process Center	<i>Lombardi Process Center</i>
Lombardi	Lombardi	<i>Lombardi</i>

Lombardi Authoring Environment

Lombardi Authoring Environment
Environment

Process Center

Lombardi Authoring

Lombardi Authoring Environment

가

- Process Center Console
- Designer
- Inspector
- Optimizer

Lombardi Authoring Environment
[Environment](#)

[Lombardi Authoring](#)

Lombardi Authoring Environment

Lombardi Authoring Environment

1.

1.	Lombardi Authoring Environment
2.	Lombardi Authoring Environment

2.

1. Lombardi Process Center	Lombardi Authoring Environment
2. Process Center Console Authoring Environment	Lombardi Authoring Environment

3.

1. Lombardi Authoring Environment	Lombardi Authoring Environment

Lombardi Authoring Environment

Lombardi Authoring Environment

Lombardi Authoring Environment


Lombardi	
Authoring Environment	1.2GHz 512MB 가 RAM(1GB) 400MB 1280x1024

Lombardi Authoring Environment

Lombardi Authoring Environment

Lombardi	
Microsoft® Windows	Microsoft Windows Server 2008(64) Microsoft Windows Server 2008(32) Microsoft Windows Vista(64) Microsoft Windows Vista(32) Microsoft Windows Server 2003 R2(64) Microsoft Windows Server 2003 R2(32) Microsoft Windows XP 3(SP3) Microsoft Windows 7

Authoring Environment




Lombardi Authoring Environment 가 Lombardi Process Center
Lombardi Authoring Environment Process Center Authoring Environment
Lombardi Authoring Environment Process Center

Lombardi Authoring Environment

Lombardi Authoring Environment

1. `http://[host_name]:[port]/ProcessCenter` Console Process Center가 Process Center
2. Lombardi
3. **Authoring Environment** 가
Lombardi Authoring Environment.zip
Lombardi Authoring Environment



4. WinZip Lombardi Authoring Environment.zip
Lombardi Authoring Environment
5. Lombardi Authoring Environment . Authoring
Environment Authoring Environment Process Center
Lombardi Authoring Environment 가



Windows
Authoring Environment 가

Lombardi Authoring Environment 가

Lombardi



Lombardi Authoring Environment
Environment

Authoring

Lombardi

[Lombardi_home]

Lombardi Authoring Environment 가

Lombardi Authoring Environment
Authoring Environment 가

, Windows

1. [Lombardi_home]\Lombardi Authoring Environment
2. createShortcut.cmd 가

> **IBM WebSphere Lombardi Edition > Lombardi Authoring Environment** 가

Lombardi Authoring Environment

Lombardi Authoring Environment , 가 Lombardi Authoring Environment , 가

Lombardi Authoring Environment *Lombardi* Lombardi Authoring Environment

Lombardi Authoring Environment

- Windows® **Lombardi Authoring Environment** 가
- Windows > **IBM WebSphere Lombardi Edition** > **Lombardi Authoring Environment**

- [Lombardi_home]\Lombardi Authoring Environment **eclipse.exe** 가



Lombardi


	Lombardi
	Lombardi

Lombardi Authoring Environment

Process Center

Lombardi Authoring Environment

Process Center Console



Process Center Console

Process App

Snapshot
Process Center Console

1	Process App Toolkit (Toolkit 가
2	Process Center
3	Designer Lombardi Authoring Environment Designer Lombardi Authoring Environment Designer Lombardi Authoring Environment
4	Process Center Console (: Process App, Snapshot Process App Designer Snapshot, Designer
5	Process App 가
6	가 Process Center Console (Process App)


- Process App Lombardi Authoring Environment
" Lombardi "
- Process Center Console "Process Center" Authoring Environment



[http://\[host_name\]:\[port\]/ProcessCenter](http://[host_name]:[port]/ProcessCenter) Process Center Console
Lombardi
Process Center Console Process App Designer Authoring Environment
Designer

Lombardi Authoring Environment

Process Center Console **Designer** **Designer** Designer Lombardi Authoring Environment



Designer

Lombardi Authoring Environment Designer

1	Optimizer, Inspector	Lombardi Authoring Environment
2	Process App	Billing Process App가
3	Process App	가
4	Process App	가
5	Lombardi Authoring Environment	(Designer, Optimizer Inspector)
6	Snapshot	Process Center Console
7	가 Designer	

Process Center Console

Lombardi Authoring Environment
Authoring Environment

가
"Lombardi

Lombardi Authoring Environment

Lombardi Authoring Environment

Lombardi Authoring Environment
Authoring Environment

[Lombardi_home]\Lombardi

IBM 가
IBM , IBM IBM
가 IBM
IBM

135-700

467-12

: 080-023-8080

2

(DBCS)

IBM

*IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106-0032, Japan*

가

IBM) " " (, 가

가

IBM

IBM

IBM

가

IBM

가

(I)

()

(ii)

135-700

467-12

()
 , IBM 가 (IPLA) 가 가 IBM IBM
 가
 IBM , IBM . IBM
 IBM , IBM
 IBM IBM
 가
 가
 :
 (API)
 가
 IBM 가
 가

© () (). IBM Corp. ©
 Copyright IBM Corp. _enter the year or years_. All rights reserved.
 가

IBM, IBM ibm.com 가 International Business Machines Corporation
 IBM 가 가 (® ™)
 IBM
 가 IBM
 " () . [http://www.ibm.com/legal/copytrade.shtml].

Linux 가 Linus Torvalds

Microsoft	Windows	가	Microsoft Corporation	.
UNIX		가	The Open Group	.
Java	Java	가	Sun Microsystems, Inc.	.