



SupportPac LA71: IBM WebSphere Operational Decision Management Integration for WebSphere Process Server

Getting started with IBM Business Process Manager

Task 2 - Rule Designer creates a Managed Decision

Copyright

Copyright notice

© Copyright IBM Corp. 1987, 2012

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Trademarks

IBM, the IBM logo, ibm.com, WebSphere, and ILOG are trademarks or registered trademarks of International Business Machines Corp., in many jurisdictions worldwide.

Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at *Copyright and trademark information*.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.

Overview

The role of the Rule Designer is to take decisions specified by the business and turn them into rule projects and rule applications that can be managed by the business and integrated into the business processes. These processes may already exist or are implemented by the BPM Integration Developers.

The decision information model is the single most important artifact that is passed from the Business Users to the IT Rule Developers and Integration Developers. This defines the decision vocabulary and the business objects. This is usually defined by IT as an XML Schema and represents a contract for many integration points. When importing rule projects from Process Designer the generated schemas are included providing a validated definition of the information model required by the business.

Readers who are familiar with Rule Authoring and import from Process Designer may import the workspace from

[SupportPac LA71 Path]\BPMTutorial\task2\task2_RuleWorkspace.zip and continue at Step 8 to prepare for future tasks.

Let's start by importing the decisions provided by the business in task 1 into Rule Designer.


Step 1. Opening the Rule Designer Workspace.

The Rule Developer tooling is provided by Rule Designer. Rule Designer plugins can usually be run from the BPM integrated development environment. This task is described using a separate Rule Designer application and separate Rule Workspace.

Open Rule Designer and open the empty RuleWorkspace at:

[SupportPac LA71 Path]\BPMTutorial\RuleWorkspace


Ensure that the Rule perspective is selected as shown below




Step 2. Importing the Decision Rule Projects

The rulesets exported from Process Designer can be imported directly into Rule Designer.

Select the **File > Import** option from the menu and select **General > Existing Projects into workspace**.




Select the projects exported from Process designer in the folder
[SupportPac LA71 Path]\BPMTutorial\task1



Press **Finish** and the project should be imported into the workspace.
 Repeat this for the project **LA71TT1 – Eligibility – Eligibility**

The BOM, Vocabulary and rules are all imported and a ruleflow added that executes the rules in the defined sequence.



Step 3. Refactoring the Rule Projects

The Rule Developer may need to rename the default rule projects and perform other refactoring including:

- Changing BOM verbalizations and operations to make the vocabulary more intuitive.
- Combining Rule Projects and sequencing the rules by customizing the rule flow.
- Renaming and modifying the initial rules to better reflect the rule intent
- Modifying the rule locale to match the locale for Rule Designer and / or the persistence locale of Decision Center.

Refer to the Rule Designer Documentation for more details on performing these tasks. The following steps describe some basic refactoring used in the tutorial.

Step 4. Renaming the Rule Projects

To rename the projects:


Right Click **LA71TT1 – DataValidation – Data Validation**
Select **Refactor > Rename**
For the **Name** type **DataValidation**.
Click **OK**.

Right Click **LA71TT1 – Eligibility – Eligibility**
Select **Refactor > Rename**
For the **Name** type **Eligibility**.
Click **OK**.

Step 5. Renaming the Rules

The rules that are provided from Process Designed are numbered in sequence rather than having meaningful names. You will now go through and rename each of the rules.


Select **DataValidation > rules > rule1** right click and select **Refactor > Rename...**
In the box enter the new name: **ValidDefault** and click **OK**



Repeat this to change the following rules

DataValidation > rules > rule1 => ValidDefault
DataValidation > rules > rule2 => ValidNoAccidents
Eligibility > rules > rule1 => EligibleDefault
Eligibility > rules > rule2 => TooManyAccidents


Once this re-factoring is undertaken the projects look as shown below.



Step 6. Refactoring the Rule locales

In some cases it is possible that the locale that the rules have been authored in in Process Designer does not correspond to that used in Rules Designer or for persistence in Decision Center. One frequent mismatch has been found to cause problems is if the locale from Process Designer is **en** and the persistence locale of Decision Center is **en_US**. While these rules can be edited in Rule Designer, they cannot be synchronized with Decision Center. The easiest way to resolve this is to ensure that Decision Center has been configured to use the correct persistence locale as described in the BPM Tutorial Overview.

If this has not been undertaken, close Rule Designer and edit the rule.brl files manually as Rule Designer does not allow this change to be made. An example of the change is given below.



Repeat this for each rule.

Step 7. Create a Rule Application containing the decisions

Once the decisions have been refactored they need to be deployed to a Rule Execution Server inside a Rule Application. To create a rule application in Rule Designer :

Click **File > New > Project...**


Select **RuleApp Project** and press the **Next >** button.

Enter **InsuranceSampleRuleApp** for the RuleApp project name.

Click **Next >**

In the **Add Ruleset Archives** page, click **Add....**

Select both **DataValidation** and **Eligibility** Rule Projects. Press **Ctrl** for multiple select.



Click **Finish**.

The **InsuranceSampleRuleApp** RuleApp project is created.

Step 8. Exporting a Rule App archive for integration

Once the RuleApp has been created a RuleApp archive should be created to be used in the LA71 integration.


Select the **InsuranceSampleRuleApp** RuleApp

Right click **RuleApp > Export...**

In the **Specify RuleApp Project** window select the **InsuranceSampleRuleApp** and the **Eligibility** and **DataValidation** projects beneath them.

In the export location type

[SupportPac LA71 Path]\BPMTutorial\InsuranceSampleRuleApp.jar



Press **Finish** and the Rule App archive should be saved. This will be used later to create the SCA Decision components in LA71.

Step 9. Deploying the Rule App

Once the RuleApp has been created it should be deployed to the Rule Execution Server in the BPM environment.

Select the **InsuranceSampleRuleApp** RuleApp

Right click **RuleApp > Deploy...**


Select **Replace RuleApp version** for the deployment type and press **Next**.

In the window that appears

For **URL:** type **http://localhost:9080/res** – note that this is **not** the default.

For **Login:** type **resAdmin**

For **Password:** type **resAdmin**



Click **Finish** and the Rule App should be deployed to the Rule Execution Server. The Rule Execution Server Console can be used to verify the deployment as shown in step 13.

Step 10. Export the projects to Decision Center


In order to allow Business users to manage the decisions, the rule projects are synchronized with Decision Center. Select each project, right click and select **Decision Center > Connect ...**

In the Connection dialog

For **User Name** type rtsAdmin


For **Password** type rtsAdmin

For **URL** type <http://localhost:9080/teamserver>



Click **Connect** to establish the connection.

Select the option to **Create a new project on Decision Center.**



The screenshot shows a 'Project configuration' dialog box. It has two sections: 'Synchronization Filter' and 'Project configuration'. In the 'Synchronization Filter' section, there is a checkbox labeled 'Filter rule elements to be synchronized using the specified query' which is unchecked, and a text input field below it. In the 'Project configuration' section, there are two radio buttons. The first radio button is selected and is labeled 'Create a new project on Decision Center'. The second radio button is labeled 'Synchronize with the existing Decision Center project'. Below the radio buttons, there is a text input field and a dropdown arrow.

On pressing **Finish** the project will be synchronized to Decision Center.


Repeat this for the **Eligibility** Rule Project.

In the future you can synchronize with Decision Center and decide which changes to Publish and which to update.

Once both projects are deployed they can be managed within Decision Center as shown below.


Login to Decision Center as rtsAdmin / rtsAdmin.

In the Home tab select the DataValidation Project from the **Project in use:** pull down.




The screenshot shows the IBM Decision Center Home page. The top navigation bar includes 'Home', 'Explore', 'Compose', 'Query', 'Analyze', 'Project', and 'Configure'. The 'Home' tab is selected. Below the navigation bar, there is a 'Welcome to the Decision Center Home Page' section. This section contains three dropdown menus: 'Project in use:' with 'DataValidation' selected, 'Branch in use:' with 'main' selected, and 'Current action:' with 'Work upon branch' selected. The top right of the page shows 'Options | About | Print View | Help' and a user profile for 'rtsAdmin' with a 'Sign Out' link.

Navigate to the **Explore** tab and you will see the rules that have been defined in Rule Designer.



Select the ValidNoAccidents rule to check the rules characteristics.




From here the rules can be managed as described in more detail in the Decision Center documentation.

Step 11. Establishing the Rule Application in Decision Center

In order to allow the Business Users rule changes to be deployed, the RuleApp structure must be re-established in Decision Center.



Navigate to the **Configure** tab and select the **Manage RuleApps** link



Select **New** to create a new RuleApp.
For the **Name** type **InsuranceSampleRuleApp**
For the **Display Name** enter **LA71 Insurance Sample**

Configure > Manage RuleApps > Edit RuleApp

New RuleApp




 Save |  Cancel

Properties

Name*	<input type="text" value="InsuranceSampleRuleApp"/>
Display Name	<input type="text" value="LA71 Insurance Sample"/>
Major	<input type="text" value="1"/>
Minor	<input type="text" value="0"/>
Description	<div></div>




Rulesets

No ruleset found



RuleApp Properties

No element of type 'RuleApp Property' found

In the **Rulesets** panel click **New**.
Select the **DataValidation** project and fill in the Name and display name making sure that the Name field matches the project name. Press **Save**.

DataValidation




 Save |  Cancel

Properties


Name*	<input type="text" value="DataValidation"/>
Display Name	<input type="text" value="DataValidation"/>
Description	<div></div>
Project*	<input type="text" value="DataValidation"/>
Baseline or Branch*	<input type="text" value="main"/>
Extractor	<input type="text" value="<none>"/>
Major	<input type="text" value="1"/>
Minor	<input type="text" value="0"/>
Enabled	<input checked="" type="checkbox"/>
Debug	<input type="checkbox"/>

Ruleset Properties

No element of type 'Ruleset Property' found


Repeat this for the Eligibility Ruleset.
Click **Save** to save the completed RuleApp.




Step 12. Deploying the Rule Application from Decision Center

When Business Users have completed any changes, the RuleApp need to be redeployed to the Rule Execution Server.


Navigate to the **Manage RuleApps** page under the configuration tab,
Select the **InsuranceSampleRuleApp** and click **Deploy**.




You have the option to create a baseline but for now just uncheck the box and click **Next**.



Leave **Deploy on a Rule Execution Server** selected and click **Next**.



In the **Versioning Policy** screen select **Replace RuleApp Version** (or other versioning policy as required) and click **Next**.

A dialog box titled "Versioning Policy" with a list of radio button options. The options are: "Increment RuleApp major version", "Increment RuleApp minor version", "Replace RuleApp version" (which is selected with a green dot), "Increment ruleset(s) major version", "Increment ruleset(s) minor version", and "Replace ruleset(s) version". At the bottom right are three buttons: "Cancel", "Previous", and "Next".

Versioning Policy

☐ Increment RuleApp major version
☐ Increment RuleApp minor version
☒ Replace RuleApp version
☐ Increment ruleset(s) major version
☐ Increment ruleset(s) minor version
☐ Replace ruleset(s) version

Cancel Previous Next

Select the Rule Execution Server you wish to deploy to. This is best configured prior to deployment but can be undertaken at this point if no servers have been defined.

Click **Configure Servers**

In the **Create Server** page

For the **Name** type **BPMRES**

For the **URL** type <http://localhost:9080/res>


For the **Username** type **resAdmin**

For the **Password** type **resAdmin**.

Click **OK**.

Refer to the Decision Center documentation for further details on this.

Select the **BPMRES** server.

A dialog box titled "Select Server" with a text label "Select the server where you want to deploy the RuleApp" followed by a dropdown menu showing "BPMRES". At the bottom right are three buttons: "Cancel", "Previous", and "Deploy".

Select Server

Select the server where you want to deploy the RuleApp BPMRES ▼

Cancel Previous Deploy

Click **Deploy**.

This should complete the deployment replacing any rule application that may have been deployed from Rule Designer.

You now have a Managed Decision Service where Business Users can use Decision Center to add, delete and modify the rules, decision tables and ruleflows that control the way the decisions are made.

Step 13. Obtaining the HTDS Web Service Definitions

When the Rule App is deployed to the Rule Execution Server, it is possible to obtain the web service definition language (WSDL) files that describe the Hosted Transparent Decision Services (HTDS). To obtain the WSDL files open the RES console logging in as resAdmin/resAdmin and navigate to the Explorer tab.

The screenshot shows the IBM Rule Execution Server Console. The top navigation bar includes 'Home', 'Explorer', 'Decision Warehouse', 'Diagnostics', and 'Server Info'. The 'Explorer' tab is active, showing a tree view on the left with 'RuleApps (1)' expanded to '/InsuranceSampleRuleApp/1.0 (2)'. The main area displays the 'RuleApp View' for '/InsuranceSampleRuleApp/1.0'. It includes a 'Name' field with the value 'InsuranceSampleRuleApp', a 'Version' of '1.0', a 'Creation Date' of 'Jun 9, 2011 1:26:44 PM GMT+01:00', and a 'Display Name' of 'LA71 Insurance Sample'. Below this, there is a 'Show Properties (1)' button and a section for '2 Ruleset(s)'. A table lists the rulesets:

Select All	Name	Version	Ruleset Path	Creation Date
<input type="checkbox"/>	DataValidation	1.0	/InsuranceSampleRuleApp/1.0/DataValidation/1.0	Jun 9, 2011 1:26:49 PM GMT+01:00
<input type="checkbox"/>	Eligibility	1.0	/InsuranceSampleRuleApp/1.0/Eligibility/1.0	Jun 9, 2011 1:26:51 PM GMT+01:00

Below the table, it says 'Ruleset 1 - 2 of 2' and 'prev 10 next 10'. There is a 'Remove' button.


Select the Insurance Sample RuleAPP and then select each of the Rule Projects in turn to generate the WSDL as shown below.

The screenshot shows the IBM Rule Execution Server Console. The top navigation bar is the same. The 'Explorer' tab is active, and the tree view on the left shows '/InsuranceSampleRuleApp/1.0 (2)' expanded to '/DataValidation/1.0'. The main area displays the 'Ruleset View' for '/InsuranceSampleRuleApp/1.0/DataValidation/1.0'. It includes a 'Name' field with the value 'DataValidation', a 'Version' of '1.0', a 'Creation Date' of 'Jan 9, 2012 3:28:31 PM GMT+08:00', and a 'Display Name' of 'DataValidation'. Below this, there is a 'Status' field with the value 'enabled' and a 'Debug' field with the value 'disabled'. There is a 'Permanent link' button. Below this, there is a 'Ruleset Parameters' section. A table lists the parameters:

Direction	Name	Kind	XOM Type
	AutoQuoteRequest	XOM	Insdemo.AutoQuoteRequest
	DataValidationResponse	XOM	Insdemo.ValidationResponse

Below the table, it says 'Ruleset Parameters 1 - 2 of 2' and 'prev 10 next 10'. There is a 'Display by: 10' dropdown menu. Below the table, there are buttons for 'Show Managed URIs (0)', 'Show Properties (0)', 'Show Monitoring Options (tracing currently disabled)', 'Show HTDS WSDL Options', and 'Show Archive Content'.

Right click on **Get HTDS WSDL for the latest ruleset version** and save the wsdl to the tutorial directory: **[SupportPac LA71 Path]\BPMTutorial**. Ensure that you do use the **latest ruleset version** option or applications that use this service will not pick up new versions of the decision.



Repeat this for the Eligibility Rule Project and you now have WSDL descriptions for the Managed Decision services that were requested by the Business. You can also find copies of these files in **[SupportPac LA71 Path]\BPMTutorial\task_2**.

You have now provided two managed decision services whose rules can be edited in Decision Center by Business Process Authors and which can be integrated into the Business Processes in the rest of the tutorial.