



WebSphere Product Center

5.1 版的版本注意事項

請注意！ 在使用這項資訊和它所支援的產品之前，請務必先閱讀這份文件結尾「注意事項」中的資訊。

2004 年 9 月 7 日

本文件的這個版本適用於 WebSphere Product Center 5.1 版 (5724-I68) 及所有後續版本和修正，直到新版本中另有指示為止。

Copyright International Business Machines Corporations 2004. All rights reserved.

US Government Users Restricted Rights-Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

目錄

1.0 這個版本的新增功能

2.0 簡介

2.1 這個版本的限制

2.2 平台、語言、支援和移轉

3.0 增強功能

3.1 加強型搜尋引擎

3.2 項目位置屬性資料建模

3.3 工作流程儲存項目和步驟轉換

3.4 工作流程步驟中的屬性和屬性視圖

3.3 Script 作業變更

4.0 已知的問題和限制

5.0 安裝注意事項

5.1 配置檔中的變更

5.2 移除 Sun 的 J2EE 和 JSSE

注意事項

1.0 這個版本的新增功能

- 支援其他軟硬體堆疊
- Group 1 語言的使用者介面全球化和區域化
- 產品文件不再發佈在產品 CD 中。文件可以從 IBM 網際網路網站中取得 (<http://www-306.ibm.com/software/integration/wpc/library/>)
- 安裝程式執行檔適用於多平台。安裝程式可以利用圖形介面無聲模式來執行。請參閱 "WebSphere Product Center：安裝手冊"，以取得詳細資訊
- 新的 Scripting 作業

2.0 簡介

這個版本的目標是增加支援的軟硬體堆疊數目，以及提供 Group 1 語言（簡體中文、繁體中文、義大利文、日文、韓文、法文、德文、西班牙文和巴西葡萄牙文）的使用者介面全球化和區域化。

2.1 支援的平台

這個版本支援下列平台堆疊：

AIX 5L 5.2

- WebSphere Application Server Network Deployment 5.0.2.5/DB2 II 8.1
- WebSphere Application Server Network Deployment 5.0.2.5/Oracle 9.2.0.5

Linux/Red Hat ES 2.1

- WebSphere Application Server Network Deployment 5.0.2.5/DB2 II 8.1
- WebSphere Application Server Network Deployment 5.0.2.5/Oracle 9.2.0.5
- BEA WebLogic 7.0/Oracle 9.2.0.5

HP UX 11i

- BEA WebLogic 7.0/Oracle 9.2.0.5

下列各節列出上述各軟體堆疊所適用的軟硬體需求。

2.1.1 軟硬體伺服器需求

軟體	硬體
WebSphere Product Center 的軟體需求取決於您要使用產	此處所提供的硬體需求建議僅作為指引用。本節是列出 WebSphere Product Center 的最低硬

品元件中的哪些元素，以及您要單獨使用它們，或將它們合併放在特定伺服器上。建議您將資料庫放在專用伺服器上。

附註： WebSphere Product Center 中有 WebSphere Application Server Network Deployment 5.0.2.5 和 DB2 II 8.1 Advanced Edition Fixpack 5 的有限使用授權。

體需求。不過，您系統的實際需求可能會因您特有的 WebSphere Product Center 環境的複雜度、通訊量與資料物件大小而有增長。下列資訊純粹是針對 WebSphere Product Center 系統。如果同一系統上還有執行其他應用程式，請做適當的調整。

其他伺服器需求：

1. 視容量需求而定，可能需要額外的 CPU
2. 視容量需求而定，可能需要額外的記憶體
3. 額外的伺服器，以增加容量和/或備援
4. 多重伺服器安裝需要連接網路的共用儲存體

AIX 5L 5.2

- (主要堆疊) WebSphere Application Server Network Deployment 5.0.2.5/DB2 II 8.1
- 第 2 堆疊 - WebSphere Application Server Network Deployment 5.0.2.5/Oracle 9.2.0.5

(主要堆疊) WebSphere Application Server Network Deployment 5.0.2.5/DB2 II 8.1

應用程式伺服器	
軟體	<ul style="list-style-type: none"> • WebSphere Application Server Network Deployment 5.0.2.5 • AIX 5L 5.2 (32 和 64 位元) • IBM HTTP Server 2.0 • WebSphere Application Server Network Deployment 5.0.2.5 所檢附的 IBM JDK
硬體	<ul style="list-style-type: none"> • 伺服器類型 - IBM p630 模型 6C4 • 處理器 - 4 x 64 位元 POWER4+ 1.45 GHz • 記憶體 - 8 GB • 磁碟子系統 - 144 GB SCSI
資料庫伺服器	
軟體	<ul style="list-style-type: none"> • DB2 II 8.1 Advanced Edition Fixpack 5 • AIX 5L 5.2
硬體	<ul style="list-style-type: none"> • 伺服器類型 - IBM p630 模型 6C4, PE2650 • 處理器 - 4 x 64 位元 POWER4+ 1.45 GHz • 記憶體 - 8 GB • 磁碟子系統 - 420 GB SCSI
其他軟體	
這個主要堆疊也檢附在下列各項中：	

- WebSphere MQ Series 5.3 版 (1)
- WebSphere Business Integration Adapter for WebSphere MQ 2.5.0 版 (1, 2)
- WebSphere Business Integration Adapter Framework 2.4.0 版 (1, 2)

(1) WebSphere Product Center 包括有限使用授權

(2) 當整合程序中心時，需要這個項目

WebSphere Application Server Network Deployment 5.0.2.5/Oracle 9.2.0.5

應用程式伺服器	
軟體	<ul style="list-style-type: none"> • WebSphere Application Server Network Deployment 5.0.2.5 • AIX 5L 5.2 • IBM HTTP Server 2.0 • WebSphere Application Server Network Deployment 5.0.2.5 所檢附的 IBM JDK
硬體	<ul style="list-style-type: none"> • 伺服器類型 - IBM p630 模型 6C4 • 處理器 - 4 x 64 位元 POWER4+ 1.45 GHz • 記憶體 - 8 GB • 磁碟子系統 - 144 GB SCSI
資料庫伺服器	
軟體	<ul style="list-style-type: none"> • Oracle 9.2.0.5 Enterprise Edition • AIX 5L 5.2
硬體	<ul style="list-style-type: none"> • 伺服器類型：Intel 相容 • 處理器：雙 Intel，XEON 2.8 GHz • 記憶體：6 GB • 磁碟子系統：365 GB 10K RPM SCSI 驅動程式

Linux

- WebSphere Application Server Network Deployment 5.0.2.5/DB2 II 8.1
- WebSphere Application Server Network Deployment 5.0.2.5/Oracle 9.2.0.5
- BEA WebLogic 7.0/Oracle 9.2.0.5

WebSphere Application Server Network Deployment 5.0.2.5/DB2 II 8.1

應用程式伺服器	
軟體	<ul style="list-style-type: none"> • WebSphere Application Server Network Deployment 5.0.2.5 • IBM HTTP Server 2.0 • Red Hat Enterprise Linux ES 2.1

	<ul style="list-style-type: none"> • WebSphere Application Server Network Deployment 所檢附的 IBM JDK
硬體	<ul style="list-style-type: none"> • 伺服器類型：Intel 相容 • 處理器：雙 Intel，XEON 2.8 GHz • 記憶體：6 GB • 磁碟子系統：365 GB 10K RPM SCSI 驅動程式
資料庫伺服器	
軟體	<ul style="list-style-type: none"> • DB2 II 8.1 Advanced Edition Fixpack 5 • Red Hat Enterprise Linux ES 2.1
硬體	<ul style="list-style-type: none"> • 伺服器類型：Intel 相容 • 處理器：雙 Intel，XEON 2.8 GHz • 記憶體：6 GB • 磁碟子系統：365 GB 10K RPM SCSI 驅動程式

WebSphere Application Server Network Deployment 5.0.2.5/Oracle 9.2.0.5

應用程式伺服器	
軟體	<ul style="list-style-type: none"> • WebSphere Application Server Network Deployment 5.0.2.5 • IBM HTTP Server 2.0 • Red Hat Enterprise Linux ES 2.1 • WebSphere Application Server Network Deployment 所檢附的 IBM JDK
硬體	<ul style="list-style-type: none"> • 伺服器類型：Intel 相容 • 處理器：雙 Intel，XEON 2.8 GHz • 記憶體：6 GB • 磁碟子系統：365 GB 10K RPM SCSI 驅動程式
資料庫伺服器	
軟體	<ul style="list-style-type: none"> • Oracle 9.2.0.5 Enterprise Edition • Red Hat Enterprise Linux ES 2.1
硬體	<ul style="list-style-type: none"> • 伺服器類型：Intel 相容 • 處理器：雙 Intel，XEON 2.8 GHz • 記憶體：6 GB • 磁碟子系統：365 GB 10K RPM SCSI 驅動程式

BEA WebLogic 7.0/Oracle 9.2.0.5

應用程式伺服器	
軟體	<ul style="list-style-type: none"> • WebLogic Server 7.0 • Apache HTTP Server 2.0 • Red Hat Enterprise Linux ES 2.1 • WebLogic Server 7.0 所檢附的 WebLogic JDK
硬體	<ul style="list-style-type: none"> • 伺服器類型：Intel 相容 • 處理器：雙 Intel，XEON 2.8 GHz • 記憶體：6 GB

	<ul style="list-style-type: none"> 磁碟子系統：365 GB 10K RPM SCSI 驅動程式
資料庫伺服器	
軟體	<ul style="list-style-type: none"> Oracle 9.2.0.5 Enterprise Edition Red Hat Enterprise Linux ES 2.1
硬體	<ul style="list-style-type: none"> 伺服器類型：Intel 相容 處理器：雙 Intel，XEON 2.8 GHz 記憶體：6 GB 磁碟子系統：365 GB 10K RPM SCSI 驅動程式

HP-UX

- BEA WebLogic 7.0/Oracle 9.2.0.5

BEA WebLogic 7.0/Oracle 9.2.0.5

應用程式伺服器	
軟體	<ul style="list-style-type: none"> WebLogic Server 7.0 Apache HTTP Server 2.0 HP/UX 11i WebLogic Server 7.0 所檢附的 WebLogic JDK
硬體	<ul style="list-style-type: none"> 伺服器類型：HP RP 4440 處理器：2 CPU 記憶體：4 GB 磁碟子系統：HP MSA 1000
資料庫伺服器	
軟體	<ul style="list-style-type: none"> Oracle 9.2.0.5 Enterprise Edition HP/UX 11i
硬體	<ul style="list-style-type: none"> 伺服器類型：HP RP 4440 處理器：2 CPU 記憶體：4 GB 磁碟子系統：HP MSA 1000

2.1.2 用戶端存取 WebSphere Product Center 的軟硬體需求

以下是用戶端存取 WebSphere Product Center 的最低系統需求建議：

軟體	硬體
<ul style="list-style-type: none"> Microsoft Windows 2000 Professional 或 Microsoft Windows XP Professional 瀏覽器：Microsoft Internet Explorer 6.0 版 Service Pack 1 	<ul style="list-style-type: none"> 處理器：Intel 型系統，含處理器速度至少是 750 MHz 的 Pentium III 記憶體：256 MB

2.2 使用者介面國際化和區域化

這個版本支援整個 WebSphere Product Center 平台的 IBM 標準國際語言支援。IBM 標準 Group 1 語言包括（簡體中文、繁體中文、日文、義大利文、韓文、法文、德文、義大利文、西班牙文和巴西葡萄牙文）。

2.3 移轉

這個版本沒有提供從 5.0 以前的舊版進行移轉的工具箱。從 5.0 升級不需要進行移轉

附註：沒有國家語言支援的移轉考量，因為這是第一個含有國家語言支援的版本。

2.4 書籍

這個產品沒有檢附印刷版的書籍。

下列書籍有義大利文以外的 Group 1 語言翻譯版，可以從 IBM 網際網路網站中取得 (<http://www-306.ibm.com/software/integration/wpc/library/>)

- WebSphere Product Center：使用手冊
- WebSphere Product Center：概觀
- WebSphere Product Center：安裝手冊
- WebSphere Product Center：支援手冊
- WebSphere Product Center：Scripting 參考手冊
- WebSphere Product Center 5.1 版的版本注意事項

3.0 增強功能

3.1 Script 作業變更

3.1.1 更新的 Script 作業

這份文件提供從 5.0 版以後，WebSphere Product Center 5.1 已修改過的 Script 作業清單。

附註：這份文件所列出的 Script 作業只供參考，可能會改變。請參閱 WebSphere Product Center 產品中的 Script 沙盤推演，以取得其他準確的資訊。

下列各節所列出的每個修改過的 Script 作業前面都會有下表所列出字首語之一，代表變更的類型。

N	新建
D	已棄用

PU	已更新原型
DU	已更新說明

型錄

N setOrdered

- **原型**：Boolean Catalog::setOrdered(Boolean bOrder)
- **說明**：將型錄改成是否接受排序

種類

N reorderEntry

- **原型**：Integer Category::reorderEntry(Catalog ctg, Entry child, Integer position, Boolean bInsertBefore)
- **說明**：可讓使用者調整 catalog ctg 中之母項種類內的子項排序。項目子項會移至指定位置（零是第一個元素）的前面 (bInsertBefore=true) 或後面 (bInsertBefore=false)。傳回排序項目 ID（如果能夠運作的話）或空值（失敗的話）。這個方法不應搭配交易來使用。Boolean 旗標是選用的，如果未指定的話，預設值是 true。

N getEntryPosition

- **原型**：Integer Category::getEntryPosition(Catalog ctg, Entry child)
- **說明**：可讓使用者取得子項目在母項種類內的位置。這只能在排序型錄中運作。傳回位置（如果能夠運作的話）或空值（失敗的話）。

儲存器

DU setContainerProperties(HashMap properties)

- **說明**：PROPERTIES 雜湊對映中所指定的內容會設定給有問題的儲存器。雜湊對映鍵可以是下列項目之一："SCRIPT_NAME" "PRE_SCRIPT_NAME" "POST_SAVE_SCRIPT_NAME" "ENTRY_BUILD_SCRIPT" "DISPLAY_ATTRIBUTE" "USER_DEFINED_CORE_ATTRIBUTE_GROUP" "SCRIPT_RESTRICT_LOCALES"。Script 的值必須是字串名稱，"DISPLAY_ATTRIBUTE" 的值必須是 Node 物件，"USER_DEFINED_CORE_ATTRIBUTE_GROUP" 的值必須是 AttrGroup 物件，"SCRIPT_RESTRICT_LOCALES" 的值必須是 "true" 或 "false"。如果 "SCRIPT_RESTRICT_LOCALES" 設為 "false"（不區分大小寫），這個儲存器中各項目的 Script 作業就不會考量使用者設定所定義的語言環境限制

字串

N getSystemMessageById

- **原型**：String getSystemMessageById(int id, [Locale loc])
- **說明**：給定的訊息 ID（和語言環境），傳回訊息說明。

N `getSystemMessageByName`

- **原型**：String `getSystemMessageByName(String msg_name, [Locale loc])`
- **說明**：給定的訊息名稱（和語言環境），傳回訊息說明。

N `getCustomMessage`

- **原型**：String `getCustomMessage(String id, [Locale loc])`
- **說明**：給定的訊息 ID（和語言環境），傳回訊息說明。

N `bidirectionalTransform`

- **原型**：public String `bidirectionalTransform(String srcStr, String direction, String typeOfText, String orientation, String swap, String numShapes, String textShapes)`
- **說明**：如果方向是 "IMPORT"，便利用參數所指定的 BiDi 屬性來建立 BiDiText，再將它轉換成含預設屬性的 BiDiText。
如果方向是 "EXPORT"，便利用預設屬性來建立 BiDiText，再將它轉換成含參數所指定之屬性的 BiDiText。
typeOfText 可以是："IMPLICIT"、"VISUAL"。
orientation 可以是："LTR"、"RTL"、"CONTEXTUAL_LTR"、"CONTEXTUAL_RTL"。
swap 可以是："YES"、"NO"。
numShapes 可以是："NOMINAL"、"NATIONAL"、"CONTEXTUAL"、"ANY"。
textShapes 可以是："NOMINAL"、"SHAPED"、"INITIAL"、"MIDDLE"、"FINAL"、"ISOLATED"。
預設值是：typeOfText："IMPLICIT" orientation："LTR" swap："YES" numShapes：NOMINAL textShapes：NOMINAL

貨幣

N `getCurrencySymbolByCode`

- **原型**：String `getCurrencySymbolByCode(String code)`
- **說明**：這項作業會從貨幣碼傳回貨幣符號，如輸入 "USD"，傳回的貨幣符號是 "\$"。

N `getCurrencyDescByCode`

- **原型**：String `getCurrencyDescByCode(String code)`
- **說明**：這項作業會從貨幣碼傳回貨幣說明

N `getCompanyCurrencies`

- **原型**：String[] `getCompanyCurrencies()`
- **說明**：這項作業會傳回公司屬性所選取的貨幣代碼。

N `setCompanyCurrencies`

- **原型**：void `setCompanyCurrencies(String listOfCodes[])`
- **說明**：這項作業會將代碼清單設定給公司資料庫。

N `getAllCurrencies`

- *原型*：String[] getAllCurrencies()
- *說明*：這項作業會傳回 WPC 所支援的所有貨幣代碼。

日期

N getDateInUserTimeZone

- *原型*：Date getDateInUserTimeZone()
- *說明*：傳回 Data 物件所代表的 1970 年 1 月 1 日 00:00:00 GMT 以後的秒數

N getDateInputFormat

- *原型*：String getDateInputFormat()
- *說明*：傳回我的設定中的日期輸入格式

N getDateOutputFormat

- *原型*：String getDateOutputFormat()
- *說明*：傳回我的設定中的日期輸出格式

N setDateInputFormat

- *原型*：void setDateInputFormat(String format)
- *說明*：設定日期輸入格式

N setDateOutputFormat

- *原型*：void setDateOutputFormat(String format)
- *說明*：設定日期輸出格式

數字

N formatNumberByPrecision

- *原型*：String formatNumberByPrecision(Double number, Integer precision)
- *說明*：這項作業會傳回含已定義精準度的字串格式

N formatNumberByLocPrecision

- *原型*：String formatNumberByLocPrecision(Double number, Locale loc, Integer precision)
- *說明*：這項作業會傳回含已定義精準度和語言環境的字串格式

N parseDouble

- *原型*：Double parseDouble(String str, Locale loc)
- *說明*：根據語言環境，將字串傳給 double 值

N parseNumber

- *原型*：String parseNumber(String str, String numberFormat, Locale locale)

- **說明**：用來依 `numberFormat` 和 `locale`，將字串剖析成數字。如果語言環境是空值，就會採用使用者設定的語言環境。如果 `numberFormat` 是空值，會使用預設的語言環境格式。`numberFormat` 字串是格式與 Java 所用數字格式相同的型樣

N `formatNumber`

- **原型**：String `Number::formatNumber(String numberFormat, Locale loc)`
- **說明**：用來根據參數所指定的語言環境，將數字格式化成爲供人閱讀的格式。如果語言環境是空值，就會採用使用者設定的語言環境。如果 `numberFormat` 是空值，會使用預設的語言環境格式。

時區

N `getUserTimeZoneDesc`

- **原型**：String `getUserTimeZoneDesc()`
- **說明**：取得原生語言的使用者設定時區說明。

N `getUserTimeZoneOffset`

- **原型**：Number `getUserTimeZoneOffset()`
- **說明**：取得使用者設定時區與 GMT 的偏移（分鐘）。

N `setUserTimeZone`

- **原型**：void `setUserTimeZone(int offset)`
- **說明**：以偏移值（分鐘）來變更使用者設定的時區。

N `getTimeZoneDesc`

- **原型**：String `getTimeZoneDesc(int offsetInMinutes, Locale locale)`
- **說明**：取得含分鐘偏移值的時區說明。

N `parseTimeZoneToDBValue`

- **原型**：String `parseTimeZoneToDBValue(String srcStr)`
- **說明**：將字串剖析成時區，再傳回 db 值。

N `getTimeZoneOffsetFromDBValue`

- **原型**：Number `getTimeZoneOffsetFromDBValue(String dbValue)`
- **說明**：從 db 值取得時區，再傳回與 GMT 的偏移（分鐘）。

3.6 變更要求

這個版本已實作下列變更要求。

P10992	Problems with primary key type
P12155	Time can't be queried in an Advanced Selection

P12157	Import Script giving null pointer exceptions
P12419	Attribute inside grouping disappears if item is saved in a view
P11986	Optimize Search Query for Simple case of a single attribute
P11987	Doc lookup by attrib / path is doing a substring
P12288	Provide contextual information for post-save script
P12159	The "restrict display locales" setting in My Setting should
P12185	Update Item Attribute Query
P12195	Get Items Linked To This Item Query
P11872	Custom Import/Export Tool - Spec Node of type Lookup Table
P12198	Container Views, improve performance
P12220	Category being removed from the collaboration area tree even
P12411	Validation rule still executed
P12197	Performance improvement, Attribute Collections
P12358	ItemSet doing multiple CSM queries
P12360	Can't search for German character ß
P12446	Change saveCtgItem to behave as "Save As Draft" in a workflow
P12426	jsp.footer error when modifying role/locale setting
P12439	Restrictions on script locales should be configurable throughout
P11660	Import: new statistic need: total time preparing batches
P12282	Item status icon is changed by Macro

4.0 已知的問題和限制

4.1 已知的問題

下表列出在 WebSphere Product Center 5.1 中，後續版本會加以考量的已知問題。

CR	問題
P14265	Database deadlock -- category to item Inheritance
P14525	When delete privilege is off for hierarchy , hierarchy del
P14813	In Arabic locale, Number Enum value can't saved
P14527	After creating new catalog access privilege, the respective
P12949	Use "Exact Match" search a "Lookup Table" in rich search but
P14083	Server error while doing aggregate currency search
P13802	Existing Data source get deleted when new data source is created
P13520	User can checkout the item to collaboration area
P12980	Category Primary Key/Display ,Hierarchy Path Attribute
P12790	Password isn't displayed as "*****" in the Multiple Edit page

P13567	User can see the summary of items in the right pane
P13977	Cannot input arabic and macendonia negative number
P12818	Error occur , after I save invalid URL in bulk add page
P14799	In Arabic locale, "Macro" function doesn't work
P14802	Server exception on deleting the wsdl for a webservice from
P13193	Page not found error while trying to view the uploaded zip
P14050	Can not specify (2) for integer on Macedonian
P14549	Concatenated strings in Create Catalog
P13014	Catalog using name include "+" character can't be added to l
P13237	Error on new Catalog() Script function with optionalArgs parameter
P14675	In Arabic locale, Validation rule / Value rule
P14000	Attribute search for group attribute not working
P12703	Error message should popup when clone item with duplicate
P12979	Lookup Table name is upper in Lookup Table detail page
P12695	Error on new AttrGroup(String name, String type,
P12801	Error on setAttribute(String sAttributeName, String sValue,...
P12688	The option ' Columns in a Textarea ' in My Setting function
P12692	There lack "Save" button in My Profile Web UI
P14526	Hierarchy still exists in the left pane explorer but not in
P13061	On job console, Description "exact match" does not work
P12709	When set value of option " Display spec attribute as "
P12711	The Shortcut Keys can not be responded correctly in Item sin
P13518	Lookup table -- Error occur : delete lookup table .
P14931	In item bulk add through multi edit, Items waiting status no
P12731	Character ' _ ' can't be supported by Binary type
P13262	Can not be Saved, when the Binary attribute input a file name
P13304	Error on set attributes to file spec in set up environment...
P13307	The currency symbol can be displayed correctly in read
P14214	Exception in home-> My task list
P12856	Null spec node can be created by script
P13418	No 'default value' and 'lookup table' options under the ...
P13456	Exact Match / NOT predicate not working in Rich Search
P14283	Multi-occurrence of attributes not working for inheritance
P13490	Button Menu not getting displayed completely
P12975	You can specify "1.w" for range of Bulk Edit

P13514	Exact Match / NOT predicate not working in Rich Search for H
P14302	Wrong tool-tip of <-(back) Button of New Hierarchy Console.
P12724	Number enumeration can not be saved correctly
P13522	Error on createExport() function with the same export name.
P13533	The title of the exit confirmation panel is ...
P12797	Error on new SpecNode(Spec spec, String path, Integer order)
P13608	By using shortcut keys Ctrl+Alt+L, Ctrl+Alt+D Logs, Delete opt
P13037	Deleting operation error for pattern (regular expression) of
P13640	While adding item hierarchy or standalone specs to a category
P13650	Export Alert, Workflow Alert not working in the Left pane
P14045	Users who are non administrators of the Collaboration area
P12941	Multiple edit page treats space character inconsistently wit
P13492	A Runtime Error occurs while creating a new Role name with a
P13772	Can't create schema use a shell on a wpcServer
P12978	Alert message should display in current page
P13803	Error on new Spec(String specName, String specType) Script
P13817	In Inheritance - All Values are not getting inherited for M
P12986	The two Dropdown list of the menu display half - baked
P13975	Property for items with the (initial display of multivalued ...
P13029	Tool tip message can not show correctly when clicking "DELETE"
P13626	In data entry screen if -ve value or special characters
P14801	In Arabic locale, log entry displays incorrectly
P13047	Job description exact match not working properly
P14281	WebSphere specific: Item details cannot be viewed, displays
P14047	Can't remove user from organization
P13130	Import alert "Uploaded Catalog File to Database" not working
P13190	Sorting Ascending/ Descending not working in Catalog Console
P14930	Selection name is wrong on Arabia platform
P14573	Locking is not working while hierarchy is busy with importing
P14991	The number value can not be searched correctly
P14174	error code in Hinidi language platform
P13841	Import shouldn't success if imported file type does not match
P14190	Alert message "Are you sure you want to delete the spec " do
P14502	Audit log is not displaying on WebLogic platform
P13412	While turning off the attributes privilege under catalog

P14270	Inherit/Override Buttons disappear on overriding the item
P14003	No links for Sorting of search results of Attribute Search.
P14499	Date format error while creating a version for catalog
P14288	Symbol can not be displayed correctly in CSV preview page .
P14297	Alert "Request is Pending Approval" not working
P14298	Back <- button is not working in System Administration-> Per
P14564	Unable to find the icon button "Save Basic Selection"
P14315	In multi-edit data entry screen for an attribute of type pass
P14326	Collection (V+E) appears for all options while creating view
P14994	Save function can not work when add number value
P14903	Having Created catalog to ACG map and then seeing the catalo
P14736	Exception occurring on creation of duplicate user and message
P14509	While adding item hierarchy or standalone specs to a category
P14510	While adding item hierarchy or standalone specs to a category
P14682	while doing catalog to catalog inheritance, max. occu. value
P13766	Error on setDateOutputFormat(String format) with ...
P13770	Can not specify '>' for Catalog Display Attribute .
P14914	Import of Hiererchy feed not working correctly in workflow
P14592	Error while creating a category using special characters
P14595	Error while doing item rich search using special characters
P14884	Error in setCompanyCurrencies(String listOfCodes[...
P13483	Last visited module is not updated in the left pane.
P13208	Alert Message is not displayed before deleting a primary spec
P12922	There lack message when delete spec from Spec Console
P13652	Order of links for the selection module is not maintained
P13347	In My Task List page "Delete" Button not working
P14188	Alert message "you must select at least one export" doesn't
P12716	Error message should appears if attribute name is empty in
P13056	Space character shouldn't be allowed to be Tab view name
P13035	Attribute name is allowed to be space
P14002	Enter key feature not working in search attributes popup win
P12918	Find translate segmentation part and untranslated
P14088	No return values in aggregate search while searching for -ve
P14090	Error 404 page displayed when clicked on search icon

P14165	Search attributes popup not refreshed.
P14415	Find untranslated " event group " in step 1,"event

4.2 文件限制

- WebSphere Product Center 的文件集不包括義大利文的翻譯。
- 文件所用的影像是爲了英文而建立的，且所有翻譯都使用它們。因此，翻譯的文件所用的影像數目會受到限制。依照規劃，未來的版本會翻譯這些影像。

5.0 安裝注意事項

5.1 新安裝目錄

WebSphere Product Center 產品 CD 中的安裝檔分別依所支援的各種作業系統放在不同的子目錄中。

作業系統	安裝目錄
AIX	WPC_AIX
Linux	WPC_Linux
HP-UX	WPC_HP

5.2 配置檔變更

這個版本的 **common.properties** 配置檔已有了改變。

5.2.1 已變更的配置內容

timezone

時區值已改成依小時或分鐘偏移。

- 說明：依小時或分鐘來設定時區偏移。只有在使用者未指定預設使用者設定時區時，才會讀取這個內容。
- 值：依小時或分鐘偏移
- 範例：如果要指定 (GMT-08:00) 太平洋時間（美國和加拿大）；Tijuana 設爲 "timezone= -8"（小時）或 "timezone=-480"（分鐘）

5.2.2 新配置內容

GB18030_enabled

- 說明：啓用 WebSphere Product Center 的全球化。
- 值：on/off

- 範例：GB18030_enabled=off

Bidis

- 說明：啓用 Group 1 語言的全球化
- 範例：
bidis=ar_AE,ar_BH,ar_DZ,ar_EG,ar_IN,ar_IQ,ar_JO,ar_KW,ar_LB,ar_LY,ar_MA,ar_OM,ar_QA,ar_!

max_is_timeout

- 說明：請設定 JavaScript 快取所用之快取控制的存在期間上限（秒）。
- 值：請以秒為單位輸入
- 範例：max_is_timeout=1200

script_restrict_locale

- 說明：請設定 Script 應不應該套用在使用者語言環境限制上。這個設定應該在個別儲存器的基礎上，利用 "setContainerProperties()" Script 作業中的 "SCRIPT_RESTRICT_LOCALES" 參數來加以置換。
- 值：預設值是 "true"。
- 範例：script_restrict_locale=true

注意事項

在所有國家中，IBM 不見得有提供本件中所提及的各項產品、服務或功能。請洽詢當地的 IBM 業務代表，以取得當地目前提供的產品和服務之相關資訊。這份文件在提及 IBM 的產品、程式或服務時，不表示或暗示只能使用 IBM 的產品、程式或服務。只要未侵犯 IBM 的智慧財產權，任何功能相當的產品、程式或服務都可以取代 IBM 的產品、程式或服務。不過，任何非 IBM 的產品、程式或服務，使用者必須自行負責作業的評估和驗證責任。

這份文件所說明的主題內容，IBM 可能擁有其專利或專利申請案。提供這份文件不代表提供這些專利的授權。您可以書面提出授權查詢，來函請寄到：

IBM Director of Licensing

IBM Corporation

North Castle Drive

Armonk, NY 10504-1785

U.S.A.

下列段落若與該國之法律條款抵觸，即視為不適用：

INTERNATIONAL BUSINESS MACHINES CORPORATION 係以「現狀」提供，而不提供任何明示或默示之保證，其中包括且不限於可商用性或符合特定用途之保證。有些地區在特定交易上，不允許排除明示或暗示的保證，因此，這項聲明不一定適合您。

這項資訊中可能會有技術上或排版印刷上的訛誤。因此，IBM 會定期修訂；並將修訂後的內容納入新版中。IBM 隨時會改進和/或變更本出版品所提及的產品和/或程式，不另行通知。

這份資訊中所提及的任何非 IBM 網站只供參考，IBM 不為這些網站提供保證。這些網站所提供的素材不是 IBM 本產品的素材內容，如果要使用這些網站的素材，您必須自行承擔風險。

IBM 得以各種適當的方式使用或散佈由您提供的任何資訊，無需對您負責。

如果本程式的獲授權人為了 (i) 在個別建立的程式和其他程式（包括本程式）之間交換資訊，以及 (ii) 相互使用所交換的資訊，因而需要相關的資訊，請洽詢：

IBM Burlingame Laboratory

Director IBM Burlingame Laboratory

577 Airport Blvd., Suite 800

Burlingame, CA 94010

U.S.A

這些資訊可依適當條款而取得，在某些情況下必須付費方得使用。

IBM 基於雙方之 IBM 國際程式授權合約（或任何同等合約）條款，提供本文件所提及的授權程式與其所有適用的授權資料。

此處所包含的任何效能資料都是在受控制的環境下取得。因此，在其他作業環境下取得的結果可能大不相同。某些測量是在開發層次系統下進行的，因此不保證這些測量在一般可用系統上依然相同。再者，有些測量可能是經由推斷來預估。實際結果可能不同。本文件的使用者應驗證其特定環境所適用的資料。

本書所提及之非 IBM 產品資訊，取自產品的供應商，或其發佈的聲明或其他公開管道。IBM 並未測試過這些產品，也無法確認這些非 IBM 產品的執行效能、相容性或任何對產品的其他主張是否完全無誤。有關非 IBM 產品的性能問題應直接洽詢該產品供應商。

這份資訊含有日常商業運作所用的資料和報告範例。爲了要使它們儘可能完整，範例可能包括個人、公司、品牌和產品的名稱。所有這些名稱都是虛構的，如有任何類似實際企業所用的名稱及地址之處，純屬巧合。

所有關於 IBM 未來動向或意圖的聲明都可能會隨時改變或撤銷，而不另行通知，它們僅代表 IBM 的目標與方針而已。

程式設計介面資訊

程式設計介面資訊之目的，是要協助您利用這個程式來建立應用軟體。

通用程式設計介面可讓您撰寫應用軟體，以取得本程式工具的服務。

不過，這份資訊也可能包含診斷、修正和調整資訊。提供診斷、修正和調整資訊，是要協助您進行應用軟體的除錯。

警告：請勿將這份診斷、修正和調整資訊當作程式設計介面使用，因爲它隨時會改變。

商標和服務標記

下列詞彙是 International Business Machines Corporation 在美國和/或其他國家或地區的商標或註冊商標：

IBM
IBM 標誌
AIX
CrossWorlds
DB2
DB2 Universal Database
Domino
Lotus
Lotus Notes
MQIntegrator
MQSeries
Tivoli
WebSphere

Microsoft、Windows、Windows NT 和 Windows 標誌是 Microsoft Corporation 在美國和/或其他國家或地區的商標或註冊商標。

MMX、Pentium 和 ProShare 是 Intel Corporation 在美國和/或其他國家或地區的商標或註冊商標。

Java 和所有以 Java 為基礎的商標是 Sun Microsystems, Inc. 在美國和/或其他國家或地區的商標或註冊商標。

其他公司、產品和服務名稱，可能是第三者的商標或服務標誌。

IBM WebSphere Product Center 包含適用於下列附加條款的「排除元件」（依照相關的授權資訊文件所定義）。本軟體是依照國際程式授權合約的條款，遵循其「排除元件」規定而授權給 貴客戶。IBM 必須向貴客戶提供與本軟體相關的下列注意事項：

i.) IBM WebSphere Product Center 包括 IBM 依照 Apache 2.0 授權合約條款，自 Apache Software Foundation 獲得授權的下列軟體：

- Apache Regular Expression v1.2
- Apache Xalan v2.4.1
- Apache Xerces-j v2.4.0
- Apache Axis v1.1
- Apache XML4J v3.0.1
- Apache Log4j v1.1.1
- Apache Jakarta Commons DBCP Package v1.1
- Apache Jakarta Commons Pool Package v1.1
- Apache Jakarta Commons Collections Package v3.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ii.) IBM WebSphere Product Center 包括 IBM 依照下列條款，自 Scott Hudson、Frank Flannery 和 C. Scott Ananian 獲得授權的下列軟體：

- Cup Parser Generator v0.10k

CUP Parser Generator Copyright Notice, License, and Disclaimer

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

iii.) IBM WebSphere Product Center 包括 IBM 依照下列條款，自 Elliot Joel Berk 和 C. Scott Ananian 獲得授權的下列軟體：

- JLex v1.2.6

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. Java is a trademark of Sun Microsystems, Inc. References to the Java programming language in relation to JLex are not meant to imply that Sun endorses this product.

iv.) IBM WebSphere Product Center 包括 IBM 依照下列條款，自 International Business Machines Corporation 和其他公司獲得授權的下列軟體：

- ICU4J v2.8

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2003 International Business Machines Corporation and others

All rights reserved.

茲此授權本軟體複本及相關文件檔

（「軟體」）之任何取得者，得以免費且不受限制地處理本軟體，包括且不限於使用、複製、修改、合併、出版、散布及/或銷售本軟體複本，且允許軟體取得者從事這些行為，不過，上述著作權聲明及本段授權聲明必須出現在本軟體的所有複本中，且支援的文件中也必須有上述著作權聲明及本段授權聲明。

本軟體僅「依現狀」提供，不含任何明示或默示之保證，包括且不限於可商用性、特定目的之適用性及無侵權之保證。不論在何種情況之下，包括契約責任、過失責任或其他侵權行為責任，著作權持有人或本聲明所包含的著作權人均不為使用或執行本軟體時所產生或相關之任何索賠，或任何間接或衍生之損害，或任何為了無法使用、資料毀損或所失利益而負責。

除非本聲明有所規定，否則，在未取得著作權人書面授權之前，不得利用著作權人姓名做廣告，或以其他方式對本軟體之銷售、使用或其他商業往來做促銷。