Building a Better Infrastructure With IBM Middleware on IBM Power Systems

Consolidation Through Virtualization Saves Space, Energy and Costs

---

Underutilization Drives Consolidation

What is your average server utilization?

Well,
My Windows servers average 5-10%, and my UNIX servers average about 27% utilization.

Service Oriented Finance CIO

Data Center Manager

Utilization of Distributed Servers

Provision for expected growth

Provision capacity for peak workload

Idle Resource

Idle Resource

Idle Resource

Workload

Average utilization

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

Server dedicated to one application or functional role

▶ Typical utilization of Windows servers <5%
▶ Typical utilization of distributed UNIX servers 15 – 20%
▶ Typical utilization of Power Systems servers 70 – 100%

Steps to Optimizing IT with IBM Middleware on Power Systems

My data center is filled with underutilized servers that are driving up my power, cooling, space and labor costs.

Manage more efficiently

Service Oriented Finance CIO

Consolidate small workloads

You can **consolidate** underutilized servers and sprawling web-tiers using **virtualization** on **Power Systems**.

Scale-up large workloads

Build a solid foundation on **IBM Power Systems**

IBM

Many Businesses Today See Server Consolidation as the Answer

**Percentage of companies consolidating to reduce costs**

66%

Two-thirds of the companies surveyed prefer to run multiple applications per server *in order to minimize costs and labor and to increase flexibility and system utilization.*

- IBM Market Intelligence Research, High End UNIX Buyers, November 2005

"Most companies have already begun consolidating their servers — ***86 percent of the CIOs*** *we asked cited progress in this area. Virtualization is the next natural move."*

- McKinsey Quarterly, May 2006

Percentage of CIOs consolidating servers

86%

Let's Focus on Consolidation With Power Systems

Scale Up

Consolidate

Workloads > Server

Workloads < Server

Theoretically Run the Same Workloads with Less Resources

Workload 1 Peak: 3 servers

Workload 2 Peak: 3 servers

Workload 3 Peak: 3 servers

Workload 4 Peak: 3 servers

**Workload 5** Peak: 3 servers

WL 1   WL 2   WL 3

WL 4   WL 5

What's Required: Virtualization and intelligent workload management to accommodate shifting workloads – Automatic on Power Systems

Virtualization – How It Works on Power Systems

Power Hypervisor manages processing resources among logical partitions

Logical Partitions (LPARs) provide operating system and application isolation

| Virtual I/O Server | SUSE Linux | AIX 6.1 | Red Hat Linux | AIX 5.3 |

Power Hypervisor

Power Systems SMP Server

Virtual I/O server provides virtual devices to enable shared I/O operations

AIX 6 allocates resources to workload partitions

Integrated virtual Ethernet enables high speed memory to memory networking between partitions

Up to 128 dispatchable threads on 64 processors

Logical Partitions (LPARs)

- Create Logical Partitions to run different workloads

- Install operating system and applications into each LPAR

- Power Hypervisor and Virtual I/O Server dynamically allocate and manage resources among LPARs
  - ▶ Logical Processors – shared or dedicated
  - ▶ Memory
  - ▶ Storage
  - ▶ Networking

Virtual I/O Server	SUSE Linux	AIX 6.1	Red Hat Linux	AIX 5.3
Power Hypervisor				
Power Systems SMP Server				

Virtual I/O Server (VIOS) – A Special Purpose LPAR

- Runs in a logical partition itself
  - ▶ Based on AIX, but not a general purpose partition
  - ▶ No additional licenses needed – included in PowerVM

- Shares I/O resources among the Logical Partitions

- Provides the user interface for the Power Hypervisor to dynamically allocate resources
  - ▶ Hardware management functions
    - − Integrated Virtualization Manager (IVM) user interface

- Provides the Power Hypervisor with resource usage data
  - ▶ To facilitate physical resource management and utilization

Processors Are Virtualized And Shared

■ Physical processors are either dedicated to a specific LPAR or assigned to the shared pool
  ▶ LPARs utilize available processing units in shared pool as needed

■ The Power Hypervisor applies processing power where and when it is needed
  ▶ Always makes sure an LPAR gets its entitled processing units
    – Min – how much the LPAR must get to be able to start
    – Max – the maximum amount the LPAR can ever get (a cap)
    – Entitled – how much the LPAR is always guaranteed when needed

■ Core processing capacity is allocated to LPARs in one one-hundredth (0.01) increments
  ▶ MicroPartitioning

■ Dedicated processors can lend available processing units to the shared pool

DEMO:
Prepare to Consolidate by Creating a New LPAR

■ Create a new LPAR for a new file server
  ▶ Configure min, max and entitled values for processors and memory
  ▶ Define virtual devices

DEMO: Maximize Processor Utilization with Shared Processors

1.0

Entitled

Shared Pool

Entitlement

Utilized

0.0

0.19

2.0

Processing Units (Cores)

# of physical processor cores

Total CPU

60 %

Workload

Workload

Total CPU

Candidates for Easy Workload Consolidation on Power Systems

Workload	How
Workloads from smaller Power Systems	Deploy
Middleware workloads ▶ Infrastructure (Web, file servers, DNS, DHCP…) ▶ Database (DB2, Oracle, Informix …) ▶ Java and J2EE Web Application Servers ▶ Collaboration (Domino, SameTime …) ▶ Systems Management (Tivoli …)	Deploy
Other Linux Workloads ▶ C/C++ Applications ▶ Intel-specific Linux applications	Recompile PowerVM Lx86
SOA and Emerging Applications ▶ Web 2.0 ▶ ESB and SOA stack infrastructure ▶ New media ▶ Enterprise search and analytics	Deploy

Consolidating Workloads on Power Systems

Virtual I/O Server	DB2 AIX	Oracle Linux	WAS AIX	

Power Hypervisor

Power Systems SMP Server

□□□□□□□□ □□□□□□□□

Workloads less than server capacity

DB2 on Sun   **Oracle on HP**   **WAS on Windows**   **Linux on Intel**

PowerVM Lx86 Runs Your Linux x86 Applications

- Run your 32-bit Linux x86 applications without any modifications – not even recompilation
  - ▶ Full 32-bit Intel x86 ISA, including MMX and Floating-point
  - ▶ Support for Red Hat AS 4 U4 and newer and Novell SLES 9 and 10
  - ▶ Interoperability between applications running on PowerVM Lx86 and native POWER

- **Useful when the source code is not available**

- Performance
  - ▶ Targeted application performance 80%+ of native Linux for POWER

Linux x86 Application

PowerVM Lx86

Linux on x86   **Linux LPAR on Power Systems**

8

Consolidating Workloads on Power Systems

Virtual I/O Server	DB2 AIX	Oracle Linux	WAS AIX	PowerVM Lx86 Linux

Power Hypervisor

Power Systems SMP Server

□□□□□□□□ □□□□□□□□

Workloads less than server capacity

Linux on Intel

DEMO: Consolidating an Application onto PowerVM Lx86 on Power Systems

- Human Resource application

- Running on a Linux x86 system with X Windows

- Source code is not available

- Consolidate on PowerVM Lx86 with no recompilation

HR Application on PowerVM Lx86

9

PowerVM Live Partition Mobility Moves Running LPARs Between Machines

- No LPAR downtime
- Move LPAR within the same or different physical servers
  - ▶ Both LPARs must share access to the same storage
- Manual or automatically initiated (e.g load usage, cron tasks …)
- Useful for workload balancing, maintenance and weekend shutdowns
- Live application mobility is a similar concept for PowerVM AIX Workload Partitions

Virtual I/O Server	WAS	Business Logic

Power Hypervisor

Power Systems SMP Server

Virtual I/O Server	Workload Distributor	Business Logic	WAS	Business Logic

Power Hypervisor

Power Systems SMP Server

The Competitors Can't Match Power Systems Virtualization Capabilities

	IBM PowerVM	Sun Logical Domains	HP Integrity IVM	VMware ESX Server
Bare metal hypervisor	Integrated with hardware	T1, T2, T2+ with limitations	No	Implemented in software
Hardware assists	Hardware, hypervisor integration	New technology, not complete	Third party, not complete	Third party, not complete
Maximum number of cores per partition	64	8	4	4
Secure virtualization	EAL4+	Not Certified	Not Certified	EAL4+
Live Partition Mobility	PowerVM integrated	No	No	VirtualCenter
Workload Partitions	AIX6	Solaris 10	No	No
Live Application Mobility	Auto or Manual	Manual (requires stop)	No	No

What's Possible with IBM Software on Power Systems?

- Any data center growth would have required multimillion dollar build out

- Consolidated **65** HP servers on **2** IBM Power Systems p5-595 servers (one primary and one backup)
  - ▶ Leveraged LPAR technology to manage capacity and plan for growth while lowering existing data center costs and eliminating build out requirement.

30 to 1

- Production, development and test requirements meant significant underutilized capacity in the data center

- Using LPAR technology, consolidated **30** preexisting servers into **1** IBM Power 570 running AIX

- Additional capacity now available as well

Power Systems Consolidation Optimizes IT

Increase operational efficiency:

- **Improvement of resource utilization**
- **Ability to quickly add new services on demand**
- **Delivery of higher levels of availability**
- **Simplified IT environment**

Lower the cost of IT by minimizing:

- **Hardware and software costs**
- **Environmental costs**
- **Labor costs**
- **Networking costs**
- **Downtime costs**

IBM's Sub-Capacity Pricing For Software

- Flexible payment options for IBM software according to logical partition (LPAR) usage on Power Systems
  - ▶ Dedicated and Shared cores

- *You* decide how many processors to license per software application

- *You* decide how to assign processor partition workloads

- *You* can revise processor assignments to meet requirements

---

License Counting: Shared Pool with Multiple Partitions

Server with 12 processor cores

			D **AIX** **DB2** **Min=1 core** **Max=4 cores**	E **AIX** **WAS** **Min=2 cores** **Max=7 cores**

A AIX	B AIX	C Linux	Shared Pool (9 processor cores)								
1	2	3	4	5	6	7	8	9	10	11	12

DB2 cores to license:	**WAS cores to license:**
• 4 for partition D	• 7 for partition E

12

Oracle Has No Sub-Capacity Pricing

"Oracle does not offer special licensing terms for server usage models where the number of CPUs can be scaled down or their usage varied – the 'Pay Per Use' or 'Pay Per Forecast' models."


Middleware on Power Systems: IBM vs. Oracle Pricing

Price of DB & Web App Server on 4 Cores of a 12-core Power 570

Legend: Web App Server, DB

X-axis: IBM, Oracle
Y-axis: $0, $200,000, $400,000, $600,000, $800,000, $1,000,000

Cost of Power and Cooling

Data Center Power Crisis

- **Half of the data centers in the world are going to be unable to support server power requirements by the end of 2008.**
- **Energy costs will become the second largest operating cost in 70% of data centers by 2009.**
 - **—Gartner Group, 25th Annual Data Center Conference, December 2006.**

Additional Annual Power Cost per Dollar of New Server Spending

($)

Source: Enabling Technologies for Power and Cooling, IDC, September 2006.

Rising Server Management Costs

Worldwide IT Spending on Servers, Power and Cooling, and Management/Administration

(US$B)

Physical Server Installed Base (Millions)

- Power and cooling costs
- Server management and administration costs
- New server spending

Source: The Data Center Evolution: Technologies, Designs, People and Green, IDC, March 2008.

Annual Cost Per Unconsolidated Server

Annual Cost*

Power	$731
Floor Space	$987
Annual Server Maintenance	$777
Annual Connectivity Maintenance	$213
Annual Disk Maintenance	$203
Annual Software Support	$10,153
Annual Enterprise Network	$1,024
Annual Sysadmin	$20,359
Total Annual Costs	$34,447

Wow! $34,447!

* Source: IBM internal consolidation project

For 30 unconsolidated servers, annual costs are $1,033,410

Consolidation Cost Summary and Comparison – 30 Servers to 1 Power 570

Power Systems One Time Charge

Server Acquisition	$ 725,582
Connectivity Acquisition	$ 38,321
Disk Acquisition	$ 98,718
Software Licenses	$ 488,678
Migration Cost	$ 505,488
Total OTC (Cost of migration)	$ 1,856,787

75% reduction in annual operations cost

80+% reduction in power consumption

(Includes cost of migration!)

Power Systems Annual Cost

	Year 1	Years 2+
Power	$ 4,214	$ 4,214
Space	$ 375	$ 375
Annual Server Maint.	$ 33,564	$ 33,564
Annual Connectivity Maint.	$ 1,532	$ 1,532
Annual Disk Storage Maint.	$ 3,948	$ 3,948
Annual SW Support	$ 1,499	$ 97,469
Annual Ent. Network	$ 13,824	$ 13,824
Annual Sys Admin.	$ 82,888	$ 82,888
Total Annual Costs	$141,844	$ 237,814

Unconsolidated Annual Cost

	Per Year
Power	$ 21,930
Space	$ 29,610
Annual Server Maint.	$ 23,310
Annual Connectivity Maint.	$ 6,390
Annual Disk Storage Maint.	$ 6,090
Annual SW Support	$ 304,590
Annual Ent. Network	$ 30,720
Annual Sys Admin.	$ 610,770
Total Annual Costs	$ 1,033,410

Operational cost savings = $ 891,566 yr 1, $795,596 yrs 2+, Break even in 27 months!

15

Cash Flow Analysis

Savings Cash Flow When Consolidating 30 Servers to 1 Power 570

Ongoing operational savings $66,300 per month

Operational savings offset cost of migration in 27 months !!

Time Into Project (in months)

What Else Can Consolidation Do For You?

Over $66,000 per month savings! That's great!

**Don't forget network complexity and downtime cost you money too…**

Data Center Manager

IBM

Network Sprawl is Another Legacy of Unconsolidated Servers

- Unconsolidated Servers Lead High Maintenance Cabling

- Raised Floors Clean Up Appearances On The Rack
  - ▶ Have the same issues, just buried under the floor

Even When Done Right, it is Hard to Service

- Even when properly organized administrators have to deal with a large number of cables
  - ▶ A single rack can have over 100 cables

- One misplaced connector or label can cause havoc in the whole network

- Once cables are strapped together, it is very hard to make changes

Case Study: Network Consolidation

- **Quebec Government**
  - Consolidated 292 servers into 2 System z's
- Before consolidation network required:
  - ▶ 25 stackable switches with 24 1-gigabit ports
  - ▶ 6 level 3 switches with 12 10GBps ports to connect switches

The diagram shows only **30** of the **292** Servers

Over 600 Cables

Backbone

Case Study:
After Consolidation of 292 Servers to 2 System z's

- The new network uses less hardware
  - ▶ 2 level 3 switches with 12 10GBps ports
- Better performance
  - ▶ Most traffic handled within the server virtual network
- Network cost savings of over $200,000.00 per year
  - ▶ Re-use existing networking hardware (no new purchases)
- Easier to manage and troubleshoot network

Just 14 Cables!

Backbone

•Estimate based on the ECM Study numbers for network connectivity costs. Physical server annual cost of $1,237.00 X 292 servers and Virtual server annual cost of $524 X 292 servers. Annual net savings of $208,196.00

Hourly Downtime Cost by Industry

Industry	Hourly Business Cost	Per Employee
Energy	$2,817,846	$569
Telecommunications	$2,066,245	$187
Manufacturing	$1,610,654	$134
Finance/Brokerage	$1,495,134	$1,080
Information Technology	$1,344,461	$184
Insurance	$1,202,444	$371
Retail	$1,107,274	$244
Pharmaceuticals	$1,082,252	$168
Banking	$996,802	$131
Food Processing	$804,192	$153
Consumer	$785,719	$128
Chemicals	$704,101	$195
Average	*$1,010,536*	*$206*

Source: IT Performance Engineering & Measurement Strategies: Quantifying Performance Loss, Meta Group, October 2000.

05 - Consolidation Through Virtualization Saves Space, Energy and Costs 2008 v3.6   37

Customers Say Power Systems Availability Is Highest

Observed Availability

Scoring: Gabriel Consulting's Vendor Preference Index (VPI)

Scores > 100 are great
Scores = 100 are par
Scores < 100 are not so good

Based on survey of 277 enterprise Unix customers in 4Q '06; one-third standardized on IBM, HP, Sun; 75% have two or more Unix variants.

Source: Unix Vendor Preference Survey 4Q'06, Gabriel Consulting Group, December 2006.

05 - Consolidation Through Virtualization Saves Space, Energy and Costs 2008 v3.6   38

Alinean Inc. Consolidation on Power Systems Reduced Annual Downtime Cost by $1.47M

Alinean Inc. Downtime Costs, Before and After Consolidation

($M)

$1,724,135

700% Cost Reduction with Power Systems!

$249,755

Original Environment   Power Systems

Source: IBM System p5: Lower TCO Through Server Consolidation*, Alinean Inc., September 2006.

IBM Factories Get You Started on the Road To Consolidation

- Free Proof of Concept and cost/benefit analysis

- Includes high level architecture

- Consolidation Discovery and Analysis Tool (CDAT) now available as a free download for IBM Sales and Business Partners

Our teams conduct data center interviews and run analysis tools to assess current efficiency and make consolidation recommendations.

IBM

- **Migration Factory**
- **Server Consolidation Factory**
- **Availability Factory**
- **x86 Server Consolidation Factory on POWER Systems**

IBM: http://w3-1.ibm.com/sales/systems/portal/_s.155/254?navID=f220s380&geoID=All&prodID=IBM%20Systems&docID=spshcdattool
BPs: PartnerWorld

URLs and References

- **Web Tier Consolidation**
  - http://www-03.ibm.com/systems/p/hardware/annc_0213/index.html?ca=p5&met=annc_0213&me=W&P_Site=p5hero

- **Workload Manager Redbook**
  - https://www.redbooks.ibm.com/redbooks/pdfs/sg245977.pdf

- **Migration Factory**
  - http://www-03.ibm.com/systems/migratetoibm/factory/

- **System P Expert Corner**
  - http://www-941.ibm.com/collaboration/wiki/display/Wikip5/Home

- **IBM Systems Magazine – Virtualization Explained**
  - http://www.ibmsystemsmag.com/opensystems/februarymarch05/coverstory/6793p1.aspx

22