

# IBM Program usage and installation report instructions

## Cognos Business Intelligence Help Guide


Please see below the additional help in collecting deployment information for your IBM Software. (You may need to zoom in to more easily view the screenshots.)

### Cognos Administration Screens:


1. Within Cognos, there are a number of studios present. For all the studios, we will need to determine the roles/users for the specific studios.

Therefore, take the following screenshots:

a. From Server Administration > Capabilities:



b. Please provide the screenshot of 'Permissions' view for each capability:




# IBM Program usage and installation report instructions


c. Please provide the screenshot of 'Server Administration -> Users, Groups and Roles' view:



d. For each Users, Groups and Roles 'provide Members' view screen shot for analysis:




2. For each of the following groups, please provide a screen shot showing that the entry is enabled/disabled:  
a. Everyone:



## IBM Program usage and installation report instructions

### b. Anonymous



3. Provide a Copy of text containing 'cmlst.txt' (C:\Program Files\Cognos\c8 folders) as indicated the outputs below:

```
PowerPlay Enterprise Server WebLaunch=PPES-AW-EN-RTM-7.1.168.0.0-2
PowerPlay Enterprise Server Gateway=PPES-AW-EN-RTM-7.1.168.0.0-2
PowerPlay Enterprise Server Dispatcher=PPES-AW-EN-RTM-7.1.168.0.0-2
PowerPlay Enterprise Server Query and Report Processors=PPES-AW-EN-RTM-7.1.168.0.0-2
PowerPlay Enterprise Server WebLaunch HTML=PPES-AW-EN-RTM-7.1.168.0.0-2
Upfront File Manager Gateway=UPF-AW-ML-RTM-7.1.151.29.0-1
Upfront Gateway=UPF-AW-ML-RTM-7.1.151.29.0-1
Upfront File Manager=UPF-AW-ML-RTM-7.1.151.29.0-1
Upfront Server=UPF-AW-ML-RTM-7.1.151.29.0-1
Upfront Database=UPF-AW-ML-RTM-7.1.151.29.0-1
Upfront Data Store=UPF-AW-ML-RTM-7.1.151.29.0-1
```

## IBM Program usage and installation report instructions

4. Please run the following queries against Report Studio/Query Studio on the Cognos BI Server:

Query 1:

```
1. select distinct
    COGIPF_USERLOGON.COGIPF_USERNAME AS COGIPF_USERNAME ,
    COGIPF_ACTION.COGIPF_LOCALTIMESTAMP AS COGIPF_LOCALTIMESTAMP ,
    COGIPF_ACTION.COGIPF_OPERATION AS COGIPF_OPERATION ,
    COGIPF_ACTION.COGIPF_TARGET_TYPE AS COGIPF_TARGET_TYPE
from    Audit.dbo.COGIPF_USERLOGON COGIPF_USERLOGON ,
        Audit.dbo.COGIPF_ACTION COGIPF_ACTION
where   COGIPF_ACTION.COGIPF_TARGET_TYPE in ('Query', 'Report', 'Analysis')
and     COGIPF_ACTION.COGIPF_OPERATION in ('ReportAdd', 'ReportUpdate')
and     COGIPF_USERLOGON.COGIPF_SESSIONID = COGIPF_ACTION.COGIPF_SESSIONID
```

Query 1 Outputs:

---

```
Last, First,2010-09-01 10:20:27.723,QUERY,RUNTIMESTATE
Last, First,2010-09-01 10:20:27.753,,
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT
Last, First,2010-09-01 10:20:29.083,QUERY,
Last, First,2010-09-01 10:20:29.113,QUERY,REPORT
Last, First,2010-09-01 10:20:29.503,ADD,RUNTIMESTATE
Last, First,2010-09-01 10:20:31.723,QUERY,
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE
Last, First,2010-09-01 10:21:07.223,QUERY,REPORT
Last, First,2010-09-01 10:21:07.723,QUERY,PACKAGE
Last, First,2010-09-01 13:53:34.277,QUERY,RUNTIMESTATE
Last, First,2010-09-01 13:53:40.653,QUERY,REPORT
Last, First,2010-09-02 09:31:19.167,QUERY,ACCOUNT
Last, First,2010-09-02 09:31:19.260,QUERY,REPORT
Last, First,2010-09-02 09:31:28.637,QUERY,RUNTIMESTATE
Last, First,2010-09-02 09:32:40.593,Render,Report ReportService
Last, First,2010-09-02 09:32:53.657,Render,Report ReportService
Last, First,2010-09-02 09:33:22.517,QUERY,RUNTIMESTATE
Last, First,2010-09-02 09:34:06.580,QUERY,REPORT
Last, First,2010-09-02 09:34:06.907,QUERY,PACKAGE
Last, First,2010-09-02 09:38:24.840,Render,Report ReportService
Last, First,2010-09-02 09:38:42.933,Render,Report ReportService
Last, First,2010-09-02 16:25:43.420,QUERY,
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT
Last, First,2010-09-02 16:25:46.437,QUERY,ACCOUNT
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE
Last, First,2010-09-01 10:20:31.723,QUERY,
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE
Last, First,2010-09-03 10:20:29.277,QUERY,SESSION
Last, First,2010-09-02 09:31:18.480,QUERY,FOLDER
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT
Last, First,2010-09-03 10:20:30.760,ADD,RUNTIMESTATE
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT
```

## IBM Program usage and installation report instructions

Last, First,2010-09-01 10:20:31.723,QUERY,  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-01 10:20:31.723,QUERY,  
Last, First,2010-09-01 10:20:31.723,QUERY,  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-03 10:20:29.277,QUERY,SESSION  
Last, First,2010-09-01 10:20:28.207,QUERY,FOLDER  
Last, First,2010-09-01 10:20:31.723,QUERY,  
Last, First,2010-09-03 10:20:30.760,ADD,RUNTIMESTATE  
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE  
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT  
Last, First,2010-09-02 09:38:42.933,Render,Report ReportService  
Last, First,2010-09-02 09:38:42.933,Render,Report ReportService  
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT  
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT  
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE  
Last, First,2010-09-03 10:20:29.277,QUERY,SESSION  
Last, First,2010-09-02 09:31:18.480,QUERY,FOLDER  
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT  
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT  
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT  
Last, First,2010-09-03 10:20:30.760,ADD,RUNTIMESTATE  
Last, First,2010-09-03 10:20:30.760,ADD,RUNTIMESTATE  
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE  
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE  
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT  
Last, First,2010-09-01 10:20:28.643,QUERY,ACCOUNT  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-02 09:32:53.623,ADD,OUTPUT  
Last, First,2010-09-02 09:32:53.873,QUERY,OUTPUT  
Last, First,2010-09-02 16:25:46.703,QUERY,PACKAGE  
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE  
Last, First,2010-09-02 16:25:46.310,QUERY,REPORT  
Last, First,2010-09-02 09:32:53.623,ADD,OUTPUT  
Last, First,2010-09-02 09:32:53.873,QUERY,OUTPUT  
Last, First,2010-09-01 10:21:03.240,QUERY,RUNTIMESTATE

---

## IBM Program usage and installation report instructions

Query 2:

```
2. select distinct
    COGIPF_ACTION . COGIPF_LOCALTIMESTAMP TIME_STAMP ,
    COGIPF_USERLOGON . COGIPF_USERNAME USERNAME ,
    COGIPF_ACTION . COGIPF_TARGET_TYPE TARGET_TYPE ,
    COGIPF_ACTION . COGIPF_TARGET_PATH TARGET_PATH
from DB2INST1 . COGIPF_ACTION COGIPF_ACTION , DB2INST1 . COGIPF_USERLOGON
COGIPF_USERLOGON
where COGIPF_USERLOGON . COGIPF_LOGON_OPERATION = 'Logon' and COGIPF_USERLOGON .
COGIPF_USERNAME <> 'EMPTY logData' and COGIPF_ACTION . COGIPF_TARGET_TYPE in
('PAGELET')
and COGIPF_ACTION . COGIPF_TARGET_PATH like '/Portal/Administration%' and
COGIPF_USERLOGON . COGIPF_SESSIONID = COGIPF_ACTION . COGIPF_SESSIONID
```

Query 2 Outputs:

```
2010-09-01 08:26:09.303,Last, First,ACCOUNT, /Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First
2010-09-01 09:16:52.570,Last, First,ACCOUNT, /Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First
2010-09-01 09:16:53.523,Last, First,FOLDER, /Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First/My Folders
2010-09-01 09:16:54.430,Last, First,,storeID("i049C06B229AA49ABA2E55073FC594254")
2010-09-01 09:16:54.900,Last, First,SESSION, /Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First/bc2351f03650beb67d157db808593332
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE, /Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
2010-09-01 09:26:45.887,Last, First,SESSION, /Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First/a2f500e5608ec7aaab49ddf3213725a
2010-09-01 09:26:45.980,Last, First,PACKAGE, /Public Folders/Audit_Reports
2010-09-01 09:26:46.763,Last, First,PACKAGE, /Public Folders/Audit
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE, /Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
2010-09-01 09:28:13.157,Last, First,MODELVIEW, /Public Folders/Audit_Reports/model/[].[securityViews].[(en)
Audit]
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report, /content/package[@name='Audit']/report[@name='User session -
```

## IBM Program usage and installation report instructions

```
details']
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 08:26:09.303,Last, First,ACCOUNT,/Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First
2010-09-01 09:16:52.570,Last, First,ACCOUNT,/Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First
2010-09-01 09:16:53.523,Last, First,FOLDER,/Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First/My Folders
2010-09-01 09:16:54.430,Last, First,,storeID("i049C06B229AA49ABA2E55073FC594254")
2010-09-01 09:16:54.900,Last, First,SESSION,/Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First/bc2351f03650beb67d157db808593332
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE,/Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
2010-09-01 09:26:45.887,Last, First,SESSION,/Directory/ABC_CO AD/COMMON/RICH/CORP/USERS/XP-
HARDENED/Last, First/a2f500e5608ec7aaab49ddf3213725a
2010-09-01 09:26:45.980,Last, First,PACKAGE,/Public Folders/Audit_Reports
2010-09-01 09:26:46.763,Last, First,PACKAGE,/Public Folders/Audit
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:27:24.310,Last, First,Report,/content/package[@name='Audit']/report[@name='User session -
details']
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE,/Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE,/Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE,/Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
2010-09-01 09:16:55.417,Last, First,RUNTIMESTATE,/Directory/ABC_CO
AD/COMMON/RICH/CORP/USERS/XP-HARDENED/Last,
First/bc2351f03650beb67d157db808593332/_CPSID_C53F92DC959E4A3F2352CB564C59C67F
```

### **Audit Feature**

If the Audit Feature is turned on, please follow the below steps to obtain the Audit Usage log:

#### **How to know if the Audit Feature is turned on:**

To determine if the audit feature has been configured, the customer must have setup a database in the Cognos Configuration.


Once the customer has logged onto the Cognos Configuration, they should click on environment, logging, and then there should be a database present.

If there is no database, then the audit feature is not turned on, hence no audit logs.

# IBM Program usage and installation report instructions

Below is a sample screenshot that indicates the Audit Feature is turned on:

## Sample Screenshot:



## Notes:

- These scripts will provide an good estimation of system usage based on the assumption that each dispatcher has been set up to report to the audit database.
- Prior to using the scripts, verify that an audit database is configured for each active dispatcher and that logging for the cognos services is set to basic or higher (cognos configuration).
- Open a new query session and run the following scripts against the configured audit database:

### 1. Login Info:

```
--LOGIN INFO----- SELECT      'LOGIN' SCRIPT,  
L.COGIPF_USERNAME USERNAME,      MIN(L.COGIPF_LOCALTIMESTAMP) AS FirstSession,  
MAX(L.COGIPF_LOCALTIMESTAMP) AS LastSessionFROM      dbo.COGIPF_USERLOGON LWHERE  
COGIPF_STATUS <> 'Failure'GROUP BY      L.COGIPF_USERNAME;-----  
-----
```

## IBM Program usage and installation report instructions

### 2. Admin:

```
--ADMIN
-----
SELECT
    'ADMIN' SCRIPT,
    L.COGIPF_USERNAME,
    MIN(A.COGIPF_LOCALTIMESTAMP) FirstAccess,
    MAX(A.COGIPF_LOCALTIMESTAMP) LastAccess,
    COUNT(1) AS PagesAccessedEstimate
FROM
    dbo.COGIPF_ACTION A
    JOIN (SELECT COGIPF_USERNAME, COGIPF_SESSIONID FROM dbo.COGIPF_USERLOGON L
GROUP BY COGIPF_USERNAME, COGIPF_SESSIONID) L
    ON A.COGIPF_SESSIONID = L.COGIPF_SESSIONID
WHERE
    COGIPF_TARGET_TYPE = 'PAGELET'
    AND COGIPF_TARGET_PATH like '/Portal/Administration%'
GROUP BY
    L.COGIPF_USERNAME;
-----
```

### 3. Query and Analysis Studio Access:

```
--QUERY AND ANALYSIS STUDIO ACCESS
-----
SELECT
    'QUERY/ANALYSIS' SCRIPT,
    L.COGIPF_USERNAME,
    MIN(Q.COGIPF_LOCALTIMESTAMP) FirstAccess,
    MAX(Q.COGIPF_LOCALTIMESTAMP) LastAccess,
    SUM(CASE COGIPF_TARGET_TYPE WHEN 'Query ReportService' THEN 1 ELSE 0 END) AS
QueryStudio,
    SUM(CASE COGIPF_TARGET_TYPE WHEN 'Analysis ReportService' THEN 1 ELSE 0 END) AS
AnalysisStudio
FROM
    COGIPF_EDITQUERY Q
    JOIN (SELECT COGIPF_USERNAME, COGIPF_SESSIONID FROM dbo.COGIPF_USERLOGON L
GROUP BY COGIPF_USERNAME, COGIPF_SESSIONID) L
    ON Q.COGIPF_SESSIONID=L.COGIPF_SESSIONID
GROUP BY
    L.COGIPF_USERNAME;
-----
```

**4. Report Studio or Cognos Workplace Advanced:**

```
--REPORT STUDIO OR COGNOS WORKSPACE ADVANCED-----  
----- SELECT      'REPORT/CWA' SCRIPT,      L.COGIPF_USERNAME,  
MIN(A.COGIPF_LOCALTIMESTAMP) FirstAccess,      MAX(A.COGIPF_LOCALTIMESTAMP) LastAccess,  
COUNT(1) AS StudioAccessFROM      COGIPF_ACTION A      JOIN (SELECT COGIPF_USERNAME,  
COGIPF_SESSIONID FROM dbo.COGIPF_USERLOGON L GROUP BY COGIPF_USERNAME,  
COGIPF_SESSIONID) L      ON A.COGIPF_SESSIONID=L.COGIPF_SESSIONIDWHERE  
COGIPF_TARGET_TYPE = 'UIPROFILE'      AND COGIPF_TARGET_PATH LIKE '%Professional'GROUP  
BY      L.COGIPF_USERNAME;-----
```

**5. Event Studio:**

```
--EVENT STUDIO  
-----  
SELECT  
      'EVENT' SCRIPT,  
      L.COGIPF_USERNAME,  
      MIN(A.COGIPF_LOCALTIMESTAMP) FirstAccess,  
      MAX(A.COGIPF_LOCALTIMESTAMP) LastAccess,  
      COUNT(1) AS EventStudioSaves  
  
FROM  
      COGIPF_ACTION A  
      JOIN (SELECT COGIPF_USERNAME, COGIPF_SESSIONID FROM dbo.COGIPF_USERLOGON L  
GROUP BY COGIPF_USERNAME, COGIPF_SESSIONID) L  
      ON A.COGIPF_SESSIONID=L.COGIPF_SESSIONID  
WHERE  
      COGIPF_TARGET_TYPE IN('AGENTDEFINITION','AGENTTASKDEFINITION')  
GROUP BY  
      L.COGIPF_USERNAME  
  
-----
```

## 6. Cognos Viewer:

```
--COGNOS VIEWER----- SELECT      'VIEWER' SCRIPT,
COGIPF_USERNAME,      MIN(FirstAccess) FirstAccess,      MAX>LastAccess) LastAccess,
SUM(ReportsRunViewed) ReportsRunOrViewedFROM      (      SELECT
L.COGIPF_USERNAME,      MIN(R.COGIPF_LOCALTIMESTAMP) FirstAccess,
MAX(R.COGIPF_LOCALTIMESTAMP) LastAccess,      COUNT(1) AS ReportsRunViewed FROM
dbo.COGIPF_RUNREPORT R      JOIN (SELECT COGIPF_USERNAME, COGIPF_SESSIONID
FROM dbo.COGIPF_USERLOGON L GROUP BY COGIPF_USERNAME, COGIPF_SESSIONID) L
ON R.COGIPF_SESSIONID=L.COGIPF_SESSIONID WHERE      COGIPF_REPORTNAME
<>'adHocReport' GROUP BY      L.COGIPF_USERNAME UNION SELECT
L.COGIPF_USERNAME,      MIN(R.COGIPF_LOCALTIMESTAMP) FirstAccess,
MAX(R.COGIPF_LOCALTIMESTAMP) LastAccess,      COUNT(1) AS ReportsRunViewed FROM
COGIPF_VIEWREPORT R      JOIN (SELECT COGIPF_USERNAME, COGIPF_SESSIONID
FROM dbo.COGIPF_USERLOGON L GROUP BY COGIPF_USERNAME, COGIPF_SESSIONID) L
ON R.COGIPF_SESSIONID=L.COGIPF_SESSIONID WHERE      COGIPF_REPORTNAME
<>'adHocReport' GROUP BY      L.COGIPF_USERNAME ) SUBGROUP BY
COGIPF_USERNAME;-----
```

### Cognos Series 7 BI:

For each Cognos 7 Production Server, use the AM\_NamespaceReport utility in Access Manager to generate the following two XML reports for users and userclasses, by running the following commands:

- a. C:\Cognos\[install\_location]\bin\ AM\_NamespaceReport -h [directory\_servername] -D [admin username] -w "[password]" -t users -f all -o [servername]\_all\_users.xml
- b. C:\Cognos\[install\_location]\bin\ AM\_NamespaceReport -h [directory\_servername] -D [admin username] -w "[password]" -t userclasses -f all -o [servername]\_all\_userclasses.xml

```
<?xml version="1.0" encoding="UTF-8" standalone="no" ?>
- <NamespaceReport port="395" filter="all" host="xlwicha55m" user="Administrator" type="userclasses" baseDN="o=excel.com" namespace="default">
- <Userclass name="Root User Class">
  <AccessTime wednesday="true" thursday="true" tuesday="true" timeto="00:00" saturday="true" friday="true" monday="true" sunday="true" timefrom="00:00" />
  <Permissions modifyself="true" showall="true">
    <User delete="true" create="true" show="true" />
    <Userclass delete="true" create="true" show="true" />
    <DataSource delete="true" create="true" show="true" />
    <PPES delete="true" create="true" show="true" />
    <PPTS delete="true" create="true" show="true" />
  </Permissions>
- <Members>
  <User name="rowilkin" />
  <User name="gmwebb" />
  <User name="jmishler" />
  <User name="jbatt1" />
  <User name="Administrator" />
  <User name="prod_cognos" />
</Members>
- <ChildrenUserClasses>
- <Userclass name="BI_Administrator">
  <AccessTime wednesday="true" thursday="true" tuesday="true" timeto="00:00" saturday="true" friday="true" monday="true" sunday="true" timefrom="00:00" />
  <Permissions modifyself="true" showall="true">
    <User delete="false" create="false" show="true" />
    <Userclass delete="false" create="false" show="true" />
    <DataSource delete="false" create="false" show="false" />
    <PPES delete="false" create="false" show="false" />
    <PPTS delete="false" create="false" show="false" />
  </Permissions>
- <Members>
  <User name="jschill" />
  <User name="jbatt1" />
  <User name="jmishler" />
  <User name="CNeises" />
</Members>
```