

IBM Rational Portfolio Manager Version 6.1.1.5 DB2 for AIX Migration Guide

Revision: 1.0

Last Revision: 16.09.2005

Licensed Materials – Property of IBM

(C) Copyright IBM Corp. 1997, 2005

US Government Users Restricted Rights –
Use, duplication or disclosure restricted by
GSA ADP Schedule Contract with IBM Corp.

TABLE OF CONTENTS

SCOPE.....	3
AUDIENCE	3
ASSUMPTIONS	3
PRE-MIGRATION STEPS	4
INSTRUCTIONS	4

SCOPE

This document outlines the steps to migrate IBM Rational Portfolio Manager Database from Version 6.1.1.3 to 6.1.1.5

AUDIENCE

This document is intended for Database Administrators, Application Servers administrators and/or personnel responsible for the installation and configuration of IBM Rational Portfolio Manager server environment.

ASSUMPTIONS

It's assumed that your RPM database is at 6.1.1.3 level. If it is not, please follow the upgrade steps as outlined below.

RPM supports incremental database migration procedure, which means you have to gradually apply the subsequent database migrations.

Ex:

I) 5.0.x.x

5.0.x.x → 6.0.0.0

6.0.0.0 → 6.0.0.1

6.0.0.1 → 6.1.0.0

6.1.0.0 → 6.1.1.1

6.1.1.2 → 6.1.1.3

6.1.1.3 → 6.1.1.5

II) 6.0.x.x

6.0.0.1 → 6.1.0.0

6.1.0.0 → 6.1.1.1

6.1.1.2 → 6.1.1.3

6.1.1.3 → 6.1.1.5

...

PRE-MIGRATION STEPS

Before you proceed you need to backup the IBM Rational Portfolio Manager database. Make sure total database recovery is possible from this backup. All database migration instructions listed bellow must be done by the instance owner and the user used to connect to the database from the web server.

INSTRUCTIONS

1- Stop the web application, the Alert server associated with the RPM database.

2- Logon as RPM instance owner and perform the following:

Stop and start the DB2 instance in which the RPM database is created in.
Run:

```
db2 force applications all
db2stop force
ipclean (if needed)
db2start
```

3- Go to `${MIGPACKAGE_HOME}/Database/DB2/Migration/6.1.1.3_6.1.1.5`, type the following at the prompt:

```
chmod 775 db2_setV8.sh
chmod 775 db_cfgV8.sh
chmod 775 dbm_cfgV8.sh
```

- i. Execute `db2_setV8` by typing at the prompt: `db2_setV8.sh`
- ii. open `db_cfgV8.sh` for editing and replace `DBNAME` with the name of the database you are migrating
- iii. Execute `db_cfgV8` by typing at the prompt: `db_cfgV8.sh`
- iv. Execute `dbm_cfgV8` by typing at the prompt: `dbm_cfgV8.sh`

4- Open `migration.sql` for editing, replace `DBNAME` with the name of RPM Database Name, `USERNAME` with the instance owner's `userName`, `USERPSSWD` with its password and `DBSCHEMA` to the schema of the database under which the tables were created.

Then run:

```
db2 -tvf migration.sql -z migration.out
```

If no error move to next step

5- Go to `${MIGPACKAGE_HOME}/Database/DB2/CSP/AIX/DB2V8`, open `createsp.sql` for editing, replace `DBNAME` with the name of RPM Database Name, `USERNAME` with the username of the user who connects to the database from the web application, `USERPSSWD` with its password.

Then run:

```
db2 -tvf createsp.sql -z createsp.out
```

If no error move to next step

6- Open `bnd_1st.sql` for editing replace `DBNAME` with the name of RPM Database Name, `USERNAME` with the username of the user who connects to the database from the web application, `USERPSSWD` with its password and `DBSCHEMA` to the db schema you are running against.

Build RPM database by following the steps below:

- i. Execute initialize
- ii. Run: `db2 -tvf bnd_1st.sql -z bnd_1st.out`

If no error move to step iii

iii. RUN:

```
chmod 775 $INSTHOME/sql/lib/function
chmod 775 $INSTHOME/sql/lib/function/unfenced
```

Copy `pmoffice.a` into `$INSTHOME/sql/lib/function` directory and into `$INSTHOME/sql/lib/function/unfenced/` directory.

7- Go to `${MIGPACKAGE_HOME}/Database/DB2/Migration/6.1.1.3_6.1.1.5`, open `Reorgstats.sql` for editing, replace `DBNAME` with the name of RPM Database Name, `USERNAME` with the instance owner's `userName`, `USERPSSWD` with its password and `DBSCHEMA` to the schema of the database under which the tables were created.

Then run:

```
db2 -tvf Reorgstats.sql -z Reorgstats.out
```

8- Backup `${IBMRPM_WAR_HOME}/WEB-INF` folder. Go to `${MIGPACKAGE_HOME}/WebServer`, copy WEB-INF folder to `${IBMRPM_WAR_HOME}/` folder. UPDATE ConnectionManager.ini and ConnectionPool.ini in newly copied [//WEB-INF/classes](#) folder with the information from ConnectionManager.ini and ConnectionPool.ini in backed up WEB-INF folder.

9- Go to `${DB2INSTALL_PATH}/java` folder, copy db2jcc.jar, db2jcc_license_cisuz.jar, db2jcc_license_cu.jar files to `${IBMRPM_WAR_HOME}/WEB-INF/lib` folder.

Example:

```
cd ${DB2INSTALL_PATH}/java
cp db2jcc*.jar ${IBMRPM_WAR_HOME}/WEB-INF/lib/
```

DB2INSTALL_PATH is the path to folder where DB2 is installed

10- Copy RPM installer files from the `${MIGPACKAGE_HOME}/Clients` to `${IBMRPM_WAR_HOME}/client_installer` of the WebServer.

Example:

```
cd ${MIGPACKAGE_HOME}/Clients
cp *.* ${IBMRPM_WAR_HOME}/client_installer/
```

- `${MIGPACKAGE_HOME}` is the directory where the migration package was extracted
- `${IBMRPM_WAR_HOME}` is the directory of web server application where the client installer files are

11- Start the web application, after making sure that RPM database is started.