

An affordable point-of-sale (POS) system that delivers power, design flexibility and the reliability you expect from IBM



IBM SurePOS 300



Highlights

- *Compact system unit takes up very little real estate*
- *Open platform and distributed design increase choices for software and peripherals*
- *Thin-client or thick-client configuration maximises opportunities for functionality*
- *Retail-hardened design extends equipment life for outstanding investment protection*

Quality and affordability

The IBM SurePOS™ 300 delivers the power and performance retailers expect from IBM – at a remarkably affordable price. This cost-effective system features fast processing, a flexible design and high reliability. It can easily run the POS software of today, as well as emerging applications for customer loyalty, e-commerce, centralised management and other e-business initiatives. The SurePOS 300 also has the smallest footprint in the IBM portfolio, so it fits neatly under a counter or in areas where space is limited.

Unexpected versatility

The SurePOS 300 can be configured as a thick-client, standalone solution, or as a thin-client workstation that can be centrally controlled. Versatile enough to handle back-office and point-of-sale applications, you can use it virtually anywhere in the store. Full-motion video and audio enable you to take advantage of multimedia or computer-based training applications. In addition, you can choose from a wide range of optional stylish POS peripherals, all designed to work together and available from a single vendor.

Reliable, retail-hardened design

The SurePOS 300 is engineered specifically for retail environments, and is based on proven POS technology from IBM. Its physical packaging and internal components are retail-hardened to withstand rough handling and frequent exposure to dust, dirt, spills and electrostatic shock. That means higher uptime – which improves customer service – and longer-lasting equipment.

The right choice for cost-effective retailing



Choice of optional SureMark™ Printers for fast, quiet thermal printing

Ethernet 10/100 connectivity for fast Internet and store communications

Four USB ports


Thin-client (compact flash, or no storage media) or thick-client (hard disk) platform

Standard and powered RS-232 ports

Compact footprint conserves counter space

IBM SurePoint™ Solution is offered as a full-colour operator display or touchscreen interface, while the customer display keeps shoppers engaged (optional)

Compact Alphanumeric POS (CANPOS) Keyboard features 32 programmable keys and a separate numeric keypad (optional)



Dependable investment protection

The SurePOS 300 has a long sales and service lifecycle, ensuring better access to parts and upgrades. Its industry-standard platform lets you keep the software you use today. And its configuration will stay unchanged for 18 to 24 months, so you can deploy a consistent platform across the enterprise and take advantage of centralised management more easily. You can even add new capabilities without replacing your peripherals.

Wide range of software

The SurePOS 300 features an open platform and broad operating system support, which enables retailers to choose from a broad portfolio of POS software, including applications from IBM Business Partners, which have been tested to work with the SurePOS 300.

The right partner for retail

When you work with IBM or an authorised IBM Business Partner, you have one convenient point of contact for everything you need. IBM knows the retail industry, and we understand how POS technology differs from conventional PCs. We also specialise in face-to-face service and user-friendly technical support – something IBM and IBM Business Partners have delivered to retailers for over 30 years.

NEW	Model 32C	Thin-client solution
		• 128MB ¹ compact flash
NEW	Model 32H	Thick-client solution
		• 40GB ¹ hard disk drive

IBM SurePOS 300 at a glance

Hardware	Models 310/31C/31H	Models 320/32C/32H
Processor ²	<ul style="list-style-type: none">VIA C3® 866MHz	<ul style="list-style-type: none">VIA C3 1.2GHz
Video memory	<ul style="list-style-type: none">4MB UMA (8MB UMA can be defined)	<ul style="list-style-type: none">4MB UMA (8MB UMA can be defined)
Memory ³	<ul style="list-style-type: none">128MB (expandable to 512MB)	<ul style="list-style-type: none">256MB (expandable to 512MB)
Ports	<ul style="list-style-type: none">Video display (SVGA), Ethernet, powered RS-232 (2), RS-232 (2), USB (4), parallel, PS/2 keyboard, PC mouse, headphone, microphone in, line out	<ul style="list-style-type: none">Video display (SVGA), Ethernet, powered RS-232 (2), RS-232 (4), USB (4), PS/2 keyboard, PC mouse, headphone, microphone in, line out, cash drawer
Slots	<ul style="list-style-type: none">One half-size PCI adapter slot	<ul style="list-style-type: none">One half-size PCI adapter slot
Dimensions (WxDxH)	<ul style="list-style-type: none">300mm x 216mm x 90mm (11.8" x 8.5" x 3.6")	<ul style="list-style-type: none">300mm x 216mm x 90mm (11.8" x 8.5" x 3.6")
Weight	<ul style="list-style-type: none">3.6kg (8lbs)	<ul style="list-style-type: none">3.6kg (8lbs)
Power consumption	<ul style="list-style-type: none">35W typical, 100W maximum	<ul style="list-style-type: none">35W typical, 100W maximum

Optional Peripherals

Displays	<ul style="list-style-type: none">IBM SurePoint SolutionDistributed 40-character displayDistributed character graphics display (AP only)	<ul style="list-style-type: none">IBM SurePoint SolutionDistributed 40-character displayDistributed character graphics display (AP only)
Printers	<ul style="list-style-type: none">IBM SureMark PrinterFiscal printers (ask your local representative for details)⁴	<ul style="list-style-type: none">IBM SureMark PrinterFiscal printers (ask your local representative for details)⁴
Keyboards	<ul style="list-style-type: none">CANPOS KeyboardCANPOS Keyboard with MSRAccess keyboard (EMEA only)	<ul style="list-style-type: none">CANPOS KeyboardCANPOS Keyboard with MSRAccess keyboard (EMEA only)
Cash drawers ⁵	<ul style="list-style-type: none">CompactFull-size	<ul style="list-style-type: none">CompactFull-size

Software

Operating systems supported ⁶	<ul style="list-style-type: none">Microsoft® Windows® XPMicrosoft Windows XP Embedded⁷Microsoft Windows 2000Linux Red Hat 7.1DOS 2000	<ul style="list-style-type: none">Microsoft Windows XPMicrosoft Windows XP Embedded⁷Microsoft Windows 2000Linux Red Hat 7.3DOS 2000
Drivers supported	<ul style="list-style-type: none">OPOS 1.5.0JavaPOS™ 1.5.1	<ul style="list-style-type: none">OPOS 1.7.0JavaPOS™ 1.7.0
Management tools	<ul style="list-style-type: none">IBM Director 3.1	<ul style="list-style-type: none">IBM Director 3.2 or higher

Industry Standards

Systems management ⁸	<ul style="list-style-type: none">Wired for Management (WfM) 1.1SMBIOS 2.3Preboot Execution Environment (PXE) 2.0Wake on LAN® (WOL)	<ul style="list-style-type: none">Wired for Management (WfM) 1.1SMBIOS 2.3Preboot Execution Environment (PXE) 2.0Wake on LAN (WOL)
Power management ⁸	<ul style="list-style-type: none">Advanced Power Management (APM) 1.2Advanced Configuration and Power Interface (ACPI) 1.0	<ul style="list-style-type: none">Advanced Power Management (APM) 1.2Advanced Configuration and Power Interface (ACPI) 1.0

IBM SurePOS 300 at a glance (continued)



Services

Limited warranty ⁹	<ul style="list-style-type: none">• One year
Service life	<ul style="list-style-type: none">• Up to seven years after withdrawal from market
Technical support ¹⁰	<ul style="list-style-type: none">• 24x7 phone support (during warranty period, response times may vary; may exclude some holidays) and Web-based help• Both depot and onsite service are available

¹ MB/GB equals one million/billion bytes when referring to storage capacity; accessibility may be less.

² MHz/GHz only measures microprocessor internal clock speed; many factors affect application performance.

³ Memory supports both system and video. Accessible system memory will be the installed memory size less the amount defined for video.

⁴ Only available in some countries. Ask your IBM representative for details.

⁵ Cash drawer connects through an IBM SureMark Printer, which must be purchased separately.

⁶ Microsoft Windows NT[®] 4.0 will be available through special customer request only.

⁷ IBM will provide hardware support for customers who create unique Windows XP Embedded images. Field problems for XP Embedded will need to be recreated under Windows XP Professional.

⁸ No battery option available.

⁹ For a copy of terms and conditions of IBM's Statement of Limited Warranty, please contact your local IBM representative or reseller.

¹⁰ Geography dependent.

For more information

To learn more about the IBM SurePOS 300 and other IBM POS solutions, contact your local IBM representative or find us on the Web at:

ibm.com/industries/retail/store

© Copyright IBM Corporation 2003
All Rights Reserved.

IBM Corporation
PO Box 12195
3039 Cornwallis Road
Research Triangle Park
NC 27709

Printed in the United States of America
09-03

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates. Copying or downloading the images contained in this document is expressly prohibited without the written consent of IBM.

IBM will continue to enhance products and services as new technologies emerge. Therefore, IBM reserves the right to alter specifications and other product information without prior notice. Please contact your IBM marketing representative or an authorized reseller for information on specific standard configuration and options.

IBM assumes no responsibility or liability for any use of the information contained herein. Nothing in this document shall operate as an express or implied licence or indemnity under the intellectual property rights of IBM or third parties. No warranties of any kind including but not limited to the implied warranties of merchantability or fitness for a particular purpose are offered in this document.

© The e (logo), IBM, the IBM logo, SureMark, SurePoint, SurePOS and Wake on LAN are trademarks of International Business Machines Corporation in the United States, other countries, or both.

™ All Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

© Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation, in the United States, other countries, or both.

© VIA C3 is a registered trademark of VIA Technologies.

Other company, product and service names may be trademarks or service marks of others.

¹ The IBM home page on the Internet can be found at **ibm.com**

♻️ Printed on recycled paper containing 10% recovered post-consumer fiber.

Front cover and page 2 show an IBM SurePOS 300 with optional 12" SurePoint Solution display, optional SureMark Printer (model IF6, single-station) and optional CANPOS Keyboard.



G224-7005-03