

Powerful point-of-sale (POS) technology that delivers an ideal combination of style and performance



IBM SurePOS 600 Series



Highlights

- **Sleek, integrated design** conserves counter space and creates a clean, uncluttered POS and a more attractive shop environment
- **Fast, powerful, open solution** can run the latest Web-enabled and e-business applications
- **Advanced technology** includes full-motion video, multimedia, wireless enablement, and touchscreen or keyboard interface

Smart, sleek POS design

With its fusion of contemporary style and advanced capabilities, the IBM SurePOS™ 600 Series is engineered for retailers who want to create an attractive, ultramodern POS environment and take advantage of the latest applications for e-business. Its sleek design takes up far less real estate than a conventional POS system. It features an internal power supply, hidden cables, a Compact Alphanumeric POS keyboard (CANPOS), and an integration tray to keep peripherals organised. All peripherals – including cash drawers, speakers, magnetic stripe readers, and customer displays – are colour-matched with the system unit to create a more appealing shopping environment.

High-performance technology

The SurePOS 600 has all the power you need to drive POS software for customer loyalty, e-commerce and newer Web-based applications. It features a 1.2 GHz processor – among the fastest in the industry – plus 32 MB of video memory for graphics-intensive applications, and a touchscreen LCD which helps speed customer service. It also supports full-motion video and multimedia for higher shopper appeal and faster employee training. An open platform and broad operating system support let you choose from a wide range of POS software, including StoreProven™¹ software from IBM Business Partners.

Durable and reliable

Like all POS solutions from IBM, the SurePOS 600 Series is retail-hardened to provide exceptional reliability and maximum equipment life – both of which protect your investment. The system and optional peripherals are tested to withstand daily wear and tear from numerous users, as well as dust, dirt, grease, spills and electrostatic shock.



The right choice for forward-thinking retailers



Second display keeps customers engaged (optional)

Ethernet 10/100 LAN for fast Internet and store communications (requires separate ISP account)

RS-232 and USB ports provide easy, industry-standard connectivity

Wired for Management (WfM) compliance enables remote management

IBM SureMark™ Printers for advanced, high-performance printing



Integration tray ensures a clean, organised appearance

PCMCIA expansion slot enables wireless POS (652 and 622)

Wide viewing angle for training several employees simultaneously

Integrated MSR for fast, efficient card swiping (optional)

Touchscreen and non-touch LCDs available in 12" (standard) or 15" (special order)

Ergonomic design maximises operator productivity



CANPOS keyboard saves space

Small footprint with elegant design creates a clean, attractive workspace

Pointing device eliminates the need for a separate mouse

Model 652

Standard multimedia solution

- Single-bulb, active matrix touchscreen LCD
- On-board audio system
- Headphone and microphone ports
- PCMCIA Type II expansion slot
- Stereo speaker port
- Wide viewing angle

Model 642

Ultra-bright LCD solution

- Dual-bulb, active matrix touchscreen LCD improves visibility in extremely bright or low-light conditions
- Widest viewing angle

Model 622

Value multimedia solution

- Single-bulb, active matrix LCD
- PCMCIA Type II expansion slot
- Stereo speaker port
- Headphone and microphone ports
- Compact keyboard comes as standard, in one of seven languages
- On-board audio system
- Wide viewing angle

IBM SurePOS 600 Series at a glance

Hardware

Processor	• 1.2 GHz Intel® Celeron™ (or faster)
Memory	• 64 MB (expandable to 512 MB)
Video memory	• 8 MB UMA (16 or 32 MB UMA can be defined)
Maximum colours	• 32-bit true colour at 800 x 600 resolution (1024 x 768 available)
Hard disk drive ²	• 20 GB (or larger) 3.5" IDE
Ports	• Customer display, video (SVGA), RS-232 (3), USB (4), parallel, external diskette, MSR, PS/2 keyboard/PC mouse, cash drawer (2), Ethernet
Tilt adjustment	• 30° to 90°
Dimensions ³ (HxWxD)	• 13.4 to 15" x 12.8 to 13.9" x 12.6" (340 to 381 mm x 325 to 353 mm x 321 mm)
Weight	• System unit: 21 lbs (9.5kg) • Speaker (652): 1.1 lbs (0.5kg) • MSR: 0.35 lbs (0.16kg)
Power consumption	• 45 W typical, 23 W standby, Energy Star compliant

Optional Peripherals

Customer displays	• IBM SurePoint™ Solution • Distributed 40-character display	• Integrated 40-character display • All Points Addressable character graphics display
Printers	• IBM SureMark Printers • Fiscal printers (ask your local representative for details)	
Keyboards	• CANPOS keyboard includes 32 programmable keys, numeric keypad and pointing device (standard with 622)	
Integration trays	• Full-size cash drawer • Compact cash drawer	• Countertop
Additional options	• External 1.44 MB diskette drive • Cash drawers (full-size or compact) • Tills and locking covers	• External USB CD-ROM drive • MSR • Stereo speaker kit (622, 652)

Software

Operating systems supported	• Microsoft® Windows® 98, 2000 • Microsoft Windows XP • DOS 2000	• Microsoft Windows NT® 4.0 • Microsoft Windows XP Embedded ⁴ • Linux (RedHat 7.1)
Drivers supported	• OPOS 1.5.0 and Java™POS 1.5.1	
Management tools	• Remote Deployment Manager (RDM) 3.1 • IBM Director 3.1	

Industry Standards

Systems Management	• Wired for Management (WfM) 2.0 • SMBIOS 2.3/Desktop Management Interface (DMI)	• Preboot Execution Environment (PXE) 2.0 • Wake on LAN® (WOL)
Power Management	• Advanced Power Management (APM) 1.2 • Advanced Configuration and Power Interface (ACPI) 1.0	

IBM SurePOS 600 Series at a glance (continued)



Services

Limited warranty ⁵	• One year
Service life	• Up to seven years after withdrawal from market
Technical support ⁶	• 24x7 phone support (during warranty period, response times may vary) and Web-based help • Both depot and onsite service are available

¹ IBM makes no warranties, expressed or implied, regarding StoreProven products and services, including any implied warranties of merchantability or fitness for a particular purpose. Statements made by IBM Business Partners that offer StoreProven applications are provided by the relevant third-party company and not IBM.

² MB/GB/TB equals one million/billion/trillion bytes when referring to storage capacity; accessibility may be less.

³ Measurements assume standard 12" display, not 15" display available by special order.

⁴ IBM will provide hardware support for customers who create unique Windows XP Embedded images. Field problems for XP Embedded will need to be recreated under Windows XP Professional.

⁵ For a copy of terms and conditions of IBM's statement of limited warranty, please contact your local IBM representative or reseller.

⁶ Geography dependent.

© Copyright IBM Corporation 2002

IBM Corporation
Department C6PA
5601 Six Forks Road
Raleigh, NC 27609

Printed in the United States of America
04-02
All Rights Reserved

© The e-business logo, IBM, the IBM logo, StoreProven, SureMark, SurePoint, SurePOS and Wake on LAN are trademarks of International Business Machines Corporation in the United States and/or other countries.

© Intel and Celeron are trademarks or registered trademarks of the Intel Corporation in the United States and/or other countries.

™ Java is a trademark of Sun Microsystems, Inc. in the United States, other countries or both.

© Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation, in the United States, other countries, or both.

Other company, product and service names may be trademarks or service marks of others.

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates. Copying or downloading the images contained in this document is expressly prohibited without the written consent of IBM.

IBM hardware products are manufactured from new parts, or new and used parts. In some cases, the hardware product may not be new and may have been previously installed. Regardless, IBM warranty terms apply.

The IBM home page on the Internet can be found at **ibm.com**

♻️ Printed in the United States on recycled paper containing 10% recovered post-consumer fibre.

For more information

To learn more about the IBM SurePOS 600 Series and other IBM POS solutions, contact your local IBM representative or find us on the Web at:

ibm.com/industries/retail/store

To place an order, call 1 800 IBM-CALL (1 800 426-2255) or 1 770 863-1000 outside the U.S. and Canada.

Front cover shows an IBM SurePOS 652 with CANPOS keyboard and IBM SurePoint Solution 12" display, plus an optional integration tray, an optional 40-character customer display, and optional SureMark Printer.

Page 2 shows an IBM SurePOS 622 with a CANPOS keyboard and IBM SurePoint Solution 12" display, plus an optional 40-character customer display, SureMark Printer, integration tray, and cash drawer.



G580-3471-02