Powerful, stylish kiosk technology designed for fast, convenient self-service in any environment



# **IBM Kiosk**



### Highlights

- Provides a platform for sophisticated kiosk applications which require Web connectivity and multimedia support
- Sleek, rugged design is reliable enough to withstand rough treatment, even in unattended self-service environments
- Flexible configuration features an open platform, multiple peripheral options and a standard or customised enclosure

### Equipped for advanced self-service

Designed for style and engineered for high performance, the IBM Kiosk is the platform you need to run selfservice applications in virtually any environment. Inside, it is Webenabled<sup>1</sup> and multimedia-ready, with ample processing power and multiple peripheral options. Outside, it features a sleek, durable enclosure and an elegant touchscreen display. With this comprehensive kiosk, users can serve themselves instead of waiting in line. You can offer another world of choices without holding extra stocks. And you can provide new customer services, such as a product locator or gift registry, without adding staff.

### Advantages for any organisation

The IBM Kiosk is a key component of the IBM MerchantReach<sup>™</sup> portfolio – solutions that integrate multiple access points, including kiosks, Web sites, call centres, PDAs and mobile phones, to help retailers significantly improve customer service without increasing operating costs. The IBM Kiosk can extend these same benefits to many other industries. For example, it can accept credit card applications in a bank, assist with check-in at airports, or sell tickets in a cinema.

### **Broad software offering**

With its standard, open platform, this kiosk can run off-the-shelf software as well as applications created by IBM, your in-house team or independent software vendors (ISVs). Or you can select StoreProven™<sup>2</sup> applications – which have been tested for compatibility with the IBM Kiosk – from IBM Business Partners and ISVs.

### Total kiosk solutions from IBM

IBM can be your single source for pedestal, wall-mount or countertop kiosk solutions. IBM provides custom enclosures, integration of third-party peripherals, installation, training and support. IBM expertise includes rollout, host integration, remote systems management, consulting and financing.





# Superior kiosk technology



Model 152	For advanced self-service	
	• 15" active matrix LCD	• 32 MB max video memory (UMA)
	<ul> <li>1.2 GHz processor</li> </ul>	• 128 MB standard memory (1 GB capable)
	4 USB ports	• 1,024 x 768 resolution (16 million colours)
	Capacitive touchscreen	<ul> <li>Compact flash (optional)</li> </ul>

# IBM Kiosk at a glance

	4835-152	
Hardware		
Processor <sup>3</sup>	<ul> <li>1.2 GHz Intel<sup>®</sup> Celeron<sup>™</sup></li> </ul>	
Hard disk drive⁴	20 GB or greater	
Slots	PC card	
Ports	<ul> <li>10/100 Ethernet, 3 RS-232 (RJ45), 1 RS-232 (powered), 4 USB, headphone/microphone, parallel, external floppy, MSR, PS/2 keyboard/PC mouse, video (VGA)</li> </ul>	
Dimensions (WxDxH)		
System unit	<ul> <li>16.1" x 15" x 13.9" (409.2 x 380.4 x 351.8 mm)</li> </ul>	
System unit with enclosure	• 16.1" x 15" x 55.8" (409.2 x 380.4 x 1,417 mm)	
Weight		
System unit	• 25.8 lbs (11.7 kg)	
Enclosure	<ul> <li>125 lbs (56.8 kg)</li> </ul>	
Fully configured system	• 150 - 200 lbs (68.1 - 91 kg)	

### Software

Operating systems supported	<ul> <li>Microsoft<sup>®</sup> Windows<sup>®</sup> 2000</li> <li>Microsoft Windows XP (Professional Edition)<sup>5</sup></li> <li>Microsoft Windows 98 (Second Edition)</li> <li>RedHat Linux 7.1<sup>6</sup></li> </ul>
Drivers supported	<ul> <li>Microsoft Windows, OPOS<sup>7</sup>, JavaPOS<sup>™ 7</sup></li> </ul>
Management tools supported • IBM Remote Deployment Manager 3.1, IBM Director 3.1, IBM CDS Kiosk Manager	

### Industry Standards

Systems management	<ul> <li>Wired for Management (WfM) 2.0</li> <li>SMBIOS 2.0</li> <li>Wake on LAN<sup>®</sup> (WOL)</li> </ul>
Power management	APM 1.2     Advanced Configuration and Power Management Interface (ACPI) 1.0
Boot protocols	RPL, DHCP, BootP, PXE 2.0

### IBM Kiosk at a glance (continued)

### **Peripheral Options**

- Single-sided, 3-track MSR
- Speaker kit
- · SBCS (80/112 mm) and DBCS (58/80/112 mm) thermal printers
- Uninterrupted power supply (UPS)
- · Power strip
- Flop

### Servi

Options

1

Floppy drive (1.44 MB) Services		
Technical support	<ul> <li>24x7 phone support (during warranty period<sup>9</sup>) and Web-based help</li> </ul>	

- · Onsite service is available.
  - · For more information, contact your local IBM representative.

· Dual-sided, single-track MSR

(with integrated trackball mouse)

· CD-ROM drive (10X USB) - bootable

(Japan and Korea only)

· Barcode scanner

· Keyboard

- Does not include Internet service account.
- IBM makes no warranties, expressed or implied, regarding StoreProven products and services, including any implied warranties of merchantability or fitness for a particular purpose. Statements made by IBM Business Partners that offer StoreProven applications are provided by the relevant third-party company and not IBM.
- <sup>3</sup> MHz/GHz only measures microprocessor internal clock speed; many factors affect application performance.
- <sup>4</sup> GB equals one billion bytes when referring to storage capacity; accessibility may be less.

- 5 IBM will provide hardware support for customers who create unique Windows XP Embedded images. Field problems for XP Embedded will need to be recreated under Windows XP Professional.
- 6 System unit only.
- 7 Available for select operating systems and devices.
- 8 For a copy of the terms and conditions of IBM's statement of limited warranty, please contact your IBM representative or reseller.
- 9 Response times may vary.



© Copyright IBM Corporation 2002

IBM Corporation Department C6PA 5601 Six Forks Boad Raleigh, NC 27609

Printed in the United States of America 09-02

All Rights Reserved

- ® The e(logo), IBM, the IBM logo, MerchantReach, StoreProven and Wake on LAN are trademarks or registered trademarks of International Business Machines Corporation in the United States and/or other countries.
- ® Intel and Celeron are trademarks or registered trademarks of the Intel Corporation in the United States and/or other countries
- ™ JavaPOS is a trademark of Sun Microsystems, Inc. in the United States, other countries or both
- R Microsoft Windows and Windows NT are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries

Other company, product and service names may be trademarks or service marks of others.

References in this publication to IBM products or services do not imply that IBM intends to make them available in all countries in which IBM operates. Copying or downloading the images contained in this document is expressly prohibited without the written consent of IBM.

IBM hardware products are manufactured from new parts, or new and used parts. In some cases, the hardware product may not be new and may have been previously installed. Regardless, IBM warranty terms apply.

The IBM home page on the Internet can be found at ibm.com

S Printed in the United States on recycled paper containing 10% recovered postconsumer fibre.

### For more information

To learn more about the IBM Kiosk, please contact your local representative or find us on the Web at: ibm.com/industries/retail/store

To place an order, call 1 800 IBM-CALL (1 800 426-2255) or 1 770 863-1000 outside the U.S. and Canada.

Front cover shows the IBM Kiosk model 152 with optional scanner, printer, MSR and enclosure.

Page 2 shows the IBM Kiosk model 150 with optional scanner, printer, MSR and enclosure.



G580-3562-03