


eNetwork Firewall for AIX



Firewalling, controlling access to and from a network, is an important part of your network security. IBM® eNetwork™ Firewall is part of the IBM eNetwork Software offerings, bringing broad security solutions to protect your business assets. IBM eNetwork Firewall for AIX® delivers new management and security functions for using the Internet.

Highlights

Supports all three standard firewall architectures

Provides the Security Dynamics ACE Server with a two-user license at no additional charge— SecurID Protected

Centrally manages and configures multiple firewalls


Provides easy and secure administration through AIX, Windows 95, and Windows NT clients Eliminates the need for expensive leased lines by using the Internet as a virtual private network

Reduces cost through predefined services for fast setup

Disables unsafe applications to ensure a secure platform for the firewall


Provides seamless Internet access using standard client software

Proactively scans the firewall and other hosts to find potential security exposures



Features	Benefits
Strong authentication with ACE Server	Eliminates the security exposure of clear text passwords
	Prevents hackers from stealing your passwords
	• Is included with every firewall at no charge; \$4000(U.S.) value
Java™-based administration	Provides an intituitve graphical user interface (GUI)
	 Securely provides support for AIX, Windows 95, and Windows NT clients
	 Provides for different levels of administrator authority and logs activities by ID
	 Provides integrated product documentation and context sensitive help
	Uses objects to easily represent subnets and servers in the network
Virtual private networking	 Allows users to securely exchange information with other companies
	Reduces the need for expensive leased lines by using the Internet
Windows 95 IPsec client	Provides unrestricted use at no charge
	 Provides remote users with secure access to the network
	Follows IPSec standards
Enterprise Firewall Manager	 Centrally manages multiple firewalls from a single point
	 Reduces the cost and complexity of managing multiple firewalls
	Allows a company to set one security policy for all Internet access
Hardening	Provides a secure platform for the firewall
	 Reduces configuration errors that can lead to security exposures
	Eliminates security holes and unneeded services
Network Security Auditor	 Increases security by proactively scanning the network for security exposures
	 Allows the administrator to easily find configuration errors
	Generates easy-to-read HTML-formatted reports
solation of subnets	Easily keeps multiple subnets within the network securely separated from each other
	 Provides ability to set policy on how various subnets can communicate
	• Allows for a DMZ (demilitarized zone) to keep Internet users from entering the secure network
Reporting/Logging	Provides the data to allow you to manage your Internet connection
	Identifies usage patterns
OCKS Version 4	Provides users with seamless Internet access
	Is supported through standard client software
Three firewalls in one	Provides support for all three standard firewall architectures—expert filters, application proxy, and
	circuit-level gateway
Alerting	Provides automatic and immediate notification of security breaches
SafeMail	Replaces the unstable SendMail application
	Eliminates the security problems with SendMail
Expert filters	Controls traffic by time-of-day, address, port number, direction, protocol
	• Easily configures the firewall to disallow inappropriate bandwidth-consuming traffic
	Controls the flow of traffic at a granular level
National language support	Is translated into French, Spanish, Italian, Brazilian Portuguese, traditional Chinese, simplified
	Chinese, Japanese, and Korean
	Allows administrators to use their native languages
	Makes all languages available through each configuration client

IBM eNetwork Firewall for AIX at a glance	
Hardware requirements	 RS/6000™ POWERstation™ and POWERserver® (uniprocessor models) 64 MB of memory (RAM)
Software requirement	• AIX, Version 4.2.1 or Version 4.3
Hard drive	• 50-MB product code • 50-MB log files
Media	CD-ROM for installation
Network Adapters	Requires two or more of the following: • Token ring • FDDI • ATM • \$/390 [®] • X.25
Configuration Clients	 Windows® 95 Windows NT® AIX
Network security auditor	• AIX



For more information

For more information about IBM Firewall for AIX, visit our home page at:

http://www.software.ibm.com/enetwork/firewall/



© International Business Machines Corporation 1998

IBM Corporation T9ZA/502 P.O. Box 12195 Research Triangle Park, NC 27709 USA

3-98

All rights reserved

IBM, AIX, eNetwork, POWERserver, POWERstation, RS/6000, and S/390 are trademarks of International Business Machines Corporation in the United States and/or other countries.

Java is a trademark of Sun Microsystems, Incorporated.

Windows and Windows NT are trademarks of Microsoft Corporation.

Other company, product, and service names may be trademarks or service marks of others.



Printed in the United States of America on recycled paper containing 10% recovered post-consumer fiber





