


Under the Hood of the IBM Threat Protection System

The Nuts and Bolts of the Dynamic Attack Chain





You are an...

IT Security Manager at a global retailer with 600 locations.

You manage a team of IT analysts that are responsible for maintaining network operations for point of sale in retail locations, central servers, the company website and mobile applications.

Other areas of your company, like product management, have credentials for various applications to enable them to conduct business.

Monday 8:30am

Over a cup of coffee, you get a phone call from a well-known security blogger that your customer credit card numbers and one of your Internet-accessible server addresses showed up on an underground forum known for trading stolen information.


Within 10 minutes, you notify legal counsel, the CIO, and law enforcement and begin a forensics investigation to figure out how the breach occurred.



The previous Saturday


Investigating the server logs from the weekend shows a connection from a server to an external FTP server you don't recognize, hosted at the dynamic domain 1337.my-ftp.biz.

The attacker must have manually copied excerpts of the data from the FTP server to the underground forum.



IBM Threat Protection System:

- Prevent
- Detect
- Respond



Attack Chain Stage:

Break-In


Latch-on

Expand

Gather


The previous week

You find evidence in the log files of transfers of PCI in the previous week from POS servers to a single internal server, the server that connected to the external FTP server.



IBM Threat Protection System:

- Prevent
- Detect
- Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

The previous 2-3 weeks


You find a copy of the file CardScraper.exe on each of the POS servers that sent PCI to the server that made the external connection.



In the 2-3 week prior, that malware hunted for additional POS servers, copying penetration tools and password crackers to them, and infiltrating the network.

IBM Threat Protection System:

- Prevent
- Detect
- Respond




Attack Chain Stage:

Break-In

Latch-on

Expand

Gather




Probing further, you find a RAT (Remote Access Trojan) named svch0st.exe, which acted as a dropper to secretly install, execute, and avoid anti-virus detection.

This program downloaded CardScraper.exe from an external server located at IP Address 91.216.73.32 and copied it to the POS servers.

IBM Threat Protection System:

- Prevent
- Detect
- Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather




While working in a coffee shop, Dan, in Development, receives an email from a retailer requesting account verification.

He clicked the link, but didn't notice it was to fake website named acccount-verify.com, which launched a zero-day exploit to his browser and downloaded the trojan sych0st.exe to his system.

Dan drives to work where he logs into the network, allowing svch0st.exe to slip into the network and start the chain of events leading to the breach.

IBM Threat Protection System:

- Prevent
- Detect
- Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

Exfiltrate

SALF

Let's start from the beginning to see how the attack could have been disrupted...


IBM Threat Protection System

A dynamic, integrated system to disrupt the entire lifecycle of advanced attacks



Smarter Prevention

Stop unknown threats with behavioral-based defenses on both the endpoint and network





Security Intelligence

Automatically detect weaknesses and anomalies with enterprise-wide visibility and insights



Continuous Response

Quickly understand incidents and use findings to strengthen real-time defenses



Open Integrations


Share context between domains and third party products using an open platform and ecosystem





Prevention measures are in place to identify and remediate exposure for the company.

IBM Endpoint Manager identifies and manages policy exceptions on endpoints to quarantine and mark assets for remediation before the attack occurs.




IBM Threat Protection System:



Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather



Dan is the subject of a phishing scam and inadvertently downloads malware

IBM Security Trusteer Apex Advanced Malware Protection stops the zero-day exploit from attacking his web browser and executing the RAT named "svch0st.exe"




IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on


Expand

Gather



Dan is the subject of a phishing scam and inadvertently downloads malware

Based on the output from Trusteer Apex, IBM Endpoint Manager quarantines Dan's laptop so that it can only communicate with IEM to be remediated




IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on


Expand

Gather



Dan is the subject of a phishing scam and inadvertently downloads malware

The malware attempts to take advantage of an existing vulnerability but IBM Endpoint Manager applies patches and adjusts configuration settings to eliminate the vulnerability and reports the vulnerability to QRadar in for further analysis




IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on


Expand

Gather



The RAT downloads CardScraper.exe and the malware starts to replicate

Trusteer Apex blocks command & control (C&C) activity on the endpoint, stopping the RAT from communicating with the server to download CardScraper.exe




IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on


Expand

Gather




The RAT downloads CardScraper.exe and the malware starts to replicate

IBM Security Network Protection prevents C&C activity on the server by blocking the remote IP 91.216.73.32 hosting CardScraper.exe based on IP reputation



IBM Threat Protection System:

- Prevent
- Detect
- Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather



The RAT downloads CardScraper.exe and the malware starts to replicate

IBM QRadar SIEM detects the RAT install from system event logs, giving it a magnitude score of 8 and raising a flag in the security analyst's dashboard


E	Event Information							
	Event Name	HTTP:HOTMAIL:EXE-DOWNLOAD						
	Low Level Category	Executable Code Detected						
	Event Description	HTTP: MSN Hotmail Executable File Extension Download						
	Magnitude	(8)	Relevance	10				
	Username	N/A						
	Start Time	Oct 20, 2013, 7:22:48 PM	Storage Time	Oct 20, 2013, 7:22:48 PM				
	Executable (custom)	CardScraper.exe						

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand


Gather

2-3 weeks earlier



CardScraper.exe is copied to POS servers throughout the business

IBM Guardium Data Activity Monitor blocks the unauthorized connection to the database servers.




Start Date: 2015-04-12 15:21:05 End Date: 2015-04-14 15:21:05 More								
Timestamp	Category Name	Access Rule Description	Client IP	Server IP	DB User Name	Full SQL String	Severity Description	Count of Policy Rule Violations
2015-04-14 14:09:57	Sensitive Data	Block Unauthorized Access to Sensitive Tables	192.168.42.76	192.168.42.76	JOED	select * from joe.creditcard	MED	1
2015-04-14 14:04:11	Sensitive Data	Block Unauthorized Access to Sensitive Tables	192.168.42.76	192.168.42.76	JOED	select * from joe.creditcard	MED	1
2015-04-14 13:51:02	Protect Sensitive Data	Alert on SQL Errors	192.168.42.76	192.168.42.76	JOED	select * from credit_card	INFO	1
2015-04-14 13:50:47	Protect Sensitive Data	Alert on SQL Errors	192.168.42.76	192.168.42.76	JOED	select * from creditcard	INFO	1
2015-04-14 13:38:37	Protect Sensitive Data	Alert on SQL Errors	192.168.42.76	192.168.42.76	JOED	select * from creditcard	INFO	1
2015-04-13 09:28:02		Restrict columns to unauthorized users	192.168.42.76	192.168.42.76	JOED	select * from joe.customer2	INFO	1
2015-04-13 08:50:21		Restrict columns to unauthorized users	192.168.42.76	192.168.42.76	JOED	select * from joe.customer2	INFO	1
2015-04-13 07:47:30		Restrict columns to unauthorized users	192.168.42.76	192.168.42.76	TOM	select * from joe.customer2	INFO	1
2015-04-13 07:47:01		Restrict columns to unauthorized users	192.168.42.76	192.168.42.76	JOED	select * from joe.customer2	INFO	1

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

Exfiltrate


Policy Violations Details

2-3 weeks earlier



CardScraper.exe is copied to POS servers throughout the business

IBM QRadar SIEM detects file transfers based on network events, and reports a policy violation on unauthorized access to a POS server




IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand


Gather

The previous week



PCI was transferred from infected POS servers to a single server

IBM Guardium Data Activity Monitor alerts on the suspicious activity of the attempt by an unauthorized user to access a large amount of sensitive data as a potential precursor to an exfiltration attempt, raising the offense to IBM QRadar SIEM




IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

The previous week



PCI was transferred from infected POS servers to a single server

IBM QRadar SIEM detects communication behavior that deviates from corporate and compliance policies


Source IP	Source Network	Source Port	Destination IP	Destination Port	Protocol	Application
10.0.110.37	POS_Server	64935	151.56.78.9	20	udp_ip	DataTransfer.FTP
10.0.110.120	POS_Server	64935	151.56.78.9	20	udp_ip	DataTransfer.FTP

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand


Gather

The previous Saturday



A server connects to an unknown external FTP server and the PCI is exfiltrated.

IBM Security Network Protection XGS would block the outbound connection based on the URL reputation of remote FTP server "1337.my-ftp.biz"




IBM Threat Protection System:



Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

The previous Saturday



A server connects to an unknown external FTP server and the PCI is exfiltrated.

IBM QRadar SIEM would detect anomalous flow out from a server that never connected outbound before with a "Connection Outbound to Internet from Critical Asset" flag

ld	Description	Offense Type	Offense Source	Magnitude	Source IPs
1471	Multiple Login Failures for the Same User containing Root Login Failed	Username	root		Multiple (10)
1458	Assess potential inbound connections from the internet to regulatory assets	Event Name	Assess potential inboun		Multiple (5)
1463	Assess actual inbound connections from the Internet to regulatory assets	Event Name	Assess actual inbound c		Multiple (5)
2670	Anomaly Detection: Connection Outbound to Internet from Critical Asset	Source IP	10.0.120.50		10.0.120.50
1482	Potentially Successful Exploit preceded by Exploit Followed by Suspicious Host Activity - Chained preceded by Multiple Vect	Source IP	10.0.240.4		ancp-4-users-1.ac
1511	Attack Followed by an Attack Response preceded by Policy: Chat or IM Traffic Detected preceded by Exploit Followed by Su	Source IP	10.0.230.231		dhcp-231-vpn.acm
1461	Compliance: assess regulatory assets using insecure protocols	Event Name	Compliance: assess reg		Multiple (5)

ASSESS FROM INCOMPRESIONS FROM THE INTERNET OF FROM HOW ASSESS


Anomaly Detection: Connection Outbound to Internet from Critical Asset

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

How do you conduct this forensics investigation?

With a solution like QRadar Incident Forensics, you can...

- Query external server addresses found on the underground forum
- Report internal connections
- Show external file transfers
- Identify malware transferred by the attacker
- Discover connection histories and extended relationships with internal assets and identities

...via deep analysis and reconstruction of recorded packet capture files. Directly from the QRadar console.



IBM Security


QRadar Incident Forensics

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather



Early detection and rapid response are critical

It can take just minutes to compromise your network, but months to discover and recover.

IBM offers Emergency Response Services to help.




- A team of incident response and forensics experts ready to respond globally
- 120 staff hours per year, which can be utilized for emergency response services or preventative services
- Unlimited emergency declarations
- Access to the X-Force Threat Analysis Service backed by global intelligence research
- Quarterly checkpoint, support, and update on threat landscape

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:


Break-In

Latch-on

Expand

Gather

A dynamic, integrated system to help break the attack chain.



Focus on critical points in the attack chain with preemptive defenses on endpoints, the network, and critical data repositories.

Continuously monitor activity from across the entire organization.

Rapidly investigate breaches, retrace activity, and learn from findings.


Prevent. Detect. Respond.

IBM Threat Protection System:

Prevent

Detect

Respond



Attack Chain Stage:

Break-In

Latch-on

Expand

Gather

Statement of Good Security Practices: IT system security involves protecting systems and information through prevention, detection and response to improper access from within and outside your enterprise. Improper access can result in information being altered, destroyed, misappropriated or misused or can result in damage to or misuse of your systems, including for use in attacks on others. No IT system or product should be considered completely secure and no single product, service or security measure can be completely effective in preventing improper use or access. IBM systems, products and services are designed to be part of a lawful, comprehensive security approach, which will necessarily involve additional operational procedures, and may require other systems, products or services to be most effective. IBM DOES NOT WARRANT THAT ANY SYSTEMS, PRODUCTS OR SERVICES ARE IMMUNE FROM, OR WILL MAKE YOUR ENTERPRISE IMMUNE FROM, THE MALICIOUS OR ILLEGAL CONDUCT OF ANY PARTY

Thank You

www.ibm.com/security



© Copyright IBM Corporation 2014. All rights reserved. The information contained in these materials is provided for informational purposes only, and is provided AS IS without warranty of any kind, express or implied. IBM shall not be responsible for any damages arising out of the use of, or otherwise related to, these materials. Nothing contained in these materials is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software. References in these materials to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in these materials may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. IBM, the IBM logo, and other IBM products and services are trademarks of the International Business Machines Corporation, in the United States, other countries or both. Other company, product, or service names may be trademarks or service marks of others.