




The Power of Security Analytics

Anticipate the unknown. Sense it and act.



Attackers break through conventional safeguards every day




average time to detect APTs



average cost of a U.S. data breach



Develop a strategy and ask the right questions



- security posture and identity security gaps
- Detect deviations from the norm that indicate early warnings of APTs
- Prioritize vulnerabilities to optimize remediation processes and close critical exposures before exploit

- Automatically detect threats with prioritized workflow to quickly analyze impact
- Gather full situational awareness
 through advanced security analytics
- Perform forensic investigation reducing time to find root-cause; use results to drive faster remediation

Security Intelligence

The actionable information derived from the analysis of security-relevant data available to an organization



Consume massive amount of structured and unstructured data

Extensive Data Sources

Security devices

Servers and mainframes

Network and virtual activity




Data activity

Application activity

Configuration information

/ulnerabilities and threats




Global threat intelligence

Offense Identification

- Unlimited data collection, storage and analysis
- Real time correlation and threat intelligence
- Automatic asset, service and user discovery and profiling
- Activity baselining and anomaly detection


Embedded Intelligence





 \bigcirc

IBM Security QRadar – Success Factors





QRadar Sense Analytics[™]




Advanced analytics assisting in threat identification QRadar is the only Security Intelligence Platform powered by the advanced **Sense Analytics** engine to:

- Detect abnormal behaviors across users, networks, applications and data
- Discover current and historical connections, bringing hidden indicators of attack to the surface
- Find and prioritize weaknesses before they're exploited



QRadar Sense Platform






Advanced threat detection

Situational Assessment: Malicious domain

- System sees new beaconing activity and data transfers inconsistent with behavioral baselines appear
- QRadar combines multiple conditions to produce single, heightened alert

Pattern Identification

Anomaly Detection



finding clear signals within the noise.

User & Entity Profiling



Insider threat monitoring

Situational Assessment: Terminated employee

- Service rep downloads 2X normal amount of client data
- But QRadar knows that representative was recently laid off and sees data being sent to an external site.

Business Context

Historical analytics

Risk-based Analytics



Many of the world's largest companies rely on QRadar to help keep them out of the news.



Forensics investigation

Situational Assessment: Terminated employee

- SOC analyst investigating offense discovers employees exposed to phishing scam
- Attacker has latched-on and expanded to an internal server using pattern identified by X-Force known to inject remote-access Trojan (RAT) software.

Real time analytics


External Threat Correlation

Statistical Analysis

CRadar takes the mystery out of security investigations,

helping security teams identify attackers, their tactics and where the initial breach occurred.

One platform with global visibility




Complete clarity and context QRadar easily deploys lightening fast to help users consolidate insights in a single platform:

- Delivers scale collecting billions of events on-premises or in the cloud
- Unifies real-time monitoring, vulnerability and risk management, and forensics
- Deep and automated integration from hundreds of 3rd party sources




Aggregate and interpret all your security data





Visualize your threat landscape






Prioritize your vulnerabilities

Inactive: QFlow Collector data helps QRadar Vulnerability Manager sense application activity

Patched: IBM Endpoint Manager helps QVM understand which / vulnerabilities will be patched

Critical: Vulnerability knowledge base, remediation flow and QRM policies inform QVM about business critical vulnerabilities



Blocked: QRadar Risk Manager helps QVM understand which vulnerabilities are blocked by firewalls and IPSs

Exploited: SIEM correlation and IPS data help QVM reveal which vulnerabilities have been exploited

At Risk: X-Force Threat and SIEM security incident data help QVM see assets communicating with potential threats

The power to act at scale



Actionable security intelligence QRadar enables security experts within and across organizations to collaboratively take action:

- Intelligent incident prioritization
- Collaboration of threat data and security capabilities from X-Force Exchange and App Exchange
- Resilient incident response with automation and workflows



Realize value in days

Simplified deployment

Automated configuration of log data sources and asset databases

IBM QRadar is nearly three times faster to implement across the enterprise than other SIEM solutions.

> 2014 Ponemon Institute, LLC Independent Research Report

Immediate discovery of network assets

Proactive vulnerability scans, configuration comparisons, and policy compliance checks

Automated updates

Stay current with latest threats, vulnerabilities, and protocols Out-of-the-box rules and reports

Immediate time to value with built-in intelligence

These tools enable us to manage over 2.2 million events daily and still keep our heads above water.

David Shipley Director of Strategic Initiatives and IT Services University of New Brunswick



Achieve focus with forensics investigations

	BM QRadar Security Intelligence admin ▼ Help ▼ Messages ¹³ ▼ IBM.									
	shboard Offen	ses Log Activity	Network A	ctivity Assets	Forensics	Reports Risks Vulnerabilities Admin				System Time: 6:11 AM
<complex-block></complex-block>						Content: Secret		Q H		
Grd Vord Vord Vord						Searching 82,11	4 documents.			
Grd Vicid								and the		
Image: Set in the Samp Application Protocols Excerption Content Image: Set in the Samp Application Protocols Excerption Excerption Excerption Image: Set in the Samp Application Protocols Excerption Excerption Excerption Excerption Image: Set in the Samp Application Protocols Excerption Excerption Excerption Excerption Excerption Image: Set in the Samp Application Protocols Excerption Exce						Surveyor 🥍 Digital Impression 🖔	7 Export 🖃 🔍	/isualize 🛪		
Image: Section of the section of th	id VGrid									
				A						
		F	Row 🗘	🙀 Sel 🗸	Rel	Time Stamp Application Protoc	ol Description	Content		
Ibid October Schurtz Ibid October Schurzz Ibid October Schurtz Ibid October Schurz Ibid October Schurtz					1 201	4/02/07 03:02:29 PM IRC	IRC Chat Message	:choopa.nj.us.dal.net 322 av #Kem	a	
	IBM QRad	lar Security Intelligence	·							
										=
Image:	Dashboard	Offenses Log Activity	Network Acti	vity Assets Foren	ics Reports Ris	sks Vulnerabilities Admin				
Image:									×	
Image:	P Back to	search results								
Image: Section 1 Image: Section 2 Image: Section 2 <td< th=""><th>Filter</th><th>st</th><th></th><th></th><th></th><th>View Text Attributes Notes</th><th>_</th><th></th><th></th><th></th></td<>	Filter	st				View Text Attributes Notes	_			
Image: Section Control	Sourching 97	114 documente		5 docu	monte hookmarke	.d				
is Oste <						Email Attachment (mail.google.com)	Set Layout: Force Directed	Display first 71 of 135 documents Visualize	Relations: EmailAddress	 IPAddress
1 1										
1 2										
2 i				-			н		crespo.achuea	Cale48Hill 1900 gyahoo.com
1 1						Retry for a live version the site uses Cio	www.udF			
10 10 204/02/07/02.14.06 PH HTP Beal Attachment 1 10 10 204/02/07/02.14.19 HTP Beal Attachment 1 10 10 204/02/07/02.14.19 HTP Beal Attachment 1 10 10 204/02/07/02.14.19 HTP Web Arge 1 10 20 204/02/07/02.14.19 HTP Web Arge 1 10 204/02/07/02.14.19 HTP Web Arge 1 11 20 204/02/07/02.14.19 HTP Web Arge 1						background and,	as s	192.108.2.29	waristown (C)	amana Company at mail mon -
1 1 2									waranogodegenam	trollisbaddumbdickhe (dtrollfag@bitchwhore.com
10 10 204/02/07 023-341 H HTP End Adsobut 1 204 1										
10 10 <td< td=""><td></td><td></td><td></td><td></td><td></td><td>۲</td><td></td><td></td><td>sylvams yatoo.com</td><td>20</td></td<>						۲			sylvams yatoo.com	20
10 20 204/02/07 0235464 PM HTTP Web Page 1 10 0 204/02/07 023565 PM HTTP Web Page 1 10 0 204/02/07 023657 PM HTTP Web Page 1 10 0 204/02/07 023657 PM HTTP Web Page 1 10 0 204/02/07 023657 PM HTTP Web Page 1 10 0 204/02/07 023617 PM HTTP Web Page 1 10 0 204/02/07 023617 PM HTTP Web Page 1 10 0 204/02/07 023617 PM HTTP Web Page 1 10 0 204/02/07 023617 PM HTTP Web Page 1 10 0 204/02/07 023616 PM HTTP Web Page 1 10 0 204/02/07 023616 PM HTTP Web Page 1 11 0 204/02/07 023616 PM HTTP Web Page 1 12 0 204/02/07 023616 PM HTTP Web Page 1 12 0 204/02/07 023616 PM										monopolyman98 thotrinals const we spons.com
10 0 204/02/07 0246459 M HTTP Web Page 1 10 0 204/02/07 0246459 M HTTP Web Page 1 10 0 204/02/07 024647 M HTTP Web Page 1 10 0 204/02/07 024647 M HTTP Web Page 1 10 0 204/02/07 024647 M HTTP Web Page 1 10 0 204/02/07 024647 M HTTP Web Page 1 10 0 204/02/07 024647 M HTTP Web Page 1 10 0 204/02/07 024649 M HTTP Web Page 1 11 0 204/02/07 024649 M HTTP Web Page 1 12 0 204/02/07 024649 M HTTP Web Page 1 12 0 204/02/07 024649 M HTTP Web Page 1 13 0 204/02/07 024649 M HTTP Web Page 1 14 0 204/02/07 024649 M HTTP Web Page 1 14 0 204/02/07 024649 M HTTP <td></td> <td></td> <td>-</td> <td>Web Page</td> <td></td> <td></td> <td>h</td> <td></td> <td>piccoloman agorar</td> <td>nsil.com</td>			-	Web Page			h		piccoloman agorar	nsil.com
1 1			HTTP							
30 Q 2040207 024411 PM HTP Web Page 1 30 Q 2040207 024413 PM HTP Web Page 1 30 Q 2040207 024413 PM HTP Web Page 1 30 Q 2040207 024413 PM HTP Web Page 1 30 Q 2040207 024413 PM HTP Web Page 1 30 Q 2040207 024418 PM HTP Web Page 1 30 Q 2040207 024418 PM HTP Web Page 1 30 Q 2040207 024418 PM HTP Web Page 1 30 Q 2040207 024418 PM HTP Web Page 1 30 Q 2040207 024418 PM HTP Web Page 1 30 Q 2040207 024418 PM HTP Web Page 1 40 Q 2040207 024418 PM HTP Web Page 1 40 Q 2040207 024418 PM HTP Web Page 1 40 2040207 024418 PM HTP Web Page 1			HTTP			VME GBEV EVHICEL MAI				victoria_secreta70@yshoo.com
3d 3d 204/02/07 02:47:97 MI HTTP Web Page 1 10 4 204/02/07 02:47:97 MI HTTP Web Page 1 10 4 204/02/07 02:47:97 MI HTTP Web Page 1 10 4 204/02/07 02:47:97 MI HTTP Web Page 1 10 204/02/07 02:47:97 MI HTTP Web Page 1 11 11 Web Page 1 12 204/02/07 02:51:55 MI HTTP Web Page 1 12 204/02/07 02:51:55 MI HTTP Web Page 1 12 204/02/07 02:51:55 MI HTTP Web Page 1		2014/02/07 02:46:11 PM	HTTP			Portal View Posts View Threads			tomasjanet 310 zahor	Birthityahoo.com
Jule Main Labeled Willing With States Main Labeled Willing With States Jule Main Main Labeled Willing With States Labeled Willing With States Jule Main Main Main Main	36	음 2014/02/07 02:47:49 PM	HTTP	Web Page	1					edamassum 980 hotmail.co.uk
10 10 2014/02/07 0214/64 PM 11TP Web Rage 1 40 10 2014/02/07 02151/55 PM 11TP Web Rage 1 40 10 2014/02/07 02151/55 PM 11TP Web Rage 1 40 10 2014/02/07 02151/55 PM 11TP Web Rage 1 40 10 2014/02/07 02151/55 PM 11TP Web Rage 1 40 10 2014/02/07 02151/55 PM 11TP Web Rage 1	37	2014/02/07 02:47:52 PM	HTTP	Web Page	1	Hack Community - The Best Ethical Hackin			11/2	
59 € 2024/02/07 02:51:49 HTTP Web Page 1 40 € 2024/02/07 02:51:49 HTTP Web Page 1 40 € 2024/02/07 02:51:45 HTTP Web Page 1 40 € 2024/02/07 02:51:45 HTTP Web Page 1	38	음 2014/02/07 02:48:19 PM	HTTP	Web Page	1	Post Reply	2.			
400 100 2014/02/07 02.511:05 PM HTTP Web Page 1 410 100 2014/02/07 02.511:05 PM HTTP Web Page 1 410 100 2014/02/07 02.511:05 PM HTTP Web Page 1	39	승 2014/02/07 02:48:48 PM	HTTP	Web Page	1					
42 201402027 0255555 PM MTP Web Page 1	40	2014/02/07 02:51:02 PM	HTTP	Web Page	1	How to Hack Wifi or Wireless Password	_	67.225.157.202		
		2014/02/07 02:51:19 PM	HTTP	Web Page	1			oyvin guiney.no		info content.ad
(1) 2014/02/07 02:52:01 PM HTTP Web Page 1 Index Friendle and	42	2014/02/07 02:51:55 PM	HTTP	Web Page	1	05-19-2011 07:02 PM How to Hack Wifi o	r W			X
	43	2014/02/07 02:52:01 PM	HTTP	Web Page	1	lana Hala Dirada ta				
m ubaids (Taamail.com	_							*		
192.1692.104 84.9(7) 203								192 168.3.40		70.88
151682 40 70.8(20) 221							64.23 8 183.147			




Leverage multiple threat intelligence sources

Current Thread Activity as ## #EXAMINATION #CCEATAND #CATANDA #CEATANDA #EXAMINATION #CCEATAND #CEATANDA #CEATANDA #EXAMINATION #CEATANDA #CEATANDA #CEATANDA	◆ Add Threat Feed + ± Create Rule Action +						
	Configured Threat Intelligence Feeds https://api.xforce.ibmcloud.com/taxii	L 0	Non-soundaries seconds for 1811 rates. B	ani olisi din Tanange kalinci ka inanga a salincinta ka pat	L		
787 4 705 15 23	Cellection: xfe collections public Reference Set: Web Servers	Signatures recieved last poli	SAUS Endpoint Authoritic clico Ballout	et. Mige sign depend one hand interface			
			University Passent	The previous do connects the Total server the parameter of a connect to the Total server			
IBM Security Identity and Access Management			Californian Active Name	No conclusive discovered with teams for the sub-action	Dalist		
SECURIT			Properties Observable Type	the environ property turned bio scatter, superandity commu-			
ALERTCON"	IBM Security: Threat Intellig	ence		Carra	441 (120)		
STIX.	 Load threat indicators in d Use reference sets for co Create custom rule respo USE CASE: Bring watchlists of IP add 	Pull in Threat Intelligence through open STIX/TAXII format coad threat indicators in collections into QRadar Reference sets Use reference sets for correlation, searching, reporting Create custom rule response to post IOCs to Collection USE CASE: Bring watchlists of IP addresses from X-Force Exchange create a rule to aise the magnitude of any offense that includes the IP watchlist					



Add collaborative defenses – **App Exchange**





Validated Security Apps

Single Platform for Collaboration

Access Partner Innovations

Quickly Extend QRadar Functionality


Single collaboration platform for rapidly delivering new apps and content for IBM Security solutions

Allows QRadar users and partners to deploy new use cases in an accelerated way



Statement of Good Security Practices: IT system security involves protecting systems and information through prevention, detection and response to improper access from within and outside your enterprise. Improper access can result in information being altered, destroyed, misappropriated or misused or can result in damage to or misuse of your systems, including for use in attacks on others. No IT system or product should be considered completely secure and no single product, service or security measure can be completely effective in preventing improper use or access. IBM systems, products and services are designed to be part of a lawful, comprehensive security approach, which will necessarily involve additional operational procedures, and may require other systems, products or services to be most effective. IBM DOES NOT WARRANT THAT ANY SYSTEMS, PRODUCTS OR SERVICES ARE IMMUNE FROM, OR WILL MAKE YOUR ENTERPRISE IMMUNE FROM, THE MALICIOUS OR ILLEGAL CONDUCT OF ANY PARTY.

THANK YOU www.ibm.com/security





Intelligence. Integration. Expertise.

© Copyright IBM Corporation 2015. All rights reserved. The information contained in these materials is provided for informational purposes only, and is provided AS IS without warranty of any kind, express or implied. IBM shall not be responsible for any damages arising out of the use of, or otherwise related to, these materials. Nothing contained in these materials is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software. References in these materials to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and / or capabilities referenced in these materials may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. IBM, the IBM logo, and other IBM products and services are trademarks of the International Business Machines Corporation, in the United States, other countries or both. Other company, product, or service names may be trademarks or service marks of others.

Legal notices and disclaimers

Copyright © 2015 by International Business Machines Corporation (IBM). No part of this document may be reproduced or transmitted in any form without written permission from IBM.

U.S. Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM.

Information in these presentations (including information relating to products that have not yet been announced by IBM) has been reviewed for accuracy as of the date of initial publication and could include unintentional technical or typographical errors. IBM shall have no responsibility to update this information. THIS document is distributed "AS IS" without any warranty, either express or implied. In no event shall IBM be liable for any damage arising from the use of this information, including but not limited to, loss of data, business interruption, loss of profit or loss of opportunity.

IBM products and services are warranted according to the terms and conditions of the agreements under which they are provided.

Any statements regarding IBM's future direction, intent or product plans are subject to change or withdrawal without notice. Performance data contained herein was generally obtained in a controlled, isolated environments. Customer examples are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual performance, cost, savings or other results in other operating environments may vary. References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business.


Workshops, sessions and associated materials may have been prepared by independent session speakers, and do not necessarily reflect the views of IBM. All materials and discussions are provided for informational purposes only, and are neither intended to, nor shall constitute legal or other guidance or advice to any individual participant or their specific situation.

It is the customer's responsibility to insure its own compliance with legal requirements and to obtain advice of competent legal counsel as to the identification and interpretation of any relevant laws and regulatory requirements that may affect the customer's business and any actions the customer may need to take to comply with such laws. IBM does not provide legal advice or represent or warrant that its services or products will ensure that the customer is in compliance with any law. Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products. IBM does not warrant the quality of any third-party products, or the ability of any such third-party products to interoperate with IBM's products. IBM EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents, copyrights, trademarks or other intellectual property right.

Other company, product, or service names may be trademarks or service marks of others. A current list of IBM trademarks is available at "Copyright and trademark information" www.ibm.com/legal/copytrade.shtml

Optimized appliance and software architecture for high performance and rapid deployment





Reduce costs, increase visibility with an integrated platform

	Traditional SIEM 6 products from 6 vendors	IBM Security Intelligence and Analytics
Flows	ARBOR Lancope. Network Performance + Security Montendeg ^{**} riverber Think far	
Packets		article Article <t< td=""></t<>
Vulnerabilities	QUALYS SERAPID7 Otenak	
Configurations		
Logs	loglogic splunk>	
Events	ArcSight	IBM Security QRadar Security Intelligence Platform



Got data? Need analytics

1

2

3

Show me the threat(s) I need to deal with

Prioritize the threats for action

Take immediate action

