

IBM Cúram Social Program Management

# Cúram - Pod Developers Guide

Version 6.0.4

**Note**

Before using this information and the product it supports, read the information in Notices at the back of this guide.

This edition applies to version 6.0.4 of IBM Cúram Social Program Management and all subsequent releases and modifications unless otherwise indicated in new editions.

Licensed Materials - Property of IBM

Copyright IBM Corporation 2012. All rights reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

© Copyright 2011 Cúram Software Limited

# Table of Contents

Chapter 1 Introduction .....	1
1.1 Purpose .....	1
1.2 Audience .....	1
1.3 Prerequisites .....	1
1.4 Further Reading .....	1
Chapter 2 A Technical Overview .....	3
2.1 What is a Pod? .....	3
2.2 What is a Pod page? .....	3
2.3 How does it work? .....	4
2.3.1 UIM Page .....	4
2.3.2 PodContainer .....	4
2.3.3 PodLoader .....	4
2.3.4 Database Tables .....	4
2.3.5 Loading the Page .....	5
2.3.6 Rendering the page .....	5
2.3.7 Saving the Page .....	5
2.3.8 Configuring Pods .....	5
2.3.9 Product Pods .....	6
2.3.10 User configuration of Pod Pages .....	6
2.3.11 Developing new Pods .....	7
Chapter 3 Getting Started .....	8
3.1 Introduction .....	8
3.2 Creating a page with a Pod container .....	8
3.3 Identifying a Pod page .....	8
3.4 Configuring the database information about the page .....	9
3.5 Testing the page .....	10
Chapter 4 Hello World Pod .....	11
4.1 Introduction .....	11
4.2 Declaring a new Pod .....	11
4.3 Declaring a new PodLoader .....	12
4.4 Creating a Pod using a PodLoader .....	12
4.5 Adding a Pod to the Pod Container .....	14
4.6 Viewing the Pod .....	14
4.7 Review .....	14

Chapter 5 Creating a Pod with a list .....	16
5.1 Introduction .....	16
5.2 Creating a new list Pod .....	16
5.2.1 Register new Pod .....	16
5.2.2 Create a new PodLoader .....	17
5.2.3 Create the list .....	17
5.3 Deconstructing the code .....	18
5.3.1 Constructing the list .....	18
5.3.2 Adding rows .....	19
5.3.3 Creating content in the cells .....	19
5.3.4 Adding the list to a Pod .....	20
Chapter 6 Adding a Pod filter .....	21
6.1 Introduction .....	21
6.2 What is a Pod filter? .....	21
6.3 Types of filter .....	21
6.4 Adding a Drop Down Filter .....	22
6.4.1 Creating the Pod Filter .....	22
6.4.2 Creating the options .....	23
6.4.3 Creating the selections .....	23
6.4.4 Setting the type of filter .....	24
6.4.5 Adding a label and CSS styling .....	24
6.4.6 Add the Filter to the Pod .....	24
6.4.7 Filtering your Pod .....	24
Chapter 7 Creating new Pod filters .....	26
7.1 Introduction .....	26
7.2 Create a Pod filter Renderer .....	27
7.2.1 Preparing to delegate .....	27
7.2.2 Setting a source path .....	27
7.2.3 Setting a target path .....	27
7.2.4 Creating the input field .....	29
7.3 Create a configuration for the Pod filter Renderer .....	29
7.4 Create a new PodFilter in the PodLoader .....	29
Chapter 8 Localization in Pods .....	31
8.1 Introduction .....	31
8.2 The textresource property .....	31
8.3 Setting the text resource .....	32
8.4 Localizing the My Favourite Movies Pod .....	33
8.4.1 Localizing the Pod .....	33
8.4.2 Localizing the filter .....	33
8.4.3 Localizing the movie list .....	34
8.4.4 Sharing properties files .....	34
Appendix A Program Listings .....	35
A.1 The Movies DB: A Java class serving our favourite movies .....	35
A.2 Chapter 4: Hello World Pod-Loader .....	36
A.3 Chapter 5: My Favourite Movies Pod-Loader .....	36

A.4 Chapter 6: My Favourite Movies Pod-Loader for Pod filter example .....	37
A.5 Chapter 7: PodTextFilterRenderer for new Pod filter example .....	38
A.6 Chapter 7: My Favourite Movies Pod-Loader for new Pod filter example .....	39
A.7 Chapter 8: My Favourite Movies Pod-Loader for localization example .....	41
Notices .....	44



# Chapter 1

## Introduction

### 1.1 Purpose

This guide is a cookbook for Developers who want to create Pods. The guide will coach Developers through various scenarios beginning with the simplest implementation of a Pod, then adding content to Pods using tools provided and eventually introducing more advanced scenarios where the user will require knowledge of the widget development process.

### 1.2 Audience

This guide is aimed at Developers who want to create new Pods and new Pod Pages.

### 1.3 Prerequisites

Users of this guide will need basic Java® , XML, HTML and CSS skills and a knowledge of the development environment. For the more advanced material the user will need to be familiar with the rendering framework which is covered in the Cúram Widget Development Guide.

### 1.4 Further Reading

Guide	Description
Cúram Custom Widget Development Guide	A complete reference for developing custom widgets
Cúram Personal Page Configuration Guide	How to configure Personal Pages (Pod Pages)
Cúram User Experience Guidelines	Design guidelines for UI components

Guide	Description
	including Pods. See Chapter 6: Home Pages and Pods

Table 1.1 Further Reading



# Chapter 2

## A Technical Overview

### 2.1 What is a Pod?

A Pod is a user interface widget that can be placed on a client page. In this respect it is no different to any other user interface widget that presents data such as a list or cluster. Where a Pod differs from other types of widgets is that it can be placed in a Pod-Container where a number of additional features are activated, such as the ability to be re-positioned in the container and the persistence of user settings such as whether the Pod is displayed and what filter settings are applied. A filter is an optional feature of a Pod that allows the content to be customized by the user, it can be accessed if available through the pen icon on the title bar of the Pod.

### 2.2 What is a Pod page?

A Pod page is a UIM page which contains a Pod-Container widget. The Pod-Container widget manages Pods. The widget is configured to present a selection of Pods that can be viewed in the container. The addition and removal of Pods from the container is managed through a *customization-console*. The Pod-Container widget manages the movement of Pods to different locations within the container. Where applicable it processes filters associated with Pods. In each case the last configuration of the Page is saved for the current user and retrieved the next time they load the page.




Figure 2.1 Pod-Container

## 2.3 How does it work?

The next section provides an overview of the artefacts that work together to present a Pod page.

### 2.3.1 UIM Page

The Pods are presented through a standard UIM Page. The UIM must include the `PodContainer.vim` which contains the predefined API for interacting with the Pods infrastructure including the display of the page and saving of user preferences.

### 2.3.2 PodContainer

The `PodContainer` is the interface through which the client interacts with the server. At the display phase the server interface invokes the `loadData()` method on the `PodContainer` class. At action phase one of the save API's processes the data from the `Pod-Container`. The `PodContainer.vim` provides a reusable interface to the Pod infrastructure, simply add the `PodContainer.vim` to your UIM page and you will have a fully functioning interface.

### 2.3.3 PodLoader

A `PodLoader` must be written for each Pod. The `PodLoader` defines the Pod and its content. This book will mainly deal with the development of `PodLoaders`.

### 2.3.4 Database Tables

A number of tables are used to manage Pods.

Table	Description
PODTYPE	A list of all existing Pods
PODLOADERBINDINGS	A list of all existing PodLoaders mapped to a Pod type
PAGECONFIG	A list of configurations of Pod Pages
USERPAGECONFIG	A list of user customizations of Pod Pages

Table 2.1 Database tables used to load Pods

### 2.3.5 Loading the Page

At the display phase the server interface invokes the `loadData()` method on the `PodContainer` class. The `PodContainer` uses the `PodContainerManager` to identify all the Pods to be displayed on the page using the information in the `PAGECONFIG` and `USERPAGECONFIG` database tables. The `PodContainerManager` then identifies the `PodLoader` for each Pod to be displayed using the information in the `PodType` and `PodLoader-Bindings` codetables. The `PodContainer` manager invokes the `createPod()` method on each `PodLoader`. The `PodLoader` supplies the data for a single Pod and the `PodContainerManger` builds up the cumulative data for all the Pods within the container.

### 2.3.6 Rendering the page

The Rendering of the page is handled by a collection of `Renderers`. The rendering begins with the `PodContainerRenderer` which receives the document from the loading process and generates the `PodContainer` widget. It then delegates the rendering of Pods to a `Pod` renderer which in turn delegates to other renderers using markers in the data it receives. Each renderer returns its own content which it either generates itself or generates with the help of other renderers. This pattern of delegation is repeated until all content is rendered.

The Curam Widget Development Guide discusses in detail the rendering framework and how renderers interact.

### 2.3.7 Saving the Page

At the action phase the server interface saves any changes the user made to the Pod selection and layout of the container back to the database again by way of the `PodContainer` API. The page is saved by any of the following actions, clicking the save button in the customization console, clicking the save button on a Pod filter, dragging and dropping a Pod (each time a Pod is dropped the save action is invoked to record the new layout of the page).

### 2.3.8 Configuring Pods

A Pod page can be configured through an Administration wizard which allows the layout and content of the Pod page to be defined. A full explanation of the Administration wizard is available in the Curam Personal Page Configuration guide.

### Pod Dimensions

The dimensions of a Pod are not directly specified by a Pod. This allows Pods to dynamically resize to fit their environment and facilitates the re-use of Pods across Pod containers.

**Pod Height.** The height of each Pod is determined by its content. A Pod's height will extend to display its content.

**Pod Width.** The width of a Pod is determined by the container it is being displayed in. Each Pod container is configured with a number of equally sized columns. The Pod width will dynamically size to fill the width of the column it is placed in.



#### Tip

When deciding on a layout for your Pod page we recommend you consider the type of Pods you will be adding to the container and how they might be affected by resizing. Many of the predefined Pods are optimally sized for a 3 column layout. Using alternate layouts may distort the content of the Pods and visually this could detract from the page.

### 2.3.9 Product Pods

A collection of Pods are provided with the product. The Home section of each Application view is pre-configured with a set of Pods appropriate to that Application view (Pods can be shared across Pod pages). The configuration for each Application view can be updated by an administrator. See the Curam Personal Page Configuration guide for details of how to do this.

### 2.3.10 User configuration of Pod Pages

Each Pod page is pre-configured with a set of available Pods and a set of selected Pods which are visible in the container. An application user can further customize the workspace by...

- adding Pods from the available list using the customization-console
- removing Pods using the customization console
- removing Pods using the close button on the title bar of the Pod
- moving Pods by dragging to a new location in the container.
- filtering Pods by using the filter feature (where available).

Each time a user takes one of the actions listed above a record of the current configuration of the page is saved. When the page reloads this saved configuration will be re-displayed.

### 2.3.11 Developing new Pods

In addition to re-using the Pods provided in the product an Organization may want to create new Pods. The Pod framework provides the ability to create new Pods with custom content. This guide will present examples of how this can be done.

# Chapter 3

## Getting Started

### 3.1 Introduction

Before creating a Pod we will need to create a Page to host it. The page that hosts our Pods needs a Pod container which manages the Pods allowing them to be added/removed/moved and updated.

### 3.2 Creating a page with a Pod container

Starting with a page that is mapped to a section and tab in the application (See WebClient reference guide for details of how to map pages in the application), add a Pod Container to the page by including the PodContainer.vim file as in the example below.

```
<PAGE PAGE_ID="MyPodContainer"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd"
>
  <CONNECT>
    <SOURCE NAME="CONSTANT" PROPERTY="MyPodContainer"/>
    <TARGET NAME="DISPLAY" PROPERTY="pageID$pageID"/>
  </CONNECT>
  <INCLUDE FILE_NAME="PodContainer.vim"/>
</PAGE>
```

Example 3.1 MyPodContainer.uim

### 3.3 Identifying a Pod page

Add a Constant.properties file to the same folder as the UIM file. Add a property to the file that maps to the name of the constant used in the UIM to the page-id of the UIM page. When the server interface is called

this value will be used to uniquely identify the Pod page.

```
MyPodContainer=MyPodContainer
```

### Example 3.2 Constant.properties

## 3.4 Configuring the database information about the page

The Pod page requires 2 database records to operate. The PAGECONFIG table stores information about which Pods are available on the page. The USERPAGECONFIG table stores the users customizations. Add the following DMX files to the component. Run the database build target to insert the records.

```
<?xml version="1.0" encoding="UTF-8"?>
<table name="PAGECONFIG">
  <column name="pageConfigID" type="id"/>
  <column name="userRoleName" type="text"/>
  <column name="pageID" type="text"/>
  <column name="config" type="text"/>
  <column name="versionNo" type="number"/>

  <row>
    <attribute name="pageConfigID">
      <value>9999</value>
    </attribute>
    <attribute name="userRoleName">
      <value></value>
    </attribute>
    <attribute name="pageID">
      <value>MyPodContainer</value>
    </attribute>
    <attribute name="config">
      <value>
        &lt;page-config&gt;
          &lt;contexts&gt;
            &lt;sequence domain="CURAM_CONTEXT"/&gt;
            &lt;/contexts&gt;
            &lt;availablePods&gt;
            &lt;sequence domain="POD_TYPE_SELECT"&gt;
            &lt;/sequence&gt;
            &lt;/availablePods&gt;
            &lt;layout&gt;
            &lt;sequence domain="COL_SIZE"&gt;
            &lt;value&gt;33&lt;/value&gt;
            &lt;value&gt;33&lt;/value&gt;
            &lt;value&gt;33&lt;/value&gt;
            &lt;/sequence&gt;
            &lt;/layout&gt;&lt;/page-config&gt;
          </value>
        </attribute>
    <attribute name="versionNo">
      <value>1</value>
    </attribute>
  </row>
</table>
```

### Example 3.3 PAGECONFIG.DMX

```
<?xml version="1.0" encoding="UTF-8"?>
<table name="USERPAGECONFIG">
```

```

<column name="userPageConfigID" type="id"/>
<column name="userRoleName" type="text"/>
<column name="userName" type="text"/>
<column name="pageID" type="text"/>
<column name="config" type="text"/>
<column name="defaultInd" type="bool"/>
<column name="versionNo" type="number"/>
<row>
  <attribute name="userPageConfigID">
    <value>9999</value>
  </attribute>
  <attribute name="userRoleName">
    <value></value>
  </attribute>
  <attribute name="userName">
    <value/>
  </attribute>
  <attribute name="pageID">
    <value>MyPodContainer</value>
  </attribute>
  <attribute name="config">
    <value>
      &lt;user-page-config&gt;&lt;/user-page-config&gt;
    </value>
  </attribute>
  <attribute name="defaultInd">
    <value>1</value>
  </attribute>
  <attribute name="versionNo">
    <value>1</value>
  </attribute>
</row>
</table>

```

Example 3.4 USERPAGECONFIG.DMX

## 3.5 Testing the page

Build the application, launch it, login and go to the new Pod Page.

When our new Pod page loads it will be empty except for few buttons in the top right corner. The container is empty because we have not added any Pods to the page. Clicking the Customize button will open the customization-console. When the console opens it will be empty except for the action buttons. Again, because we have not assigned any Pods to the container there will be no Pods to select.

- The *Save* button will store the current users customizations.
- The *Reset* button will delete the current users customizations and revert to the default for this Page.
- The *Cancel* button resets the selection in the customization-console and closes it.

In the next chapter we will create a very simple Pod and add it to the container.



# Chapter 4

## Hello World Pod

### 4.1 Introduction

In this chapter we are going to create a basic Pod with a title and some text. We will also use the Admin Wizard to add our new Pod to our Pod page.

There are 4 basic steps to get our Pod on a page...

1. Declaring a Pod
2. Declaring a PodLoader
3. Implementing a PodLoader
4. Adding the Pod to the Pod Container

### 4.2 Declaring a new Pod

The first step is to declare our new Pod. The `PodType` codetable is used for this purpose. Create a file `CT_PodType.ctx` in our component. Add a code and value for the new Pod like the example below. The convention is to use the prefix `PT` for the codetable value. The description field will be used by the Administration wizard to refer to our Pod.

```
<?xml version="1.0" encoding="UTF-8"?>
<codetables package="codetable">
  <codetable java_identifier="PODTYPE" name="PodType">
    <code
      default="false"
      java_identifier="HELLOWORLD"
      status="ENABLED"
      value="PT9001"
    >
    <locale language="en" sort_order="0">
      <description>Hello World!</description>
      <annotation/>
    </locale>
  </code>
```

```
</codetable>
</codetables>
```

Example 4.1 CT\_PodType.ctx, declaring a 'Pod-Type'

### 4.3 Declaring a new PodLoader

Next we need to declare our PodLoader. The PodLoader is the java class that will generate the fragment of XML that will populate our Pod. The CT\_PodLoaderBindings.ctx codetable entry binds a Pod-Type to a PodLoader. When the infrastructure processes our Pod it will look up the PodLoader class in this codetable.

- The `value` field must match the value field on the PodType codetable. This is what binds the 2 codetable entries.
- The `description` field contains the fully qualified name of the PodLoader class.

```
<?xml version="1.0" encoding="UTF-8"?>
<codetables package="codetable">
  <codetable
    java_identifer="PODLOADERBINDINGS"
    name="PodLoaderBindings"
  >
    <code
      default="false"
      java_identifer="HELLOWORLD"
      status="ENABLED"
      value="PT9001"
    >
      <locale language="en" sort_order="0">
        <description>pods.podloaders.HelloWorld</description>
        <annotation/>
      </locale>
    </code>
  </codetable>
</codetables>
```

Example 4.2 CT\_PodLoaderBindings.ctx, declaring a 'PodLoader'

Now that we have added our codetable entries to the PodType and PodLoaderBindings files we will need to run the **ctgen** target to create the codetables and the **database** target to insert the codetable values into the database.

### 4.4 Creating a Pod using a PodLoader

The next step is to create our PodLoader class. The PodLoader extends the class `curam.cefwidgets.pods.pod.impl.PodLoader` and implements the `createPod` method. Create a new class on the Server by copying the example below into a class named `HelloWorld` in the package `pods.loaders`.

```

001 package pods.podloaders;
002
003 import java.util.Map;
004 import org.w3c.dom.Document;
005 import org.w3c.dom.Node;
006 import curam.cefwidgets.docbuilder.impl.PodBuilder;
007 import curam.cefwidgets.pods.pod.impl.PodLoader;
008 import curam.codetable.PODTYPE;
009
010 public class HelloWorld extends PodLoader {
011
012     @Override
013     public Node createPod(Document document, Map<String, Object> contexts) {
014         try{
015             PodBuilder helloWorld =
016                 PodBuilder.newPod(document, PODTYPE.HELLOWORLD);
017             helloWorld.setTitle("Hello World");
018             return helloWorld.getWidgetRootNode();
019         }catch(Exception e){
020             throw new RuntimeException(e);
021         }
022     }
023 }

```

### Example 4.3 A very simple PodLoader

**Input.** The `createPod` method receives 2 parameters from the infrastructure that calls it.

Parameter	Description
<code>document</code>	The <code>Document</code> parameter is an instance of a <code>org.w3c.Document</code> class.  It is passed to the method by the infrastructure that calls it. The <code>Document</code> instance is used to create and append the 'pod' <code>Node</code> that describes the Pod.
<code>context</code>	The context parameter is used to pass page level parameters to the Pods. Currently this is not support.

Table 4.1 `createPod` method parameters

**Output.** An instance of the `org.w3c.Node` object is returned by the `createPod` method.

Return object	Description
<code>org.w3cNode</code>	The content of the <code>Node</code> returned must match a pre-defined schema. The <code>PodBuilder</code> class provides an API to create our 'pod' <code>Node</code> in the correct format.

Table 4.2 Return object from `createPod`

In the example 4.3 the simple Pod is created by creating a new instance of a `PodBuilder` class on line 16. The `Document` instance from the `PodLoader` and the codetable value from the `PodType` codetable are passed to the constructor. On line 17 we use the `PodBuilder` to set the title of the Pod. The `PodBuilder` builds a `Node` tree representing the Pod which is returned on line 18 as a `Node` object.

## 4.5 Adding a Pod to the Pod Container

The last piece of the jigsaw is adding the Pod to the Pod-Container. We will use the wizard provided in the Administrator application. We must login to the Administrator application, so we will need the username and password assigned to this application. When we have logged in we must open the admin wizard by...

1. Selecting the Administration Workspace section
2. Selecting the User Interface tab
3. Selecting Personalized Pod Pages

When the Personalized Pod Pages tab loads we can see the MyPodContainer page that we created in Chapter 2 in the list of Personal Pages. Selecting edit will open the wizard for maintaining our Personal Page. The first step lists all the Pods available for selection. In this list we find our Pod 'Hello-World!'. Select the Pod and click next on the remaining steps finally saving the record. We have now added our Pod to our Pod Container. Log out of the Administrator application and log into the application that contains the Pod page.

## 4.6 Viewing the Pod

Now lets see our Pod in action. Login to the application and go to the Pod page. When the page loads it will be empty except for the buttons in the top right corner. Click the customize button to open the *customization-console* . We can see our Pod listed in the console. Select the checkbox beside the Pod and choose save. The page will reload with our Pod defaulted to the top right corner.

You will notice that the Pod contains some text *NO CONTENT* which is a place holder added by the infrastructure when the Pod contains no content. In the next chapter we will create another Pod with some content and take a closer look at the PodBuilder class.

## 4.7 Review

Lets take a look back on what we did.

- We started by adding our new Pod to the PodType and PodLoaderBindings codetables.
- We then created a PodLoader where we used the PodBuilder class to create our Pod and add the title.
- We used the wizard in the Administrator application to add our new Pod to the PodContainer.

- We used the customization-console to select and view our new Pod.

In the next chapter we will create a new Pod with some more interesting content.

# Chapter 5

## Creating a Pod with a list

### 5.1 Introduction

In this chapter we will expand on what we did in the previous chapter by adding some content to a Pod and we will use the tools provided for creating the basic content types.

Lets begin with a new Pod which we will add to our Pod-Container in the same way we added the Hello World! Pod in the previous chapter. We will use a movies theme for our examples, so lets create a Pod with a short list of our favourite movies.

### 5.2 Creating a new list Pod

#### 5.2.1 Register new Pod

In the same way we did in the previous chapter we are going to register a new Pod and bind it to a PodLoader by adding the codetable entries in the PodType and PodLoaderBindings tables using the examples below.

```
<code>
  default="false"
  java_identifier="MYFAVMOVIES"
  status="ENABLED"
  value="PT9002"
>
  <locale language="en" sort_order="0">
    <description>My Favourite Movies</description>
    <annotation/>
  </locale>
</code>
```

Example 5.1 Adding a new PodType to CT\_PodType.ctx

```
<code>
  default="false"
```

```

java_identifier="MYFAVMOVIES"
status="ENABLED"
value="PT9002"
>
<locale language="en" sort_order="0" >
  <description>pods.podloaders.MyFavouriteMovies</description>
  <annotation/>
</locale>
</code>

```

### Example 5.2 Adding PodLoader binding

## 5.2.2 Create a new PodLoader

Next we add our PodLoader class to our loaders package remembering to reference the new codetable value we created in the *PodType* codetable when we construct our new Pod using the PodBuilder.

```

001 package pods.podloaders;
002
003 import java.util.Map;
004 import org.w3c.dom.Document;
005 import org.w3c.dom.Node;
006 import curam.cefwidgets.docbuilder.impl.PodBuilder;
007 import curam.cefwidgets.pods.pod.impl.PodLoader;
008 import curam.codetable.PODTYPE;
009
010 public class MyFavouriteMovies extends PodLoader {
011
012     @Override
013     public Node createPod(Document document, Map<String, Object> contexts) {
014         try{
015             PodBuilder moviesPod =
016                 PodBuilder.newPod(document, PODTYPE.MYFAVMOVIES);
017             moviesPod.setTitle("My Favourite Movies");
018             return moviesPod.getWidgetRootNode();
019         }catch(Exception e){
020             throw new RuntimeException(e);
021         }
022     }
023 }

```

### Example 5.3 Creating a PodLoader class

Log into the Administrator application and add the new Pod to the Pod-Container in the same way we did in the previous chapter.

Open the Pod page and ensure that our Pod is visible.

## 5.2.3 Create the list

Now that we have our Pod in place we can add content to it. The Pod-Builder class provides an `addContent(...)` method to add the content to a Pod. In our movies example we are going to delegate to the list widget which can generate a HTML table .

To start we will need to provide the movies for our list. Appendix A.1 contains a full program-listing for a Java class that will act as a simple read-only DB of our favourite movies. Add this class to a package in the project where it can be accessed by our PodLoader.

Next we will create a list in our PodLoader and populate it with our favourite movies. In the PodLoader add the following code to the createPod method before the return statement.

```

001 public Node createPod(Document document, Map<String, Object> contexts) {
002     try{
003         PodBuilder moviesPod =
004             PodBuilder.newPod(document, PODTYPE.MYFAVMOVIES);
005         moviesPod.setTitle("My Favourite Movies");
006
007         MoviesDB moviesDB = new MoviesDB();
008
009         Collection<MoviesDB.Movie> favMovieCollection =
010             moviesDB.getAllMovies();
011         Iterator<MoviesDB.Movie> movieList =
012             favMovieCollection.iterator();
013
014         // Create the list
015         ListBuilder myFavouriteMovies =
016             ListBuilder.createList(1, document);
017
018         int row = 1;
019         while(movieList.hasNext()) {
020             Movie movie = movieList.next();
021             String movieName = movie.title;
022             myFavouriteMovies.addRow();
023             myFavouriteMovies.addEntry(1, row++, movieName);
024         }
025
026         RendererConfig contentRenderer = new RendererConfig(
027             RendererConfigType.STYLE, "single-list");
028         moviesPod.addContent(myFavouriteMovies, contentRenderer);
029
030         return moviesPod.getWidgetRootNode();
031     } catch (Exception e) {
032         throw new RuntimeException(e);
033     }

```

#### Example 5.4 Adding a list to a Pod

Compile your PodLoader class and reload the Pod page. The 'My Favourite Movies' Pod will be updated with the list of our favourite movies.

In the next section we will look in more detail at how the list was created.

## 5.3 Deconstructing the code

### 5.3.1 Constructing the list

A Pod does not need to know what its content will be. At runtime the Pod will delegate to other widgets to produce the HTML that will render the content. Our movies Pod is a list of movie names and it will re-use another widget to return a HTML table containing the list data. Like the PodBuilder the ListBuilder is an API for creating lists that conform to the schema for a renderer called ListBodyRenderer . The ListBuilder generates a fragment of XML that describes a list and at runtime the ListBodyRenderer will translate this XML into the HTML that can be added to the body of a Pod. To build the Pod content for our Pod the PodLoader will use the ListBuilder to produce the list of movies.



The first step in creating our list is to construct a new `ListBuilder` object. The constructor on line 16 accepts an `int` value which is the number of columns in the list. The second parameter is a `org.w3c.Document`. The document parameter represents the overall `PodContainer` to which our `Pod` will be added. The document object is used to create the new `Nodes` that represent our `Pod` and its content. Those `Nodes` will be appended to the some part of the document object.

```
015     ListBuilder myFavouriteMovies =
016         ListBuilder.createList(1, document);
```

### 5.3.2 Adding rows

Next we iterate over our movies. For each movie we add a new row (line 22).

```
019     while(movieList.hasNext()) {
020         Movie movie = movieList.next();
021         String movieName = movie.title;
022         myFavouriteMovies.addRow();
023         myFavouriteMovies.addEntry(1, row++, movieName);
024     }
```

### 5.3.3 Creating content in the cells

We use the `addEntry(...)` method to add content to cells. This method accepts a column, a row and a Java Object which represents the content to be added to the cell.

Parameter	Type	Description
<code>col</code>	<code>int</code>	The column index, offset 1.
<code>row</code>	<code>int</code>	The row index, offset 1.
<code>content</code>	<code>Object&lt;?&gt;</code>	A Java Object that represents the content. The List Renderer can accept a number of different types including <code>CodableItems</code> and <code>LocalizedString</code> objects which it will process for display. (See Javadoc for <code>ListBuilder</code> )

Table 5.1 `ListBuilder.addEntry(...)` parameters

In our movies `Pod` we want to add a list of movie names so we pass a Java `String` in the `content` parameter. On lines 19 to 24 we iterate over the collection of movies.

```
023         myFavouriteMovies.addEntry(1, row++, movieName);
```

Example 5.5 Add the movie names to our list

### 5.3.4 Adding the list to a Pod

Now that the list is populated we insert it into the body of our Pod.

The `addContent(...)` method provides the mechanism for adding our Pod content. The method accepts as its first parameter either a `org.w3c.Node` or a `WidgetDocumentBuilder` object (which internally is converted to a `Node` using the `getWidgetRootNode` operator of the `WidgetDocumentBuilder` object).

The second parameter is a configuration for a `Renderer` that will create the HTML for our Pod content. The `RendererConfig` object specifies the type of configuration (`Style` or `Domain`) and name of a `renderer` configuration entry. Configuring renderers is covered in detail in the *Curam Widget Development Guide*.

param	type	description
<code>content</code>	<code>Node   WidgetDocumentBuilder</code>	The <code>Node</code> object is appended to the instance of <code>org.w3c.Document</code> that was passed to the constructor of the <code>PodBuilder</code> .
<code>rendererConfig</code>	<code>RendererConfig</code>	The <code>RendererConfig</code> object nominates the <code>Renderer</code> that will process the <code>content</code> parameter.

Table 5.2 `PodBuilder.addContent(...)` parameters

```
026     RendererConfig contentRenderer = new RendererConfig(
027         RendererConfigType.STYLE, "single-list");
028     moviesPod.addContent(myFavouriteMovies, contentRenderer);
```

#### Example 5.6 Adding the list to the Pod

The `movies` Pod uses the `ListBodyRenderer` which is invoked using a `Style` configuration called "single-list". On line 28 we add the list widget with the `renderer` configuration for a list to the body of the Pod.

The Pod is now complete. The content of our `movies` list is defined in the `ListBuilder` object which is added to our Pod. The `ListBodyRenderer` will generate the HTML table which will be appended to our Pod body.

# Chapter 6

## Adding a Pod filter

### 6.1 Introduction

In this chapter we will explore Pod filters. We will look at the existing filters available and we will use one to add a filter to our movies Pod.

### 6.2 What is a Pod filter?

A Pod can optionally include a Pod filter. The filter allows a user to refine the information presented in the Pod. For example, some Pods display reports as charts that are based on periods of time. A Pod filter may present a selection of time periods which the user can select to re-draw the Pod with a different chart representing the selected time period.

### 6.3 Types of filter

The ChoiceRenderer is a generic renderer for a number of filter style renderers, such as checkboxes, radiobuttons, and dropdowns. The ChoiceRenderer delegates to a specific renderer depending on what displayType is selected by the ChoiceBuilder.

The table below lists the existing filter renderers. The type and displayType combine to select a specific renderer.

Filter	CT	Type	Display Type	Renderer
Checkbox	Y	multiple	n/a	CTCheckboxSelectRenderer
Radiobutton	Y	single	n/a	CTRadiobuttonSelectRenderer
Radiobutton	N	db-single	n/a	RadiobuttonSelectRenderer
Dropdown	Y	single	dropdown	CTDropdownSelectRenderer

Filter	CT Type*	Display Type	Renderer
Dropdown	N single	listdropdown	ListDropDownSelectRenderer

Table 6.1 Filter Types



Note

CT<sup>\*</sup>, Denotes a filter based on the values in a specific codetable file.

## 6.4 Adding a Drop Down Filter

To demonstrate the use of filters we are going to create a filter for our movies Pod. The filter will select movies by genre. As we did in the last chapter we will insert the complete code sample first to see the Pod in action, then we will step through the code to see what we did to create the filter.

Appendix A.4 contains a program listing, replace the createPod method in the MyFavouriteMovies PodLoader with the version from the Appendix. Compile the PodLoader and launch the Application.

When the page loads the Pod will be updated to include a filter feature denoted by the pen icon on the title bar.

Open the filter by clicking on the pen icon. Select a genre from the dropdown. Use the Save button to save the selection and reload the list. The list will only return movies that match the selected genre in the dropdown.

Lets look at the steps we took to create the filter.

### 6.4.1 Creating the Pod Filter

To add a filter to the Pod we need to use the `PodBuilder.addFilter(...)` method which accepts a parameter of type `PodFilter`. The `PodFilter` object specifies the id of the filter and the renderer configuration that will be used to invoke the render that will create the filter. In our example we are creating a filter with the id "genre" and we will be using a renderer called the `ChoiceRenderer` to render the content of the filter.

```

010     RendererConfig filterRenderer =
011         new RendererConfig(RendererConfigType.DOMAIN, "CT_CHOICE");
012
013         // Create the PodFitler
014         PodFilter genreFilter =
015             new PodFilter("genre", document, filterRenderer);

```

#### Example 6.1 Creating the Pod Filter

On line 10-11 we create a renderer configuration which is mapped to a do-

main 'CT\_CHOICE'. This configuration will invoke a renderer called `ChoiceRenderer`. We then create a `PodFilter` object passing an id, the document instance of the `PodLoader` and the renderer configuration.

### 6.4.2 Creating the options

Now that we have the basic framework of our filter we need to add our choices. The filter can be described as a set of options and a set of selections, which are a subset of the options. Collectively we refer to these as the 'choices'. As we are using the `ChoiceRenderer` to create the drop-down list, so we can use the `ChoiceBuilder` to create the content that we pass to the `ChoiceRenderer`. The `ChoiceBuilder` accepts a `HashMap` which is the set of id's and values. In our case the values will be the list of genres that we display in the drop down. In this simple example we use the lower case version of the value as the id.

```
018     HashMap<String, String> genres = new HashMap<String, String>();
019     genres.put("all", "- All -");
020     genres.put("horror", "Horror");
021     genres.put("drama", "Drama");
022     genres.put("romance", "Romance");
023     genres.put("comedy", "Comedy");
024     genres.put("action", "Action");
025
026     // Create the options and selections using the ChoiceBuilder.
027     ChoiceBuilder choices =
028         ChoiceBuilder.newInstance(genres, document);
```

Example 6.2 Creating the set of Choices for the genre drop-down

### 6.4.3 Creating the selections

The next step is adding the selected values. In most cases you will want this to be the last saved selections. We can retrieve these values because they are saved for each filter every time a save action occurs on the container. The `PodLoader` class provides a `getPodFilterById(...)` which will return the selected values for each Pod filter.

```
031     Node genreSelectionNode =
032         getPodFilterById(PODTYPE.MYFAVMOVIES, "genre", document);
033
034     // Convert the Node to an ArrayList.
035     ArrayList<String> selectedGenres =
036         PodFilter.convertSelectionsNodeToArrayList(genreSelectionNode);
037
038     // Create a default genre selection.
039     if (selectedGenres.isEmpty()){
040         selectedGenres.add("all");
041     }
042     choices.addSelection(selectedGenres.get(0));
```

Example 6.3 Retrieving the saved selections and adding them to the Pod filter

On line 32 we use the `getPodFiltersById(...)` method to return the saved selections for the 'genre' filter on the 'MYFAVMOVIES' Pod. The

values are returned as a Node object in the raw format that they were encoded and stored as. The `PodFilter.convertSelectionsNodeToArrayList(Node)` utility is used to convert the values into a list of String values. On line 42 we add the selected value, in this case it is the only value returned in the array.

#### 6.4.4 Setting the type of filter

In our example we are using the `ChoiceRenderer` to create a dropdown list. The `ChoiceRenderer` delegates to a specific renderer depending on what `displayType` is selected by the `ChoiceBuilder`. We are creating a drop down list which is not based on a codetable, so we selected "listdropdown" for the the display type.

```
043 choices.setTypeOfDisplay("listdropdown");
```

Example 6.4 Setting the type of filter

#### 6.4.5 Adding a label and CSS styling

Optionally we can add a label to the filter by passing a String<sup>\*</sup> to the `addFilterLabel(...)` method. Custom styling can also be applied to the filter by passing CSS class names to the `addCSSClasses(...)`



##### Note

\* The filter label is configured for localization. The String passed to the `addFilterLabel` method is assumed to be a key in a properties file associated with the Pod. If no property value is returned by the key the key is used as the label. Localization is covered in Chapter 8: Localization in Pods

```
048 genreFilter.addFilterLabel("Genre");
049 genreFilter.addCSSClasses("genre-filter");
```

Example 6.5 Adding a PodFilter to a Pod

#### 6.4.6 Add the Filter to the Pod

Next we add the filter to the Pod by passing it to the `PodFilter.addFilter(...)` method.

```
050 moviesPod.addFilter(genreFilter);
```

Example 6.6 Adding a PodFilter to a Pod

#### 6.4.7 Filtering your Pod

The final task is to filter the content of the Pod. In the movies example we will want to filter out all movies where the genre does not match the cur-

rently selected one.

```
067         if (selectedGenre.equals(movie.genre)
068             || selectedGenre.equals("all")){
069
070             myFavouriteMovies.addRow();
071             myFavouriteMovies.addEntry(1, row++, movieName);
072         }
```

### Example 6.7 Filter the movies by genre

So that completes our filter. When the Pod is loaded for the first time no value will be stored for the filter. Every subsequent save will store the filter value, even if that is an empty String. When the Pod reloads it will use the saved value to filter the list of Movies, and it will also pass the stored value back to the filter for display so that we can see what filter is being applied.

Using the `PodBuilder`, `PodFilter` and `ChoiceBuilder` has meant that there was no requirement to create `Renderers`. The builder classes allow us to reuse existing renderers. There will however be occasions where you want to create a custom filter type. In the next chapter we will demonstrate how to create a new filter renderer.

# Chapter 7

## Creating new Pod filters

### 7.1 Introduction

In this section we are going to create a new filter for a Pod to demonstrate how to add form items to Pods.

*To complete this section you will need to create a `Renderer` so you will need to be familiar with building `Renderers` and topics such as source paths, target paths andmarshallers. These are covered in the *Curam Widget Development Guide*. This chapter will assume you have a good working knowledge of the renderers.*

We will start with some simple definitions which you should already be familiar with from the *Curam Widget Development Guide*

#### **Renderer**

A Java class that generates HTML markup.

#### **Marshaller**

A Java class used to access properties of a server interface and pre-processes data retrieved from a field

#### **Source Path**

A pointer used when accessing server interface properties.

#### **Target Path**

A pointer used for accessing the content of form fields.

In this example we will create a simple text filter that filters by movie title. To create our new filter we are going to...

- Create a Pod filter `Renderer`
  - Map the source path
  - Map the target path



- Create the text box
- Create a configuration for the Pod filter Renderer.
- Update our movies PodLoader.
  - Create a new PodFilter that uses our new filter Renderer.

## 7.2 Create a Pod filter Renderer

Appendix A.3 contains a program listing for a `PodTextFilterRender-er`. Add this class to your component in the `webclient` project in a package named `sample` under the `javasource` folder. Below we will step through the important code

### 7.2.1 Preparing to delegate

We start our `Renderer` by creating a `FieldBuilder`. We do this because our `Renderer` isn't going to do all the work. It will delegate the task of rendering the input box to an existing `Renderer`. The `FieldBuilder` will store up the settings that we pass to that `Renderer`.

```
025     Field field = ((Field)component);
026
027     final FieldBuilder fieldBuilder =
028         ComponentBuilderFactory.createFieldBuilder();
029     fieldBuilder.copy(field);
```

Example 7.1 Setting up a `FieldBuilder`

### 7.2.2 Setting a source path

In the code extract in Example 7.2 we have extended the source path received to access the text for the filter. The text will be stored in a `Document Node` named `text-filter` (we will create that later in the `PodLoader`). We use the data accessor to retrieve the text that will be added to the input box.

```
032     String sourcePathExt = "text-filter";
033     Path sourcePath =
034         field.getBinding().getSourcePath().extendPath(sourcePathExt);
035     fieldBuilder.setSourcePath(sourcePath);
```

Example 7.2 Setting the source path

### 7.2.3 Setting a target path

Next we extend the target path. We need to extend the target path to ensure the form item value is processed by the `Marshaller` attached to the `Pod-Container`. The `Marshaller` is configured to process a number of specific tar-

get paths. Example 7.3 shows how to extend the target path in the correct format.

```
038     String targetPathExt =
039         "choice/" + field.getID() + "/selected-options";
040     Path targetPath =
041         field.getBinding().getTargetPath().extendPath(targetPathExt);
042     fieldBuilder.setTargetPath(targetPath);
```

### Example 7.3 Setting the target path



#### Note

The `PodFiltersRenderer` passes an `Id` value to the `Renderer` it invokes. The `Id` is the concatenation of a `podID` and `filterID` in the format `podID/filterID`. The `Id` value is retrieved by the called `renderer` using the `getID( )` method. That `renderer` will use the `Id` to uniquely identify itself.

```
choice/
podId
/
filterId
/selected-options
/option-value
|--1--|
--2--|
---3---|
-----4-----|
-----5-----|
```

### Example 7.4 Format of a Pod filter target path

The extended target path is broken in to what are known as steps which are divided by the '/' character. Each step in our target path is defined below.

Step	Description
1	This acts as the marker for the marshal. The 'choice' text indicates that this field is to be processed by the Pod-Container.
2	Contains the unique identifier (as specified in the <code>PodType</code> codetable) for the Pod to which the filter is attached . E.g. PT9001
3	Contains the unique identifier for the filter attached to the Pod. This <code>Id</code> is created when the <code>PodFilter</code> is constructed in the <code>PodLoader</code> .
4	The <code>selected-options</code> step indicates that this is a filter. Knowing this, the infrastructure will process the form values as a Pod filter.
5	The <code>option-value</code> step is optional and is used to uniquely identify selections in multi-select filters. E.g a checkbox filter can select more than 1 value, so each option gets an <code>option-value</code> step to distinguish it from it's siblings.

Table 7.1 Target Path break down

In our code extract in Example 7.3 we have extended the target path using the id passed from the `PodFiltersRenderer` to map our text input form item. At runtime its value will be...

```
choice/PT9001/title/selections
```

Example 7.5 Format of a target path for My Favourite Movies Pod text filter

#### 7.2.4 Creating the input field

The last section of our renderer creates the input field. It actually delegates the task to an existing `Renderer` which can create the input field for us. The `TextRenderer` is mapped to the `TEXT_NODE` Domain, so we simply set the Domain on our `FieldBuilder` instance and call the `render` function on that. The `TextRenderer` will create the form item and return the input box which is appended to the HTML document.

```
045     fieldBuilder.setDomain(context.getDomain("TEXT_NODE"));
046     DocumentFragment textFilter =
047         fragment.getOwnerDocument().createDocumentFragment();
048     context.render(fieldBuilder.getComponent(), fragment, contract);
049
050     fragment.appendChild(textFilter);
```

Example 7.6 Rendering the input box

### 7.3 Create a configuration for the Pod filter Renderer

In the `StylesConfig.xml` in your component add the following entry. The 'style' name will be used in our `PodLoader` to configure the `PodFilter` to use our new `PodTextFilterRenderer`. We will need to execute the build target for the client to add this configuration.

```
<sc:style name="pod-text-filter">
  <sc:plug-in
    class="sample.PodTextFilterRenderer"
    name="component-renderer"
  />
</sc:style>
```

Example 7.7 Style configuration for Pod filter Renderer

### 7.4 Create a new PodFilter in the PodLoader

Now that we have created our filter all that remains is to invoke it in our `PodLoader` and use the saved value to filter our list of Movies. Appendix A.6 contains the updated version of the `createPod(...)` method. The code extract below shows the specific code that creates our text filter and

adds it to the Pod.

```

009 // Create the configuration for the filter renderer.
010 RendererConfig titleFilterRenderer =
011     new RendererConfig(RendererConfigType.STYLE, "pod-text-filter");
012
013 // Create the filter.
014 PodFilter titleFilter =
015     new PodFilter("title", document, titleFilterRenderer);
016 titleFilter.addFilterLabel("Title");
017
018 // Retrieve the saved filter value and extract to an array
019 Node titleTextNode =
020     getPodFilterById(PODTYPE.MYFAVMOVIES, "title", document);
021 ArrayList<String> titleTextArray =
022     PodFilter.convertSelectionsNodeToArrayList(titleTextNode);
023
024 // Create the Node that the filter Renderer expects and add the
025 // saved filter text to it.
026 String titleFilterText = "";
027 if (!titleTextArray.isEmpty()) {
028     titleFilterText = titleTextArray.get(0);
029 }
030 Element titleFilterNode = document.createElement("text-filter");
031 titleTextNode = document.createTextNode(titleFilterText);
032 titleFilterNode.appendChild(titleTextNode);
033 titleFilter.addFilter(titleFilterNode);
034
035 // Add the title filter to the Pod
036 moviesPod.addFilter(titleFilter);

```

### Example 7.8 Adding the Pod Text filter

**Create a new filter.** In lines 10-11 we create the configuration for our new filter by referencing the style we created in the StylesConfig.xml. We pass this to the PodFilter constructor along with the id of our filter, 'title' in this case.

**Retrieve saved filter values.** In lines 19-22 we use the utility functions to return the saved values for our 'title' filter and convert them to an array for ease of use.

**Create input to Renderer.** In lines 19-33 we create the text Node that will be passed to our Renderer. The Renderer is expecting a Node named "text-filter" so we create this and add the filter text to it. We add the Node to our PodFilter object using the addFilter(...) method.

**Add the filter to the Pod.** Finally we pass our PodFilter object to the addFilter(...) method of our PodBuilder object.

When we iterate over the movies we only select movies whose title contains the substring that was returned from the filter. When we put it all together we can load our Pod, select the pen icon to open the filter, choose a genre and click save. The page will re-draw with the new filtered list.

# Chapter 8

## Localization in Pods

### 8.1 Introduction

In this chapter we are going to look at building Pods in a localizable manner. The examples provided use non-locale-specific properties file, these can be supplemented with locale specific versions to return translated text if required. The Curam Widget Development Guide has a Chapter on Internationalization and Localization for widgets which covers this topic in more detail and the Curam Regionalization Guide discusses building a locale aware product.

To demonstrate the features built into the framework of Pods to support localization we will update our movies Pod to source various fields from property resources.

### 8.2 The textresource property

For each of the existing renderers used with Pods a 'textresource' attribute can be set that defines a resource property file. The code extract in Example 8.1 shows a renderer reading a property from a text resource file. The file name is passed in the XML received by the renderer (See example 8.2)

```
private static final String RESOURCE_FILE_PATH = "@textresource";
...
...
String textResource = context.getDataAccessor().get(
    field.getBinding().getSourcePath().extendPath(
        RESOURCE_FILE_PATH));
Path textPath =
    ClientPaths.GENERAL_RESOURCES_PATH.extendPath(textResource);
...
...
final String saveButtonText =
    context.getDataAccessor().get(
        textPath.extendPath("button.save.text"));
```

Example 8.1 A Renderer reading a property from a text resource

file

In the example above the Renderer is expecting to receive the name of the text resource file in the 'textresource' attribute of the document Node it receives.

```
<pod textresource="sample.i18n.MyFavouriteMovies" ...>
  <config>
    ...
  </config>
  <data>
    ...
  </data>
</pod>
```

Example 8.2 Example of a document Node input to a Pod renderer

The Renderer uses the `ClientPaths` class to create a pointer to the text resource file. The value of the property is retrieved by extending the path into the file to point at the specific property. The path extension is the property key. The value returned is the property value. If the request is made for a specific locale, and the resource file for that locale has been provided then `ClientPaths` class will access the property in the appropriate resource file.

```
pod.title=My Favourite Movies
pod.filter.genre.label=Genre
....
```

Example 8.3 `MyFavouriteMovies.properties`

The location of the properties file must be on the classpath of the client project. Adding the properties file to the `javasource` folder will achieve this. The convention is to add property files to a folder called `i18n` to differentiate them.

### 8.3 Setting the text resource

A number of Renderers for producing standard content types in Pods are provided. Each of these Renderers has an associated Builder class which acts as an API for the Renderer to simplify the task of generating content to pass to the Renderer.

Builder	Renderer
PodBuilder	PodBodyRenderer
ListBuilder	ListBodyRenderer
PodListBuilder	PodListBodyRenderer
LinkBuilder	LinkRenderer
PodBuilder	PodBodyRenderer

Table 8.1 Builders & Renderers

The builder classes provide a `setTextResource(String)` method. At runtime each instance of the `Renderer` uses the properties file received in the 'textresource' attribute to retrieve values that can be localized. We'll see this in action in the next section.

## 8.4 Localizing the My Favourite Movies Pod

In this section we will update our `Movies Pod` to read the values from properties files instead of using hardcoded Strings. Lets start with a simple example, localizing the Pod title. We will create a properties file with a title property and then update our `PodBuilder` to reference this property.



### Note

The full listing for the `createPod` method for all examples that follow can be found in [Appendix A.8](#).

### 8.4.1 Localizing the Pod

Create a new file called 'MyFavouriteMovies.properties' in a folder called 'i18n' under the `javasource/sample` folder in the `webclient` project (If you haven't already created that folder you can do so now). In the file add the key `pod.title` with the value 'My Top Movies' which will distinguish it from the current title.

```
pod.title=My Top Movies
```

#### Example 8.4 MyFavouriteMovie.properties

Update the code used to construct our Pod by setting a text resource and use the property key for the title of the Pod.

```
005 moviesPod.setTextResource("sample.i18n.MyFavouriteMovies");
006 moviesPod.setTitle("pod.title");
```

#### Example 8.5 MyFavouriteMovies.java, sourcing the Pod title from a properties file

Compile the `PodLoader` class, build the client target and launch the application. When the Pod is loaded you will see the new title "My Top Movie" which has been read from the properties file.

Now we have a localizable Pod title! Lets do some more...

### 8.4.2 Localizing the filter

Next we will add localizable text to our filter labels. The Pod filter is tied to the Pod so it inherits the same resource file that we have given the Pod. In the same way that we did for the Pod title, we use a property key for the labels and add the property value to the properties file.

```
pod.title=My Top Movies
pod.filter.title.label=Movie Title:
pod.filter.genre.label=Select Genre:
```

### Example 8.6 MyFavouriteMovies.properties

```
...
017     titleFilter.addFilterLabel("pod.filter.title.label");
...
078     genreFilter.addFilterLabel("pod.filter.genre.label");
...
...
```

### Example 8.7 MyFavouriteMovies.java, using the properties file for labels

When we load our Pod we will see that the label on the filter has changed to the value specified in the properties file.

#### 8.4.3 Localizing the movie list

Lets take one more example. This time we are going to use a properties file with our list of movies. To do this we are going to add a title to the list which will be sourced from a properties file.

- Create a new properties file MoviesList.properties and add it to the i18n folder.
- Build the client to publish the properties.
- Update the list to use the properties file and add a column title as a property key. (See Example 8.8)

```
091     myFavouriteMovies.setTextResource("sample.i18n.MoviesList");
092     myFavouriteMovies.addColumnTitle(1, "list.col1.title");
```

### Example 8.8 Adding a column title

#### 8.4.4 Sharing properties files

The last example of localizing the list illustrates the value of sharing properties files. If we think about how a Pod is made up of various widgets, the complexity of which could extend to any number of widgets, then having 1 property file per widget would be difficult to maintain. For this reason it makes sense to share the same properties files for aggregated widgets such as Pods even though it is not technically necessary to do this.

In our example above, instead of creating a new properties file for the movies list widget, we can re-use the MyFavouriteMovies.properties file. Using this technique we have a single resource for all properties associated with the 'MyFavouriteMovies' Pod.



# Appendix A

## Program Listings

### A.1 The Movies DB: A Java class serving our favourite movies

```
package pods.podloaders;

import java.util.Collection;
import java.util.TreeMap;

/** Simple read-only Java DB for a movie collection */
public class MoviesDB {

    private TreeMap<Integer, Movie> allMovies;

    /** Constructor */
    public MoviesDB() {

        allMovies = new TreeMap<Integer, Movie>();
        allMovies.put(1, new MoviesDB.Movie(1,"The Dark Knight", "action",
            2008, "Christopher Nolan", "Christian Bale", 1));
        allMovies.put(2, new MoviesDB.Movie(2,"Casablanca", "romance",
            1942, "Michael Curtiz", "Humphrey Bogart", 3));
        allMovies.put(3, new MoviesDB.Movie(3,"Schindler's List", "drama",
            1993, "Steven Spielberg", "Liam Neeson", 7));
        allMovies.put(4, new MoviesDB.Movie(4,"Alien", "horror",
            1979, "Ridley Scott", "Sigourney Weaver", 1));
        allMovies.put(5, new MoviesDB.Movie(1, "The GodFather, Part II",
            "drama", 1974, "Francis Ford Coppola", "Marlon Brando", 6));
        allMovies.put(5, new MoviesDB.Movie(1, "Toy Story 3",
            "comedy", 2010, "Lee Unkrich", "Tom Hanks", 2));
        allMovies.put(6, new MoviesDB.Movie(6, "Toy Story 2",
            "comedy", 1999, "John Lasseter", "Tom Hanks", 0));

    }

    /** Return all movies as a Collection */
    public Collection<MoviesDB.Movie> getAllMovies(){
        Collection<MoviesDB.Movie> movieCollection =
            this.allMovies.values();
        return movieCollection;
    }

    /** Return a movie by its Id */
    public Movie getMovieById(Integer id) {
        return allMovies.get(id);
    }
}
```

```

class Movie {

    public int id,year,oscars;
    public String title, genre, director, leadrole, url;

    public Movie(int id,String title,String genre,
        int year,String director,String leadrole, int oscar){
        this.id = id;
        this.title = title;
        this.genre = genre;
        this.year = year;
        this.director = director;
        this.leadrole = leadrole;
        this.oscars = oscar;
    }
}

```

Example A.1 This class is the helper for our examples. It is a simple read-only Java DB for our favourite Movies. Feel free to add your personal favourites!

## A.2 Chapter 4: Hello World Pod-Loader

```

001 package pods.podloaders;
002
003 import java.util.Map;
004 import org.w3c.dom.Document;
005 import org.w3c.dom.Node;
006 import curam.cefwidgets.docbuilder.impl.PodBuilder;
007 import curam.cefwidgets.pods.pod.impl.PodLoader;
008 import curam.codetable.PODTYPE;
009
010 public class HelloWorld extends PodLoader {
011
012     @Override
013     public Node createPod(Document document, Map<String,Object> contexts) {
014         try{
015             PodBuilder helloWorld =
016                 PodBuilder.newPod(document, PODTYPE.HELLOWORLD);
017             helloWorld.setTitle("Hello World");
018             return helloWorld.getWidgetRootNode();
019         }catch(Exception e){
020             throw new RuntimeException(e);
021         }
022     }
023 }

```

Example A.2 This is the simplest Pod-Loader you can have

## A.3 Chapter 5: My Favourite Movies Pod-Loader

```

001 public Node createPod(Document document, Map<String,Object> contexts) {
002     try{
003         PodBuilder moviesPod =
004             PodBuilder.newPod(document, PODTYPE.MYFAVMOVIES);
005         moviesPod.setTitle("My Favourite Movies");
006
007         MoviesDB moviesDB = new MoviesDB();

```

```

008
009     Collection<MoviesDB.Movie> favMovieCollection =
010         moviesDB.getAllMovies();
011     Iterator<MoviesDB.Movie> movieList =
012         favMovieCollection.iterator();
013
014     // Create the list
015     ListBuilder myFavouriteMovies =
016         ListBuilder.createList(1, document);
017
018     int row = 1;
019     while(movieList.hasNext()) {
020         Movie movie = movieList.next();
021         String movieName = movie.title;
022         myFavouriteMovies.addRow();
023         myFavouriteMovies.addEntry(1, row++, movieName);
024     }
025
026     RendererConfig contentRenderer = new RendererConfig(
027         RendererConfigType.STYLE, "single-list");
028     moviesPod.addContent(myFavouriteMovies, contentRenderer);
029
030     return moviesPod.getWidgetRootNode();
031 } catch(Exception e){
032     throw new RuntimeException(e);
033 }

```

Example A.3 This version of the createPod method creates a list of movies using the MoviesDB class

## A.4 Chapter 6: My Favourite Movies Pod-Loader for Pod filter example

```

001 public Node createPod(Document document, Map<String, Object> contexts) {
002     try{
003         PodBuilder moviesPod =
004             PodBuilder.newPod(document, PODTYPE.MYFAVMOVIES);
005         moviesPod.setTitle("My Favourite Movies");
006
007         MoviesDB moviesDB = new MoviesDB();
008
009         // Create the configuration for the drop down filter.
010         RendererConfig filterRenderer =
011             new RendererConfig(RendererConfigType.DOMAIN, "CT_CHOICE");
012
013         // Create the PodFiltler
014         PodFilter genreFilter =
015             new PodFilter("genre", document, filterRenderer);
016
017         // Create genre list
018         HashMap<String, String> genres = new HashMap<String, String>();
019         genres.put("all", "- All -");
020         genres.put("horror", "Horror");
021         genres.put("drama", "Drama");
022         genres.put("romance", "Romance");
023         genres.put("comedy", "Comedy");
024         genres.put("action", "Action");
025
026         // Create the options and selections using the ChoiceBuilder.
027         ChoiceBuilder choices =
028             ChoiceBuilder.newInstance(genres, document);
029
030         // Return the last saved selection for the filter with id "genre".
031         Node genreSelectionNode =
032             getPodFilterById(PODTYPE.MYFAVMOVIES, "genre", document);

```

```

033
034 // Convert the Node to an ArrayList.
035 ArrayList<String> selectedGenres =
036     PodFilter.convertSelectionsNodeToArrayList(genreSelectionNode);
037
038 // Create a default genre selection.
039 if (selectedGenres.isEmpty()){
040     selectedGenres.add("all");
041 }
042 choices.addSelection(selectedGenres.get(0));
043 choices.setTypeOfDisplay("listdropdown");
044
045 genreFilter.addFilter(choices.getWidgetRootNode());
046
047 // Add a filter label
048 genreFilter.addFilterLabel("Genre");
049 genreFilter.addCSSClasses("genre-filter");
050 moviesPod.addFilter(genreFilter);
051
052
053 Collection<MoviesDB.Movie> favMovieCollection =
054     moviesDB.getAllMovies();
055 Iterator<MoviesDB.Movie> movieList =
056     favMovieCollection.iterator();
057
058 // Create the list
059 ListBuilder myFavouriteMovies =
060     ListBuilder.createList(1, document);
061
062 int row = 1;
063 while(movieList.hasNext()) {
064     Movie movie = movieList.next();
065     String movieName = movie.title;
066     String selectedGenre = selectedGenres.get(0);
067     if (selectedGenre.equals(movie.genre)
068         || selectedGenre.equals("all")){
069
070         myFavouriteMovies.addRow();
071         myFavouriteMovies.addEntry(1, row++, movieName);
072     }
073 }
074
075 RendererConfig contentRenderer = new RendererConfig(
076     RendererConfigType.STYLE, "single-list");
077 moviesPod.addContent(myFavouriteMovies, contentRenderer);
078
079 return moviesPod.getWidgetRootNode();
080 } catch (Exception e) {
081     throw new RuntimeException(e);
082 }
083 }

```

Example A.4 This version of the createPod method adds a filter to the Movies Pod. It is used in Chapter 6

## A.5 Chapter 7: PodTextFilterRenderer for new Pod filter example

```

001 package sample;
002
003 import org.w3c.dom.DocumentFragment;
004 import curam.util.client.ClientException;
005 import curam.util.client.model.Component;
006 import curam.util.client.model.ComponentBuilderFactory;
007 import curam.util.client.model.Field;

```

```

008 import curam.util.client.model.FieldBuilder;
009 import curam.util.client.view.RendererContext;
010 import curam.util.client.view.RendererContract;
011 import curam.util.common.path.DataAccessException;
012 import curam.util.common.path.Path;
013 import curam.util.common.plugin.PluginException;
014 import curam.widget.render.infrastructure.AbstractComponentRenderer;
015
016 /**
017  * Creates a text input for use with a Pod Filter
018  */
019 public class PodTextFilterRenderer extends AbstractComponentRenderer {
020
021     public void render(Component component, DocumentFragment fragment,
022         RendererContext context, RendererContract contract)
023         throws ClientException, DataAccessException, PluginException {
024
025         Field field = ((Field)component);
026
027         final FieldBuilder fieldBuilder =
028             ComponentBuilderFactory.createFieldBuilder();
029         fieldBuilder.copy(field);
030
031         // Update the source path to point at the text node
032         String sourcePathExt = "text-filter";
033         Path sourcePath =
034             field.getBinding().getSourcePath().extendPath(sourcePathExt);
035         fieldBuilder.setSourcePath(sourcePath);
036
037         // Update the target path to use the Pod filter id
038         String targetPathExt =
039             "choice/" + field.getID() + "/selected-options";
040         Path targetPath =
041             field.getBinding().getTargetPath().extendPath(targetPathExt);
042         fieldBuilder.setTargetPath(targetPath);
043
044         // Use TextRenderer to create input box
045         fieldBuilder.setDomain(context.getDomain("TEXT_NODE"));
046         DocumentFragment textFilter =
047             fragment.getOwnerDocument().createDocumentFragment();
048         context.render(fieldBuilder.getComponent(), fragment, contract);
049
050         fragment.appendChild(textFilter);
051     }
052 }

```

Example A.5 This renderer will create the text filter that we use in Chapter 7 when we demonstrate how to create new filters for Pods

## A.6 Chapter 7: My Favourite Movies Pod-Loader for new Pod filter example

```

001 public Node createPod(Document document, Map<String, Object> contexts) {
002     try{
003         PodBuilder moviesPod =
004             PodBuilder.newPod(document, PODTYPE.MYFAVMOVIES);
005         moviesPod.setTitle("My Favourite Movies");
006
007         MoviesDB moviesDB = new MoviesDB();
008
009         // Create the configuration for the filter renderer.
010         RendererConfig titleFilterRenderer =
011             new RendererConfig(RendererConfigType.STYLE, "pod-text-filter");

```

```

012
013 // Create the filter.
014 PodFilter titleFilter =
015     new PodFilter("title", document, titleFilterRenderer);
016 titleFilter.addFilterLabel("Title");
017
018 // Retrieve the saved filter value and extract to an array
019 Node titleTextNode =
020     getPodFilterById(PODTYPE.MYFAVMOVIES, "title", document);
021 ArrayList<String> titleTextArray =
022     PodFilter.convertSelectionsNodeToArrayList(titleTextNode);
023
024 // Create the Node that the filter Renderer expects and add the
025 // saved filter text to it.
026 String titleFilterText = "";
027 if (!titleTextArray.isEmpty()) {
028     titleFilterText = titleTextArray.get(0);
029 }
030 Element titleFilterNode = document.createElement("text-filter");
031 titleTextNode = document.createTextNode(titleFilterText);
032 titleFilterNode.appendChild(titleTextNode);
033 titleFilter.addFilter(titleFilterNode);
034
035 // Add the title filter to the Pod
036 moviesPod.addFilter(titleFilter);
037
038 // Create the configuration for the drop down filter.
039 RendererConfig filterRenderer =
040     new RendererConfig(RendererConfigType.DOMAIN, "CT_CHOICE");
041
042 // Create the PodFilter
043 PodFilter genreFilter =
044     new PodFilter("genre", document, filterRenderer);
045
046 // Create genre list
047 HashMap<String, String> genres = new HashMap<String, String>();
048 genres.put("all", "- All -");
049 genres.put("horror", "Horror");
050 genres.put("drama", "Drama");
051 genres.put("romance", "Romance");
052 genres.put("comedy", "Comedy");
053 genres.put("action", "Action");
054
055 // Create the options and selections using the ChoiceBuilder.
056 ChoiceBuilder choices =
057     ChoiceBuilder.newInstance(genres, document);
058
059 // Return the last saved selection for the filter with id "genre".
060 Node genreSelectionNode =
061     getPodFilterById(PODTYPE.MYFAVMOVIES, "genre", document);
062
063 // Convert the Node to an ArrayList.
064 ArrayList<String> selectedGenres =
065     PodFilter.convertSelectionsNodeToArrayList(genreSelectionNode);
066
067 // Create a default genre selection.
068 if (selectedGenres.isEmpty()){
069     selectedGenres.add("all");
070 }
071 choices.addSelection(selectedGenres.get(0));
072 choices.setTypeOfDisplay("listdropdown");
073
074 genreFilter.addFilter(choices.getWidgetRootNode());
075
076 // Add a filter label
077 genreFilter.addFilterLabel("Genre");
078 genreFilter.addCSSClasses("genre-filter");
079 moviesPod.addFilter(genreFilter);
080
081
082 Collection<MoviesDB.Movie> favMovieCollection =
083     moviesDB.getAllMovies();

```

```

084     Iterator<MoviesDB.Movie> movieList =
085         favMovieCollection.iterator();
086
087     // Create the list
088     ListBuilder myFavouriteMovies =
089         ListBuilder.createList(1, document);
090
091     int row = 1;
092     while(movieList.hasNext()) {
093         Movie movie = movieList.next();
094         String movieName = movie.title;
095         String selectedGenre = selectedGenres.get(0);
096         if (selectedGenre.equals(movie.genre)
097             || selectedGenre.equals("all")){
098
099             if (movieName.toUpperCase().indexOf(
100                 titleFilterText.toUpperCase()) != -1) {
101                 myFavouriteMovies.addRow();
102                 myFavouriteMovies.addEntry(1, row++, movieName);
103             }
104         }
105     }
106
107     RendererConfig contentRenderer = new RendererConfig(
108         RendererConfigType.STYLE, "single-list");
109     moviesPod.addContent(myFavouriteMovies, contentRenderer);
110
111     return moviesPod.getWidgetRootNode();
112 } catch (Exception e) {
113     throw new RuntimeException(e);
114 }
115 }

```

Example A.6 This version of the create Pod method includes the creation of the movie title filter

## A.7 Chapter 8: My Favourite Movies Pod-Loader for localization example

```

001 public Node createPod(Document document, Map<String, Object> contexts) {
002     try {
003         PodBuilder moviesPod =
004             PodBuilder.newPod(document, PODTYPE.MYFAVMOVIES);
005         moviesPod.setTextResource("sample.il8n.MyFavouriteMovies");
006         moviesPod.setTitle("pod.title");
007
008         MoviesDB moviesDB = new MoviesDB();
009
010         // Create the configuration for the filter renderer.
011         RendererConfig titleFilterRenderer =
012             new RendererConfig(RendererConfigType.STYLE, "pod-text-filter");
013
014         // Create the filter.
015         PodFilter titleFilter =
016             new PodFilter("title", document, titleFilterRenderer);
017         titleFilter.addFilterLabel("pod.filter.title.label");
018
019         // Retrieve the saved filter value and extract to an array
020         Node titleTextNode =
021             getPodFilterById(PODTYPE.MYFAVMOVIES, "title", document);
022         ArrayList<String> titleTextArray =
023             PodFilter.convertSelectionsNodeToArrayList(titleTextNode);
024
025         // Create the Node that the filter Renderer expects and add the
026         // saved filter text to it.

```

```

027 String titleFilterText = "";
028 if (!titleTextArray.isEmpty()) {
029     titleFilterText = titleTextArray.get(0);
030 }
031 Element titleFilterNode = document.createElement("text-filter");
032 titleTextNode = document.createTextNode(titleFilterText);
033 titleFilterNode.appendChild(titleTextNode);
034 titleFilter.addFilter(titleFilterNode);
035
036 // Add the title filter to the Pod
037 moviesPod.addFilter(titleFilter);
038
039 // Create the configuration for the drop down filter.
040 RendererConfig filterRenderer =
041     new RendererConfig(RendererConfigType.DOMAIN, "CT_CHOICE");
042
043 // Create the PodFilter
044 PodFilter genreFilter =
045     new PodFilter("genre", document, filterRenderer);
046
047 // Create genre list
048 HashMap<String, String> genres = new HashMap<String, String>();
049 genres.put("all", "- All -");
050 genres.put("horror", "Horror");
051 genres.put("drama", "Drama");
052 genres.put("romance", "Romance");
053 genres.put("comedy", "Comedy");
054 genres.put("action", "Action");
055
056 // Create the options and selections using the ChoiceBuilder.
057 ChoiceBuilder choices =
058     ChoiceBuilder.newInstance(genres, document);
059
060 // Return the last saved selection for the filter with id "genre".
061 Node genreSelectionNode =
062     getPodFilterById(PODTYPE.MYFAVMOVIES, "genre", document);
063
064 // Convert the Node to an ArrayList.
065 ArrayList<String> selectedGenres =
066     PodFilter.convertSelectionsNodeToArrayList(genreSelectionNode);
067
068 // Create a default genre selection.
069 if (selectedGenres.isEmpty()){
070     selectedGenres.add("all");
071 }
072 choices.addSelection(selectedGenres.get(0));
073 choices.setTypeOfDisplay("listdropdown");
074
075 genreFilter.addFilter(choices.getWidgetRootNode());
076
077 // Add a filter label
078 genreFilter.addFilterLabel("pod.filter.genre.label");
079 genreFilter.addCSSClasses("genre-filter");
080 moviesPod.addFilter(genreFilter);
081
082
083 Collection<MoviesDB.Movie> favMovieCollection =
084     moviesDB.getAllMovies();
085 Iterator<MoviesDB.Movie> movieList =
086     favMovieCollection.iterator();
087
088 // Create the list
089 ListBuilder myFavouriteMovies =
090     ListBuilder.createList(1, document);
091 myFavouriteMovies.setTextResource("sample.il18n.MoviesList");
092 myFavouriteMovies.addColumnTitle(1, "list.col1.title");
093
094 int row = 1;
095 while(movieList.hasNext()) {
096     Movie movie = movieList.next();
097     String movieName = movie.title;
098     String selectedGenre = selectedGenres.get(0);

```



```
099     if (selectedGenre.equals(movie.genre)
100         || selectedGenre.equals("all")){
101
102         if (movieName.toUpperCase().indexOf(
103             titleFilterText.toUpperCase()) != -1) {
104             myFavouriteMovies.addRow();
105             myFavouriteMovies.addEntry(1, row++, movieName);
106         }
107     }
108 }
109
110     RendererConfig contentRenderer = new RendererConfig(
111         RendererConfigType.STYLE, "single-list");
112     moviesPod.addContent(myFavouriteMovies, contentRenderer);
113
114     return moviesPod.getWidgetRootNode();
115 }
116 }catch(Exception e){
117     throw new RuntimeException(e);
118 }
119 }
```

Example A.7

## Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service. IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing

IBM Corporation

North Castle Drive

Armonk, NY 10504-1785

U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing

Legal and Intellectual Property Law.

IBM Japan Ltd.

1623-14, Shimotsuruma, Yamato-shi

Kanagawa 242-8502 Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typograph-

ical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you. Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation  
Dept F6, Bldg 1  
294 Route 100  
Somers NY 10589-3216  
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources.

IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products

should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© (your company name) (year). Portions of this code are derived from IBM Corp. Sample Programs.

© Copyright IBM Corp. \_enter the year or years\_. All rights reserved.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

## Programming Interface Information

This publication documents intended programming interfaces that allow the customer to write programs to obtain the services of IBM Cúram Social Program Management.

## Trademarks

IBM, the IBM logo, and `ibm.com` are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at <http://www.ibm.com/legal/us/en/copytrade.shtml> .

Java and all Java-based trademarks and logos are registered trademarks of Oracle and/or its affiliates.

Other names may be trademarks of their respective owners. Other company, product, and service names may be trademarks or service marks of others.