


DB2 10 Utilities Update

Craig Friske
Senior Software Engineer
friske@us.ibm.com





Disclaimer

Information regarding potential future products is intended to outline our general product direction and it should not be relied on in making a purchasing decision. The information mentioned regarding potential future products is not a commitment, promise, or legal obligation to deliver any material, code or functionality. Information about potential future products may not be incorporated into any contract. The development, release, and timing of any future features or functionality described for our products remains at our sole discretion.

2 © 2013 IBM Corporation



DB2 V10 Utilities Update

- Utility enablement of core function
- REORG
- LOAD/UNLOAD
- COPY
- RECOVER
- RUNSTATS
- CHECK
- Other
- DB2 Sort
- Summary



Catalog restructuring

What

- DB2 managed data sets
- 1 table per PBG Table Space, Reordered Row Format
- Row Level Locking
- Eliminate links and hash chains

When and How (Performed by REORG during ENFM)

- Splitting SYSDBASE tables out into separate PBGs
- Special REORG with inline image copies

Why

- Exploit new function, easier management
 - Automatic DS allocation
 - Reduced contention between DDL/BIND/PREPARE/Utilities
 - Eliminate 64GB limit on SPT01 with inline LOBs, compression
 - Enables REORG SHRLEVEL CHANGE catalog & directory



Online Schema

- V9:


- Change of table or index space attributes can require an outage
 - Unload data
 - Drop table space
 - Recreate table space, tables, indexes, views
 - Re-establish authorization & RI
 - Reload data
 - Undo of changes requires same process

- V10:

- Execute ALTER statement (Sets AREOR state)
- Changes are cached and materialized on next table/index space-level REORG
 - SHRLEVEL REFERENCE or CHANGE
 - LOAD REPLACE will not materialize
- Pending changes can be dropped
- Some restrictions exist
 - Mixing DDL
 - PIT recovery



Online Schema - V10






Inline LOBs

- Inline whole or portion of LOB with base row
 - Universal Table Spaces (UTS) only with RRF
- Improved performance for small LOBs
 - Index support
- Enables compression for inlined LOB data
- Immediate ALTER
 - ALTER to increase size of inline portion sets AREO*
 - ALTER to decrease size of inline portion sets REORP
- Requires REORG to inline existing LOB data
 - SHRLEVEL REFERENCE or CHANGE supported



Hash Access To Data



Index Lookup/Scan

Select Balance From Accounts WHERE CustID = 1717



Hash Access

Select Balance From Accounts




Table Space Scan

Select CustID

From Accounts

WHERE Balance > 100000

Hash Access provides the ability to directly locate a row in a table without having to use an index

New AUTOESTSPACE option on REORG to manage & size hash table spaces



REORG – improved availability & removed restrictions

- Reduced need for REORG INDEX
 - List prefetch of index leaf pages based on non-leaf information for range scans
- Improved performance for part-level REORG with NPIs & REORG INDEX
 - Index list prefetch results in up to 60% elapsed time reduction
- Reduced need for REORG with compress on insert
- New REORGCLUSTERSENS RTS column
 - If no clustering-sensitive queries then avoid REORG to restore clustering
 - DSNACCOX enhanced
- REORG SHRLEVEL CHANGE for all cat/dir page sets
- REORG SHRLEVEL REFERENCE|CHANGE to remove REORP




REORG – improved availability & removed restrictions

- REORG SHRLEVEL CHANGE for LOBs
 - Independent of whether LOBs are LOG NO or LOG YES
 - No mapping table required
 - Base table space must be LOGGED
- Reduced application outage for REORG, especially with inline stats
 - Dedrain at beginning of UTILTERM phase, and update catalog after dedrain
- REORG support for multiple part ranges
 - REORG support retrofitted to V9 in PK87762
 - LISTDEF support is <u>not</u> retrofitted
 - E.g. REORG PART 1,45:71,500:503,4010
 - More efficient, improved availability, exploit parallelism
- REORG FORCE option to cancel blocking threads
 - FORCE ALL or just READERS
 - Same process as –CANCEL THREAD so requires thread to be active in DB2 for it to be cancelled
 - Threads cancelled on final drain



REORG – improved availability & removed restrictions

- New AUX keyword on REORG of partitioned base for improved LOB handling
 - Permit rows to flow between partitions
 - Allows REORG REBALANCE with LOB columns
 - Allows ALTER of LIMITKEY with LOB columns
 - Permits move of rows between parts on PBG REORG
 - Permits deletion of corresponding LOBs on REORG DISCARD
 - Default is AUX NO unless LOB objects required to complete REORG
 - No XML column support for classic partitioned or PBR
 - No mapping table change





Improve performance of part-level REORG with NPSIs

- New option SORTNPSI to defer shadow index build until all keys passed through sort
- New parm & zparm to govern
 - AUTO/ENABLE/DISABLE options
- Greater % partitions and data yields better ET.
- Result:
 - Customer test of REORG of 40% of partitions showed
 55% ET reduction & 22% CPU increase
 - DB2 Sort gives additional ET reduction & cuts CPU to less than original starting point
- Retrofit to DB2 9 PM55051



New solutions for performance & CPU reduction

LOAD/UNLOAD FORMAT INTERNAL

- PM19584, PM35284 (V9 retrofit)
- Unload and load data in true internal format (BRF or RRF)
- Avoid field processing
- UNLOAD customer measurement 80% CPU reduction, 80% ET reduction
- LOAD measurement 77% elapsed time, 56% CPU reduction

LOAD PRESORTED

- PM19584, PM35284 (V9 retrofit)
- Avoid sort overhead
- Up to 25% CPU reduction, 33% ET reduction depending on # of indexes
- Can combine with Utility Enhancement Tool PRESORT option



New solutions for performance & CPU reduction

LOAD INDEXDEFER

- LOAD bypasses the sort and build of the indexes during the LOAD phase, and leaves the deferred indexes in Rebuild Pending (RBDP) status
- Do REBUILD IX afterwards
- Potential savings in CPU time
- DEFER ALL, NPIs, or NONUNIQUE

INSERT (instead of LOAD)

 Deferred index build can be done by using REPAIR to set RBDP or PSRBDP on non-unique indexes before insert processing

LOAD/UNLOAD

Remove MAX_UTIL_PARTS zparm


- Create unique dictionary per part for LOAD <=254 parts
- Continue to create single dictionary if loading >254 parts

Improved performance for LOAD REPLACE with LOB data

Up to 50% elapsed time reduction

Spanned record support for LOB/XML data

- LOBs & XML documents inlined in SYSREC with base data
- Option in addition to FRVs
- Performance & portability



© 2013 IBM Corporation




COPY


Dataset-level Flashcopy support

- COPY, RECOVER, REORG, LOAD, REBUILD INDEX, REORG INDEX
- Significant CPU & elapsed time reduction for large page sets
- Create transaction-consistent image copies from SHRLEVEL CHANGE
 - FLASHCOPY CONSISTENT
- No incremental copy support

CPU time per object (z10)




Elapsed time per object (z10)





Flash Copy Image Copy (FCIC) Consistent



COPY TABLESPACE DB.TS SHRLEVEL CHANGE

FLASHCOPY CONSISTENT



Utility FlashCopy enhancements

- Additional zparms
 - Default settings FLASHCOPY (NO/YES) for COPY, LOAD, REORG, REBUILD
 - FAST REPLICATION: behavior with CHECK utilities (PREFERRED/REQUIRED)
 - FLASHCOPY PPRC: behavior in PPRC environment (NONE/PREFERRED/REQUIRED)
 - FAST RESTORE: behavior with BACKUP SYSTEM (NONE/PREFERRED/REQUIRED)
- Support for REORG AUX YES to FlashCopy aux objects
- Remove requirement for sequential inline copy for REORG

18 © 2013 IBM Corporation



COPY

Improved dataset management & performance

- CHANGELIMIT to use RTS to determine full vs. incremental copy
- Incremental copy will not allocate copy dataset unless pages changed
- Incremental image copy SYSUTILX logging reduction, particularly for MEMBER CLUSTER
 - Up to 70% logging rate reduction, 30-50% ET reduction, 6-14% CPU reduction

© 2013 IBM Corporation



RECOVER

- VERIFYSET option to fail PIT recovery if entire set not included
 - Base, LOB, XML, history not RI
- ENFORCE option to avoid CHKP/ACHKP when subset of set recovered
 - Improved performance due to avoidance of set checking (RI, aux)
- New BACKOUT YES option for point in time recovery
 - True rollback, not run of generated SQL undo statements
 - Requires COPY YES for indexes
 - LOB tables spaces supported
 - Restricted across mass delete



RECOVER BACKOUT YES

updates inserts checkpoint

REOCVER TABLESPACE DB.TS TO RBA

BACKOUT YES



RUNSTATS

- RUNSTATS PROFILE support for simplification
- Autonomic features through new stored procedures & catalog tables
- All catalog statistics columns made updatable
- RUNSTATS SHRLEVEL REFERENCE updates RTS
 - TOTALROWS & TOTALENTRIES columns
- zIIP-enablement for RUNSTATS
 - >90% offload in some cases, not for COLGROUP
- Auto sampling rates & page sampling instead of row sampling
 - TABLESAMPLE SYSTEM AUTO
 - Significant CPU & ET savings
 - E.g. ET: 9:53mins to 2:30mins, CPU: 263secs to 2 secs



CHECK

- CHECK utilities will no longer set CHKP/ACHKP
- CHECK SHRLEVEL CHANGE default changed to fail if Flashcopy not available
 - Zparm to govern
 - New UTIL_TEMP_STORCLAS zparm
 - Prevent CHECK utilities from impacting XRC/PPRC/GDPS & BACKUP SYSTEM
- CHECK DATA enhanced for XML support
 - Document validation
 - Schema validation
- Automated exception table processing for XML documents



Other

- Removed UTSERIAL lock for greater utility concurrency
- LISTDEF & TEMPLATE enhancements
 - LISTDEF support for multiple part ranges on REORG
 - LISTDEF support for DEFINED YES|NO|ALL
 - Improved utility performance since unnecessary to build & then discard structures for undefined objects
 - Default changed to DEFINED YES & empty lists result in RC4 (not RC8)
- REPORT RECOVERY support for SLBs
- SQL SELECT on SYSLGRNX



Other

REPAIR VERSIONS

- Will pick up system page information from any partition and keep it to be used by all partitions
- Useful when used with DSN1COPY of a table space after an table was altered to a new version, but not all partitions have updates or inserts after the ALTER.

DSNACCOX enhancements

- New RTS columns for SSD, other
- Enhanced to recommend REORG of hashed page sets based on overflow index ratio vs. total rows.

© 2013 IBM Corporation

V10 with DB2 Sort 1.3 Performance Benefits

Use of DB2 Sort 1.3 with DB2 utilities, as compared with running DB2 utilities alone, may see: *

- Reduction of Sort CPU usage
 - Up to 74% reduction on machines with zIIP engines
 - Up to 43% reduction on machines without zIIP engines
- Reduction of Utility CPU usage
 - Up to 49% reduction on machines with zIIP engines
 - Up to 25% reduction on machines without zIIP engines
- Reduction of Utility Elapsed Time
 - Up to 50% reduction on machines with zIIP engines
 - Up to 49% reduction on machines without zIIP engines

26 Aug. 17, 2012 © 2013 IBM Corporation



DB2 Sort 1.3 Beta - Customer Results

40

40

40

LOAD

REBUILD

REORG

Averages

74.7%

75.3%

54.9%

65.8%

39.8%

54.8%

50.9%

45.5%

Percent Improvement Using DB2 Sort						DB2 Sort 1.3
Object Size (Billion Bytes)	DB2 Utility	Sort CPU Time	Step CPU Time	Step Elapsed Time	DB2 Sort zIIP Offload %	Install Verification
8	LOAD	68.4%	27.0%	5.0%	52.2%	LPAR Name P1
8	REBUILD	71.6%	47.3%	10.0%	58.6%	Machine Type 2817 60
8	REORG	43.5%	39.6%	8.1%	26.6%	Operating System Level 1.1
10	LOAD	68.9%	27.1%	-3.0%	53.0%	DB2 Level
10	REBUILD	72.5%	47.6%	18.3%	59.4%	Number of Regular Processors
10	REORG	43.5%	39.5%	11.7%	27.6%	Number of zIIP Processors
25	LOAD	71.7%	38.0%	27.0%	52.8%	Amount of Memory 80
25	REBUILD	75.5%	54.4%	49.8%	58.6%	"Above the Line" Region 1,400
25	REORG	55.1%	50.8%	46.5%	29.7%	

56.8%

58.2%

31.3%

47.1%

Webcast: DB2 Sort – A Customer Experience and Technical Details Replay available at: http://goo.gl/bzngn

Average DB2 Sort % Improvement by Utility									
DB2 Utility	Sort CPU Time	Step CPU Time	Step Elapsed Time	Average % zIIP Offload					
LOAD	73.0%	37.2%	23.6%	53.7%					
REBUILD	75.0%	53.7%	47.3%	58.7%					
REORG	53.3%	49.2%	34.2%	28.8%					

28.1%

52.2%

31.0%

32.9%

Based on system reports of CPU utilization and elapsed time generated in the specific customer's environment and provided to IBM. Results obtained in other operating environments may differ significantly.



Summary

- Superior DB2 for z/OS support from beta, GA and beyond
- Over the last several releases IBM's has had a focus on performance, performance and performance –
 - Reducing cost of ownership with CPU, ET and zIIP offload
- Are you one of those customers unaware of best practices, and/or performance enhancements?
 - Are you still paying for two sets of utilities?
 - Utilities Management Workshop
 - Complimentary, ½ day, filled with tips & techniques to help you gain a better understanding of the features delivered in the utilities to help you get maximum performance
 - Contact your sales representative for more information







Thank You for Joining Us today!

Go to www.ibm.com/software/systemz/events/calendar to:

- ▶ Replay this teleconference
- Replay previously broadcast teleconferences
- ▶ Register for upcoming events