





Trademarks

The following are trademarks of the International Business Machines Corporation in the United States, other countries, or both. For a complete list of IBM trademarks please visit www.ibm.com/legal/copytrade.shtml

CICS	IBM Logo	S/390
DB2	IMS	Tivoli
E-business logo	iSeries	VM/ESA
ESCON	MVS	VSE/ESA
eServer	OS/390	WebSphere
FICON	pSeries	z/OS
IBM	Rational	zSeries
	RS/6000	System z

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both. Microsoft trademark guidelines

Intel is a registeredtrademarksof Intel Corporation in the United States and other countries.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.





Agenda

- Examine Federated ESB
- Discuss Some Criteria for ESB Choice
- Examine Some Case Studies




SOA: Unlock business value.

→ New software and services.



An ESB-centric view of the Logical Model



- Outside ESB
 - Business Logic (Application Services)
 - ESB does contain integration logic or connectivity logic
 - Criteria: semantics versus syntax; aspects
- Loosely coupled to ESB
 - Security and Management
 - Policy Decision Point outside the ESB
 - ESB can be Policy Enforcement Point

- Tightly coupled to ESB
 - Service Registry
 - Registry a Policy Decision Point for ESB
 - ESB a Policy Enforcement Point for Registry
 - But, Registry has a broader scope in SOA
- Tooling required for ESB
 - Development
 - Administration
 - Configures ESB via Service Registry


Described in a developerWorks article by Greg Flurry http://www-

128.ibm.com/developerworks/architecture/library/ar-esbpat1/



Advanced ESB Deployments – Federated ESB Topologies

➤ A single enterprise-wide ESB is rarely attainable — most businesses will have multiple ESBs across business units



➤ As business processes span organizational boundaries, businesses will need to enable integration across ESBs, which requires an SOA competency center with strong governance practices and support capabilities







Why Federated?


- Different "Domains" in Enterprise
 - Business and Funding Models are Distributed or Federated
 - Distributed geographical locations
 - Distributed Governance
 - Differing ESB requirements best met by different products
 - Acquisitions have existing ESB infrastructure in place
 - Decoupling to allow asynchronous development and deployment
- Best Practice Architecture aligned to business model
- Best Practice Isolate critical environments
- Yet ... enable Enterprise-level service reuse across domains





The Federated ESB at a glance

- Service Registry: WebSphere Services Registry and Repository
 - Store, access, and manage information to support a successful service-oriented architecture (SOA) implementation
- Service Management: ITCAM for SOA
 - Service management solution to monitor and log service performance
- Service Security
 - Tivoli Federated Identity Manager
 - User access management solution to provide federated SSO and deliver a centralized, pluggable identity trust management service
 - Tivoli Access Manager
 - User access management solution to provide web SSO and protect diverse set of web applications & resources
 - WebSphere DataPower XML Security Gateway XS40
 - XML threat protection and security enforcement
 - Tivoli Identity Manager
 - User management solution to provision & manage user identities throughout their lifecycle.







Key Criteria for ESB selection

- These are some considerations only
 - This is not an complete list of criteria to follow
 - It does not address all details

IMPORTANT

Sometimes the answer is not one product, but multiple products





Key Criteria for ESB selection


- Communication Protocols & Interaction Patterns
 - Critical (e.g., MQ, SOAP/HTTP, pub/sub)
 - Accommodated
 - "Associated" standards (e.g., WS-Security, headers)
 - APIs (e.g., JMS)
 - Adapters (e.g. SAP)
- Message Models & Meta-models
 - Critical (e.g., XSD, specific XML schema)
 - Accommodated
 - "Associated standards" (e.g., SOAP headers, attachments)
 - "Optimizing capabilities" (e.g., Weak-typing, validation)
 - Adapters (e.g. SAP IDOC)
- Mediation Flows and Mediation Patterns
 - Service virtualization
 - Conversion
 - Transformation engine(s)
 - Routing
 - Aspect oriented connectivity
 - Management integration
 - Security integration
 - Logging, monitoring, auditing integration
 - Breadth of pre-built mediation primitives
 - · Custom mediation capability and Programming model
 - Weak-typing
 - Support for pre-built mediation flows (templates)
 - Metadata driven





Key Criteria for ESB selection (cont.)

- Qualities of service
 - Heterogeneous transaction coordination
 - Reliable/assured delivery
 - Performance
 - Message size
 - Throughput
 - Scalability
 - Reliability
 - Availability
- Non-functional
 - Affinity to SOA environment (e.g., WebSphere Process Server)
 - Affinity to IT environment (e.g. J2EE application server)
 - Development tooling capabilities and affinity to current tools
 - Configuration and administration tooling capabilities
 - Existing and required skill set (e.g., J2EE skills)
 - Product maturity and comfort level with leading edge products
 - Price and total cost of ownership





Decision Guide - When to use each product







ESB offerings from IBM WebSphere Each delivers a common set of ESB capabilities



- ESB offerings from IBM WebSphere
- Leading web services standards
- Transformation of First class interoperability between ESB products
 - Mission-critical qualities of service

Connectivity via common protocols

Mediations to enable

common patterns








Decision Guide – When to use WebSphere ESB?


- You use WebSphere Application Server
 - Your team has skills with WAS Administration and Java coding
- You are now or planning on developing business process using WebSphere Process Server
 - WebSphere ESB and WPS have common tooling, programming model, and runtime
- You are integrating with ISV business applications hosted on WAS or 3rd party solutions which extend and support WAS
- You are focused on standards based interactions using XML, SOAP, and WS*
- You want to mediate between Web services and existing systems using JMS and WebSphere JCA Adapters
- Reliability and extensive transactional support are key requirements
- You want to minimize your server investment by co-hosting WebSphere services and ESB in one application server





Decision Guide – When to use WMB v6?

- You are currently using WebSphere MQ or WebSphere Message Broker
 - Migrate to V6; implement ESB Patterns
 - Leverage existing WMB skills
- You have extensive heterogeneous infrastructures, including both standard and non-standards-based applications, protocols, and data formats
 - You have extensive MQ skills and infrastructure
 - You are using Industry formats such as SWIFT, EDI, HL7
 - You are integrating core z assets (e.g. connecting to CICS COBOL applications)
- You are implementing a wide range of messaging and integration patterns
 - Examples include event processing, message splitting, aggregation
- You need extensive pre-built mediation support
- You have complex transformation needs
- Reliability and extensive transactional support are key requirements
- To achieve high performance with horizontal and vertical scaling






Decision Guide - When to use DataPower XI50?

- Ease of use is a pre-dominant consideration
 - Simple experience of drop-in installation and admin-based configuration with no or minimal development required
- You are transforming between XML-and-XML or XML-and-any other format
- Your interaction patterns are relatively simple
- Your mediation requirements are met by the existing DP mediations and minimal extensibility is needed
- You are using XML-based or WS-Security extensively
- You require use of advanced Web services standards
- You need to minimize message latency when adding an ESB layer
- You are doing extensive XML processing combined with high performance reqs
- Your ESB must be in production very quickly

Note: When using an ESB Gateway pattern, use DataPower XS40

All XML interaction with 3rd parties should go through XS40 for XML threat protection






Generic ESB Case Studies





Case 1 – Adapting Enterprise applications to web services







Case 1 Description

- Customer environment
 - This customer is leading adopter of technology. Comfortable with sophisticated solutions
 - WebSphere Application Server customer
- Business Requirements
 - The customer wants to provide web service access to functionality in an Enterprise Information System such as SAP R/3, PeopleSoft, or Oracle Financials
 - Intranet environment doesn't require complex security considerations
 - The integration is based on message exchange/data replication scenarios there is no business process or data synchronization between clients and EIS systems
 - Support moderate volume of requests
- Technical Requirements
 - The targeted integration is one-to-one, i.e., one ESB virtual service maps to one EIS application, although multiple EISs can be exposed as web services at the same time
 - Data transformation should use XSLT; development tooling important
 - Log the messages as they flow through the hub asynchronously to a file
- Architecture Decisions
 - J2EE environment preferred
 - Use available adapter product to simplify development






Case 1 Analysis

- Infrastructure Pattern > ESB
 - Service virtualization
 - Domain isolation unimportant
- ESB Product selection > WebSphere ESB
 - Transport Protocols
 - JCA adapter supported
 - SOAP/HTTP
 - Synchronous Request/response sufficient
 - Message models
 - XML metamodel desired
 - Content model supported
 - Mediation flows
 - XLST transformation and supporting tooling
 - QoS and Non-functional requirements
 - J2EE foundation (WebSphere Application Server)
 - XSLT transformation skills available
 - Adequate throughput and/or response time
 - Leading edge adopter





Case 2: Connectivity between heterogeneous requesters and providers (Multi-protocol Exchange)







Case 2 Description

- Customer environment
 - Customer is a leading adopter of technology. Comfortable with sophisticated solutions
- Business Requirements
 - Any provider must be accessible via multiple heterogeneous requesters
 - Support moderate volume of requests
 - Intranet environment does not require complex security considerations
 - Global transactions across multiple heterogeneous transaction managers
- Technical Requirements
 - ESB must support
 - Communication protocol conversion, but not adapters
 - Flexible data model conversion, with acceptable performance and adequate tooling
 - Enterprise class persistent messaging backbone
- Architecture Decisions
 - Canonical data model(s) used in ESB
 - Consumers and providers must adapt to the service definition supported by the ESB





Case 2 Analysis

- Infrastructure Pattern > ESB
 - Significant service virtualization
- ESB Product selection > Message Broker
 - Transport Protocols
 - Multiple protocols
 - Synchronous and asynchronous Request/response
 - MQ provides enterprise class persistent messaging backbone
 - Message models
 - Multiple built-in message metamodels
 - Content models supported
 - Mediation patterns
 - Significant protocol conversion capability
 - Significant transformation capability with supporting tooling
 - Supports advanced correlation of asynchronous request/response
 - Extensive runtime configuration options
 - QoS and Non-functional requirements
 - Global transactions across multiple heterogeneous transaction managers
 - Mature product which supports throughput and/or response time
 - Sophisticated transformation skills available





Case 3: SOA Security & Integration

Challenge


- Difficult to modify home-grown custom software application
- Adopt SOA to enable an online Web service to greatly increase revenues, while reducing costs & increasing the security of the service

Solution

- Deployed WebSphere DataPower Integration Appliance XI50 for SOA security and to transform & route messages
- Acts as a gateway by forwarding messages to System z mainframe to be checked against database
- Integrates ACORD XML services with existing WebSphere MQ
- Integrates SchemaTron validate to generate XSLT to load the generated XSLT onto the XI50 for runtime execution & filtering

Benefits

- More than 10 times faster than internally developed custom software
- Fraud-protection processes are faster, more secure & less error prone
- Web service allows MIB to offer more services to customers while reducing overhead cost




- WebSphere DataPower Integration Appliance XI50
- WebSphere MQ
- System z





Client 1 Example of Federated ESB





PUTS YOU IN A CONFERENCE ROOM. PUTS YOU AT THE SMART SOA CONFERENCE IN VEGAS.



SIMPACT Get ready for the 2nd annual SOA conference. The defining SOA event is getting Smarter. Get these days covered: April 6 – 11, 2008.

Join BM and industry leaders at the MGM Grand in Las Vegas. Impact 2008 brings together real customer success stories, industry expertise and WebSphere technical training. Whether your business needs are simple or advanced, it's all the know-how you need to stop talking about enabling business flexibility and start doing it with Smart SOA. This five-day educational conference brings together the most cutting-edge information that you can put to work right away.

Customize your event experience by choosing tracks, technical labs, detailed discussion groups and seriously Vegas-worthy rock Register Now and save \$150. >

Register online at

lans com/so afragoust 2008

STOP TALKING START DOING











Federated ESB Defined

- The Enterprise Service Bus consists of all the domain service buses, and the backbone bus if needed
- Service messages flow across more than one bus
- Majority of service requests to providers are within a domain and are mediated by a single domain service bus
- Some shared services may be provided by a domain for use by other domains
- Some consumers in one domain may request services provided by another domain
- All service requests between domains maybe routed by a 'backbone bus'
 - Common aspects can be applied
- Enterprise services may be available directly on the backbone bus
- Also federated
 - Service registry
 - Security
 - management

