

# Why WebSphere Application Server on System z

Bill Jones wgjones@us.ibm.com



IBM Systems & Technology Group IBM Software Group

© 2007 IBM Corporation



# Topics for today's discussion


- The WebSphere Application Server
- Why WAS on z/OS
- WAS on Linux for System z



- WebSphere Extended Deployment Overview
- WebSphere Portal Overview



# A Complete WebSphere Business Services Solution Stack with a cumulative product packaging approach





# SOA requires a robust, secure deployment environment



### IBM WebSphere Application Server V6

The Industry's leading application server for building, running & managing business-critical application services

- Build and deploy J2EE applications quickly and with ease, focusing on business logic while shielding applications from platform specifics
- **Run** services in the most secure, scalable, highly available environment
- Reuse & create Java assets and extend their reach to existing applications and data
- Manage applications effortlessly
- **Grow** as needs evolve, leveraging core skills and assets





### WebSphere Application Server v6.1

### Powering your SOA for the Ultimate in Business Flexibility



### **Standards Based and Open**

- J2SE 5.0
- JDK 5.0
- Web services standards
  - WS-Interop Basic Security
  - WS-Notification
  - WS-Business Activity
  - WS-Resource Framework
- JSR168 Portlets
- JSR116 Session Initiation Protocol (SIP) Servlets

### **Platform Capability**

- Performance Enhancements
- Proxy Server Enhancements
- Integrated User Registry
- Government Standards

### Consumability

- Application Server Toolkit, including automation tools and Command Assistance
- z Profile Management Tool
- Simplified Administration
- Simplified SSL Key/Certificate Management
- Security enhancements
- Virtual Member Manager
- IHS administration enhancements
- Integrated Support Assistant
- Platform Messaging Enhancements





## WAS v6.1 Feature Packs

Bringing State-of-the-Art Technology To Market Quickly!



### **Web Services**

- · 2Q07 GA, all platforms
- Delivery of Reliable Asynchronous Messaging Profile as optional component for WAS 6.1
- Provides secure, reliable business process integration with those of customers and suppliers allowing interactions to span long durations
- Java and SCA programming models
- Community Centric Profiles delivered in WAS 7.0

### **EJB 3.0**

- 4Q07 GA, all platforms
- Provides support for EJB 3.0 and Java Persistence API (JPA) on WebSphere Application Server 6.1
- Aimed at simplifying EJB development
  - Annotations provide component metadata in code
  - No need to create XML EJB deployment descriptors
- JPA is a simple and powerful persistence framework
  - Relational databases represented using "plain old Java objects" (POJOs)
- EJB 3.0 provides a standards based POJO alternative to frameworks



### **Future WAS Feature Packs**

Bringing State-of-the-Art Technology To Market Quickly!



### Web 2.0

- 1Q08
- Web 2.0 to SOA Connectivity For enabling connectivity from Ajax (Asynchronous JavaScript and XML) clients and mash-ups to external web services, internal SOA services, and JEE assets. Extends enterprise data to customers and partners through web feeds.
- Ajax Messaging For connecting Ajax clients to real-time updated data like stock quotes or instant messaging.
- Ajax Development Toolkit Best-in-class Ajax development toolkit for WebSphere Application Server based on Dojo (dojotoolkit.org) with IBM extensions.

### SOA

- 2H08 GA, all platforms
- Apache Tuscany code base on WAS release after 6.1
- SCA
  - POJO (Java Object) service component implementations including support for annotations
  - Intra and Inter-composite asynchronous capability
  - Recursive composition model support
  - SCA bindings include the Web Services binding, SCA default binding, JMS Binding, and EJB binding
  - HTTPSession Scoped components
  - Sample applications
  - Exploitation of Web Services feature pack functionality

#### SDO

- Dynamic data API support
- Static data API support, including code generation capabilities
- Some Helper classes implemented (XMLHelper, XSDHelper, DataFactory, CopyHelper, EqualityHelper, DataHelper, TypeHelper)
- Partial ChangeSummary support
- Java serialization of DataObject
- SDO metadata configuration support
- SCA and SDO samples
- Whitepapers, BLOGs to detail IBM's plans for SCA and SDO within an SOA environment
- Includes SOA Core from WPS 6.0 (for interoperability)




# What's New for WebSphere Application Server for z/OS

### Reduced cost of ownership

- Architected on SOA infrastructure & principles
  - Fully J2EE 1.4 platform certified
  - Leading Web Services support
  - WebSphere Rapid Development & Deployment
- zAAP enabled (System z9, z990, z890)
  - Run Java applications next to mission critical data
  - Lower the cost of computing for WebSphere Application Server (and all z/OS based Java applications)

### Platform optimization / brand dedication


- Common code infrastructure
  - Administration skills shared between platforms
  - Develop anywhere, run on WebSphere Application Server for z/OS
- Native OS support; RRS, RACF, zWLM, Parallel Sysplex
- Optimization features designed to provide security and data interaction, including support for the traditional mainframe SW – CICS, IMS, DB2
- Enhanced QoS within the product, complementary to QoS of the platform
  - · High availability manager ARM





# A Typical Distributed Application Server Architecture

9



SOA and System z © 2007 IBM Corporation



# **Typical Application Servers**

- How do you scale the Application?
  - Add more boxes
- How do you scale the Database?
  - Add more boxes and replicate
- How do you handle failover?
  - Add more boxes
- How is an application highly available?
  - Install the application on many boxes
- How are requests prioritized?
  - Add more boxes to handle Gold Customers

- How do you route work evenly to multiple boxes?
  - Round-robin inbound work
- How do you ensure that your servers are evenly utilized?
  - Best guess based on Application Knowledge


# "Add More Boxes"

- How do I handle peak loads?
  - Keep enough boxes available to handle the max possible load
- What about when I don't have peak loads?
  - The Servers will be underutilized



**WebSphere Application Server for z/OS** 

Server Architecture



A WAS z/OS application server is comprised of multiple processes.


The Controller executes authorized, robust system code and acts as a control center for WAS

# Application code is executed within the Servant Process.

- Theoretically, Servant processes are clones of each other.
- They can be terminated or created without interrupting the overall end-user experience
- Servant processes can be dynamically created or terminated by z/OS WLM (Workload Manager). The decisions can be based on user-defined service policies.



# **WebSphere Application Server for z/OS** *Reliability*



12


If a servant process executing application code is terminated, the application can still be served by any of the other servants within WAS

z/OS WLM detects the terminated servant and dynamically restarts it



WebSphere Application Server for z/OS

Scalability



# WAS z/OS allows you to define a minimum and maximum number of servant processes

Workload can be unpredictable, and spikes in demand can demand application resources


When work begins to queue up waiting for application server resources, z/OS WLM takes notice and acts

Once the peak has subsided, z/OS WLM balances resources, so that it only maintains the servants needed to handle the incoming demand



WebSphere Application Server for z/OS

**Availability** 



For true high availability, the Controllers need to be clustered

If a controller fails, the servants continue to process their in-flight work, but are not able to take additional work

The Sysplex Distributor reroutes work while ARM (Automatic Restart Manager) restarts the controller

All this is done without manual intervention



# WebSphere z/OS Application Server

- How do you scale the Application?
  - Increase the Max Servants per Server
- How do you scale the Database?
  - Use a Shared DB2 Database
- How do you handle failover?
  - Use ARM for Controllers. Servants are handled via WLM
- How is an application highly available?
  - Servants are restartable via WLM. Controllers are recoverable via ARM
- How are requests prioritized?
  - WLM
- How do I handle peak loads?
  - WLM spawns servants
- What about when I don't have peak loads?
  - WLM eliminates excess Servants, freeing up system resources for other work


- How do you route work evenly to multiple Servers?
  - Sysplex Distributor routes work to specific LPAR's based on WLM metrics for resource utilization
- How do you ensure that your servers are evenly utilized?
  - WLM Metrics are used to decide where to route work to


WAS integration with z/OS System Facilities provides a more robust, efficient, scalable environment




### **Platform Matters**

### **WebSphere Deployment options**







Typical distributed deployment with:

- Network layer between each tier
- Normal access to z/OS DB limited by the network overhead and processor speed

Typical distributed deployment on the mainframe with:

- Ability to use hipersockets for faster DB transactions
- Normal DB access

Unique configuration only for WAS z/OS with:

- Memory to memory transfer rates with DB (Type 2 connections) for high volume transfer rates
- Remove network layer and overhead



# **Application Characteristics for Platform Deployments:** System p and System z

Compute Intensive

Small working set

Raw throughput

Predictable

Homogenous

Simple transactions

Heavy I/O – mixed workload

Large working set


High ROI

Unpredictable volumes

Access to core mainframe assets


Complex transactions

**Business** critical



pSeries/System p


Considering application characteristics is only one factor when deciding where to run your business applications, but knowing what your platform does best is critical



zSeries/System z



# What happens when logic and data are separated?




- Objects are converted into byte array at the requester (CPU, time)
- Network latency is incurred (time)
- More latency is incurred as service is dispatched (CPU, time)
- Objects are reconstructed at the server (CPU, time)
- Requested data is retrieved
- Objects are converted into byte array at the server (CPU, time)
- Network latency is incurred (time)
- Objects are reconstructed at the requester (CPU, time)

### Some other considerations:

- Number of interactions between the tiers, volume of data passed
- No local optimizations of the access protocol
- Effect on server memory requirements due to locking



# The value of proximity: transportation industry POC



- Effect of refactoring business logic to be co-resident with z/OS data:
  - Average CPU time per EJB transaction was reduced by over 77%
  - Number of bytes of data transferred per EJB transaction was reduced by 99%
     http://www.ibm.com/support/techdocs, Optimizing WebSphere Performance on DB2, WP100558



## Specialized Hardware to Extend SOA Capabilities on System z

Customize your mainframe for your specific workload needs

### Java on the mainframe

### **zAAPs**

- Dedicated Java offload engine
- Average Java MIPs offload rates of 60%
- No development impact to Java apps
- z/OS XML System Services offload

### Linux on the mainframe

### **IFLs**

- Dedicated Linux offload engine
- Cost effective processor for Linux workloads
- LPAR mode specific

### Data serving on the mainframe

### **zIIPs**

- Add value for DB2 workloads, including:
  - · Enterprise applications
  - · Data warehousing apps
  - DB2 z/OS V8 utilities
  - IPSec
  - z/OS XML System Services offload


### **CPU intensive XML offload**

### **DataPower**

- ESB functionality in the hardware
- Any-to-any message transformation
- Web Service security and management, content-based routing, filtering



# Sample IBM System z<sup>™</sup> Configuration



SOA and System z



# WebSphere on System z Options

A self managing server environment with the versatility and power to help integrate your business

# Linux deployment: Distributed Consolidation

- Large number of smaller appls from under utilized distributed servers
- Implement multi-tier applications in a single zSeries exploiting hipersockets
- ✓ Lower TCO with IFLs
- Speedy deployment
- ✓ Less stringent requirements
- ✓ Alignment with distributed WebSphere family
- ✓ Unrivaled virtualization with centralized management
- ✓ No z/OS Skills
- Web Serving infrastructure consolidation
- Presentation Services
- Flexible, virtualized Test/Migration/Prototyping Platform
- √ J2EE applications not available on z/OS: BEA WebLogic, WebSphere Commerce

Perfect for the System z customer requiring speedy deployment with less stringent QoS/integration requirements

# z/OS deployment: Integration Option

- Highest QoS production environment
- ✓ Lower TCO with zAAPs
- ✓ Full exploitation of System z and z/OS
- ✓ Tight integration with DB2, CICS, IMS
- Service level agreement management
- Dynamic load balancing
- Strict security requirements
- Highest availability and reliability
- Disaster recovery and autonomic function
- ✓ Dynamic I/O configuration
- ✓ Storage management
- Capability/tools to modernize and integrate existing zSeries applications
- Migrate applications from another platform that require additional scalability and integration

Perfect for the System z customer requiring high QoS and significant integration with CICS, IMS or DB2



# Linux on System z: Linux is Linux... but...

- Why do customers deploy to Linux on System z?
  - Proximity to data
  - Operational simplification
  - Business resiliency
  - Security
- What are they doing?
  - 68%: Application Serving for z/OS (hosting multi-tier solutions on System z)
    - z/OS as data serving back-end
    - Linux on System z hosts all other tiers (application servers, edge servers, etc.)
  - Other multi-tier solutions that benefit from System z QoS and/or virtualization
    - 10%: Data serving workloads not appropriate for DB2 on z/OS
    - 10%: Messaging, collaboration and groupware services
    - 10%: Consolidation of infrastructure and network edge services
    - 2%: Application development and deployment leveraging virtualization services
- Utility Serving for z/OS
  - Linux utility "appliance" hosting for z/OS, centrally provisioned and managed



# WebSphere Extended Deployment for z/OS

- ✓ Software to virtualize, control, and turbo-charge your application infrastructure
- ✓ Available as a single integrated package or as 3 individual components

### **Operations Optimization**

# Resource Management and Optimization

On Demand Router
Dynamic Clusters
Service Policy, Health Policy
Application Placement, Flow Control
Workload Management
Application Edition Manager
Visualization, Virtualization

### **Compute Grid**

### **Innovative Application Patterns:**

Transactional Batch
Compute Intensive
Job Scheduling

### **Data Grid**

### **Data Fabrics & Caching:**

Partitioning Facility
ObjectGrid

#### **Customer Scenarios:**

- Common code base for OLTP and Batch
- J2EE / WAS batch programming
- Integrated routing between z/OS and XD
- Application edition management for streamlined deployment and testing






# WebSphere Extended Deployment Operations Optimization

### On Demand Router (ODR)

✓ Provides an intelligent proxy for workload routing within and across LPARs





# WebSphere XD Operations Optimization

### **Application Edition Manager**

 Provides the facility for multiple versions of production applications, including operational support for piloting, staging, and rollback

#### **Visualization**

 Customizable real-time charts display the success of your applications

Runtime maps enable at-a-glance assessments of the components of your application server cells

### **Health Policy**


 Proactively seeks software maladies, such as hung servers, excessive memory consumption, storm drain situations, and addresses them

#### **Service Policies**

- Enables granular classification of application workloads which is addressed within the ODR
- Value is compounded by z/OS WLM which manages XD application workloads, as well as all System z workloads

### **Application Lazy Start**

 Deactivated applications are lazily started when requests come in





# WebSphere XD Compute Grid

### **WebSphere Batch environment**

- ✓ Designed for structured J2EE batch workloads
- Scheduling agent to ensure batch workloads are disseminated to garner unused WebSphere resources
- ✓ Service policy support to differentiate workload importance

#### XD-Batch End-to-End flow operation J2EE J2EE user/operator actions Executor Scheduler actions (LRS) (LREE) e.g. submit invoke add/delete status **xJCL** job record Job J2EE apps DB




# WebSphere XD Data Grid


### **Partitioning Facility**

- Ability to break applications into partitions which enable smart, consistent caching at a partition level
- ✓ Highly available application partitions
- ✓ Provides reduced lock contention on shared DB2 resources.

### **ObjectGrid**

 Creates a caching fabric for shared object data which reduces unproductive backend datasource transactions







### And it's Not Just for WebSphere Application Server...



WebSphere XD virtualizes, optimizes and manages the most application servers & environments in the industry







### WXD v6.1 Information Links:

Announcement IBM WebSphere Extended Deployment V6.1

IBM Offering Information (United States)


- IBM WebSphere Extended Deployment V6.1 <u>Software</u> Announcement 207-088 PDF File
- IBM WebSphere Extended Deployment for z/OS, V6.1 Software Announcement 207-087 PDF File
  - IBM WebSphere Extended Deployment V6.1 Product Information
- IBM WebSphere Extended Deployment Product Overview <a href="http://www.ibm.com/software/webservers/appserv/exte">http://www.ibm.com/software/webservers/appserv/exte</a>
- IBM WebSphere Extended Deployment Features and Benefits <a href="http://www.ibm.com/software/webservers/appserv/exte">http://www.ibm.com/software/webservers/appserv/exte</a> nd/features/
- IBM WebSphere Extended Deployment Product Documentation <a href="http://www.ibm.com/software/webservers/appserv/exte">http://www.ibm.com/software/webservers/appserv/exte</a>
   nd/library/

- IBM WebSphere Extended Deployment InfoCenter <a href="http://publib.boulder.ibm.com/infocenter/wxdinfo/v6r1/index.jsp">http://publib.boulder.ibm.com/infocenter/wxdinfo/v6r1/index.jsp</a>
- Redbook: Best Practices for Implementing WebSphere Extended Deployment, SG24-7343 <a href="http://www.redbooks.ibm.com/redbooks/pdfs/sg247343.pdf">http://www.redbooks.ibm.com/redbooks/pdfs/sg247343.pdf</a>
- developerWorks: Extended Deployment <u>http://www.ibm.com/developerworks/webs</u> phere/zones/xd/
- IBM WebSphere Application Server Network Deployment Product Overview <a href="http://www.ibm.com/software/webservers/appserv/was/network/">http://www.ibm.com/software/webservers/appserv/was/network/</a>
- The IBM Solution Assurance Library (Search for Extended Deployment) <a href="http://w3.ibm.com/support/assure/assur30i">http://w3.ibm.com/support/assure/assur30i</a>
   .nsf/Web/SA




# Today, many people work like this...

Applications and information are delivered in silos





# ...but desire an integrated work environment





# IBM WebSphere Portal for System z

Portal is the Front-End of SOA

### Helping Organizations to Rapidly Respond to Change

- Integrates the applications, transactions & data in SOA environment to the desktop to make better business decisions
- Easy to use Portlet development via Portlet Factory



- Mission critical applications, transactions, data on mainframe
- Portal on System z gets the user closer to these processes resulting in the QOS that the platform is known for....higher performance & bandwidth, better response time, high availability, reliability, workload management, highly secure, efficient
- Tight integration with CICS, IMS, DB2, MQ, WebSphere Application Server, WebSphere Portal
  - Support for zAAP on z/OS and IFL on Linux for System z
  - And the ability to integrate with .NET and the distributed environment
     The characteristics that a mission critical PORTAL require are the same characteristics that z Platform was designed for...









# Enterprise Portals Represent a Compelling *First* SOA Project

"Through 2007, an enterprise portal will be the first major application of SOA concepts for more than 50 percent of enterprises (0.6 probability)."

Analytical source: Gene Phifer, Gartner Research; Publication Date: 12 October 2005/ID Number: G00132930 Gartner 10/12/05



# System z options for WebSphere Portal



### Portal MultiPlatform V6

J2EE 1.4 & Web Services
Common code base
Passive benefits from zSeries



### Portal for z/OS V6

J2EE 1.4 & Web Services
Unique infrastructure
Active exploitation of zSeries-z/OS



IBM WebSphere Portal Enable/Server/Extend for Linux on System z, Version 6.0

IBM WebSphere Portal Enable for z/OS, Version 6.0

- Both adhere to the WebSphere Portal development model and tools
- Both adhere to the WebSphere Portal systems management/admin model and tools
- Each provides a unique value-add in the deployment of WebSphere Portal Portlets
  - The Linux value proposition: simplify and optimize existing infrastructure for end-to-end WebSphere applications with the goal of reducing costs and complexities.
  - The z/OS value proposition: provide highest possible Qualities of Service (QoS) in an efficient, cost-effective manner, while leveraging the advantages of proximity of data/transactions/applications.
  - Special optimizations are available when Linux and z/OS interact on the same server.



### IBM Systems & Technology Group and IBM Software Group



### **Trademarks**

The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

AIX\* S/390\* ES/9000\* Language Environment\* AnvNet\* FICON\* Lotus\* Sysplex Timer\* CICS\* FlashCopy\* Multiprise\* System Storage DB2\* GDPS\* Notes\* System z **DB2 Connect** Geographically Dispersed Parallel Sysplex OMEGAMON\* System z9 DB2 Universal Database **HiperSockets** On demand business logo SystemPac\* OS/390\* Tivoli\* developerWorks\* Hiperspace DFSMSdfp HyperSwap Parallel Sysplex\* TotalStorage\* **DFSMSdss** IBM\* Virtualization Engine PR/SM **DFSMShsm** IBM eServer Processor Resource/ Systems Manager VTAM\* **DFSMSrmm** WebSphere\* IBM e(logo)server\* pSeries\*

**DFSORT** IBM logo\* RACF\* z/Architecture Domino\* IMS RAMAC\* z/OS\* z/VM\* DRDA\* Infoprint\* Redbook **RMF** Enterprise Storage Server\* IP PrintWay zSeries'

ESCON\* iSeries

#### The following are trademarks or registered trademarks of other companies.

Intel is a trademark of the Intel Corporation in the United States and other countries.

Linux is a trademark of Linux Torvalds in the United States, other countries, or both.

Java and all Java-related trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc., in the United States and other countries.

Microsoft, Windows and Windows NT are registered trademarks of Microsoft Corporation.

UNIX is a registered trademark of The Open Group in the United States and other countries.

\* All other products may be trademarks or registered trademarks of their respective companies.

#### Notes:

Performance is in Internal Throughput Rate (ITR) ratio based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput improvements equivalent to the performance ratios stated here.

IBM hardware products are manufactured from new parts, or new and serviceable used parts. Regardless, our warranty terms apply.

All customer examples cited or described in this presentation are presented as illustrations of the manner in which some customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics will vary depending on individual customer configurations and conditions.

This publication was produced in the United States. IBM may not offer the products, services or features discussed in this document in other countries, and the information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area.

All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Information about non-IBM products is obtained from the manufacturers of those products or their published announcements. IBM has not tested those products and cannot confirm the performance, compatibility, or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Prices subject to change without notice. Contact your IBM representative or Business Partner for the most current pricing in your geography.

This presentation and the claims outlined in it were reviewed for compliance with US law. Adaptations of these claims for use in other geographies must be reviewed by the local country counsel for compliance with local laws.

<sup>\*</sup> Registered trademarks of IBM Corporation