# Effective Planning for Disasters "Lessons learned from real events"

**Presented by:-**


**George Pope** 

Duelbee Continuity Manager




**Bradford** 


#### A real disaster



### Lusitania medal - front



# Lusitania medal - reverse



?

- Unidentified victims buried at Queenstown, Cork, Ireland
- Similar medal found by myself, whilst metal detecting, in a field at Queensbury, West Yorkshire
- I have the medal with me if anyone would like to look at it over lunch

#### Local interest & facts

- Lusitania built for Cunard at John Brown Shipyards, Clydebank, Glasgow.
- Launched on 7<sup>th</sup> June 1906
- Sunk off the Old Head of Kinsale, Ireland on 7<sup>th</sup> may 1915
- Lessons learnt many probably!!

#### massacre





Generator housing



# Recovery Communications

### Gold - Strategic

- Incident Management Team (IMT)
- Supported by an Admin & Press & PR Team

#### Silver - Tactical

Affected site - recovery Team

## Bronze - Operational

 DR site recovery Teams both operations and IT

#### Staff / Customer Comms.

- Staff Emergency Helpline (swipe card style)
- Customers Contact Centre & switchboard numbers can be switched to

customers will not notice change over

# IBM Recovery Centre - Leeds



# Typical -



# 2<sup>nd</sup> Generator in place



#### Caveats

- Crisis management is only part of an efficient Business Continuity programme
- Don't try planning for all eventualities you will fail be generic
- Take your time could be 2 years+ before you feel confident
- Spend money & time commit resources; train staff, management and executives
- Exercise exercise exercise

\*Department of Trade Survey 6

- \*Of the 60% of UK firms that had BC/DR Plans <50% had conducted live tests involving staff in the past year
- Generic quote "Many companies base their recovery plans on misconceptions and false assumptions"

# Lessons learnt

- Having a disaster on St Valentine's night is not recommended
- There was no audible alarm in the Security box for generator fail
- Documents for back up routines, server builds and PC images were outdated
- State of licenses for running live services at the DR site was unclear
- Switch on lights in a room to see if there is power on