

Compagnie IBM France 1, place J.B. Clément 93881 Noisy Le Grand Cedex

VisualAge Pacbase Monthly Letter

August 2000

Société anonyme au capital de 545 315 947 € Siège social : Tour Descartes - La Défense 5 2, avenue Gambetta - 92400 Courbevoie 552 118 465 R.C.S. Nanterre - Code NAF 300C Informations sur le site :

Siret: 552 118 465 02885

Tél. + 33 1 40 77 20 00 - Fax + 33 1 40 77

Table of Contents

| NEW AVAILABILITIES Softwares | 3 |
|--------------------------------|----------|
| VISUALAGE PACBASE 2.5 V14 | 4 |
| CORRECTED BUGS | 5 |
| Compatibility | 5 |
| Installation and procedures | 5 |
| Client/Server system develop. | 5 |
| On-Line System Development | 5 |
| Pacbase Access Facility | 6 |
| Personalized Document. Manager | 6 |
| Batch Procedures | 6 |
| Miscellaneous : Online | 6 |
| Miscellaneous | 7 |

New Availabilities

Softwares

| REFERENCE | LABEL |
|------------------|---------------------------------------|
| | |
| PB 250 COS V14 X | VisualAge Pacbase 2.5 - IBM MVS, CICS |
| PB 250 IMS V14 A | VisualAge Pacbase 2.5 - IBM MVS, IMS |
| PB 250 IMS V14 F | VisualAge Pacbase 2.5 - IBM MVS, IMS |

VISUALAGE PACBASE 2.5 V14

CORRECTED BUGS

Compatibility

Unisys 1100 help screen: in F4040 sub-function, D\$CLCONV command added before D\$PUTSCR command.

(C: 20618 - All Platforms)

Unisys 1100 help screen: in F4040 sub-function, D\$CLCONV command added before D\$PUTSCR command execution.

This is now corrected.

Installation and procedures

Installation PB 2.5 V13: skeleton SC in french Corrected. (C: 20606 - All Platforms)

Installation PB 2.5 V13: generated batch programs had comments in french. Corrected.

Client/Server system develop.

Client component: Display key length doubled, if Data Element is Logical View key (C: 20433 - AII Platforms)

Client component, Business Component called in display use:

The length of the key declared in LINKAGE had a doubled length if it is a group Data Element used as identifier (type 'U').

This is now corrected.

On-Line System Development

Unisys 1100 help screen: in F4040 sub-function, D\$CLCONV command added before D\$PUTSCR command.

(C: 20618 - All Platforms)

Unisys 1100 help screen: in F4040 sub-function, D\$CLCONV command added before D\$PUTSCR command execution.

This is now corrected.

Pacbase Access Facility

Possibility to enter VRES = SPACE, in the SEGDEF table (... for 2.5 release) (C: 19823 - All Platforms)

It is possible, again, to enter VRES = SPACE. The VRES clause = variable-zone equals to blank, will now sort a list by segment code, not by the value entered in the "structure code" zone of the definition.

PAF: return code when there is no INIT and/or QUIT statement (C: 20258 - All Platforms)

From now on, the return code when there is no INIT and/or QUIT statement is 04 (and no longer 12).

Personalized Document. Manager

PDM local print: With the C2 option, erroneous page skip on Generated Titles. (C: 20328 - All Platforms)

PDM local print: With the C2 option, erroneous page skip appeared on Generated Titles. This is now corrected.

Batch Procedures

EXTR with option ALL: no extraction of Segments whose suffixes are not numeric. (C: 20257 - All Platforms)

The EXTR procedure with the ALL option did not extract Segments when their suffixes were not numeric and when they were called on -W screen, on 'F'-type lines. This has been corrected.

UPDT after CPSN on the -CE of Report: incorrect results (C: 20310 - All Platforms)

UPDT after CPSN on the -CE of Report: the results were incorrect on the continuation lines with no '0' line.

Corrected.

Miscellaneous: Online

Retrieval of Data Element codes in -DBE screen.

(C: 19119 - All Platforms)

In the -DBE screen, Data Element codes are now automatically retrieved as they used to be. These fields are protected.

Various display problems on the GP screen (C: 20576 - All Platforms)

1- If on the last line of the screen, and if the command line CONTINUATION area is set to '*', the CONTINUATION area of all the preceding lines become 'unlocked' again.

Additionally, the paging no longer works: the next page is no longer detected.

2- When you reach the bottom of the screen, once again, if the preceding command is "PCV", it seems that the command changes to lock mode, and the next time a transmit is executed, the continuation line will be copied to the preceding command line.

Miscellaneous

Call of a segment in a table-type segment: modification of the error label. (C: 20235 - All Platforms)

The call of a segment in a table-type segment is forbidden. The error message displayed was: 'MISSING FORMAT AND NOT DECLARED IN THE DICTIONARY', which did not correspond to the error.

Now, the error message displayed is:

'ERRONEOUS VALUE FOR DATA ELEMENT NUMBER OF DATA ELEMENT IN A GROUP'. (***' value forbidden in the 'GR' zone).