

IBM WebSphere Application Server, V5.1



System Administration

Note

Before using this information, be sure to read the general information under "Notices" on page 349.

Compilation date: December 15, 2003

© Copyright International Business Machines Corporation 2003. All rights reserved.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

How to send your comments	v
Chapter 1. Welcome to System Administration	1
Chapter 2. Welcome to the Administrative Console	3
Chapter 3. Using the administrative console	5
Starting and stopping the administrative console	5
Specifying console preferences	6
Administrative console preference settings	7
Administrative console filter settings	7
Administrative console scope settings	8
Accessing help	8
Administrative console: Resources for learning	8
Chapter 4. Welcome to Scripting	9
Chapter 5. Deploying and managing using scripting	11
Migrating from wscp V4.0 to wsadmin V5.x	11
Example: Migrating - Creating an application server	13
Example: Migrating - Starting an application server	14
Example: Migrating - Starting a server group	15
Example: Migrating - Installing an application	15
Example: Migrating - Installing a JDBC driver	17
Example: Migrating - Creating a server group	18
Example: Migrating - Stopping a node	18
Example: Migrating - Stopping an application server	19
Example: Migrating - Listing the running server groups	19
Example: Migrating - Pinging running servers for the current state	20
Example: Migrating - Listing configured server groups	20
Example: Migrating - Regenerating the node plug-in configuration	21
Example: Migrating - Testing the DataSource object connection	22
Example: Migrating - Cloning a server group	23
Example: Migrating - Enabling security	24
Example: Migrating - Disabling security	24
Example: Migrating - Modifying the virtual host	24
Example: Migrating - Modifying and restarting an application server	25
Example: Migrating - Stopping a server group	26
Example: Migrating - Removing an application server	27
Example: Migrating - Modifying the embedded transports in an application server.	27
Launching scripting clients	28
Wsadmin tool	31
Jacl	33
Scripting objects	34
Help object for scripted administration	35
AdminApp object for scripted administration	48
AdminControl object for scripted administration	80
AdminConfig object for scripted administration	104
ObjectName, Attribute, and AttributeList	129
Modifying nested attributes with the wsadmin tool	129
Managing configurations with scripting	131
Creating configuration objects using the wsadmin tool	132
Specifying configuration objects using the wsadmin tool	134
Listing attributes of configuration objects using the wsadmin tool	137
Modifying configuration objects with the wsadmin tool	139
Removing configuration objects with the wsadmin tool	140
Changing the WebSphere Application Server configuration using wsadmin	141
Configuration management examples with wsadmin	145
Managing running objects with scripting	232
Specifying running objects using the wsadmin tool	232
Identifying attributes and operations for running objects with the wsadmin tool	234
Performing operations on running objects using the wsadmin tool	236
Modifying attributes on running objects with the wsadmin tool	237
Operation management examples with wsadmin	239
Managing applications with scripting	259
Installing applications with the wsadmin tool	259
Installing stand-alone Java archive and Web archive files with the wsadmin tool	261
Listing applications with the wsadmin tool	262
Editing application configurations with the wsadmin tool	263
Uninstalling applications with the wsadmin tool	264
Application management examples with wsadmin	265
wsadmin scripting environment	286
wsadmin traces	287
Tracing operations with the wsadmin tool	287
Profiles and scripting	288
Properties used by scripted administration	289
Java Management Extensions connectors	290
Security and scripting	291
Scripting management examples with wsadmin	292
wsadmin tool performance tips	294

Chapter 6. Welcome to Commands	297		
Chapter 7. Managing using command line tools	299		
Example: Security and the command line tools	299	Configuration documents	335
startServer command	299	Configuration document descriptions	337
stopServer command	301	Object names	339
startManager command	302	Configuration repositories	339
stopManager command	303	Handling temporary configuration files resulting from session timeout	340
startNode command	304	Changing the location of temporary configuration files	340
stopNode command	305	Changing the location of backed-up configuration files	341
addNode command	307	Changing the location of temporary workspace files	341
serverStatus command	310	Backing up and restoring administrative configurations	342
removeNode command	311	Server configuration files: Resources for learning	342
cleanupNode command	313		
syncNode command	313		
backupConfig command	314		
restoreConfig command	315		
EARExpander command	316		
createmq command	317		
deletemq command	318		
Chapter 8. Welcome to Programming	321		
Chapter 9. Deploying and managing using programming	323		
Creating a custom Java administrative client program using WebSphere Application Server administrative Java APIs	323	Cells	345
Developing an administrative client program	324	Node	345
Extending the WebSphere Application Server administrative system with custom MBeans	329	Administration service settings	345
Java 2 security permissions	330	Standalone	346
		Preferred Connector	346
		Extension MBean Providers collection	346
Chapter 10. Welcome to Data	333	Repository service settings	347
		Audit Enabled	347
Chapter 11. Working with server configuration files	335	Administrative agents: Resources for learning	347
Chapter 12. Welcome to Administrative agents	343		
Chapter 13. Managing administrative agents	345		
Cells	345		
Node	345		
Administration service settings	345		
Standalone	346		
Preferred Connector	346		
Extension MBean Providers collection	346		
Repository service settings	347		
Audit Enabled	347		
Administrative agents: Resources for learning	347		
Notices	349		
Trademarks and service marks	351		

How to send your comments

Your feedback is important in helping to provide the most accurate and highest quality information.

- To send comments on articles in the WebSphere Application Server Information Center
 - 1. Display the article in your Web browser and scroll to the end of the article.
 - 2. Click on the **Feedback** link at the bottom of the article, and a separate window containing an e-mail form appears.
 - 3. Fill out the e-mail form as instructed, and click on **Submit feedback**.
- To send comments on PDF books, you can e-mail your comments to:
wasdoc@us.ibm.com or fax them to 919-254-0206.

Be sure to include the document name and number, the WebSphere Application Server version you are using, and, if applicable, the specific page, table, or figure number on which you are commenting.

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

Chapter 1. Welcome to System Administration

System administration provides a variety of tools for administering the WebSphere Application Server product:

- **Console**

To learn more, refer to Chapter 2, “Welcome to the Administrative Console,” on page 3.

- **Scripting**

To learn more, refer to Chapter 4, “Welcome to Scripting,” on page 9.

- **Commands**

To learn more, refer to Chapter 6, “Welcome to Commands,” on page 297.

- **Programming**

To learn more, refer to Chapter 8, “Welcome to Programming,” on page 321.

Data

Chapter 10, “Welcome to Data,” on page 333 provides a starting point for learning about WebSphere Application Server configuration data files.

Administrative agents

For an overview of administrative agents and how they relate to WebSphere Application Server topology, refer to Chapter 12, “Welcome to Administrative agents,” on page 343.

Chapter 2. Welcome to the Administrative Console

The administrative console is a graphical interface that provides many features to guide you through deployment and systems administration tasks. Use it to explore available management options.

Chapter 3. Using the administrative console

The administrative console is a Web-based tool that you use to manage the IBM WebSphere Application Server product as well as the Network Deployment product. The administrative console supports a full range of product administrative activities.

1. Start the server for the administrative console. For the Network Deployment product, the administrative console belongs to the deployment manager (dmgr) process, which you start with the **startmanager** command.
2. Access the administrative console.
3. After you point a Web browser at the URL for the administrative console, enter your user ID and, if needed, a password on a Login page.
4. Browse the administrative console.
5. Specify console preferences.
6. Access help.

Starting and stopping the administrative console

To access the administrative console, you must start it and then log in. After you finish working in the console, save your work and log out.

1. Start the administrative console.
 - a. Verify that the administrative console runs on the `server1` application server for the WebSphere base product. Verify that the administrative console runs on the deployment manager (dmgr) application server for the WebSphere Network Deployment product. Use the `wasadmin startManager` command to start the deployment manager.
 - b. Enable cookies in the Web browser that you use to access the administrative console in order for the administrative console to work correctly.
 - c. In the same Web browser, type
`http://your_fully_qualified_server_name:9090/admin` where
`your_fully_qualified_server_name` is the fully qualified host name for the machine that contains the administrative server. When the administrative console is on the local machine, `your_fully_qualified_server_name` can be `localhost`. On Windows platforms, use the actual host name if `localhost` is not recognized. If security is enabled, your request is redirected to
`https://your_fully_qualified_server_name:9043/admin` where
`your_fully_qualified_server_name` is the full qualified host name for the machine that contains the administrative server.
For a listing of supported Web browsers, see WebSphere Application Server system requirements at
<http://www.ibm.com/software/webservers/appserv/doc/latest/prereq.html>
- d. Wait for the console to load into the browser.

If you cannot start the administrative console because the console port conflicts with an application already running on the machine, change the port number in the

```
install_root/config/cells/cell_name/  
nodes/node_name/servers/server_name/server.xml
```

and *install_root/config/cells/cell_name/virtualhosts.xml* files. Change all occurrences of port 9090 (or whatever port was selected during installation of WebSphere Application Server) to the desired port for the console.

Alternatively, shut down the other application that uses the conflicting port before starting the WebSphere Application Server product.

Note: The directory path for the *server.xml* file appears on two lines for printing purposes.

2. A Login page appears after the console starts. Log into the console.
 - a. Enter your user name (or user ID).

Changes made to server configurations are saved to the user ID. Server configurations also are saved to the user ID if there is a session timeout. A user ID lasts for the duration of the session for which it was used to log in. If you enter an ID that is already in use (and in session), you are prompted to do one of the following:

 - Force the existing user ID out of session. The configuration file used by the existing user ID is saved in the temp area.
 - Wait for the existing user ID to log out or time out of the session.
 - Specify a different user ID.
 - b. If the console is secure, you must also enter a password for the user name. The console is secure if someone has done the following things for the console:
 - 1) Specified security user IDs and passwords
 - 2) Enabled global security
 - c. Click **OK**.
3. Stop the administrative console. Click **Save** on the console toolbar to save work that you have done and then click **Logout** to exit the console.

Note that if you close the browser before saving your work, when you next log in under the same user ID, you can recover any unsaved changes.

Note to Linux users: If you have difficulty using the administrative console on Linux, try using the Netscape Communicator 7.1 browser based on Mozilla 1.0. The browser release is not officially supported by the WebSphere Application Server product but users have been able to access the console successfully with it.

Specifying console preferences

Throughout the administrative console are pages that have **Preferences**, **Filter**, and **Scope** fields near the top of the pages. To customize how much data is shown, select options in **Preferences**, **Filter** and **Scope**.

For example, examine the **Preferences** field for the Enterprise Applications page:

1. Go to the navigation tree of the administrative console and select **Applications > Enterprise Applications**.
2. Expand **Preferences**.

3. For the **Maximum rows** field, specify the maximum number of rows to be displayed when the collection is large. The default is 25. Rows that exceed the maximum number will appear on subsequent pages.
4. For the **Filter history** field, place a checkmark beside **Retain filter criteria** if you want the last filter criteria entered in the filter function to be retained. When you return to the Applications page, the page will initially use the retained filter criteria to display the collection of applications in the table below. Otherwise, remove the checkmark beside **Retain filter criteria** to not retain the last filter criteria.
5. Click **Apply** to apply your selections or click **Reset** to return to the default values. The default is not to enable (not have a checkmark beside) **Retain filter criteria**.

Other pages have similar fields in which you specify console preferences. While **Preferences**, **Filter** and **Scope** control how much data is shown in the console, the **Preferences** toolbar option controls general behavior of the console. Click **Preferences** on the console toolbar to view the Preferences page. Additionally, you can select whether information on console pages and fields within console pages is shown using the **Hide Field and Page Descriptions toggle**. Icons on the right-hand side of the toolbar provide the toggle.

Administrative console preference settings

Use the Preference settings to specify how you would like information to be displayed on an administrative console page.

Maximum rows

Maximum number of rows to display per page when the collection is large.

Filter history

Whether to use the same filter criteria to display this page the next time you visit it.

Select the **Retain filter criteria** check box to retain the last filter criteria entered. When you return to the page later, retained filter criteria control the application collection that appears in the table.

Administrative console filter settings

Use the Filter settings to specify how to filter entries shown in a collection view.

Select the column to filter, then enter the filter criteria.

Column to filter

Use the drop-down list to select the column to filter. When you apply the filter, the collection table is modified accordingly.

For example, select **Application Servers** if you plan to enter criteria by which to filter application server names.

Filter criteria

In the field beside the drop-down list, enter a string that must be found in the name of a collection entry to qualify the entry to appear in the collection table. The string can contain %, *, or ? symbols as wildcard characters. For example, enter *App* to find any application server whose name contains the string *App*.

Prefix each of the characters () ^ * % { } \ + \$ with a \ so that the regular expression engine performing the search correctly matches the supplied search criteria. For example, to search for all JDBC providers containing (XA) in the provider name, specify the following string:

*\(\XA\\)

Administrative console scope settings

Use Scope settings to filter the contents of an administrative console collection table to a particular cell, node, or server. Changing the value for **Scope** allows you to see other variables that apply to an object and might change the contents of the collection table.

Click **Browse** next to a field to see choices for limiting the scope of the field. If a field is read-only, you cannot change the scope. For example, if only one server exists, you cannot switch the scope to a different server.

Cell Limits the visibility to all servers on the named cell.

Node Limits the visibility to all servers on the named node.

Server Limits the visibility to the named server.

The server scope has precedence over the node and cell scopes, and the node scope has precedence over the cell scope. Note that objects are created at only one scope, though they might be visible at more than one scope.

Accessing help

The WebSphere Application Server product provides information on using the product and information about specific pages and fields.

1. To view information on console pages and fields within console pages, enable the **Hide Field and Page Descriptions toggle**. Icons on the right-hand side of the console toolbar provide the toggle. Click on the **i** icon beside a field or page description to view help (reference) information.
2. Access product information.
 - Click **Home** on the administrative console toolbar and select a link to information on using the WebSphere Application Server product. The link to the InfoCenter provides concept, task and reference information.
 - Click **Help** on the administrative console toolbar and select from the list of reference topics. This same information can be accessed by clicking on the **i** icon beside a field or page description.

Administrative console: Resources for learning

Use the following links to find relevant supplemental information about the IBM WebSphere Application Server administrative console. The information resides on IBM and non-IBM Internet sites, whose sponsors control the technical accuracy of the information.

These links are provided for convenience. Often, the information is not specific to the IBM WebSphere Application Server product, but is useful all or in part for understanding the product. When possible, links are provided to technical papers and Redbooks that supplement the broad coverage of the release documentation with in-depth examinations of particular product areas.

View links to additional information:

Administration

- Listing of all IBM WebSphere Application Server Redbooks
- System Administration for WebSphere Application Server V5 -- Part 1: Overview of V5 Administration

Chapter 4. Welcome to Scripting

The WebSphere administrative (wsadmin) scripting program is a powerful, non-graphical command interpreter environment enabling you to execute administrative operations in a scripting language. You can also submit scripting language programs for execution. The wsadmin tool is intended for production environments and unattended operations.

Chapter 5. Deploying and managing using scripting

Scripting is a non-graphical alternative that you can use to configure and manage the WebSphere Application Server. The WebSphere Application Server wsadmin tool provides the ability to execute scripts. The wsadmin tool supports a full range of product administrative activities.

To deploy and manage applications, you can also use the administrative console, which runs in the deployment manager for the cell. For more information about using the administrative console, see [Deploying and managing with the GUI](#). There are also several command-line tools that you can use to start, stop, and monitor WebSphere Application Server processes and nodes. These tools only work on local servers and nodes. They cannot operate on a remote server or node. See [Managing using command-line tools](#) for more information.

1. Launch a scripting client.
2. Install applications into runtime.
3. Edit applications.
4. Display installed applications.
5. Uninstall applications.
6. Identify attributes and operations for running objects.
7. Modify and query running object attributes.
8. Invoke operations on running objects.
9. Modify the configurations.
10. Modify nested attributes.

Related reference

["Example: Using the wsadmin tool in a secure environment" on page 293](#)

Migrating from wscp V4.0 to wsadmin V5.x

The purpose of this section is to provide guidance for migrating from WebSphere Application Server V4.0 wscp scripts to wsadmin in V5.x.

5.1+ The wscp tool was a part of the WebSphere Application Server V4.0 administration repository support. The repository no longer exists and the tools that manipulate it are no longer needed. You can use the V5.x scripting client program, wsadmin, to do the same kinds of things wscp did, and more. You can use the Jacl and Jython scripting languages for scripts, but the elements specific to wsadmin are different from those available in wscp. This article shows how to create WebSphere Application Server V5.x scripts that perform actions similar to those performed by V4.0 wscp. Automatic conversion of scripts between the two releases is difficult.

The wsadmin scripting client uses the Bean Scripting Framework (BSF), and is based on Java Management Extensions (JMX).

In V4.0, wscp commands are used for both configuration queries or updates, and operational commands. In V5.x, a distinction is made between configurational and operational commands.

1. Identify the wscp commands used in your script.

2. Determine if each command is used for configuration or operation.
 - Configuration commands include the following: `create`, `list`, `modify`, `remove`, `show`, `showall`, `install`, `uninstall`, all `SecurityConfig` commands, all `SecurityRoleAssignment` commands, `clone`, and `removeClone`.
 - Operation commands include the following: `start`, `stop`, `show` (if for a run-time attribute), `testConnection`, all `DrAdmin` commands, and `regenPluginCfg`.
 - Other commands exist to provide help for configuration commands. These commands include the following: `attributes`, `containment`, and `help`.
3. Find the corresponding configuration wsadmin V5.x object type for each configuration commands. Use the `AdminConfig create`, `list`, `modify`, `remove`, `show`, and `showAttribute` commands to perform the same type of operations in V5.x that you performed in V4.0. Use the following table to determine the corresponding types:

V4.0 wscp command	V5.x wsadmin configuration type
ApplicationServer	Server
Context	Not applicable
DataSource	WAS40DataSource, DataSource
Domain	Not applicable
EnterpriseApp	ApplicationDeployment
GenericServer	Server
J2CConnectionFactory	J2CConnectionFactory
J2CResourceAdapter	J2CResourceAdapter
JDBCDriver	JDBCProvider
JMSConnectionFactory	JMSConnectionFactory
JMSDestination	JMSDestination
JMSProvider	JMSProvider
MailSession	MailSession
Module	ModuleDeployment
Node	Node
ServerGroup	ServerCluster
URL	URL
URLProvider	URLProvider
VirtualHost	VirtualHost

4. Determine the V5.x attribute names by using the online help commands of the `AdminConfig` object. For example: `attributes`, `defaults`, `parents`, `required`, or `types`.
5. Convert application installation commands. For application installation, use the `AdminApp` object `installInteractive` command to complete a successful installation. Then locate message `WASX7278I` in the `wsadmin.traceout` log file and use the data in the message to construct an installation command for your source.
6. Convert operational commands. Use the following table to determine how to deal with operational commands in V5.x wscp:

wscp 4.0	wsadmin 5.x	wsadmin 5.x	wsadmin 5.x
----------	-------------	-------------	-------------

action	Object and command	Mbean, if any	Operation, if any
server start	AdminControl startServer		
server stop	AdminControl stopServer		
servergroup start	AdminControl invoke	Cluster	start
servergroup stop	AdminControl invoke	Cluster	stop
application start	AdminControl invoke	ApplicationManager	startApplication
application stop	AdminControl invoke	ApplicationManager	stopApplication
node stop	AdminControl invoke	<nodeagent>	stopNode
check run-time attribute	AdminControl getAttribute	<mbean>	<attribute>
check run-time attributes	AdminControl getAttributes	<mbean>	<list of attributes>
regenPluginCfg	AdminControl invoke	PluginCfgGenerator	generate
testConnection	AdminControl testConnection		
enable security	securityon command		
disable security	securityoff command		

7. Save configuration changes. In V5.x, configuration changes are made to a temporary workspace. These changes are not committed to the WebSphere Application Server configuration until you invoke the **save** command on the AdminConfig object. If your script makes configuration changes, for example, creates, removes, or changes objects, or installs or uninstalls applications, invoke the following command to commit the change:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Related reference

"Wsadmin tool" on page 31

Example: Migrating - Creating an application server

Creating an application server involves a configuration command. To do this task in the wscp V4.0 tool and the wsadmin V5.x tool, you must know the hierarchical name of the application server. The following examples demonstrate how to create an application server in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
ApplicationServer create  
/Node:mynode  
/ApplicationServer:  
myserv/ -attribute  
{{Stdout myfile.out}}  
• wsadmin V5.x
```

Server objects are contained within nodes.

Using Jacl:

```
set node [$AdminConfig  
getid /Node:mynode/]  
$AdminConfig create  
Server $node {{name  
myserv}  
{outputStreamRedirect  
{{fileName myfile.out}}}}  
$AdminConfig save
```

5.1+ Using Jython:

```
node = AdminConfig.  
getid('/Node:mynode/')  
AdminConfig.create  
('Server', node,  
[['name', 'myserv'],  
['outputStreamRedirect',  
[['fileName',  
'myfile.out']]])  
AdminConfig.save()
```

where Stdout is the name of the V4.0 ApplicationServer attribute that is replaced by the fileName attribute, and embedded within the outputStreamRedirect attribute of the server.

Example: Migrating - Starting an application server

The following examples demonstrate how to start an application server with WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
ApplicationServer start /Node:mynode/ApplicationServer:myserv/
```

- wsadmin V5.x

If you are connected to a server in a base installation, you cannot request to start another server. You can only start an application server if you have a Network Deployment installation. In a Network Deployment installation, use the following command:

Using Jacl:

```
$AdminControl startServer myserv mynode 600
```

5.1+ Using Jython:

```
AdminControl.startServer('myserv', 'mynode', 600)
```

where 600 represents the wait time in seconds. The server name and node name are required.

Related reference

“AdminControl object for scripted administration” on page 80

Example: Migrating - Starting a server group

The following examples demonstrate how to start a server group in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
ServerGroup start /ServerGroup:cluster1/
```

- wsadmin V5.x

Using Jacl:

```
set clusterMgr [$AdminControl completeObjectName WebSphere:type=ClusterMgr,*]
$AdminControl invoke $clusterMgr "retrieveClusters" ""
set c11 [$AdminControl completeObjectName type=Cluster,name=cluster1,*]
$AdminControl invoke $c11 start
```

5.1+ Using Jython:

```
clusterMgr = AdminControl.completeObjectName('WebSphere:type=ClusterMgr,*')
AdminControl.invoke(clusterMgr, 'retrieveClusters', '')
c11 = AdminControl.completeObjectName('type=Cluster,name=cluster1,*')
AdminControl.invoke(c11, 'start')
```

Related reference

“AdminControl object for scripted administration” on page 80

Example: Migrating - Installing an application

The following examples demonstrate how to install an application in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

– Construct the **-modvirtualhosts** option:

```
set modhost1 [list
mtcomps.war default_host]
set modhosts
[list $modhost1]
```

– Construct the **-resourcereferences** option:

```
set resref1 [list
mtcomps.war::mail/
MailSession9 mail/
DefaultMailSession]
set resref2 [list
deplmtest.jar::
MailEJBObject::mail/
MailSession9 mail/
DefaultMailSession]
set resrefs [list
$resref1 $resref2]
```

– Install the application:

```
EnterpriseApp install
/Node:mynode/ c:/WebSphere/
AppServer/installableApps/
jmsample.ear -appname
MailSampleApp -defappserver
/Node:$mynode/Application
Server:myserv/
-modvirtualhosts $modhosts
-resourcereferences $resrefs
```

- wsadmin V5.x

The following command sequence accomplishes approximately the same thing as the V4.0 commands previously presented, but simpler ways exist:

– Construct the **-MapWebModToVH** option:

Using Jacl:

```

set modtovh1 [list
"JavaMail Sample WebApp"
mtcomps.war,WEB-INF/web.
xml default_host]
set modtovh [list
$modtovh1]

```

5.1+ Using Jython:

```

modtovh1 = ["JavaMail
Sample WebApp", 'mtcomps.
war,WEB-INF/web.xml',
'default_host']
modtovh = [modtovh1]

```

- Construct the -MapResRefToEJB option:

Using Jacl:

```

set resreftoejb1 [list
deplmtest.jar
MaileJBObject deplmtest.
jar,META-INF/ejb-jar.xml
mail/MailSession9 javax.
mail.Session mail/Default
MailSession]
set resreftoejb2 [list
"JavaMail Sample WebApp"
"" mtcomps.war,WEB-INF/
web.xml mail/MailSession9
javax.mail.Session mail/bozo]
set resreftoejb [list $resreftoejb1 $resreftoejb2]

```

5.1+ Using Jython:

```

resreftoejb1 =
[['deplmtest.jar',
'MaileJBObject', 'deplmtest.
jar,META-INF/ejb-jar.xml',
'mail/MailSession9', 'javax.
mail.Session', 'mail/
DefaultMailSession']]
resreftoejb2 =
[['JavaMail Sample WebApp",
'', 'mtcomps.war,WEB-INF/
web.xml', 'mail/MailSession9',
'javax.mail.Session',
'mail/bozo']]

```

- Construct the attribute string:

Using Jacl:

```

set attrs [list
-MapWebModToVH $modtovh
-MapResRefToEJB $resreftoejb
-node mynode -server myserv
-appname MailSampleApp]

```

5.1+ Using Jython:

```

attrs = ['-MapWebModToVH',
modtovh, '-MapResRefToEJB',
resreftoejb1, '-MapResRefToEJB',
resreftoejb2, '-node', 'mynode',
'-server', 'myserv', '-appname',
'MailSampleApp']

```

- Install the application:

Using Jacl:

```
$AdminApp install c:/WebSphere  
/AppServer/installableApps/  
jmsample.ear $attrs
```

5.1+ Using Jython:

```
AdminApp.install('c:/WebSphere/  
AppServer/installableApps/  
jmsample.ear', attrs)
```

- Save your changes:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

You can use the AdminApp **taskInfo** command to obtain information about each task option. You can use the AdminApp **interactiveInstall** command to step through all the installation tasks, one at a time. If you use the **installInteractive** command to successfully install an application, an option string logs in the wsadmin.traceout file under the message ID WASX7278I. You can copy and paste this option string into wsadmin scripts.

Example: Migrating - Installing a JDBC driver

The following examples demonstrate how to install a Java Database Connectivity (JDBC) driver in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

In the WebSphere Application Server V4.0, you must create the JDBC driver and then install it.

```
JDBCDriver create  
/JDBCDriver:mydriver/  
-attribute {{ImplClass  
COM.ibm.db2.jdbc.  
DB2ConnectionPoolDataSource}  
JDBCDriver install  
/JDBCDriver:mydriver/  
-node /Node:mynode/  
-jarFile c:/SQLLIB/java/  
db2java.zip
```

- wsadmin V5.x

In WebSphere Application Server V5.x, there is no separate installation step. The Java archive (JAR) file name in the V4.0 installation step is replaced by the **classpath** attribute on the V5.x JDBC provider object. In V5.x, resources can exist at the server, node, or cell level of the configuration.

Using Jacl:

```
set node [$AdminConfig  
getid /Node:mynode/]  
$AdminConfig create  
JDBCProvider $node  
{{classpath c:/SQLLIB/  
java/db2java.zip}  
{implementationClassName  
COM.ibm.db2.jdbc.  
DB2ConnectionPoolDataSource}  
{name mydriver}}  
$AdminConfig save
```

5.1+ Using Jython:

```
node = AdminConfig.getid
('/Node:mynode/')
AdminConfig.create
('JDBCProvider', node,
[['classpath', 'c:/SQLLIB/
java/db2java.zip'],
['implementationClassName',
'COM.ibm.db2.jdbc.
DB2ConnectionPoolDataSource'],
['name', 'mydriver']])
AdminConfig.save()
```

Example: Migrating - Creating a server group

In WebSphere Application Server V5.x, ServerClusters have replaced V4.0 ServerGroups. The members of a cluster are servers with identical application configurations. The following examples demonstrate how to create a server group in WebSphere Application Server V4.0 and V5.x. They assume that an application server named *as1* already exists and is used as the first clone in a server group:

- wscp V4.0

```
ServerGroup create /ServerGroup:sg1/ -baseInstance /Node:mynode/ApplicationServer:as1/
-serverGroupAttrs {{EJBServerAttributes {{SelectionPolicy roundrobin}}}}
```

- wsadmin V5.x

Using Jacl:

```
set serverid [$AdminConfig getid /Node:mynode/Server:as1/]
$AdminConfig convertToCluster $serverid MyCluster
```

5.1+ Using Jython:

```
serverid = AdminConfig.getid('/Node:mynode/Server:as1/')
AdminConfig.convertToCluster(serverid, 'MyCluster')
```

Related reference

"AdminConfig object for scripted administration" on page 104

Example: Migrating - Stopping a node

The WebSphere Application Server V4.0 wscp tool requires the name of the node. In V4.0, if you stop a node, you bring down the administrative server on that node. To take the equivalent action in V5.x, stop the node agent.

Tip: If you bring down the server to which the wsadmin process is connected, you cannot issue any more commands against that server.

- wscp V4.0

```
Node stop /Node:mynode/
```

- wsadmin V5.x

Using Jacl:

```
set na [$AdminControl queryNames type=NodeAgent,node=mynode,*]
$AdminControl invoke $na stopNode
```

5.1+ Using Jython:

```
na = AdminControl.queryNames('type=NodeAgent,node=mynode,*')
AdminControl.invoke(na, 'stopNode')
```

Stopping the node agent on a remote machine process is an asynchronous action where the stop is initiated, and then control returns to the command line.

Related reference

"AdminControl object for scripted administration" on page 80

Example: Migrating - Stopping an application server

The WebSphere Application Server V4.0 wscp tool requires that you know the hierarchical name of the application server in question (the node name and the server name). The same information is required in V5.x.

Tip: You are stopping a server object, not an application server. Servers represent logical processes on many platforms, for instance Windows or AIX, and are the entity that is stopped and started. Application servers are contained within servers.

- wscp V4.0

```
ApplicationServer stop {/Node:mynode/ApplicationServer:Default Server/}
```

- wsadmin V5.x

Using Jacl:

```
$AdminControl stopServer servername [nodename immediateFlag]
```

5.1+ Using Jython:

```
AdminControl.stopServer('servername', [nodename immediateFlag])
```

For a Network Deployment installation:

Using Jacl:

```
$AdminControl stopServer servername nodename [immediateFlag]
```

5.1+ Using Jython:

```
AdminControl.stopServer('servername', 'nodeName', [immediateFlag])
```

Related reference

"AdminControl object for scripted administration" on page 80

Example: Migrating - Listing the running server groups

The following examples demonstrate how to list running server groups in the WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
set groups [ServerGroups list]
foreach sgroup $groups {
    set thestate [ServerGroup show $sgroup -attribute {Name CurrentState}
    puts $thestate
}
```

- wsadmin V5.x

Using Jacl:

```
set clusters [$AdminControl queryNames type=Cluster,*]
foreach scluster $clusters {
    set thestate [$AdminControl getAttributes $scluster {clusterName state}]
    puts $scluster $thestate
}
```

5.1+ Using Jython:

```
# get line separator
import java.lang.System as sys
lineSeparator = sys.getProperty('line.separator')

clusters = AdminControl.queryNames('type=Cluster,*').split(lineSeparator)
```

```

for scluster in clusters:
    thestate = AdminControl.getAttributes(scluster, ['clusterName', 'state'])
    print scluster + " " + thestate + "\n"

```

Related reference

"AdminControl object for scripted administration" on page 80

Example: Migrating - Pinging running servers for the current state

The purpose of this task is to determine if a server is running. The following examples demonstrate how to ping running servers in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```

set servers [ApplicationServer list]
foreach server $servers {
    set result ApplicationServer show $server -attribute {CurrentState}
    puts "state for server $server: $result"
}

```

- wsadmin V5.x

In the WebSphere Application Server V5.x configuration and control commands are separate.

Using Jacl:

```

set servers [$AdminConfig list Server]
foreach server $servers {
    set objName [$AdminConfig getObjectName $server]
    if {[llength $objName] == 0} {
        puts "server $server is not running"
    } else {
        set result [$AdminControl getAttribute $objName state]
        puts "state for server $server: $result"
    }
}

```

5.1+ Using Jython:

```

# get line separator
import java.lang.System as sys
lineSeparator = sys.getProperty('line.separator')

servers = AdminConfig.list('Server').split(lineSeparator)
for server in servers:
    objName = AdminConfig.getObjectName(server).split(lineSeparator)
    if len(objName) == 0:
        print "server " + server + " is not running\n"
    else:
        result = AdminControl.getAttribute(objName, 'state')
        print "state for server " + server + ": " + result + "\n"

```

The first line of this example obtains a list of all servers defined in the configuration. You can interrogate this data to determine the running servers. If the server is not running, nothing is returned from the getObjectName command on the AdminConfig object. If the server is running, ask for its state attribute. If the Mbean is there, the server is running and the state is STARTED. It is possible, however, for the state to be something other than STARTED, for example, STOPPING.

Example: Migrating - Listing configured server groups

The following examples demonstrate how to list configured server groups in the WebSphere Application Server V4.0 and V5.x:

- wscp V4.0
ServerGroup list

You can put the result of this command into a Jacl list and invoke other operations, such as show, or modify, on the members of the list.

- wsadmin V5.x

Using Jacl:

```
$AdminConfig list ServerCluster
```

5.1+ Using Jython:

```
AdminConfig.list('ServerCluster')
```

You can put the result of this command into a Jacl list and invoke other configuration commands, such as show, or modify, on the members of the list. To invoke operational commands, such as stop, perform the following:

1. Obtain the configuration ID of the cluster:

Using Jacl:

```
set myclust [$AdminConfig getid /ServerCluster:mycluster/]
```

5.1+ Using Jython:

```
myclust = AdminConfig.getId('/ServerCluster:mycluster/')
```

2. Use the returned name to obtain the ObjectName of the running cluster MBean:

Using Jacl:

```
set runningCluster [$AdminConfig getObjectName $myclust]
```

5.1+ Using Jython:

```
runningCluster = AdminConfig.getObjectName(myclust)
```

3. The *runningCluster* has the object name for the running instance of the ServerCluster, or is empty if not running. You can use this object name for control purposes, for example:

Using Jacl:

```
$AdminControl invoke $runningCluster stop
```

5.1+ Using Jython:

```
AdminControl.invoke(runningCluster, 'stop')
```

Related reference

"AdminConfig object for scripted administration" on page 104

Example: Migrating - Regenerating the node plug-in configuration

The following examples demonstrate how to regenerating the node plug-in configuration in the WebSphere Application Server V4.0 and V5.x:

- wscp V4.0
Node regenPluginCfg /Node:mynode/
- wsadmin V5.x

Using Jacl:

```
set generator [$AdminControl completeObjectName type=PluginCfgGenerator,node=mynode,*]
$AdminControl invoke $generator generate "c:/WebSphere/DeploymentManager
c:/WebSphere/DeploymentManager/config mycell mynode null plugin-cfg.xml"
```

5.1+ Using Jython:

```
generator = AdminControl.completeObjectName('type=PluginCfgGenerator,node=mynode,*')
AdminControl.invoke(generator, 'generate', "c:/WebSphere/DeploymentManager
c:/WebSphere/DeploymentManager/config mycell mynode null plugin-cfg.xml")
```

Related reference

"AdminControl object for scripted administration" on page 80

Example: Migrating - Testing the DataSource object connection

The following examples demonstrate how to test the connection to a DataSource object in the WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
set myds
/JDBCProvider:
mydriver/
DataSource:myds/
DataSource
testConnection
$myds
```

- wsadmin V5.x

The **testConnection** command is part of the AdminControl object because it is an operational command. This particular type of operational command takes a configuration ID as an argument, so you invoke the **getid** command on the AdminConfig object:

Using Jacl:

```
set myds
[$AdminConfig
getId /JDBCProvider:
mydriver
/DataSource:
mydatasrc/]
$AdminControl
testConnection $myds
```

5.1+ Using Jython:

```
myds = AdminConfig.
getId('/JDBCProvider:
mydriver/DataSource:
mydatasrc/')
AdminControl.
testConnection(myds)
```

In many cases, a user ID and password, or other properties are required to complete the test connection. If this is the case, you receive the following message, which describes the missing properties:

```
WASX7216E: 2
attributes
required for
testConnection
are missing:
"[user,
password]"
To complete
this operation,
please
supply the
missing
attributes
```

```

as an option,
following
this example:
{{user user_val}
{password
password_val}}

```

For this example, issue the following commands:

Using Jacl:

```

set myds
[$AdminConfig
getid /JDBCProvider:
mydriver/DataSource:
mydatasrc/]
$AdminControl
testConnection
$myds {{user
myuser}
{password
secret}}}

```

5.1+ Using Jython:

```

myds = AdminConfig.
getid
('/JDBCProvider:
mydriver/
DataSource:
mydatasrc/')
AdminControl.
testConnection
(myds, [['user',
'myuser'],
['password',
'secret']])

```

Example: Migrating - Cloning a server group

The following examples demonstrate how to clone a server group in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
ServerGroup clone /ServerGroup:sg1/ -cloneAttrs {{Name newServer}} -node /Node:mynode/
```

- wsadmin V5.x

In the following example, the first command obtains the cluster ID, the second command obtains the node ID, and the last command creates a new member of an existing cluster:

Using Jacl:

```

set cluster1 [$AdminConfig getid /ServerCluster:mycluster/]
set n1 [$AdminConfig getid /Node:mynode/]
$AdminConfig createClusterMember $cluster1 $n1 {{memberName newServer}}
$AdminConfig save

```

5.1+ Using Jython:

```

cluster1 = AdminConfig.getid('/ServerCluster:mycluster/')
n1 = AdminConfig.getid('/Node:mynode/')
AdminConfig.createClusterMember(cluster1, n1, [['memberName', 'newServer']])
AdminConfig.save()

```

Related reference

“AdminConfig object for scripted administration” on page 104

Example: Migrating - Enabling security

The following examples demonstrate how to enable local os security for WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
SecurityConfig setAuthenticationMechanism LOCALOS -userid {me secret}  
SecurityConfig enableSecurity
```

- wsadmin V5.x

Using Jacl:

```
securityon myuser mypassword
```

5.1+ Using Jython:

```
securityon('myuser', 'mypassword')
```

This command turns on local security. The securityon function checks the validity of the user and password combination, and fails the function if the combination is invalid.

Note: This action assumes that global security is fully configured before issuing this command and that you are just switching the enabled flag on and off. If global security is not yet fully configured, the command fails.

Related reference

“AdminConfig object for scripted administration” on page 104

Example: Migrating - Disabling security

The following examples demonstrate how to disable security for WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
SecurityConfig disableSecurity
```

- wsadmin V5.x

Using Jacl:

```
securityoff
```

5.1+ Using Jython:

```
securityoff()
```

This command turns off global security.

Related reference

“AdminConfig object for scripted administration” on page 104

Example: Migrating - Modifying the virtual host

The following examples demonstrate how to modify the virutal host in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
VirtualHost modify  
/VirtualHost:<default_host>  
-attribute {{Name  
<default_host>} {AliasList  
{*:80 *:9080 *:9081}}}
```

- wsadmin V5.x

Using Jacl:

```

set def_host
[$AdminConfig getid
/VirtualHost:
default_host/]
$AdminConfig modify
$def_host {{aliases
{{port 80} {hostname *}}
{{port 9080} {hostname *}}
{{port 9081} {hostname *}}}}}
$AdminConfig save

```

5.1+ Using Jython:

```

def_host = AdminConfig.
getid('/VirtualHost:
default_host/')
AdminConfig.modify
(def_host, [['aliases',
[['port', 80], ['hostname',
'*']],
[['port', 9080],
['hostname', '*']],
[['port', 9081],
['hostname', '*']]]])
AdminConfig.save()

```

Example: Migrating - Modifying and restarting an application server

In this task, you make a configuration change to an existing application server, then stop and restart the server to pick up the change. In WebSphere Application Server V5.x, you can only change the attributes in a running server that the server supports explicitly, or by objects it contains. You can determine these attributes online by using the `Help attributes` scripting command, or by referring to the Mbean documentation. When you use this type of update, you change only the current running state of the server. Your changes are not permanent. The updates that you make to the server configuration do not take effect until you stop and restart the server.

The enum attribute is changed. WebSphere Application Server V4.0 requires that you find the corresponding integer to enum value by making changes with the GUI, and examining the output. In V5.x, the string names of the enum literals are available using online help, using the `AdminConfig attributes` command, and displaying or updating an attribute.

The following examples demonstrate how to modify and restart an application server in WebSphere Application Server V4.0 and V5.x:

- `wscp` V4.0

1. Stop the application server using the following command:

```

ApplicationServer stop
/Node:mynode/
ApplicationServer:
myserver/

```

2. Modify the application server, for example:

```

ApplicationServer
modify
/Node:mynode/
ApplicationServer:
myserver/
-attribute
{{ModuleVisibility 1}}

```

3. Restart the application server using the following command:

- wsadmin V5.x
 1. Stop the application server using the following command:
Using Jacl:

```
$AdminControl stopServer  
myserver mynode
```

5.1+ Using Jython:

```
AdminControl.stopServer  
('myserver', 'mynode')
```

2. Modify the application server, for example:

Using Jacl:

```
set s1 [$AdminConfig  
getid /Node:mynode  
/Server:myserver/]  
set errStream [$AdminConfig  
showAttribute $s1  
errorStreamRedirect}  
$AdminConfig modify  
$s1 {{rolloverPeriod 12}}  
$AdminConfig save
```

5.1+ Using Jython:

```
s1 = AdminConfig.getid  
('/Node:mynode/  
Server:myserver/')  
errStream = AdminConfig.  
showAttribute(s1,  
'errorStreamRedirect')  
AdminConfig.modify(s1,  
[['rolloverPeriod', 12]])  
AdminConfig.save()
```

3. Restart the application server using the following command:

Using Jacl:

```
$AdminControl startServer  
myserver mynode
```

5.1+ Using Jython:

```
AdminControl.startServer  
('myserver', 'mynode')
```

Example: Migrating - Stopping a server group

Stopping a server group involves an operational command. The following examples demonstrate how to stop a server group in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
ServerGroup stop /ServerGroup:cluster1/
```
- wsadmin V5.x

Using Jacl:

```
set clusterMgr [$AdminControl completeObjectName WebSphere:type=ClusterMgr,*]  
$AdminControl invoke $clusterMgr "retrieveClusters" ""  
set c11 [$AdminControl completeObjectName type=Cluster,name=cluster1,*]  
$AdminControl invoke $c11 stop
```

5.1+ Using Jython:

```
clusterMgr = AdminControl.completeObjectName('WebSphere:type=ClusterMgr,*')
AdminControl.invoke(clusterMgr, 'retrieveClusters', '')
c11 = AdminControl.completeObjectName('type=Cluster,name=cluster1,*')
AdminControl.invoke(c11, 'stop')
```

Example: Migrating - Removing an application server

Removing an application server involves a configuration command:

- wscp V4.0
ApplicationServer remove /Node:mynode/ApplicationServer:myserv/
- wsadmin V5.x

Using Jacl:

```
set serv [$AdminConfig getid /Node:mynode/Server:myserv/]
$AdminConfig remove $serv
$AdminConfig save
```

5.1+ Using Jython:

```
serv = AdminConfig.getid('/Node:mynode/Server:myserv/')
AdminConfig.remove(serv)
AdminConfig.save()
```

Example: Migrating - Modifying the embedded transports in an application server

The following examples demonstrate how to modify the embedded transports in an application server in WebSphere Application Server V4.0 and V5.x:

- wscp V4.0

```
ApplicationServer modify
/Node:mynode/
ApplicationServer:
myserv/ -attribute
{{WebContainerConfig
{Transports {{MaxKeep
Alive 25} {MaxReqKeepAlive
100} {KeepAliveTimeout
5} {ConnectionTimeout 5}
{Host *} {Port 9080}
{BacklogConnections 511}
{HttpProperties {}}
{SSLEnabled true}
{SSLConfig {}}}}}}}
```

- wsadmin V5.x

Using Jacl:

```
set server [$AdminConfig
getid /Node:mynode
/Server:myserv/]
set web_container
[$AdminConfig list
WebContainer $server]
$AdminConfig modify
$web_container
{{transports:HTTPTransport
{{sslEnabled true}
{sslConfig DefaultSSLSettings}
{address {{host *}
{port 9080}}}}}}
$AdminConfig save
```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Node:mynode/  
Server:myserv/')  
web_container =  
AdminConfig.list  
('WebContainer', server)  
AdminConfig.modify  
(web_container,  
[['transports:HTTPTransport',  
[['['sslEnabled', 'true'],  
['sslConfig',  
'DefaultSSLSettings'],  
['address', [['host', '*'],  
['port', 9080]]]]]])  
AdminConfig.save()
```

Launching scripting clients

You can run scripting commands in several different ways. The command for invoking a scripting process is located in the `WebSphere/AppServer/bin` directory or the `WebSphere/DeploymentManager/bin` directory. To invoke a scripting process, use the `wsadmin.bat` file for a Windows system, and the `wsadmin.sh` file for a UNIX system.

To specify the method for executing scripts, perform one of the following `wsadmin` tool options:

- Run scripting commands interactively.

Execute `wsadmin` with an option other than `-f` or `-c`.

5.1+ An interactive shell appears with a `wsadmin` prompt. From the `wsadmin` prompt, enter any JACL or Jython command. You can also invoke commands on the `AdminControl`, `AdminApp`, `AdminConfig`, or `Help` `wsadmin` objects. The following example is a command invocation and sample output on Windows systems:

Using Jacl:

```
wsadmin.bat  
WASX7209I: Connected  
to process server1  
on node myhost using  
SOAP connector; The  
type of process is:  
UnManagedProcess  
WASX7029I: For  
help, enter: "$Help help"  
wsadmin>$AdminApp list  
adminconsole  
DefaultApplication  
ivtApp  
wsadmin>exit
```

5.1+ Using Jython:

```
Wsadmin.bat  
-lang jython
```

To leave an interactive scripting session, use the `quit` or `exit` commands. These commands do not take any arguments.

- Run scripting commands as individual commands.

Execute wsadmin with the -c option.

For example, on Windows systems:

Using Jacl:

```
wsadmin -c "$AdminApp list"
```

5.1+ Using Jython:

```
wsadmin -lang jython  
-c "AdminApp.list()"
```

For example, on UNIX systems:

```
wsadmin.sh -c  
"\$AdminApp list"
```

or

```
wsadmin.sh -c '$AdminApp list'
```

Example output:

```
WASX7209I: Connected  
to process "server1"  
on node myhost using  
SOAP connector; The  
type of process is:  
UnManagedProcess  
adminconsole  
DefaultApplication  
ivtApp
```

- Run scripting commands in a script.

Execute wsadmin with the -f option, and place the commands you want to execute into the file. For example:

Using Jacl:

```
wsadmin -f al.jacl
```

where the *al.jacl* file contains the following commands:

```
set apps [$AdminApp list]  
puts $apps
```

5.1+ Using Jython:

```
wsadmin -lang jython -f al.py
```

where the *al.py* file contains the following commands:

```
apps = AdminApp.list()  
print apps
```

Example output:

```
WASX7209I: Connected  
to process "server1"  
on node myhost using  
SOAP connector; The  
type of process is:  
UnManagedProcess  
adminconsole  
DefaultApplication  
ivtApp
```

- Run scripting commands in a profile.

A *profile* is a script that runs before the main script, or before entering interactive mode. You can use profiles to set up a scripting environment customized for the user or the installation.

To run scripting commands in a profile, execute the wsadmin tool with the `-profile` option, and place the commands you want to execute into the profile. For example:

Using Jacl:

```
wsadmin.bat -profile alprof.jacl
```

where the *alprof.jacl* file contains the following commands:

```
set apps [$AdminApp list]
puts "Applications currently installed:\n$apps"
```

Example output:

```
WASX7209I: Connected
to process "server1"
on node myhost using
SOAP connector; The
type of process is:
UnManagedProcess
Applications currently
installed:
adminconsole
DefaultApplication
ivtApp
WASX7029I: For help,
enter: "$Help help"
wsadmin>
```

5.1 + Using Jython:

```
wsadmin.bat -lang jython
-profile alprof.py
```

where the *alprof.py* file contains the following commands:

```
apps = AdminApp.list()
print "Applications
currently installed:\n " + apps
```

5.1 + Example output:

```
WASX7209I: Connected to
process "server1" on node
myhost using SOAP connector;
The type of process is:
UnManagedProcess
Applications currently
installed:
adminconsole
DefaultApplication
ivtApp
WASX7029I: For help,
enter: "Help.help()"
wsadmin>
```

To customize the script environment, specify one or more profiles to run.

Wsadmin tool

5.1+ The WebSphere Application Server wsadmin tool provides the ability to execute scripts. You can use the wsadmin tool to manage a WebSphere Application Server V5.0 installation. This tool uses the Bean Scripting Framework (BSF), which supports a variety of scripting languages to configure and control your WebSphere Application Server installation. The WebSphere Application Server only supports the Jacl and Jython scripting languages.

The wsadmin launcher makes Java objects available through language-specific interfaces. Scripts use these objects for application management, configuration, operational control, and for communication with MBeans running in WebSphere server processes.

The command-line invocation syntax for the wsadmin scripting client follows:

```
wsadmin [-h(help)]  
[-?]  
[-c commands]  
[-p properties_file_name]  
[-profile profile_script_name]  
[-f script_file_name]  
[-javaoption java_option]  
[-lang language]  
[-wsadmin_classpath classpath]  
[-conntype SOAP [-host host_name] [-port port_number] [-user userid] [password password] |  
          RMI [-host host_name] [-port port_number] [-user userid] [-password password] |  
          NONE  
]  
[script parameters]
```

Where *script parameters* represent any arguments other than the ones listed previously. The argc variable contains their number, and the argv variable contains their contents.

Options

-c command

Designates a single command to execute.

Multiple -c options can exist on the command line. They run in the order that you supply them.

-f scriptname

Designates a script to execute.

Only one -f option can exist on the command line.

-javaoption

Specifies a valid Java standard or non-standard option.

Multiple -javaoption options can exist on the command line.

-lang

Specifies the language of the script file, command, or interactive shell. The possible languages include: Jacl and Jython. The options for the **-lang** argument include: `jacl` and `jython`.

This argument is required if not determined from the script file name. It overrides language determinations that are based on a script file name, or the `com.ibm.ws.scripting.defaultLang` property. There is no default value for the **-lang** argument. If the command line or the property does not supply the script language, and the `wsadmin` tool cannot determine it, an error message generates.

-p

Specifies a properties file.

The file listed after **-p**, represents a Java properties file that the scripting process reads. Three levels of default properties files load before the properties file you specify on the command line. The first level is the installation default, `wsadmin.properties`, located in the WebSphere Application Server properties directory. The second level is the user default, `wsadmin.properties`, located in your home directory. The third level is the properties file pointed to by the environment variable `WSADMIN_PROPERTIES`.

Multiple **-p** options can exist on the command line. They invoke in the order that you supply them.

-profile

Specifies a profile script.

The profile script runs before other commands, or scripts. If you specify **-c**, the profile executes before it invokes this command. If you specify **-f**, the profile executes before it runs the script. In interactive mode, you can use the profile to perform any standard initialization that you want. You can specify multiple **-profile** options on the command line, and they invoke in the order that you supply them.

-? Provides syntax help.**-help**

Provides syntax help.

-conntype

Specifies the type of connection to use.

This argument consists of a string that determines the type, for example, SOAP, and the options that are specific to that connection type. Possible types include: SOAP, RMI, and NONE.

The options for **-conntype** include: SOAP, RMI, and NONE.

Use the **-conntype** NONE option to run in local mode. The result is that the scripting client is not connected to a running server.

-wsadmin_classpath

Use this option to make additional classes available to your scripting process.

Follow this option with a class path string. For example:

`c:/MyDir/Myjar.jar;d:/yourdir/yourdir.jar.`

The class path is then added to the class loader for the scripting process.

You can also specify this option in a properties file that is used by the `wsadmin` tool. The property is `com.ibm.ws.scripting.classpath`. If you specify

`-wsadmin_classpath` on the command line, the value of this property overrides any value specified in a properties file. The class path property and the command-line options are not concatenated.

In the following syntax examples, *mymachine* is the name of the host in the `wsadmin.properties` file, specified by the `com.ibm.ws.scripting.port` property:
SOAP connection to the local host

Use the options defined in the `wsadmin.properties` file.

SOAP connection to the *mymachine* host

Using Jacl:

```
wsadmin -f test1.jacl -profile setup.jacl -conntype SOAP -host mymachine
```

5.1+ Using Jython:

```
wsadmin -lang jython -f test1.py -profile setup.py -conntype SOAP -host mymachine
```

Initial and maximum Java heap size

Using Jacl:

```
wsadmin -javaoption -Xms128m -javaoption -Xmx256m -f test.jacl
```

5.1+ Using Jython:

```
wsadmin -lang jython -javaoption -Xms128m -javaoption -Xmx256m -f test.py
```

RMI connection with security

Using Jacl:

```
wsadmin -connector RMI -port rmiportnumber -userid userid -password password
```

5.1+ Using Jython:

```
wsadmin -lang jython -connector RMI -port rmiportnumber -userid userid -password password
```

Local mode of operation to perform a single command

Using Jacl:

```
wsadmin -conntype NONE -c "$AdminApp uninstall app"
```

5.1+ Using Jython:

```
wsadmin -lang jython -conntype NONE -c "AdminApp.uninstall('app')"
```

Related reference

“`wsadmin` tool performance tips” on page 294

Jacl

Jacl is an alternate implementation of TCL, and is written entirely in Java code.

Jacl basic command The basic syntax for a Jacl command is:

```
Command arg1 arg2 arg3 ...
```

The command is either the name of a built-in command or a Jacl procedure. For example:

```
puts stdout {Hello, world!} => Hello, World!
```

In this example, the command is `puts`, which takes two arguments: an I/O stream identifier and a string. `puts` writes the string to the I/O stream along with a trailing new line character. Arguments are interpreted by the command. In the example, `stdout` is used to identify the standard output stream. The use of `stdout` as a name is a convention employed by `puts` and the other I/O commands. Use `stderr` to identify the standard error output, and use `stdin` to identify the standard input.

Note: When writing Jacl scripts for Windows systems, enclose directory paths that include spaces with quotes. For example:

"C:\Program Files\WebSphere\AppServer\InstallableApps\somesample.ear"

On Windows systems, special care must also be taken with path descriptions because Jacl uses the backslash character as an escape character. To fix this, either replace each backslash with a forward slash, or use double backslashes in Windows path statements. For example: C:/ or C:\\

For more information about Jacl, see the Scripting: Resources for Learning article.

Scripting: Resources for learning

Use the following links to find relevant supplemental information about the Jacl scripting language. The information resides on IBM and non-IBM Internet sites, whose sponsors control the technical accuracy of the information.

These links are provided for convenience. Often, the information is not specific to the IBM WebSphere Application Server product, but is useful all or in part for understanding the product. When possible, links are provided to technical papers and Redbooks that supplement the broad coverage of the release documentation with in-depth examinations of particular product areas.

Programming instructions and examples

- Extending XML tools with Jacl scripts
- Jacl: A Tcl implementation in Java
- **5.1+** Charming Jython

Scripting objects

The wsadmin tool operates on configurations and running objects through the following set of management objects: AdminConfig, AdminControl, AdminApp, and Help. Each of these objects has commands that you can use to perform administrative tasks. The wsadmin tool requires that you specify a scripting object, a command, and command arguments.

WebSphere Application Server System Management separates administrative functions into two categories: functions that deal with the configuration of WebSphere Application Server installations, and functions that deal with the currently running objects in WebSphere Application Server installations.

Scripts deal with both categories of objects. For example, an application server is divided into two distinct entities. One entity represents the configuration of the server which resides persistently in a repository on permanent storage. You can create, query, change, or remove this configuration without starting an application server process. The AdminConfig and AdminApp objects handle configuration functionality. You can invoke configuration functions with or without being connected to a server.

The second entity represents the running instance of an application server by a *Java Management Extensions (JMX) MBean*. This instance can have attributes that you can interrogate and change, and operations that you can invoke. These operational actions taken against a running application server do not have an effect on the persistent configuration of the server. The attributes that support manipulation from an MBean differ from the attributes the corresponding configuration supports. The configuration can include many attributes that you cannot query or

set from the live running object. The WebSphere Application Server scripting support provides functions to locate configuration objects, and live running objects.

Note: Objects in the configuration do not always represent objects that are currently running. The AdminControl object manages running objects.

You can use the Help object to obtain information about the AdminConfig, AdminApp and AdminControl objects, and to obtain interface information about running MBeans.

Related concepts

“Jacl” on page 33

Related reference

“Wsadmin tool” on page 31

Help object for scripted administration

The Help object provides general help and dynamic online information about the currently running MBeans. You can use the Help object as an aid in writing and running scripts with the AdminControl object.

The following public commands are available for the Help object:

AdminApp

Provides a summary of all of the available methods for the AdminApp object.

Parameters

none

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help AdminApp
```

5.1+ Using Jython:

```
print Help.AdminApp()
```

Example output: **5.1+**

```
WASX7095I: The
AdminApp object
allows application
objects to
be manipulated
-- this includes
installing,
uninstalling,
editing,
and listing.
Most of the commands
supported by
AdminApp operate in two
modes: the
default mode is one
in which AdminApp
communicates with the
WebSphere server
to accomplish
its tasks.
```

A local mode is also possible, in which no server communication takes place. The local mode of operation is invoked by bringing up the scripting client with no server connected using the command line "-conntype NONE" option or setting the "com.ibm.ws.scripting.connectionType=NONE" property in the wsadmin.properties.

The following commands are supported by AdminApp; more detailed information about each of these commands is available by using the "help" command of AdminApp and supplying the name of the command as an argument.

deleteUserAndGroupEntries
Deletes all the user/group information for all the roles and all the username/password information for RunAs roles for a given application.

edit Edit the properties of an application

editInteractive
Edit the properties of an application interactively

export Export application to a file

exportDDL Export DDL from application to a directory

help Show help information

install Installs an application, given a file name and an option string.

```

installInteractive
Installs an application
in interactive mode,
given a file name
and an option string.

list List all
installed applications

listModules List
the modules
in a specified
application

options Shows the
options available, either
for a given file,
or in general.

publishWSDL Publish WSDL
files for a given
application

taskInfo Shows detailed
information pertaining
to a given install
task for a given file

uninstall Uninstalls
an application,
given an application
name and an option string

updateAccessIDs Updates
the user/group
binding information
with accessID from user
registry for a
given application

view View an application or module,
given an application or module name

```

AdminConfig

Provides a summary of all of the available methods for the AdminConfig object.

Parameters

none

Return type

java.lang.String

Example usage:

Using Jacl:

\$Help AdminConfig

5.1+ Using Jython:

```
print Help.AdminConfig()
```

Example output:

```
WASX7053I: The following
functions are supported
by AdminConfig:
```

create Creates a configuration object, given a type, a parent, and a list of attributes

create Creates a configuration object, given a type, a parent, a list of attributes, and an attribute name for the new object

remove Removes the specified configuration object

list Lists all configuration objects of a given type

list Lists all configuration objects of a given type, contained within the scope supplied

show Show all the attributes of a given configuration object

show Show specified attributes of a given configuration object

modify Change specified attributes of a given configuration object

getId Show the configId of an object, given a string version of its containment

contents Show the objects which a given type contains

parents Show the objects which contain a given type

attributes Show the attributes for a given type

types Show the possible types for configuration

help Show help information

AdminController

Provides a summary of all of the available methods for the AdminControl

object.

Parameters

none

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help AdminControl
```

5.1+ Using Jython:

```
print Help.AdminControl()
```

Example output:

```
WASX7027I: The following
functions are supported
by AdminControl:
```

```
getHost returns String
representation of
connected host
```

```
getPort returns String
representation of
port in use
```

```
getType returns String
representation of
connection type in use
```

```
reconnect reconnects
with server
```

```
queryNames Given
ObjectName and QueryExp,
retrieves set of
ObjectNames
```

that match.

```
queryNames Given String
version of ObjectName,
retrieves String of
```

ObjectNames that match.

```
getMBeanCount returns
number of registered
beans
```

```
getDomainName returns
"WebSphere"
```

```
getDefaultDomain
returns "WebSphere"
```

```
getMBeanInfo Given
ObjectName, returns
MBeanInfo structure
for MBean
```

```
isInstanceOf Given
ObjectName and class
```

name, true if MBean
is of that class

isRegistered true if
supplied ObjectName
is registered

isRegistered true if
supplied String version
of ObjectName is registered

getAttribute Given
ObjectName and name
of attribute, returns
value of

attribute

getAttribute Given
String version of
ObjectName and name
of attribute,

returns value of
attribute

getAttributes Given
ObjectName and array
of attribute names,
returns

AttributeList

getAttributes Given
String version of
ObjectName and
attribute names,

returns String of
name value pairs

setAttribute Given
ObjectName and Attribute
object, set attribute
for MBean

specified

setAttribute Given
String version of
ObjectName, attribute
name and

attribute value, set
attribute for MBean
specified

setAttributes Given
ObjectName and AttributeList
object, set attributes for

the MBean specified

invoke Given ObjectName,
name of method, array
of parameters and

```

signature, invoke
method on MBean specified

invoke Given String
version of ObjectName,
name of method,
String version

of parameter list,
invoke method on
MBean specified.

invoke Given String
version of ObjectName,
name of method,
String version

of parameter list,
and String version of
array of signatures,
invoke

method on MBean specified.

makeObjectName Return
an ObjectName built
with the given string

completeObjectName
Return a String version
of an object name given a

template name

trace Set the wsadmin
trace specification

help Show help
information

```

all Provides a summary of the information that the MBean defines by name.

Parameters	name -- java.lang.String
Return type	java.lang.String

Example usage:

Using JACL:

```
$Help all [$AdminControl
queryNames type=TraceService,
process=server1,node=pongo,*]
```

5.1+ Using Jython:

```
print Help.all($AdminControl.
queryNames('type=TraceService,
process=server1,node=pongo,*'))
```

Example output:

```
Name: WebSphere:cell=
pongo,name=TraceService,
mbeanIdentifier=cells/
pongo/nodes/pongo/servers
/server1/server.xml#
TraceService_1,type=
```

```

TraceService,node=pongo,
process=server1
Description: null
Class name:
javax.management.
modelmbean.
RequiredModelMBean

Attribute      Type Access
ringBufferSize int   RW
traceSpecification java.lang.String RW

Operation
int
getRingBufferSize()
void
setRingBufferSize(int)
java.lang.
String
getTraceSpecification()
void
setTraceState
(java.lang.String)
void append
TraceString
(java.lang.String)
void dumpRing
Buffer(java.lang.String)
void clearRingBuffer()
[Ljava.lang.String;
listAllRegisteredComponents()
[Ljava.lang.String;
listAllRegisteredGroups()
[Ljava.lang.String;
listComponentsInGroup
(java.lang.String)
[Lcom.ibm.websphere.
ras.TraceElementState;
getTracedComponents()
[Lcom.ibm.websphere.
ras.TraceElementState;
getTracedGroups()
java.lang.String
getTraceSpecification
(java.lang.String)
void processDumpString
(java.lang.String)
void checkTraceString
(java.lang.String)
void setTraceOutputToFile
(java.lang.String, int,
int, java.lang.String)
void setTraceOutputTo
RingBuffer(int,
java.lang.String)
java.lang.String
rolloverLogFileImmediate
(java.lang.String,
java.lang.String)

Notifications
jmx.attribute.changed

Constructors

```

attributes

Provides a summary of all of the attributes that the MBean defines by name.

Parameters

name -- java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help attributes  
[$AdminControl queryNames  
type=TraceService,process=  
server1,node=pongo,*]
```

5.1+ Using Jython:

```
print Help.attributes  
(AdminControl.queryNames  
('type=TraceService,  
process=server1,node=pongo,*'))
```

Example output:

Attribute Type Access

ringBufferSize
java.lang.Integer RW

traceSpecification
java.lang.String RW

classname

Provides a class name that the MBean defines by name.

Parameters

name -- java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help classname  
[$AdminControl queryNames  
type=TraceService,process=  
server1,node=pongo,*]
```

5.1+ Using Jython:

```
print Help.classname  
(AdminControl.queryNames  
('type=TraceService,  
process=server1,node=pongo,*'))
```

Example output:

javax.management.modelmbean.
RequiredModelMBean

constructors

Provides a summary of all of the constructors that the MBean defines by name.

Parameters

name -- java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help constructors  
[$AdminControl queryNames  
type=TraceService,process=  
server1,node=pongo,*]
```

5.1+ Using Jython:

```
print Help.constructors  
(AdminControl.queryNames  
('type=TraceService,process  
=server1,node=pongo,*'))
```

Example output:

Constructors

description

Provides a description that the MBean defines by name.

Parameters

name -- java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help description  
[$AdminControl queryNames  
type=TraceService,process=  
server1,node=pongo,*]
```

5.1+ Using Jython:

```
print Help.description  
(AdminControl.queryNames  
('type=TraceService,process=  
server1,node=pongo,*'))
```

Example output:

Managed object for
overall server process.

help

Provides a summary of all of the available methods for the help object.

Parameters

none

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help help
```

5.1+ Using Jython:

```
print Help.help()
```

Example output:

WASX7028I: The following functions are supported by Help:

attributes given an MBean, returns help for attributes

operations given an MBean, returns help for operations

given an MBean and an operation name, return signature

information

constructors given an MBean, returns help for constructors

description given an MBean, returns help for description

notifications given an MBean, returns help for notifications

class name given an MBean, returns help for class name

all given an MBean, returns help for all the above

help returns this help text

AdminControl returns general help text for the AdminControl object

AdminConfig returns general help text for the AdminConfig object

AdminApp returns general help text for the AdminApp object

message

Displays information for a message ID.

Parameters

message ID

Return type

java.lang.String

Example usage:

Using Jacl:

\$Help message CNTR0005W

5.1+ Using Jython:

```
Help.message('CNTR0005W')
```

Example output:

```
Explanation: The  
container was unable  
to passivate an  
enterprise bean due  
to exception {2}  
User action: Take  
action based upon  
message in exception {2}
```

notifications

Provides a summary of all the notifications that the MBean defines by name.

Parameters

name -- java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help notifications  
[$AdminControl queryNames  
type=TraceService,process=  
server1,node=pongo,*]
```

5.1+ Using Jython:

```
print Help.notifications  
(AdminControl.queryNames  
('type=TraceService,process=  
server1,node=pongo,*'))
```

Example output:

Notification

```
websphere.messageEvent.audit  
websphere.messageEvent.fatal  
websphere.messageEvent.error  
websphere.seriousEvent.info  
websphere.messageEvent.warning  
jmx.attribute.changed
```

operations

Provides a summary of all of the operations that the MBean defines by name.

Parameters

name -- java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help operations
[$AdminControl queryNames
type=TraceService,process=
server1,node=pongo,*]
```

5.1 + Using Jython:

```
print Help.operations
($AdminControl.queryNames
('type=TraceService,process=
server1,node=pongo,*'))
```

Example output:

```
Operation
int getRingBufferSize()
void setRingBufferSize(int)
java.lang.String getTrac
eSpecification()
void setTraceState
(java.lang.String)
void appendTraceString
(java.lang.String)
void dumpRingBuffer
(java.lang.String)
void clearRingBuffer()
[Ljava.lang.String;
listAllRegisteredComponents()
[Ljava.lang.String;
listAllRegisteredGroups()
[Ljava.lang.String;
listComponentsInGroup
(java.lang.String)
[Lcom.ibm.websphere.
ras.TraceElementState;
getTracedComponents()
[Lcom.ibm.websphere.
ras.TraceElementState;
getTracedGroups()
java.lang.String
getTraceSpecification
(java.lang.String)
void processDumpString
(java.lang.String)
void checkTraceString
(java.lang.String)
void setTraceOutputToFile
(java.lang.String, int,
int, java.lang.String)
void setTraceOutputTo
RingBuffer(int,
java.lang.String)
java.lang.String
rolloverLogFileImmediate
(java.lang.String,
java.lang.String)
```

operations

Provides the signature of the opname operation for the MBean defined by name.

Parameters

name -- java.lang.String, opname --
java.lang.String

Return type

java.lang.String

Example usage:

Using Jacl:

```
$Help operations
[$AdminControl queryNames
type=TraceService,
process=server1,node=pongo,*]
processDumpString
```

5.1+ Using Jython:

```
print Help.operations
(AdminControl.queryNames
('type=TraceService,process=
server1,node=pongo,*'),
'processDumpString')
```

Example output:

```
void processDumpString
(java.lang.String)
```

Description: Write the
contents of the Ras
services Ring Buffer
to the specified file.

Parameters:

Type java.lang.String
Name dumpString
Description a String
in the specified format
to process or null.

AdminApp object for scripted administration

Use the AdminApp object to install, modify, and administer applications. The AdminApp object interacts with the WebSphere Application Server management and configuration services to make application inquiries and changes. This includes installing and uninstalling applications, listing modules, exporting, and so on.

You can start the scripting client when no server is running, if you want to use only local operations. To run in local mode, use the -conntype NONE option to start the scripting client. You will receive a message that you are running in the local mode. If a server is currently running, it is not recommended to run the AdminApp tool in local mode.

The following public commands are available for the AdminApp object:

deleteUserAndGroupEntries

Deletes users or groups for all roles, and deletes userids and passwords for all of the RunAs roles defined in the application.

Parameters:

appname

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp  
deleteUserAndGroupEntries  
myapp
```

5.1+ Using Jython:

```
AdminApp.  
deleteUserAndGroupEntries  
('myapp')
```

edit

Edits an application or module in interactive mode.

Parameters using Jacl:

appname -- java.lang.String options --
java.lang.String

Parameters using Jython:

appname -- java.lang.String; options --
java.lang.String or appname -

java.lang.String; options -- java.lang.Object[]]
java.lang.String

Return Type:

Example usage:

Using Jacl:

```
$AdminApp edit  
"JavaMail Sample"  
{-MapWebModToVH  
{{ "JavaMail  
Sample WebApp"  
mtcomps.war,  
WEB-INF/web.xml  
newVH} }}
```

5.1+ Using Jython with string options:

```
AdminApp.edit  
("JavaMail Sample",  
'[-MapWebModToVH  
[["JavaMail  
32 Sample WebApp"  
mtcomps.war,WEB-INF/  
web.xml newVH]]]')
```

5.1+ Using Jython with object options:

```
option = [["JavaMail  
32 Sample WebApp",  
"mtcomps.war,WEB-INF/  
web.xml",  
"newVH"]]  
mapVHOption =  
["-MapWebModToVH",  
option]  
AdminApp.edit("JavaMail  
Sample", mapVHOption)
```

Note: The **edit** command changes the application deployment. Specify these changes in the options parameter. No options are required for the **edit** command.

editInteractive

Edits an application or module in interactive mode.

Parameters using Jacl::

appname -- java.lang.String; options --
java.lang.String

Parameters using Jython:	appname -- java.lang.String; options -- java.lang.String or appname -- java.lang.String; options -- java.lang.Object[]
Return Type:	java.lang.String

Example usage:

Using Jacl:

```
$AdminApp
editInteractive
ivtApp
```

5.1+ Using Jython:

```
AdminApp.
editInteractive
('ivtApp')
```

Note: The **editInteractive** command changes the application deployment. Specify these changes in the options parameter. No options are required for the **editInteractive** command.

export

Exports the application appname parameter to a file you specify by file name.

Parameters:	appname, filename
Return Type:	none

Example usage:

Using Jacl:

```
$AdminApp export
"My App"
/usr/me/myapp.ear
```

5.1+ Using Jython:

```
AdminApp.export
("My App",
'/usr/me/myapp.ear')
```

exportDDL

Extracts the data definition language (DDL) from the application appname parameter to the directoryname parameter that a directory specifies. The options parameter is optional.

Parameters:	appname, directoryname, options
Return Type:	none

Example usage:

Using Jacl:

```
$AdminApp exportDDL
"My App" /usr/me/DDL
{-ddlprefix myApp}
```

5.1+ Using Jython:

```
AdminApp.exportDDL  
("My App",  
 '/usr/me/DDL',  
 '[-ddlprefix myApp]')
```

help

Displays general help for the AdminApp object.

Parameters:

none

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp help
```

5.1+ Using Jython:

```
print AdminApp.help()
```

Example output:

```
WASX7095I: The  
AdminApp object  
allows application  
objects to  
be manipulated  
including installing,  
uninstalling, editing,  
and listing. Most  
of the commands  
supported by AdminApp  
operate in two  
modes: the default  
mode is one in  
which AdminApp  
communicates with the  
WebSphere server  
to accomplish its  
tasks. A local  
mode is also  
possible, in which  
no server communication  
takes place. The local  
mode of operation  
is invoked by  
including the  
"-conntype NONE"  
flag in the  
option string  
supplied to  
the command.
```

The following commands
are supported by
AdminApp; more detailed
information about
each of these commands
is available
by using the
"help" command of
AdminApp and supplying
the name of the command
as an argument.

edit Edit

```
the properties
of an application
editInteractive Edit
the properties of
an application
interactively
export      Export
application to a file
exportDDL   Extract
DDL from application
to a directory
help       Show
help information
install    Installs
an application, given
a file name and
an option string.
installInteractive
                  Installs
an application in
interactive mode,
given a file name
                  and an
option string.
list      List
all installed
applications
listModules List
the modules in a
specified application
options     Shows
the options available,
either for a given
file, or in general.
taskInfo
Shows detailed
information
pertaining to
a given install task
for a given file
uninstall
Uninstalls an
application,
given an application
name and an
option string
```

help

Displays help for an AdminApp command or installation option.

Parameters:

operation name

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp help
uninstall
```

5.1+ Using Jython:

```
print AdminApp.
help('uninstall')
```

Example output:

```
WASX7102I:  
Method: uninstall  
Arguments:  
application  
name, options  
Description:  
Uninstalls  
application  
named by  
"application  
name" using  
the options  
supplied by  
String 2.  
Method:  
uninstall  
Arguments:  
application name  
Description:  
Uninstalls the  
application  
specified by  
"application  
name" using  
default options.
```

install

Installs an application in non-interactive mode, given a fully qualified file name and a string of installation options. The options parameter is optional.

Parameters using Jacl:

earfile -- java.lang.String; options --
java.lang.String

Parameters using Jython:

earfile -- java.lang.String; options --
java.lang.String or earfile -- java.lang.String;
options -- java.lang.Object[]

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp install  
c:/apps/myapp.ear
```

5.1+ Using Jython:

```
AdminApp.install  
('c:/apps/myapp.ear')
```

There are many options available for this command. You can obtain a list of valid options for an EAR file with the following command:

Using Jacl:

```
$AdminApp options myApp.ear
```

5.1+ Using Jython:

```
AdminApp.options  
('myApp.ear')
```

You can also obtain help for each object with the following command:

Using Jacl:

```
$AdminApp help  
MapModulesToServers
```

5.1+ Using Jython:

```
AdminApp.help  
('MapModulesToServers')
```

installInteractive

Installs an application in interactive mode, given a fully qualified file name and a string of installation options. The options parameter is optional.

Parameters using Jacl:

earfile -- java.lang.String; options -
java.lang.String

Parameters using Jython:

earfile -- java.lang.String; options --
java.lang.String or earfile -- java.lang.String;
options -- java.lang.Object[]

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp  
installInteractive  
c:/websphere/appserver/  
installableApps/  
jmsample.ear
```

5.1+ Using Jython:

```
AdminApp.  
installInteractive  
('c:/websphere/  
appserver/  
installableApps/  
jmsample.ear')
```

list

Lists the applications installed in the configuration.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminApp list
```

5.1+ Using Jython:

```
print  
AdminApp.list()
```

Example output:

```
adminconsole  
DefaultApplication  
ivtApp
```

listModules

Lists the modules in an application.

Parameters:	appname -- java.lang.String	options -- java.lang.String
Return Type:	java.lang.String	

The options parameter is optional. The valid option is `-server`. This option lists the application servers on which the modules are installed.

Example usage:

Using Jacl:

```
$AdminApp
listModules ivtApp
```

5.1+ Using Jython:

```
print AdminApp.
listModules('ivtApp')
```

Example output:

```
ivtApp#ivtEJB.
jar+META-INF/
ejb-jar.xml
ivtApp#ivt_app.
war+WEB-INF/web.xml
```

This example is formed by the concatenation of appname, #, module URI, +, and DD URI. You can pass this string to the edit and editInteractive AdminApp commands.

Options

Displays a list of options for installing an EAR file.

Parameters:	earfile, options
Return Type:	Information about the valid installation options for an EAR file.

Example usage:

Using Jacl:

```
$AdminApp options
c:/websphere/
appserver/
installableApps/
jmsample.ear
```

5.1+ Using Jython:

```
AdminApp.options
('c:/websphere/
appserver/
installableApps/
jmsample.ear')
```

publishWSDL

Publishes WSDL files for the application specified in the appname parameter to the file specified in the filename parameter.

Parameters:	appname, filename
Return Type:	none

Example usage:

Using Jacl:

```
$AdminApp  
publishWSDL  
JAXRPCHandlerServer  
c:/temp/a.zip
```

5.1+ Using Jython:

```
AdminApp.publishWSDL  
('JAXRPCHandlerServer',  
'c:/temp/a.zip')
```

publishWSDL

Publishes WSDL files for the application specified in the appname parameter to the file specified in the filename parameter using the soap address prefixes specified in the soapAddressPrefixes parameter.

Parameters:

appname, filename, soapAddressPrefixes

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp publishWSDL  
JAXRPCHandlersServer  
c:/temp/a.zip  
{ {JAXRPCHandlersServerApp.  
war {{http http://  
localhost:9080}}}}
```

5.1+ Using Jython:

```
AdminApp.publishWSDL  
('JAXRPCHandlersServer',  
'c:/temp/a.zip',  
'[[JAXRPCHandlersServerApp.  
war [[http http://  
localhost:9080]]]]')
```

taskInfo

Provides information about a particular task option for an application file.

Parameters:

earfile, task name

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp taskInfo  
c:/websphere/appserver/  
installableApps/  
jmsample.ear  
MapWebModToVH
```

5.1+ Using Jython:

```
print AdminApp.  
taskInfo('c:/  
websphere/appserver/  
installableApps/  
jmsample.ear',  
'MapWebModToVH')
```

Example output:

```
MapWebModToVH:  
Selecting virtual  
hosts for Web modules  
Specify the virtual  
host where you  
want to install  
the Web modules  
contained in  
your application.  
Web modules can  
be installed on  
the same virtual  
host or dispersed  
among several hosts.  
Each element of  
the MapWebModToVH  
task consists of  
the following 3  
fields: "webModule,"  
"uri," "virtualHost."  
Of these fields,  
the following may  
be assigned new  
values: "virtualHost"  
and the following  
are required:  
"virtualHost"
```

```
The current contents  
of the task after  
running default  
bindings are:  
webModule: JavaMail  
Sample WebApp  
uri: mtcomps.war,  
WEB-INF/web.xml  
virtualHost:  
default_host
```

uninstall

Uninstalls an existing application.

Parameters:

appname -- java.lang.String

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp uninstall  
myApp
```

5.1 + Using Jython:

```
AdminApp.uninstall  
('myApp')
```

Example output:

```
ADMA5017I:  
Uninstallation  
of myapp started.  
ADMA5104I: Server  
index entry for  
myCellManager was
```

```
updated successfully.  
ADMA5102I: Deletion  
of config data  
for myapp from  
config repository  
completed successfully.  
ADMA5011I: Cleanup  
of temp dir for  
app myapp done.  
ADMA5106I: Application  
myapp uninstalled  
successfully.
```

updateAccessIDs

Updates the access id information for users and groups assigned to various roles defined in the application. The access IDs are read from the user registry and saved in the application bindings. This operation improves run-time performance of the application. You should call it after installing an application or after editing security role-specific information for an installed application. This method cannot be invoked when -conntype is set to NONE. You must be connected to a server to invoke this command.

The bALL Boolean parameter retrieves and saves all access IDs for users and groups in the application bindings. Specify false if you want to retrieve access IDs for users or groups that do not have an access ID in the application bindings.

Parameters:

appname, bALL

Return Type:

none

Example usage:

Using Jacl:

```
$AdminApp  
updateAccessIDs  
myapp true
```

5.1+ Using Jython:

```
AdminApp.  
updateAccessIDs  
('myapp', 'true')
```

view

View the task specified by the taskname option parameter for the application or module specified by the name parameter. Use -tasknames as the option to get a list of valid task names for the application. Otherwise, specify one or more task names as the option.

Parameters:

name, taskname option

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminApp view  
adminconsole  
{-tasknames}
```

5.1+ Using Jython:

```
AdminApp.view  
('adminconsole',  
['-tasknames'])
```

Example output:

```
MapModulesToServers  
MapWebModToVH  
MapRolesToUsers  
AppDeploymentOptions
```

Using Jacl:

```
$AdminApp view  
adminconsole  
{-AppDeploymentOptions  
-MapModulesToServers}
```

5.1+ Using Jython:

```
AdminApp.view('Test',  
['-AppDeploymentOptions',  
'-MapModulesToServers'])
```

Example output:

```
MapModulesToServers:  
Selecting Application  
Servers
```

Specify the application server where you want to install modules contained in your application. Modules can be installed on the same server or dispersed among several servers:

```
Module:  
adminconsole  
URI: adminconsole.  
war,WEB-INF/web.xml  
Server: WebSphere:  
cell=juniartiNetwork,  
node=juniartiManager,  
server=dmgr  
AppDeploymentOptions:  
Specifying Application  
Options
```

Specify the various options available to prepare and install your application:

```
Directory to Install  
Application:  
$(APP_INSTALL_ROOT)/  
juniartiNetwork  
Distribute  
Application: Yes  
Use Binary  
Configuration: No  
Application  
Name: adminconsole  
Create MBeans  
for Resources: Yes  
Enable Class  
Reloading: No  
Reload Interval  
in Seconds: 0
```

Example usage:

Using Jacl:

```
$AdminApp view  
adminconsole#  
adminconsole.  
war+WEB-INF/web.xml  
{-MapRolesToUsers}
```

5.1+ Using Jython:

```
AdminApp.view  
('adminconsole#  
adminconsole.war  
+WEB-INF/web.xml',  
['-MapRolesToUsers'])
```

Example output:

```
MapRolesToUsers:  
Mapping Users  
to Roles
```

Each role defined in the application or module must be mapped to a user or group from the domain's user registry:

```
Role:  
administrator  
Everyone?:  
No  
All Authenticated?:  
No  
Mapped Users:  
Mapped Groups:  
Role: operator  
Everyone?: No  
All Authenticated?:  
No  
Mapped Users:  
Mapped Groups:  
Role: configurator  
Everyone?: No  
All Authenticated?: No  
Mapped Users:  
Mapped Groups:  
Role: monitor  
Everyone?: No  
All Authenticated?: No  
Mapped Users:  
Mapped Groups:
```

view

View the application or module specified by the name parameter.

Parameters:

name

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminApp view  
adminconsole
```

5.1+ Using Jython:

```
AdminApp.view  
('adminconsole')
```

Example output:

```
MapRolesToUsers:  
Mapping Users  
to Roles  
  
Role: administrator  
Everyone?: No  
All Authenticated?: No  
Mapped Users:  
Mapped Groups:  
Role: operator  
Everyone?: No  
All Authenticated?: No  
Mapped Users:  
Mapped Groups:  
Role: configurator  
Everyone?: No  
All Authenticated?: No  
Mapped Users:  
Mapped Groups:  
Role: monitor  
Everyone?: No  
All Authenticated?: No  
Mapped Users:  
Mapped Groups:  
MapWebModToVH:  
Selecting Virtual  
Hosts for Web  
Modules
```

Specify the virtual host where you want to install the Web modules contained in your application. You can install Web modules on the same virtual host or dispersed among several hosts:

```
Web Module:  
adminconsole  
URI: adminconsole.  
war,WEB-INF/web.xml  
Virtual Host:  
admin_host  
  
MapModulesToServers:  
Selecting Application  
Servers
```

Specify the application server where you want to install modules contained in your application. You can install modules on the same server or dispersed among several servers.

```
Module: adminconsole  
URI: adminconsole.  
war,WEB-INF/web.xml  
Server: WebSphere:  
cell=juniartiNetwork,  
node=juniartiManager,  
server=dmgr  
  
AppDeploymentOptions:  
Specifying Application  
Options
```

Specify the various options available to prepare and install your application:

```
Directory to
Install Application:
$(APP_INSTALL_ROOT) /
juniartiNetwork
Distribute
Application: Yes
Use Binary
Configuration: No
Application
Name: adminconsole
Create MBeans
for Resources: Yes
Enable Class
Reloading: No
Reload Interval
in Seconds: 0
```

Installation options for the AdminApp object

You can specify the following installation options for the AdminApp object.

allowPermInFilterPolicy:

Specifies to continue with the application deployment process even when the application contains policy permissions that are in the filter policy. This option does not require a value.

appname:

Specifies the name of the application. The default is the display name of the application.

BackendIdSelection:

Specifies the backend ID for the enterprise bean jar modules that have container managed persistence (CMP) beans. An enterprise bean jar module can support multiple backend configurations as specified using the Application Assembly Tool.

Use this option to change the backend ID during installation. This option is not available in an **edit** command.

Example usage:

Using Jacl:

```
$AdminApp install
c:/myapp.ear
{-BackendIdSelection
{{Annuity20EJB
Annuity20EJB.jar,
META-INF/ejb-jar.xml
DB2UDBNT_V72_1}}}
```

5.1+ Using Jython:

```
AdminApp.install
('c:/myapp.ear',
'[-BackendIdSelection
[[Annuity20EJB
Annuity20EJB.jar,
META-INF/ejb-jar.xml
DB2UDBNT_V72_1]]]')
```

BindJndiForEJBMessageBinding:

Binds V2.0 message-driven enterprise beans to listener port names.

Verify that each V2.0 message-driven enterprise bean in your application is bound either to a listener port name using this option or to a Java Naming and Directory Interface (JNDI) name using the BindJndiForMDB option. Use this option to provide missing data or update a task.

Example usage:

Using Jacl:

```
$AdminApp install $ear
{-BindJndiForEJBMessage
Binding {{Ejb1 MessageBean
ejb-jar-ic.jar,META-INF/
ejb-jar.xml 9999}}}
```

5.1+ Using Jython:

```
AdminApp.install(ear,
[-BindJndiForEJBMessage
Binding', [['Ejb1',
'MessageBean', 'ejb-jar
-ic.jar,META-INF
/ ejb-jar.xml', 9999]]])
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

BindJndiForEJBNonMessageBinding:

Binds enterprise beans to Java Naming and Directory Interface (JNDI) names.

Ensure each non message-driven enterprise bean in your application or module is bound to a JNDI name. Use this option to provide missing data or update a task.

Example usage:

Using Jacl:

```
$AdminApp install
c:/myapp.ear
{-BindJndiForEJB
NonMessageBinding
{{"Increment Bean
Jar" Inc Increment.
jar,META-INF/
ejb-jar.xml IncBean}}}
```

5.1+ Using Jython:

```
AdminApp.install
('c:/myapp.ear',
'[-BindJndiForEJBNon
MessageBinding
```

```
[["Increment Bean  
Jar" Inc Increment.  
jar,META-INF/ejb-jar.  
xml IncBean]]])'
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

BindJndiForMDB:

Binds message-driven enterprise beans to Java Naming and Directory Interface (JNDI) names of activation specification instances of installed J2EE Connector Architecture (JCA) V1.5 resource adapters.

Ensure that each message-driven enterprise bean in your application is bound to the JNDI name of an activation specification. One exception is the V2.0 message-driven enterprise bean which you can bind to a listener port name using the BindJndiForEJBMessageBinding option. Use the BindJndiForEJBMessageBinding option to provide missing data or to update a task.

Example usage:

Using Jacl:

```
$AdminApp install  
$ear {-BindJndiForMDB  
{{14 14 ejb-jar-ic.jar  
MessageBean ejb-jar-ic.  
jar,META-INF/ejb-jar.  
xml myjndi}}}
```

5.1+ Using Jython:

```
AdminApp.install(ear,  
['-BindJndiForMDB',  
[[14, 'ejb-jar-ic.jar',  
'MessageBean', 'ejb-jar-  
ic.jar,META-INF/ejb-jar.xml',  
'myjndi']]])
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

cell:

Specifies the cell name for the AdminApp object installation functions.

cluster:

Specifies the cluster name for the AdminApp object installation functions.

Note: This option only applies to a Network Deployment environment.

contextroot:

Specifies the context root you use when installing a stand-alone WAR file.

CorrectOracleIsolationLevel:

Specifies the isolation level for the Oracle type provider. Use this option to provide missing data or update a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-CorrectOracle  
IsolationLevel  
{{AsyncSender  
jms/MyQueueConnection  
Factory jms/Resource1 2}}}
```

5.1+ Using Jython:

```
AdminApp.install  
('c:/myapp.ear',  
'[-CorrectOracleIsolationLevel  
[[AsyncSender jms/  
MyQueueConnectionFactory  
jms/Resource1 2]]]')
```

The last field of each entry specifies the isolation level. Valid isolation level values are 2 or 4.

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

CorrectUseSystemIdentity:

Replaces RunAs System to RunAs Roles.

The enterprise beans you install contain RunAs system identity. You can optionally change this identity to a RunAs role. Use this option to provide missing data or update a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-CorrectUseSystem  
Identity {{Inc  
"Increment Bean Jar"  
Increment.jar,META  
-INF/ejb-jar.xml  
getValue() RunAsUser2  
user2 password2}  
{Inc "Increment  
Bean Jar" Increment.  
jar,META-INF/ejb-jar.xml  
Increment() RunAsUser2  
user2 password2}}}
```

5.1+ Using Jython:

```

AdminApp.install
('c:/myapp.ear',
'[-CorrectUseSystem
Identity [[Inc
"Increment Bean Jar"
Increment.jar,META
-INF/ejb-jar.xml
getValue() RunAsUser2
user2 password2]
[Inc "Increment
Bean Jar" Increment.
jar,META-INF/ejb-jar.
xml Increment()
RunAsUser2 user2
password2]]]')

```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

DataSourceFor10CMPBeans:

Specifies optional data sources for individual 1.x container managed persistence (CMP) beans.

Mapping a specific data source to a CMP bean overrides the default data source for the module that contains the enterprise bean. Use this option to provide missing data or update a task.

Example usage:

Using JACL:

```

$AdminApp install
c:/myapp.ear
{-DataSourceFor10
CMPBeans {"Increment
Bean Jar" Inc
Increment.jar,
META-INF/ejb-jar.xml
jdbc/SampleDataSource
user1 password1}}

```

5.1+ Using Jython:

```

AdminApp.install
('c:/myapp.ear',
'[-DataSourceFor10
CMPBeans [{"Increment
Bean Jar" Inc
Increment.jar,META-INF/
ejb-jar.xml jdbc/
SampleDataSource
user1 password1}]]')

```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

DataSourceFor20CMPBeans:

Specifies optional data sources for individual 2.x container managed persistence (CMP) beans.

Mapping a specific data source to a CMP bean overrides the default data source for the module that contains the enterprise bean. Use this option to provide missing data or update a task.

Example usage:

Using JACL:

```
$AdminApp install  
c:/myapp.ear  
{-DataSourceFor  
20CMPBeans {{Customer  
EjbJar CustomerEJB  
customreEjb.jar,  
META-INF/ejb-jar.xml  
ejb/customerEjb  
"per connection factory"  
{SupplierEjbJar supplierEjb  
supplierEjb.jar,META-INF  
/ejb-jar.xml ejb/  
supplierEjb container}}}
```

5.1+ Using Jython:

```
AdminApp.install('c:/  
myapp.ear', '[-DataSource  
For20CMPBeans [[Customer  
EjbJar CustomerEJB  
customreEjb.jar,META-INF  
/ejb-jar.xml ejb/customer  
Ejb "per connection factory"  
[SupplierEjbJar supplierEjb  
supplierEjb.jar,META-INF/  
ejb-jar.xml ejb/supplierEjb  
container]]]')
```

The last field in each entry of this task specifies the value for resource authorization. Valid values for resource authorization are per connection factory or container.

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

DataSourceFor10EJBModules:

Specifies the default data source for the enterprise bean module that contains 1.x container managed persistence (CMP) beans. Use this option to provide missing data or update a task.

Example usage:

Using JACL:

```
$AdminApp install  
c:/myapp.ear {-Data  
SourceFor10EJBModules
```

```
 {{ "Increment Bean Jar"  
 Increment.jar,META-INF/  
 ejb-jar.xml jdbc/Sample  
 DataSource user1 password1}}}
```

5.1 + Using Jython:

```
AdminApp.install  
('c:/myapp.ear',  
 '[-DataSourceFor10EJB  
 Modules [[ "Increment  
 Bean Jar"  
 Increment.jar,META-I  
 NF/ejb-jar.xml jdbc/  
 SampleDataSource  
 user1 password1]]]')
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

DataSourceFor20EJBModules:

Specifies the default data source for the enterprise bean 2.x module that contains 2.x container managed persistence (CMP) beans. Use this option to provide missing data or update a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear {-Data  
SourceFor20EJBModules  
{{CustomerEjbJar  
customreEjb.jar,  
META-INF/ejb-jar.xml  
ejb/customerEjb  
"per connection factory"}  
{SupplierEjbJar  
supplierEjb.jar,META-  
INF/ejb-jar.xml ejb/  
supplierEjb container}}}
```

5.1 + Using Jython:

```
AdminApp.install('c:/  
myapp.ear', '[-Data  
SourceFor20EJBModules  
[[CustomerEjbJar  
customreEjb.jar,META-  
INF/ejb-jar.xml ejb/  
customerEjb "per  
connection factory"]  
[SupplierEjbJar  
supplierEjb.jar,META-  
INF/ejb-jar.xml  
ejb/supplierEjb  
container]]]')
```

The last field in each entry of this task specifies the value for resource authorization. Valid values for resource authorization is per connection factory or container.

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

defaultbinding.cf.jndi:

Specifies the Java Naming and Directory Interface (JNDI) name for the default connection factory

defaultbinding.cf.resauth:

Specifies the RESAUTH for the connection factory.

defaultbinding.datasource.jndi:

Specifies the Java Naming and Directory Interface (JNDI) name for the default datasource.

defaultbinding.datasource.password:

Specifies the password for the default datasource.

defaultbinding.datasource.username:

Specifies the user name for the default datasource.

defaultbinding.ejbjndi.prefix:

Specifies the prefix for the enterprise bean Java Naming and Directory Interface (JNDI) name.

defaultbinding.force:

Specifies that the default bindings should override the current bindings.

defaultbinding.strategy.file:

Specifies a custom default bindings strategy file.

defaultbinding.virtual.host:

Specifies the default name for a virtual host.

depl.extension.reg:

Specifies the location of the properties file for deployment extensions.

deployejb:

Specifies to run EJBDeploy during installation. This option does not require a value.

If you pre-deploy the application Enterprise Archive (EAR) file using the EJBDeploy tool then the default value is `nodeployejb`. If not, the default value is `deployejb`.

deployejb.classpath:

Specifies an extra class path for EJBDeploy.

deployejb.dbschema:

Specifies the database schema for EJBDeploy.

deployejb.dbtype:

Specifies the database type for EJBDeploy.

Possible values include the following:

```
CLOUDSCAPE_V5  
DB2UDB_V72  
DB2UDB0S390_V6  
DB2UDBISERIES  
INFORMIX_V73  
INFORMIX_V93  
MSSQLSERVER_V7  
MSSQLSERVER_2000  
ORACLE_V8  
ORACLE_V9I  
SYBASE_V1200
```

For a list of current supported database vendor types, run `ejbdeploy -?`.

deployejb.rmic:

Specifies extra RMIC options to use for EJBDeploy.

deployws:

Specifies to deploy WebServices during installation. This option does not require a value.

The default value is: `nodeployws`.

deployws.classpath:

Specifies the extra classpath to use when you deploy WebServices.

deployws.jardirs:

Specifies the extra extension directories to use when you deploy WebServices.

distributeApp:

Specifies that the application management component distributes application binaries. This option does not require a value.

This is the default setting.

EnsureMethodProtectionFor10EJB:

Selects method protections for unprotected methods of 1.x enterprise beans. Specify to leave the method as unprotected, or assign protection which denies all access. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-EnsureMethod  
ProtectionFor10EJB  
{{"Increment EJB Module"  
IncrementEJBBean.  
jar,META-INF/ejb-  
jar.xml ""} {"Timeout  
EJB Module"  
TimeoutEJBBean.jar,  
META-INF/ejb-jar.xml  
methodProtection.  
denyAllPermission}}}
```

5.1+ Using Jython:

```
AdminApp.install  
('c:/myapp.ear',  
'[-EnsureMethod  
ProtectionFor10EJB  
[["Increment EJB Module"  
IncrementEJBBean.  
jar,META-INF/ejb-jar.  
xml ""] [{"Timeout  
EJB Module"  
TimeoutEJBBean.jar,  
META-INF/ejb-jar.xml  
methodProtection.  
denyAllPermission}]]')
```

The last field in each entry of this task specifies the value of the protection. Valid protection values include: `methodProtection.denyAllPermission`. You can also leave the value blank if you want the method to remain unprotected.

Use the `taskInfo` command of the `AdminApp` object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

EnsureMethodProtectionFor20EJB:

Selects method protections for unprotected methods of 2.x enterprise beans. Specify to assign a security role to the unprotected method, add the method to the exclude list, or mark the method as unchecked. You can assign multiple roles for a method by separating roles names with commas. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-EnsureMethod  
ProtectionFor20EJB
```

```

{{CustomerEjbJar
customerEjb.jar,
META-INF/ejb-jar.xml
methodProtection.
uncheck} {SupplierEjbJar
supplierEjb.jar,
META-INF/ejb-jar.
xml methodProtection.
exclude}}}

```

5.1 + Using Jython:

```

AdminApp.install('c:/myapp.ear', '-Ensure
MethodProtectionFor
20EJB [[CustomerEjbJar
customerEjb.jar,META
-INF/ejb-jar.xml
methodProtection.
uncheck] [SupplierEjbJar
supplierEjb.jar,
META-INF/ejb-jar.xml
methodProtection.
exclude]]]')

```

The last field in each entry of this task specifies the value of the protection. Valid protection values include: `methodProtection.uncheck`, `methodProtection.exclude`, or a list of security roles separated by commas.

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

installdir:

Specifies the directory to place the application binaries.

MapModulesToServers:

Specifies the application server where you want to install modules that are contained in your application. You can install modules on the same server, or disperse them among several servers. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```

$AdminApp install
c:/myapp.ear
{-MapModulesToServers
{{{"Increment Bean Jar"
Increment.jar,META-INF
.ejb-jar.xml WebSphere:
cell=mycell,node=mynode
,server=server1}
{"Default Application"
default_app.war,WEB-INF/
web.xml WebSphere:cell=
mycell,node=mynode,
server=server1}
{"Examples Application"
}
}

```

```
examples.war,WEB-INF/
web.xml WebSphere:cell=
mycell,node=mynode,
server=server1}}}
```

5.1+ Using Jython:

```
AdminApp.install('c:/myapp.ear', '[-MapModules
ToServers [{"Increment
Bean Jar"
Increment.jar,META-INF/
ejb-jar.xml WebSphere:
cell=mycell,node=mynode,
server=server1]
["Default Application"
default_app.war,WEB-INF/
web.xml WebSphere:cell=
mycell,node=mynode,
server=server1]
["Examples Application"
examples.war,WEB-INF/
web.xml WebSphere:cell=
mycell,node=mynode,
server=server1]]]')
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapEJBRefToEJB:

Maps enterprise Java references to enterprise beans. You must map each enterprise bean reference defined in your application to an enterprise bean. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install
c:/myapp.ear
{-MapEJBRefToEJB
{{"Examples Application" ""
examples.war,WEB-INF/
web.xml BeenThereBean
com.ibm.websphere.beentheme.
BeenThere IncBean}}}
```

5.1+ Using Jython:

```
AdminApp.install('c:/myapp.
ear', '[-MapEJBRefToEJB
[["Examples Application" ""
examples.war,WEB-INF/web.
xml BeenThereBean com.ibm.
websphere.beentheme.
BeenThere IncBean]]]')
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapMessageDestinationRefToEJB:

Maps message destination references to JNDI names of administrative objects from the installed resource adapters. You must map each message destination reference defined in your application to an administrative object. Use this option to provide missing data or to update a task.

Example usage:

Using Jacl:

```
$AdminApp install  
$earfile {-MapMessage  
DestinationRefToEJB  
{ejb-jar-ic.jar  
Publisher ejb-jar-ic.  
jar,META-INF/ejb-jar.  
xml MyConnection jndi2}  
{ejb-jar-ic.jar  
Publisher ejb-jar-ic.  
jar,META-INF/ejb-jar.  
xml PhysicalTopic jndi3}  
{ejb-jar-ic.jar  
Publisher ejb-jar-ic.  
jar,META-INF/ejb-jar.xml  
jms/ABC jndi4}}}
```

5.1+ Using Jython:

```
AdminApp.install(ear1,  
['-MapMessageDestinationRefToEJB',  
[['ejb-jar-ic.jar',  
'Publisher', 'ejb-jar-ic.  
jar,META-INF/ejb-jar.xml',  
'MyConnection', 'jndi2'],  
['ejb-jar-ic.jar', 'Publisher',  
'ejb-jar-ic.jar,META-INF/  
ejb-jar.xml', 'PhysicalTopic',  
'jndi3'],  
['ejb-jar-ic.jar',  
'Publisher', 'ejb-jar-ic.  
jar,META-INF/ejb-jar.xml',  
'jms/ABC', 'jndi4']]])
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapResEnvRefToRes:

Maps resource environment references to resources. You must map each resource environment reference defined in your application to a resource. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear {-MapRes  
EnvRefToRes {{AsyncSender  
AsyncSender  
asyncSenderEjb.jar,  
META-INF/ejb-jar.xml  
jms/ASYNC_SENDER_QUEUE  
javax.jms.Queue jms/  
Resource2}}}
```

5.1+ Using Jython:

```
AdminApp.install('c:  
/myapp.ear',  
'[-MapResEnvRefToRes  
[[AsyncSender AsyncSender  
asyncSenderEjb.jar,  
META-INF/ejb-jar.xml  
1jms/ASYNC_SENDER_QUEUE  
javax.jms.Queue  
jms/Resource2]]]')
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapResRefToEJB:

Maps resource references to resources. You must map each resource reference defined in your application to a resource. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-MapResRefToEJB  
{{AsyncSender AsyncSender  
asyncSenderEjb.jar,  
META-INF/ejb-jar.xml  
jms/MyQueueConnectionFactory  
javax.jms.Queue  
ConnectionFactory  
jms/Resource1} {"Catalog  
Component" TheCatalog  
catalogEjb.jar,META-INF/  
ejb-jar.xml jdbc/  
CatalogDataSource  
javax.sql.DataSource  
jdbc/Resource2}}}
```

5.1+ Using Jython:

```
AdminApp.install('c:/  
myapp.ear', '[-MapResRefToEJB  
[[AsyncSender AsyncSender  
asyncSenderEjb.jar,META-INF/  
ejb-jar.xml jms/MyQueue  
ConnectionFactory  
javax.jms.QueueConnection
```

```

Factory jms/Resource1]
["Catalog Component"
TheCatalog
catalogEjb.jar,META-INF
/ejb-jar.xml jdbc/
CatalogDataSource
javax.sql.DataSource
jdbc/Resource2]]]')

```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapRolesToUsers:

Maps users to roles. You must map each role defined in the application or module to a user or group from the domain user registry. You can specify multiple users or groups for a single role by separating them with a `,`. Use this option to provide missing data or update to a task.

Example usage:

Using JACL:

```

$AdminApp install
c:/myapp.ear
{-MapRolesToUsers
{{"All Role" No Yes "" ""}
 {"Every Role" Yes No "" ""}
 {DenyAllRole No No
user1 group1}}}

```

5.1+ Using Jython:

```

AdminApp.install('c:/
myapp.ear', '[-MapRolesToUsers
[["All Role" No Yes "" ""]
["Every Role" Yes No "" ""]
[DenyAllRole No No
user1 group1]]]')

```

where `{{"All Role" No Yes "" ""}}` corresponds to the following:

"All Role"	is the role name
No	indicates to allow access to everyone (yes/no)
Yes	indicates to allow access to all authenticated users (yes/no)
""	indicates the mapped users
""	indicates the mapped groups

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapRunAsRolesToUsers:

Maps RunAs Roles to users. The enterprise beans you install contain predefined RunAs roles. Enterprise beans that need to run as a particular role for recognition while interacting with another enterprise bean use RunAs roles. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-MapRunAsRolesToUsers  
{{UserRole user1 password1}  
{AdminRole administrator  
administrator}}}
```

5.1+ Using Jython:

```
AdminApp.install('c:/  
myapp.ear', '[-MapRun  
AsRolesToUsers [[UserRole  
user1 password1]  
[AdminRole administrator  
administrator]]]')
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

MapWebModToVH:

Selects virtual hosts for Web modules. Specify the virtual host where you want to install the Web modules contained in your application. You can install Web modules on the same virtual host, or disperse them among several hosts. Use this option to provide missing data or update to a task.

Example usage:

Using Jacl:

```
$AdminApp install  
c:/myapp.ear  
{-MapWebModToVH  
{{"Default Application"  
default_app.war,  
WEB-INF/web.xml  
default_host}  
{"Examples Application"  
examples.war,WEB-  
INF/web.xml  
default_host}}}
```

5.1+ Using Jython:

```
AdminApp.install  
('c:/myapp.ear',  
'[-MapWebModToVH  
[[{"Default Application"  
default_app.war,W  
EB-INF/web.xml
```

```
default_host]
["Example Application"
examples.war,WEB-
INF/web.xml default_host]]]')
```

Use the **taskInfo** command of the AdminApp object to obtain information about the data needed for your application. You only need to provide data for rows or entries that are missing information, or those where you want to update the existing data.

noallowPermInFilterPolicy:

Specifies not to continue with the application deployment process when the application contains policy permissions that are in the filter policy. This option does not require a value.

This option is the default setting.

node:

Specifies the node name for the AdminApp installation functions.

nodeployejb:

Specifies not to run EJBDeploy during installation. This option does not require a value.

This value is the default setting.

nodeployws:

Specifies to not deploy WebServices during installation. This option does not require a value.

This value is the default setting.

nodistributeApp:

Specifies that the application management component does not distribute application binaries. This option does not require a value.

The default setting is **distributeApp**.

nopreCompileJSPs:

Specifies not to precompile JavaServer Pages files. This option does not require a value.

This is the default setting.

nouseMetaDataFromBinary:

Specifies that the metadata used at run time, for example, deployment descriptors, bindings, extensions, and so on, come from the configuration repository. This option does not require a value.

This is the default setting. Use `useMetaDataFromBinary` to indicate that the metadata used at run time comes from the EAR file.

nousedefaultbindings:

Specifies not to use default bindings for installation. This option does not require a value.

This is the default setting.

preCompileJSPs:

Specifies to precompile JavaServer Pages files. This option does not require a value.

The default is `noPreCompileJSPs`.

server:

Specifies the server name for the AdminApp installation functions.

update:

Updates the installed application with a new version of the EAR file. This option does not require a value.

The application that is being updated, specified by the `appname` option, must already be installed in the WebSphere Application Server configuration. The update action merges bindings from the new version with the bindings from the old version, uninstalls the old version, and installs the new version. The binding information from new version of the EAR file is preferred over the corresponding one from the old version. If any element of binding is missing in the new version, the corresponding element from the old version is used.

update.ignore.old:

Specifies that during the update action, bindings from the installed version of the application are ignored. This option does not require a value.

Applies only if you specify the `update` option.

update.ignore.new:

Specifies that during the update action, bindings from the new version of the application are ignored. This option does not require a value.

Applies only if you specify the `update` option.

useMetaDataFromBinary:

Specifies that the metadata used at run time, for example, deployment descriptors, bindings, extensions, and so on, come from the EAR file. This option does not require a value.

The default value is `noUseMetaDataFromBinary` which means that the metadata used at run time comes from the configuration repository.

usedefaultbindings:

Specifies to use default bindings for installation. This option does not require a value.

The default setting is `nousedefaultbindings`.

verbose:

Causes additional messages to display during installation. This option does not require a value.

Example: Obtaining information about task options for the AdminApp install command

You can obtain information online about the AdminApp task options by using the AdminApp `taskInfo` method.

- You can use the `options` method to see the requirements for an EAR file if you construct installation command lines. The `taskInfo` command provides detailed information for each task option with a default binding applied to the result.
- The options for the AdminApp `install` command can be complex if you specify various types of binding information, for example, Java Naming and Directory Interface (JNDI) name, data sources for enterprise bean modules, or virtual hosts for Web modules. An easy way to specify command line installation options is to use a feature of the `installInteractive` command that generates the options for you. After you install the application interactively once and specify all the updates that you need, look for message WASX7278I in the wsadmin output log. The default output log for wsadmin is `wsadmin.traceout`. You can cut and paste the data in this message into a script, and modify it. For example:

```
WASX7278I: Generated command line: install c:/websphere/appserver/installableapps/jmsample.ear
{-BindJndiForEJBNonMessageBinding {{deplmtest.jar MailEJBObject deplmtest.jar,META-INF/ejb-jar.xml
-MapResRefToEJB {{deplmtest.jar MailEJBObject deplmtest.jar,META-INF/ejb-jar.xml mail/MailSession9
javax.mail.Session mail/DefaultMailSessionX }} {"JavaMail Sample WebApp" mtcomps.war,WEB-INF/web.x
mail/MailSession9 javax.mail.Session mail/DefaultMailSessionY }} } -MapWebModToVH {{"JavaMail Sample
mtcomps.war,WEB-INF/web.xml newhost }} -nopreCompileJSPs -novalidateApp -installed.ear.destination
c:/mylocation -distributeApp -nouseMetaDataFromBinary}
```

Related reference

"Installation options for the AdminApp object" on page 62

AdminControl object for scripted administration

Use the AdminControl object to invoke operational commands that deal with running objects in the WebSphere Application Server. Many of the AdminControl commands have multiple signatures so that they can either invoke in a raw mode using Parameters: specified by Java Management Extensions (JMX), or using strings for Parameters:. In addition to operational commands, the AdminControl object supports some utility commands for tracing, reconnecting with a server, and converting data types.

completeObjectName

A convenience command that creates a string representation of a complete ObjectName value based on a fragment. This command does not communicate with the server to find a matching ObjectName value. If it finds several MBeans that match the fragment, the command returns the first one.

Parameters:

name -- `java.lang.String`

Return Type:

`java.lang.String`

Example usage:

Using Jacl:

```
set serverON [$AdminControl  
completeObjectName  
node=mynode,type=Server,*]
```

5.1 + Using Jython:

```
serverON = AdminControl.  
completeObjectName  
('node=mynode,type=Server,*')
```

getAttribute

Returns the value of the attribute for the name you provide.

Parameters:

name -- java.lang.String; attribute --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=Server,*]  
$AdminControl  
getAttribute  
$objNameString  
processType
```

5.1 + Using Jython:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=Server,*')  
AdminControl.  
getAttribute  
(objNameString, 'processType')
```

getAttribute_jmx

Returns the value of the attribute for the name you provide.

Parameters:

name -- ObjectName; attribute --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=Server,*]  
set objName  
[java::new javax.  
management.ObjectName  
$objNameString]  
$AdminControl  
getAttribute_jmx  
$objName processType
```

5.1+ Using Jython:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=Server,*')  
import javax.management  
as mgmt  
objName = mgmt.  
ObjectName(objNameString)  
AdminControl.  
getAttribute_jmx  
(objName, 'processType')
```

getAttributes

Returns the attribute values for the names you provide.

Parameters using Jacl:

Parameters using Jython:

name -- String; attributes -- java.lang.String
name -- String; attributes -- java.lang.String
or name -- String; attributes --
java.lang.Object[]

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=Server,*]  
$AdminControl  
getAttributes  
$objNameString  
"cellName nodeName"
```

5.1+ Using Jython with string attributes:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=Server,*')  
AdminControl.  
getAttributes  
(objNameString,  
'[cellName nodeName]')
```

5.1+ Using Jython with object attributes:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=Server,*')  
AdminControl.  
getAttributes  
(objNameString,  
['cellName', 'nodeName'])
```

getAttributes_jmx

Returns the attribute values for the names you provide.

Parameters:

name -- ObjectName; attributes --
java.lang.String[]

Return Type:

javax.management.AttributeList

Example usage:

Using JACL:

```
set objectNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=Server,*]  
set objName  
[$AdminControl  
makeObjectName  
$objectNameString]  
set attrs [java::new  
{String[]} 2  
{cellName nodeName}]  
$AdminControl  
getAttributes_jmx  
$objName $attrs
```

5.1+ Using Jython:

```
objectNameString =  
AdminControl.  
completeObjectName  
('type=Server,*')  
objName = AdminControl.  
makeObjectName  
(objectNameString)  
attrs = ['cellName',  
'nodeName']  
AdminControl.  
getAttributes_jmx  
(objName, attrs)
```

getCell

Returns the name of the connected cell.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using JACL:

```
$AdminControl getCell
```

5.1+ Using Jython:

```
AdminControl.getCell()
```

Example output:

```
Mycell
```

getConfigId

A convenience command from an ObjectName or ObjectName fragment that creates a configuration ID. Use this ID with the \$AdminConfig command. Not all MBeans that run have configuration objects that correspond. If there are several MBeans that correspond to an ObjectName fragment, a warning issues and a configuration ID builds for the first MBean it finds.

Parameters:

name -- java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set threadpoolCID  
[$AdminControl  
getConfigId  
node=mynode,  
type=ThreadPool,*]
```

5.1+ Using Jython:

```
threadpoolCID =  
AdminControl.  
getConfigId  
('node=mynode,  
type=ThreadPool,*)
```

getDomainName

Returns the default domain name from the server.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl  
getDefaultDomain
```

5.1+ Using Jython:

```
AdminControl.  
getDefaultDomain()
```

Example output:

WebSphere

getDomainName

Returns the domain name from the server.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl  
getDomainName
```

5.1+ Using Jython:

```
AdminControl.  
getDomainName()
```

Example output:

WebSphere

getHost

Returns the name of your host.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl getHost
```

5.1+ Using Jython:

```
AdminControl.getHost()
```

Example output:

```
myhost
```

getMBeanCount

Returns the number of MBeans registered in the server.

Parameters:

none

Return Type:

java.lang.Integer

Example usage:

Using Jacl:

```
$AdminControl  
getMBeanCount
```

5.1+ Using Jython:

```
AdminControl.  
getMBeanCount()
```

Example output:

```
114
```

getMBeanInfo_jmx

Returns the Java Management Extension MBeanInfo structure that corresponds to an ObjectName value. There is no string signature for this command, because the Help object displays most of the information available from getMBeanInfo.

Parameters:

name -- ObjectName

Return Type:

javax.management.MBeanInfo

Example usage:

Using Jacl:

```
set objectNameString  
[$AdminControl  
completeObjectName  
type=Server,*]  
set objName  
[$AdminControl  
makeObjectName  
$objectNameString]  
$AdminControl  
getMBeanInfo_jmx  
$objName
```

5.1+ Using Jython:

```
objectNameString =  
AdminControl.  
completeObjectName
```

```
('type=Server,*')
objName = AdminControl.
makeObjectName
(objectNameString)
AdminControl.
getMBeanInfo_jmx
(objName)
```

Example output:

```
javax.management.
modelmbean.
ModelMBeanInfoSupport
@10dd5f35
```

getNode

Returns the name of the connected node.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl getNode
```

5.1+ Using Jython:

```
AdminControl.getNode()
```

Example output:

```
Myhost
```

getPort

Returns the name of your port.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl getPort
```

5.1+ Using Jython:

```
AdminControl.getPort()
```

Example output:

```
8877
```

getPropertiesForDataSource

Deprecated, no replacement.

This command incorrectly assumes the availability of a configuration service when running in connected mode.

Parameters:

configId -- java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set ds [lindex  
[$AdminConfig  
list DataSource] 0]  
$AdminControl  
getPropertiesFor  
DataSource $ds
```

5.1 + Using Jython:

```
ds = AdminConfig.  
list('DataSource')  
  
# get line  
separator  
import java.lang.  
System as sys  
lineSeparator =  
sys.getProperty  
('line.separator')  
  
dsArray = ds.split  
(lineSeparator)  
AdminControl.  
getPropertiesFor  
DataSource(dsArray[0])
```

Example output:

```
WASX7389E: Operation  
not supported -  
getPropertiesFor  
DataSource command  
is not supported.
```

getType

Returns the connection type.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl getType
```

5.1 + Using Jython:

```
AdminControl.getType()
```

Example output:

SOAP

help

Returns general help text for the AdminControl object.

Parameters:

none

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl help
```

5.1+ Using Jython:

```
AdminControl.help()
```

Example output:

```
WASX7027I: The
AdminControl object
enables the manipulation
of MBeans running
in a WebSphere server
process. The
number and type
of MBeans available
to the scripting
client depends
on the server to
which the client
is connected. If
the client is
connected to a
Deployment Manager,
then all the MBeans
running in the Deployment
Manager are visible,
as are all the MBeans
running in the
Node Agents
connected to this
Deployment Manager,
and all the MBeans
running in
the application
servers on those nodes.
```

The following commands
are supported by
AdminControl; more detailed
information about
each of these commands
is available by using the
"help" command of
AdminControl and
supplying the name
of the command
as an argument.

Note that many of these
commands support
two different sets of
signatures: one that
accepts and returns
strings, and one low-level
set that works with
JMX objects like
ObjectName and AttributeList.
In most situations,
the string signatures
are likely to be more useful,
but JMX-object signature
versions are supplied
as well. Each of these
JMX-object signature
commands has "_jmx"
appended to the command name.
Hence there is an
"invoke" command,

as well as a "invoke_jmx" command.

completeObjectName
 Return a String version of an object name given a template name

getAttribute_jmx
 Given ObjectName and name of attribute, returns value of attribute

getAttribute
 Given String version of ObjectName and name of attribute, returns value of attribute

getAttributes_jmx
 Given ObjectName and array of attribute names, returns AttributeList

getAttributes
 Given String version of ObjectName and attribute names, returns String of name value pairs

getCell
 returns the cell name of the connected server

getConfigId
 Given String version of ObjectName, return a config id for the corresponding configuration object, if any.

getDefaultDomain
 returns "WebSphere"

getDomainName
 returns "WebSphere"

getHost
 returns String representation of connected host

getMBeanCount
 returns number of registered beans

getMBeanInfo_jmx
 Given ObjectName, returns MBeanInfo structure for MBean

getNode
 returns the node name of the connected server

getPort
 returns String representation of port in use

getType
 returns String

```
representation of
connection type in use
help
Show help information
invoke_jmx
Given ObjectName,
name of command,
array of parameters
and signature,
invoke command on
MBean specified
invoke
Invoke a command
on the specified MBean
isRegistered_jmx
true if supplied
ObjectName is registered
isRegistered
true if supplied
String version of
ObjectName is registered
makeObjectName
Return an ObjectName
built with the
given string
queryNames_jmx
Given ObjectName
and QueryExp,
retrieves set
of ObjectNames
that match.
queryNames
Given String version
of ObjectName,
retrieves String of
ObjectNames
that match.
reconnect
reconnects with server
setAttribute_jmx
Given ObjectName and
Attribute object,
set attribute for MBean
specified
setAttribute
Given String version
of ObjectName,
attribute name and
attribute value,
set attribute for
MBean specified
setAttributes_jmx
Given ObjectName
and AttributeList
object, set
attributes for
the MBean specified
startServer
Given the name
of a server,
start that server.
stopServer
Given the name
of a server, stop
that server.
testConnection
Test the connection
```

```
to a DataSource object  
trace  
Set the wsadmin  
trace specification
```

help

Returns help text for the specific command of the AdminControl object. The command name is not case sensitive.

Parameters:

command -- java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl help  
getAttribute
```

5.1+ Using Jython:

```
AdminControl.help  
('getAttribute')
```

Example output:

```
WASX7043I: command:  
getAttribute  
Arguments: object  
name, attribute  
Description: Returns  
value of "attribute"  
for the MBean described  
by "object name."
```

invoke

Invokes the object operation without any parameter. Returns the result of the invocation.

Parameters:

name -- java.lang.String; operationName --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=Server,*]  
$AdminControl  
invoke $objNameString stop
```

5.1+ Using Jython:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=Server,*')  
AdminControl.invoke  
(objNameString, 'stop')
```

invoke

Invokes the object operation using the parameter list that you supply. The

signature generates automatically. The types of Parameters: are supplied by examining the MBeanInfo that the MBean supplies. Returns the string result of the invocation.

Parameters:

name -- java.lang.String; operationName --
java.lang.String; params -- java.lang.String
java.lang.String

Return Type:

Example usage:

Using Jacl:

```
set objNameString
[$AdminControl
completeObjectName
WebSphere:type=Server,*]
$AdminControl
invoke $objNameString
appendTraceString
com.ibm.*=all=enabled
```

5.1+ Using Jython:

```
objNameString =
AdminControl.
completeObjectName
('WebSphere:type=Server,*')
AdminControl.invoke
(objNameString,
'appendTraceString',
'com.ibm.*=all=enabled')
```

invoke

Invokes the object operation by conforming the parameter list to the signature.
Returns the result of the invocation.

Parameters:

name -- java.lang.String; operationName --
java.lang.String; params -- java.lang.String;
sigs -- java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
set objNameString
[$AdminControl
completeObjectName
WebSphere:type=Server,*]
$AdminControl invoke
$objNameString
appendTraceString
com.ibm.*=all=enabled
java.lang.String
```

5.1+ Using Jython:

```
objNameString =
AdminControl.
completeObjectName
('WebSphere:type=Server,*')
AdminControl.
```

```
invoke(objNameString,  
'appendTraceString',  
'com.ibm.*=all=enabled',  
'java.lang.String')
```

invoke_jmx

Invokes the object operation by conforming the parameter list to the signature.
Returns the result of the invocation.

Parameters:

name -- ObjectName; operationName --
java.lang.String; params -- java.lang.Object[];
signature -- java.lang.String[]

Return Type:

java.lang.Object

Example usage:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=  
TraceService,*]  
set objName  
[java::new javax.  
management.ObjectName  
$objNameString]  
set parms [java::new  
{java.lang.Object[]}]  
1 com.ibm.ejs.sm.  
*=all=disabled]  
set signature  
[java::new  
{java.lang.String[]}]  
1 java.lang.String]  
$AdminControl  
invoke_jmx $objName  
appendTraceString  
$parms $signature
```

5.1+ Using Jython:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=  
TraceService,*')  
import javax.  
management as mgmt  
objName = mgmt.  
ObjectName  
(objNameString)  
parms =  
['com.ibm.ejs.sm.  
*=all=disabled']  
signature =  
['java.lang.String']  
AdminControl.  
invoke_jmx(objName,  
'appendTraceString',  
parms, signature)
```

isRegistered

If the ObjectName value is registered in the server, then the value is true.

Parameters:

name -- java.lang.String

Return Type:

Boolean

Example usage:

Using Jacl:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=Server,*]  
$AdminControl  
isRegistered  
$objNameString
```

5.1+ Using Jython:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=Server,*')  
AdminControl.  
isRegistered  
(objNameString)
```

isRegistered_jmx

If the ObjectName value is registered in the server, then the value is true.

Parameters:

name -- ObjectName

Return Type:

Boolean

Example usage:

Using Jacl:

```
set objectNameString  
[$AdminControl  
completeObjectName  
type=Server,*]  
set objName  
[$AdminControl  
makeObjectName  
$objNameString]  
$AdminControl  
isRegistered_jmx  
$objName
```

5.1+ Using Jython:

```
objectNameString =  
AdminControl.  
completeObjectName  
('type=Server,*')  
objName = AdminControl.  
makeObjectName  
(objectNameString)  
AdminControl.  
isRegistered_jmx  
(objName)
```

makeObjectName

A convenience command that creates an ObjectName value based on the strings input. This command does not communicate with the server, so the ObjectName value that results might not exist. If the string you supply contains an extra set of double quotes, they are removed. If the string does not begin with a Java Management Extensions (JMX) domain, or a string followed by a colon, then the WebSphere string appends to the name.

Parameters:	name -- java.lang.String
Return Type:	javax.management.ObjectName

Example usage:

Using Jacl:

```
set objectNameString
[$AdminControl
completeObjectName
type=Server,
node=mynode,*]
set objName
[$AdminControl
makeObjectName
$objNameString]
```

5.1+ Using Jython:

```
objectNameString =
AdminControl.
completeObjectName
('type=Server,node=mynode,*')
objName = AdminControl.
makeObjectName
(objectNameString)
```

queryNames

Returns a string that lists all ObjectNames based on the name template.

Parameters:	name -- java.lang.String
Return Type:	java.lang.String

Example usage:

Using Jacl:

```
$AdminControl queryNames
WebSphere:type=Server,*
```

5.1+ Using Jython:

```
AdminControl.queryNames
('WebSphere:type=Server,*')
```

Example output:

```
WebSphere:cell=
BaseApplicationServerCell,
name=server1,mbeanIdentifier=
server1,type=Server,node=
mynode,process=server1
```

queryNames_jmx

Returns a set of ObjectName objects, based on the ObjectName and QueryExp that you provide.

Parameters:	name -- javax.management.ObjectName;query -- javax.management.QueryExp
Return Type:	java.util.Set

Example usage:

Using Jacl:

```
set objectNameString  
[$AdminControl  
completeObjectName  
type=Server,*]  
set objName  
[$AdminControl  
makeObjectName  
$objNameString]  
set null  
[java:::null]  
$AdminControl  
queryNames_jmx  
$objName $null
```

5.1+ **Using Jython:**

```
objectNameString =  
AdminControl.  
completeObjectName  
('type=Server,*')  
objName = AdminControl.  
makeObjectName  
(objectNameString)  
AdminControl.  
queryNames_jmx  
(objName, None)
```

Example output:

```
[WebSphere:cell=  
BaseApplicationServerCell,  
name=server1,mbeanIdentifier=  
server1,type=Server,node=  
mynode,process=server1]
```

reconnect

Reconnects to the server, and clears information out of the local cache.

Parameters:

none

Return Type:

none

Example usage:

Using Jacl:

```
$AdminControl reconnect
```

5.1+ **Using Jython:**

```
AdminControl.reconnect()
```

Example output:

```
WASX7074I: Reconnect  
of SOAP connector to  
host myhost completed.
```

setAttribute

Sets the attribute value for the name you provide.

Parameters:

name -- java.lang.String; attributeName --
java.lang.String; attributeValue --
java.lang.String

Return Type:

none

Example usage:

Using Jacl:

```
set objNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=  
TraceService,*]  
$AdminControl  
setAttribute  
$objNameString  
traceSpecification  
com.ibm.*=all=disabled
```

5.1 + Using Jython:

```
objNameString =  
AdminControl.  
completeObjectName  
('WebSphere:  
type=TraceService,*)  
AdminControl.  
setAttribute  
(objNameString,  
'traceSpecification',  
'com.ibm.*=all=disabled')
```

setAttribute_jmx

Sets the attribute value for the name you provide.

Parameters:

name -- ObjectName; attribute --
javax.management.Attribute

Return Type:

none

Example usage:

Using Jacl:

```
set objectNameString  
[$AdminControl  
completeObjectName  
WebSphere:type=TraceService,*]  
set objName  
[$AdminControl  
makeObjectName  
$objectNameString]  
set attr [java::new  
javax.management.  
Attribute  
traceSpecification  
com.ibm.*=all=disabled]  
$AdminControl  
setAttribute_jmx  
$objName $attr
```

5.1 + Using Jython:

```
objectNameString =  
AdminControl.  
completeObjectName  
('WebSphere:type=  
TraceService,*)  
import javax.  
management as mgmt
```

```

objName = AdminControl.
makeObjectName
(objectNameString)
attr = mgmt.Attribute
('traceSpecification',
'com.ibm.*=all=disabled')
AdminControl.
setAttribute_jmx
(objName, attr)

```

setAttributes

Sets the attribute values for the names you provide and returns a list of successfully set names.

Parameters using Jacl:

name -- String; attributes -- java.lang.String

Parameters using Jython:

name -- String; attributes -- java.lang.String
or name -- String; attributes --
java.lang.Object[]

Return Type:

java.lang.String

Example usage:

Using Jacl:

```

set objNameString
[$AdminControl
completeObjectName
WebSphere:type=
TracesService,*]
$AdminControl
setAttributes
$objNameString
{{traceSpecification
com.ibm.ws.*=all=enabled}}

```

5.1+ Using Jython with string attributes:

```

objNameString =
AdminControl.
completeObjectName
('WebSphere:type=
TracesService,*')
AdminControl.
setAttributes
(objNameString,
'[[traceSpecification
"com.ibm.ws.*=
all=enabled"]]')

```

5.1+ Using Jython with object attributes:

```

objNameString =
AdminControl.
completeObjectName
('WebSphere:type=
TracesService,*')
473 AdminControl.
setAttributes
(objNameString,
[['traceSpecification',
'com.ibm.ws.*=all=enabled']])

```

setAttributes_jmx

Sets the attribute values for the names you provide and returns a list of successfully set names.

Parameters:	name -- ObjectName; attributes -- javax.management.AttributeList
Return Type:	javax.management.AttributeList

Example usage:

Using Jacl:

```
set objectNameString
[$AdminControl
completeObjectName
WebSphere:type=
TraceService,*]
set objName
[$AdminControl
makeObjectName
$objectNameString]
set attr [java:::
new javax.management.
Attribute
traceSpecification
com.ibm.ws.*=all=enabled]
set alist [java:::
new javax.management.
AttributeList]
$alist add $attr
$AdminControl
setAttributes_jmx
$objName $alist
```

5.1+ Using Jython:

```
objectNameString =
AdminControl.
completeObjectName
('WebSphere:type=
TraceService,*')
import javax.
management as mgmt
objName = AdminControl.
makeObjectName
(objectNameString)
attr = mgmt.Attribute
('traceSpecification',
'com.ibm.ws.*=all=enabled')
alist = mgmt.
AttributeList()
alist.add(attr)
AdminControl.
setAttributes_jmx
(objName, alist)
```

startServer

Starts the specified application server by locating it in the configuration. This command uses the default wait time. You can only use this command if the scripting client is connected to a NodeAgent. It returns a message to indicate if the server starts successfully.

Parameters:	server name -- java.lang.String
Return Type:	java.lang.String

Example usage:

Using Jacl:

```
$AdminControl startServer  
server1
```

5.1+ Using Jython:

```
AdminControl.startServer  
('server1')
```

startServer

Starts the specified application server by locating it in the configuration. The start process waits the number of seconds specified by the wait time for the server to start. You can only use this command if the scripting client is connected to a NodeAgent. It returns a message to indicate if the server starts successfully.

Parameters:

server name -- java.lang.String, wait time --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl startServer  
server1 100
```

5.1+ Using Jython:

```
AdminControl.startServer  
('server1', 100)
```

startServer

Starts the specified application server by locating it in the configuration. This command uses the default wait time. You can use this command when the scripting client is either connected to a NodeAgent or Deployment Manager process. It returns a message to indicate if the server starts successfully.

Parameters:

server name -- java.lang.String, node name --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl startServer  
server1 myNode
```

5.1+ Using Jython:

```
AdminControl.startServer  
('server1', 'myNode')
```

startServer

Starts the specified application server by locating it in the configuration. The start process waits the number of seconds specified by the wait time for the server to start. You can use this command when the scripting client is either connected to a NodeAgent or Deployment Manager process. It returns a message to indicate if the server starts successfully.

Parameters:

server name -- java.lang.String, node name --
java.lang.String, wait time -- java.lang.String

Return Type: java.lang.String

Example usage:

Using Jacl:

```
$AdminControl startServer  
server1 myNode 100
```

5.1+ Using Jython:

```
AdminControl.startServer  
('server1', 'myNode', 100)
```

stopServer

Stops the specified application server. It returns a message to indicate if the server stops successfully.

Parameters:

server name -- java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl stopServer  
server1
```

5.1+ Using Jython:

```
AdminControl.stopServer  
('server1')
```

stopServer

Stops the specified application server. If you set the flag to `immediate`, the server stops immediately. Otherwise, a normal stop occurs. This command returns a message to indicate if the server stops successfully.

Parameters:

server name -- java.lang.String, immediate
flag -- java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl stopServer  
server1 immediate
```

5.1+ Using Jython:

```
AdminControl.stopServer  
('server1', 'immediate')
```

stopServer

Stops the specified application server. It returns a message to indicate if the server stops successfully.

Parameters:

server name -- java.lang.String, node name --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using Jacl:

```
$AdminControl stopServer  
server1 myNode
```

5.1+ Using Jython:

```
AdminControl.stopServer  
('server1', 'my Node')
```

stopServer

Stops the specified application server. If you set the flag to `immediate`, the server stops immediately. Otherwise, a normal stop occurs. This command returns a message to indicate if the server stops successfully.

Parameters:

server name -- `java.lang.String`, node name --
`java.lang.String`, immediate flag --
`java.lang.String`

Return Type:

`java.lang.String`

Example usage:

Using Jacl:

```
$AdminControl stopServer  
server1 myNode immediate
```

5.1+ Using Jython:

```
AdminControl.stopServer  
('server1', 'my Node',  
'immediate')
```

testConnection

A convenience command communicates with the `DataSourceCfgHelper` MBean to test a `DataSource` connection. This command works with `DataSource` resided in the configuration repository. If the `DataSource` to be tested is in the temporary workspace that holds the update to the repository, you have to save the update to the configuration repository before running this command. Use this command with the configuration ID that corresponds to the `DataSource` and the `WAS40DataSource` object types. The return value is a message containing the message indicating a successful connection or a connection with warning. If the connection fails, an exception is thrown from the server indicating the error.

Parameters:

`configId` -- `java.lang.String`

Return Type:

`java.lang.String`

Example usage:

Using Jacl:

```
set ds [lindex  
[$AdminConfig list  
DataSource] 0]  
$AdminControl  
testConnection $ds
```

5.1+ Using Jython:

```
# get line  
separator  
import java.
```

```

lang.System as sys
lineSeparator =
sys.getProperty
('line.separator')
ds = AdminConfig.
list('DataSource').
split(lineSeparator)[0]
AdminControl.
testConnection(ds)

```

Example output:

```

WASX7217I: Connection
to provided datasource
was successful.

```

TestConnection

Deprecated.

This command can give false results and does not work when connected to a NodeAgent. As of V5.0.2, the preferred way to test a Datasource connection is with the **testConnection** command passing in the DataSource configId as the only parameter.

Parameters:

configId -- java.lang.String; props --
java.lang.String

Return Type:

java.lang.String

Example usage:

Using JACL:

```

set ds [lindex
[$AdminConfig list
DataSource] 0]
$AdminControl
testConnection
$ds {{prop1 val1}}

```

5.1+ Using Jython:

```

# get line separator
import java.lang.
System as sys
lineSeparator =
sys.getProperty
('line.separator')
ds = AdminConfig.
list('DataSource').
split(lineSeparator)[0]
AdminControl.
testConnection
(ds, '[[prop1 val1]]')

```

Example output:

```

WASX7390E: Operation
not supported -
testConnection command
with config id
and properties arguments
is not supported.
Use testConnection
command with
config id argument only.

```

trace

Sets the trace specification for the scripting process to the value that you specify.

Parameters:

traceSpec -- java.lang.String

Return Type:

none

Example usage:

Using Jacl:

```
$AdminControl trace  
com.ibm.ws.scripting.  
*=all=enabled
```

5.1+ Using Jython:

```
AdminControl.trace  
('com.ibm.ws.scripting.  
*=all=enabled')
```

Example: Collecting arguments for the AdminControl object

Ensure the arguments parameter is a single string. Each individual argument in the string can contain spaces. Collect each argument that contains spaces in some way.

- An example of how to obtain an MBean follows:

Using Jacl:

```
set am [$AdminControl queryNames type=ApplicationManager,process=server1,*]
```

5.1+ Using Jython:

```
am = AdminControl.queryNames('type=ApplicationManager,process=server1,*')
```

- There are multiple ways to collect arguments that contain spaces. Choose one of the following alternatives:

Using Jacl:

- \$AdminControl invoke \$am startApplication {"JavaMail Sample"}
- \$AdminControl invoke \$am startApplication {{JavaMail Sample}}
- \$AdminControl invoke \$am startApplication "\"JavaMail Sample\""

5.1+ Using Jython:

- AdminControl.invoke(am, 'startApplication', '[JavaMail Sample]')
- AdminControl.invoke(am, 'startApplication', '\"JavaMail Sample\"')

AdminConfig object for scripted administration

Use the AdminConfig object to invoke configuration commands and to create or change elements of the WebSphere Application Server configuration.

You can start the scripting client without a running server, if you only want to use local operations. To run in local mode, use the -conntype NONE option to start the scripting client. You will receive a message that you are running in the local mode. If a server is currently running it is not recommended to run the AdminConfig tool in local mode.

The following public commands are available for the AdminConfig object:

attributes

Returns a list of the top level attributes for a given type.

Parameters:

object type

Note: The name of the object type that you input here is the one based on the XML configuration files and does not have to be the same name that the administrative console displays.

Returns:

a list of attributes

Example usage:

Using Jacl:

```
$AdminConfig attributes  
ApplicationServer
```

5.1+ Using Jython:

```
print AdminConfig.  
attributes  
('ApplicationServer')
```

Example output:

```
"properties Property*"  
"serverSecurity  
ServerSecurity"  
"server Server@"  
"id Long" "stateManagement  
StateManageable"  
"name String"  
"moduleVisibility  
EEnumLiteral(MODULE,  
COMPATIBILITY,  
SERVER, APPLICATION)"  
"services Service*"  
"statisticsProvider  
StatisticsProvider"
```

checkin

Checks a file, that the document URI describes, into the configuration repository.

Note: This method only applies to deployment manager configurations.

Parameters:

document URI, filename, opaque object

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig checkin  
cells/MyCell/Node/  
MyNode/serverindex.xml  
c:\\mydir\\myfile $obj
```

5.1+ Using Jython:

```
AdminConfig.checkin  
('cells/MyCell/Node/  
MyNode/serverindex.  
xml', 'c:\\mydir\\  
myfile', obj)
```

The document URI is relative to the root of the configuration repository, for example, c:\WebSphere\AppServer\config. The file specified by `filename` is used as the source of the file to check. The opaque object is an object that the `extract` command of the `AdminConfig` object returns by a prior call.

convertToCluster

Converts a server so that it is the first member of a new ServerCluster.

Parameters:

server ID, cluster name

Returns:

the configuration ID of the new cluster

Example usage:

Using Jacl:

```
set serverid  
[$AdminConfig getid  
/Server:myServer/]  
$AdminConfig  
convertToCluster  
$serverid myCluster
```

5.1+ Using Jython:

```
serverid =  
AdminConfig.getId  
('/Server:myServer/')  
AdminConfig.  
convertToCluster  
(serverid, 'myCluster')
```

Example output:

```
myCluster(cells/mycell/  
clusters/myCluster:  
cluster.xml#  
ClusterMember_2
```

create

Creates configuration objects.

Parameters using Jacl:

type -- java.lang.String; parent ID --

java.lang.String; attributes -- java.lang.String

Parameters using Jython:

type -- java.lang.String; parent ID --

java.lang.String; attributes -- java.lang.String

or type -- java.lang.String; parent ID --

java.lang.String; attributes --

java.lang.Object[]

Returns:

a string with configuration object names

Note: The name of the object type that you input here is the one based on the XML configuration files. It does not have to be the same name that the administrative console displays.

Example usage:

Using Jacl:

```
set jdbc1  
[$AdminConfig  
getid /JDBCProvider:
```

```

[jdbc1]
$AdminConfig create
DataSource $jdbc1
{{name ds1}}

```

5.1 + Using Jython with string attributes:

```

jdbc1 = AdminConfig.
getid('/JDBCProvider:
jdbc1/')
AdminConfig.create
('DataSource', jdbc1,
'[[name ds1]])')

```

5.1 + Using Jython with object attributes:

```

jdbc1 = AdminConfig.
getid('/JDBCProvider:
jdbc1/')
AdminConfig.create
('DataSource', jdbc1,
[['name', 'ds1']])

```

Example output:

```

ds1(cells/mycell1/
nodes/DefaultNode/
servers/server1:
resources.xml#
DataSource_6)

```

createClusterMember

Creates a new server as a member of an existing cluster.

This method creates a new server object on the node that the node id parameter specifies. This server is created as a new member of the existing cluster specified by the cluster id parameter, and contains attributes specified in the member attributes parameter. The server is created using the server template specified by the template id attribute, and contains the name specified by the memberName attribute. The memberName attribute is required.

Parameters using Jacl:

cluster ID -- java.lang.String; node ID -- java.lang.String; member attributes -- java.lang.String

Parameters using Jython:

cluster ID -- java.lang.String; node ID -- java.lang.String; member attributes -- java.lang.String or cluster ID -- java.lang.String; node ID -- java.lang.String; member attributes -- java.lang.Object[]

Returns:

the configuration ID of the new cluster member

Note: The name of the object type that you input here is the one based on the XML configuration files. It does not have to be the same name that the administrative console displays.

Example usage:

Using Jacl:

```

set clid
[$AdminConfig getid
/ServerCluster:

```

```

myCluster/]
set nodeid
[$AdminConfig
getid /Node:
mynode/]
$AdminConfig
createClusterMember
$clid $nodeid
{{memberName
newMem1} {weight 5}}

```

5.1+ Using Jython with string attributes:

```

clid = AdminConfig.
getid('/ServerCluster:
myCluster/')
nodeid = AdminConfig.
getid('/Node:mynode/')
AdminConfig.
createClusterMember
(clid, nodeid,
'[[memberName newMem1]
[weight 5]]')

```

5.1+ Using Jython with object attributes:

```

clid = AdminConfig.
getid('/ServerCluster:
myCluster/')
nodeid = AdminConfig.
getid('/Node:mynode/')
AdminConfig.
createClusterMember
(clid, nodeid,
[['memberName',
'newMem1'],
['weight', 5]])

```

Example output:

```

myCluster(cells/
mycell/clusters/
myCluster:cluster.
xml#ClusterMember_2)

```

createDocument

Creates a new document in the configuration repository.

The `documentURI` parameter names the document to create in the repository. The `filename` parameter must be a valid local file name where the contents of the document exist.

Parameters:

`documentURI, filename`

Returns:

`none`

Example usage:

Using Jacl:

```

$AdminConfig createDocument
cells/mycell/myfile.xml
c:\\mydir\\myfile

```

5.1+ Using Jython:

```
AdminConfig.  
createDocument  
('cells/mycell/  
myfile.xml',  
'c:\mydir\myfile')
```

createUsingTemplate

Creates a type of object with the given parent, using a template.

Parameters using Jacl:

```
type -- java.lang.String;  
parent id -- java.lang.String;  
attributes -- java.lang.String;  
template ID --  
java.lang.String
```

Parameters using Jython:

```
type -- java.lang.String;  
parent id -- java.lang.String;  
attributes -- java.lang.String;  
template ID --  
java.lang.String or type --  
java.lang.String; parent id --  
java.lang.String; attributes --  
java.lang.Object[]; template  
ID -- java.lang.String
```

Returns:

the configuration ID of a new
object

Example usage:

Using Jacl:

```
set node [$AdminConfig  
getid /Node:mynode/]  
set templ [$AdminConfig  
listTemplates JDBCProvider  
"DB2 JDBC Provider (XA)"]  
$AdminConfig  
createUsingTemplate  
JDBCProvider $node  
{ {name newdriver} }  
$templ
```

5.1 + Using Jython using string attributes:

```
node = AdminConfig.getid  
('/Node:mynode/')  
templ = AdminConfig.  
listTemplates  
('JDBCProvider',  
"DB2 JDBC Provider  
(XA)")  
AdminConfig.  
createUsingTemplate  
('JDBCProvider',  
node, '[[name  
newdriver]]', templ)
```

5.1 + Using Jython using object attributes:

```
node = AdminConfig.  
getid('/Node:mynode/')  
templ = AdminConfig.  
listTemplates  
('JDBCProvider',  
"DB2 JDBC Provider
```

```
(XA)")  
AdminConfig.  
createUsingTemplate  
('JDBCProvider', node,  
[['name', 'newdriver']],  
temp)
```

defaults

Displays the default values for attributes of a given type.

This method displays all of the possible attributes contained by an object of a specific type. If the attribute has a default value, this method also displays the type and default value for each attribute.

Parameters:

type

Note: The name of the object type that you input here is the one based on the XML configuration files. It does not have to be the same name that the administrative console displays.

Returns:

a string containing a list of attributes with its type and value

Example usage:

Using Jacl:

```
$AdminConfig defaults  
TuningParams
```

5.1+ Using Jython:

```
print AdminConfig.  
defaults('TuningParams')
```

Example output:

Attribute	Type	Default
usingMultiRowSchema	Boolean	false
maxInMemorySessionCount	Integer	1000
allowOverflow	Boolean	true
scheduleInvalidation	Boolean	false
writeFrequency	ENUM	
writeInterval	Integer	120
writeContents	ENUM	
invalidationTimeout	Integer	30
invalidationSchedule	InvalidationSchedule	

deleteDocument

Deletes a document from the configuration repository.

The documentURI parameter names the document that will be deleted from the repository.

Parameters:

documentURI

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig deleteDocument  
cells/mycell/myfile.xml
```

5.1+ Using Jython:

```
AdminConfig.deleteDocument  
('cells/mycell/myfile.xml')
```

existsDocument

Tests for the existence of a document in the configuration repository.

The documentURI parameter names the document to test in the repository.

Parameters:

documentURI

Returns:

a true value if the document exists

Example usage:

Using Jacl:

```
$AdminConfig existsDocument  
cells/mycell/myfile.xml
```

5.1+ Using Jython:

```
AdminConfig.existsDocument  
('cells/mycell/myfile.xml')
```

Example output:

```
1
```

extract

Extracts a configuration repository file described by document URI and places it in the file named by filename.

Note: This method only applies to deployment manager configurations.

Parameters:

document URI, filename

Returns:

an opaque java.lang.Object to use when checking in the file

Example usage:

Using Jacl:

```
set obj [$AdminConfig  
extract cells/MyCell/  
Node/MyNode/serverindex.  
xml c:\\mydir\\myfile]
```

5.1+ Using Jython:

```
obj = AdminConfig.  
extract('cells/MyCell/  
Node/MyNode/serverindex.  
xml', 'c:\\mydir\\myfile')
```

The document URI is relative to the root of the configuration repository, for example, `c:\\WebSphere\\AppServer\\config`. If the file specified by filename exists, the extracted file replaces it.

getCrossDocumentValidationEnabled

Returns a message with the current cross-document enablement setting.

This method returns true if cross-document validation is enabled.

Parameters:

Returns:

none

a string containing the message with the cross-document validation setting

Example usage:

Using Jacl:

```
$AdminConfig  
getCrossDocument  
ValidationEnabled
```

5.1+ Using Jython:

```
print AdminConfig.  
getCrossDocument  
ValidationEnabled()
```

Example output:

```
WASX7188I:  
Cross-document  
validation enablement  
set to true
```

getid

Returns the configuration id of an object.

Parameters:

Returns:

containment path

the configuration id for an object described by the given containment path

Example usage:

Using Jacl:

```
$AdminConfig getid  
/Cell:testcell/Node:  
testNode/JDBCProvider:  
Db2JdbcDriver/
```

5.1+ Using Jython:

```
AdminConfig.getId  
('/Cell:testcell/  
Node:testNode/  
JDBCProvider:  
Db2JdbcDriver/')
```

Example output:

```
Db2JdbcDriver  
(cells/testcell/  
nodes/testnode/  
resources.xml#  
JDBCProvider_1)
```

getObjectName

Returns a string version of the object name for the corresponding running MBean.

This method returns an empty string if there is no corresponding running MBean.

Parameters:	configuration id
Returns:	a string containing the object name

Example usage:

Using Jacl:

```
set server
[$AdminConfig
getid /Node:
mynode/Server:
server1/]
$AdminConfig
getObjectName
$server
```

5.1+ Using Jython:

```
server = AdminConfig.
getid('/Node:mynode/
Server:server1/')
AdminConfig.
getObjectName(server)
```

Example output:

```
WebSphere:cell=
mycell,name=server1,
mbeanIdentifier=
cells/mycell/nodes/
mynode/servers/
server1/server.
xml#Server_1,type=
Server,node=mynode,
process=server1,
processType=
UnManagedProcess
```

getSaveMode

Returns the mode used when you invoke a save command.

Possible values include the following:

- `overwriteOnConflict` - saves changes even if they conflict with other configuration changes
- `rollbackOnConflict` - causes a save operation to fail if changes conflict with other configuration changes. This value is the default.

Parameters:	none
Returns:	a string containing the current save mode setting

Example usage:

Using Jacl:

```
$AdminConfig
getSaveMode
```

5.1+ Using Jython:

```
print AdminConfig.
getSaveMode()
```

Example output:
rollbackOnConflict

getValidationLevel

Returns the validation used when files are extracted from the repository.

Parameters:

none

Returns:

a string containing the validation level

Example usage:

Using Jacl:

```
$AdminConfig  
getValidationLevel
```

5.1+ Using Jython:

```
AdminConfig.  
getValidationLevel()
```

Example output:

```
WASX7189I:  
Validation level  
set to HIGH
```

getValidationSeverityResult

Returns the number of validation messages with the given severity from the most recent validation.

Parameters:

severity

Returns:

a string indicating the number of validation messages of the given severity

Example usage:

Using Jacl:

```
$AdminConfig  
getValidation  
SeverityResult 1
```

5.1+ Using Jython:

```
AdminConfig.  
getValidation  
SeverityResult(1)
```

Example output:

16

hasChanges

Returns true if unsaved configuration changes exist.

Parameters:

none

Returns:

a string indicating if unsaved configuration changes exist

Example usage:

Using Jacl:

```
$AdminConfig  
hasChanges
```

5.1 + Using Jython:

```
AdminConfig.  
hasChanges()
```

Example output:

```
1
```

help

Displays static help information for the AdminConfig object.

Parameters:

none

Returns:

a list of options

Example usage:

Using Jacl:

```
$AdminConfig  
help
```

5.1 + Using Jython:

```
print  
AdminConfig.help()
```

Example output:

```
WASX7053I: The  
AdminConfig object  
communicates with the  
Config  
Service in a  
WebSphere server  
to manipulate  
configuration data  
for a  
WebSphere installation.  
AdminConfig has  
commands to  
list, create,
```

```
remove, display,  
and modify  
configuration  
data, as well  
as commands to  
display  
information about  
configuration  
data types.
```

```
Most of the  
commands supported  
by AdminConfig  
operate in  
two modes:  
the default mode  
is one in which  
AdminConfig  
communicates  
with the
```

WebSphere server to accomplish its tasks. A local mode is also possible, in which no server communication takes place. The local mode of operation is invoked by bringing up the scripting client with no server connected using the command line "-conntype NONE" option or setting the "com.ibm.ws.scripting.connectionType=NONE" property in the wsadmin.properties.

The following commands are supported by AdminConfig; more detailed information about each of these commands is available by using the "help" command of AdminConfig and supplying the name of the command as an argument.

attributes Show the attributes for a given type
checkin Check a file into the config repository.
convertToCluster Converts a server to be the first member of a new ServerCluster.
create Creates a configuration object, given a type, a parent, and a list of attributes, and optionally an attribute name for the new object.
createClusterMember Creates a new server that is a member of an existing cluster.
createDocument

Creates a new document in the config repository.

installResourceAdapter Installs a J2C resource adapter with the given rar file name and an option string in the node.

createUsingTemplate Creates an object using a particular template type.

defaults Displays the default values for attributes of a given type.

deleteDocument Deletes a document from the config repository.

existsDocument Tests for the existence of a document in the config repository.

extract Extract a file from the config repository.

getCrossDocument ValidationEnabled Returns true if cross-document validation is enabled.

getid Show the configId of an object, given a string version of its containment

getObjectName Given a config id, return a string version of the ObjectName for the corresponding running MBean, if any.

getSaveMode Returns the mode used when "save" is invoked

getValidationLevel Returns the validation used when files are extracted from the repository.

getValidation SeverityResult Returns the number of messages of a given severity from the most recent validation.

```
hasChanges Returns
true if unsaved
configuration
changes exist
help
Show help
information
list Lists all
configuration
objects of a
given type
listTemplates
Lists all available
configuration
templates of
a given type.
modify
Change specified
attributes of a
given configuration
object
parents
Show the objects
which contain a
given type
queryChanges
Returns a list
of unsaved files
remove
Removes the
specified
configuration
object
required
Displays the
required attributes
of a given type.
reset
Discard unsaved
configuration changes
save
Commit unsaved
changes to the
configuration repository
setCrossDocument
ValidationEnabled
Sets the
cross-document
validation
enabled mode.
setSaveMode Changes
the mode used when
"save" is invoked
setValidationLevel
Sets the
validation used
when files are
extracted from the
repository.
show
Show the attributes
of a given
configuration object
showall
Recursively show
the attributes
of a given configuration
```

```

object, and all the
objects contained
within each attribute.
showAttribute
Displays only the
value for the
single attribute
specified.
types      Show the
possible types
for configuration
validate   Invokes
validation

```

installResourceAdapter

Installs a J2C resource adapter with the given RAR file name and an option string in the node.

The RAR file name is the fully qualified file name that resides in the node that you specify. The valid options include the following:

- rar.name
- rar.desc
- rar.archivePath
- rar.classpath
- rar.nativePath

All options are optional. The `rar.name` option is the name for the `J2CResourceAdapter`. If you do not specify this option, the display name in the `rar` deployment descriptor is used. If that is not specified, the RAR file name is used. The `rar.desc` option is a description of the `J2CResourceAdapter`. The `rar.archivePath` is the name of the path where the file is to be extracted. If you do not specify this option, the archive will be extracted to the `$/CONNECTOR_INSTALL_ROOT/` directory. The `rar.classpath` is the additional class path.

Parameters:

rar file name, node, options

Returns:

the configuration id of new
J2CResourceAdapter object

Example usage:

Using Jacl:

```
$AdminConfig
installResourceAdapter
c:/rar/mine.rar
{-rar.name
myResourceAdapter
-rar.desc "My rar
file"} mynode
```

5.1+ Using Jython:

```
print AdminConfig.
installResourceAdapter
('c:/rar/mine.rar',
'[-rar.name
myResourceAdapter
-rar.desc "My rar
file"]', 'mynode')
```

Example output:

```
myResourceAdapter  
(cells/mycell/nodes  
/mynode:resources.  
xml#J2CResourceAdapter_1)
```

list

Returns a list of objects of a given type, possibly scoped by a parent.

Parameters:

object type

Note: The name of the object type that you input here is the one based on the XML configuration files and does not have to be the same name that the administrative console displays.

Returns:

a list of objects

Example usage:

Using Jacl:

```
$AdminConfig list  
JDBCProvider
```

5.1+ Using Jython:

```
print AdminConfig.  
list('JDBCProvider')
```

Example output:

```
Db2JdbcDriver  
(cells/mycell/nodes/  
DefaultNode/resources.  
xml#JDBCProvider_1)  
Db2JdbcDriver(cells/  
mycell/nodes/DefaultNode/  
servers/deploymentmgr/  
resources.xml#JDBCProvider_1)  
Db2JdbcDriver(cells/mycell/  
nodes/DefaultNode/servers/  
nodeAgent/resources.xml#  
JDBCProvider_1)
```

listTemplates

Displays a list of template object IDs.

Parameters:

object type

Note: The name of the object type that you input here is the one based on the XML configuration files and does not have to be the same name that the administrative console displays.

Returns:

a list of template IDs

Example usage:

Using Jacl:

```
$AdminConfig  
listTemplates  
JDBCProvider
```

5.1+ Using Jython:

```
print AdminConfig.  
listTemplates('JDBCProvider')
```

This example displays a list of all JDBCProvider templates available on the system.

modify

Supports modification of object attributes.

Parameters using Jacl:	object -- java.lang.String; attributes -- java.lang.String
Parameters using Jython:	object -- java.lang.String; attributes -- java.lang.String or object -- java.lang.String; attributes -- java.lang.Object[]
Returns:	none

Example usage:

Using Jacl:

```
$AdminConfig modify  
ConnFactory1(cells/  
mycell/nodes/  
DefaultNode/servers/  
deploymentmgr/resources.  
xml#GenericJMSConnection  
Factory_1) {{userID newID}  
{password newPW}}
```

5.1 + Using Jython with string attributes:

```
AdminConfig.modify  
('ConnFactory1(cells/  
mycell/nodes/DefaultNode/  
servers/deploymentmgr/  
resources.xml#Generic  
JMSConnectionFactory_1)',  
'[{{userID newID}  
[password newPW]}]')
```

5.1 + Using Jython with object attributes:

```
AdminConfig.modify  
('ConnFactory1(cells/  
mycell/nodes/DefaultNode/  
servers/deploymentmgr/  
resources.xml#Generic  
JMSConnectionFactory_1)',  
[['userID', 'newID'],  
 ['password', 'newPW']])
```

parents

Obtains information about object types.

Parameters:

object type

Note: The name of the object type that you input here is the one based on the XML configuration files and does not have to be the same name that the administrative console displays.

Returns:

a list of object types

Example usage:

Using Jacl:

```
$AdminConfig  
parents  
JDBCProvider
```

5.1+ Using Jython:

```
AdminConfig.  
parents('JDBCProvider')
```

Example output:

```
Cell  
Node  
Server
```

queryChanges

Returns a list of unsaved configuration files.

Parameters:

none

Returns:

a string containing a list of files with
unsaved changes

Example usage:

Using Jacl:

```
$AdminConfig  
queryChanges
```

5.1+ Using Jython:

```
AdminConfig.  
queryChanges()
```

Example output:

```
WASX7146I: The following  
configuration files  
contain unsaved changes:  
cells/mycell/  
nodes/mynode/  
servers/server1/  
resources.xml
```

remove

Removes a configuration object.

Parameters:

object

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig remove  
ds1(cells/mycell/  
nodes/DefaultNode/  
servers/server1:  
resources.xml#  
DataSource_6)
```

5.1+ Using Jython:

```
AdminConfig.remove  
( 'ds1(cells/mycell/  
nodes/DefaultNode/  
servers/server1:  
resources.xml#  
DataSource_6)' )
```

required

Displays the required attributes contained by an object of a certain type.

Parameters:

type

Note: The name of the object type that you input here is the one based on the XML configuration files. It does not have to be the same name that the administrative console displays.

Returns:

a string containing a list of required attributes with its type

Example usage:

Using Jacl:

```
$AdminConfig required  
URLProvider
```

5.1 + Using Jython:

```
print AdminConfig.  
required('URLProvider')
```

Example output:

Attribute	Type
streamHandlerClassName	String
protocol	String

reset

Resets the temporary workspace that holds updates to the configuration.

Parameters:

none

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig reset
```

5.1 + Using Jython:

```
AdminConfig.reset()
```

save

Saves changes in the configuration repository.

Parameters:

none

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

setCrossDocumentValidationEnabled

Sets the cross-document validation enabled mode. Values include true or false.

Parameters:

flag

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig setCrossDocument
ValidationEnabled true
```

5.1+ Using Jython:

```
AdminConfig.setCrossDocument
ValidationEnabled('true')
```

setSaveMode

Allows you to toggle the behavior of the save command. The default is rollbackOnConflict. When a conflict is discovered while saving, the unsaved changes are not committed. The alternative is overwriteOnConflict which saves the changes to the configuration repository even if there are conflicts.

Parameters:

mode

Returns:

none

Example usage:

Using Jacl:

```
$AdminConfig setSaveMode
overwriteOnConflict
```

5.1+ Using Jython:

```
AdminConfig.setSaveMode
('overwriteOnConflict')
```

setValidationLevel

Sets the validation used when files are extracted from the repository.

There are five validation levels: none, low, medium, high, or highest.

Parameters:

level

Returns:

a string containing the validation level setting

Example usage:

Using Jacl:

```
$AdminConfig
setValidationLevel high
```

5.1+ Using Jython:

```
AdminConfig.
setValidationLevel('high')
```

Example output:
WASX7189I: Validation
level set to HIGH

show

Returns the top level attributes of the given object.

Parameters:

object, attributes

Returns:

a string containing the attribute value

Example usage:

Using Jacl:

```
$AdminConfig show  
Db2JdbcDriver(cells/  
mycell/nodes/DefaultNode/  
/resources.xml#JDBCProvider_1)
```

Example output with Jacl:

```
{name "Sample Datasource"}  
{description "Data source  
for the Sample entity beans"}
```

5.1+ Using Jython:

```
print AdminConfig.show  
('Db2JdbcDriver(cells/  
mycell/nodes/DefaultNode/  
resources.xml#JDBCProvider_1)')
```

Example output with Jython:

```
[name "Sample Datasource"]  
[description "Data source  
for the Sample entity beans"]
```

showall

Recursively shows the attributes of a given configuration object.

Parameters:

object, attributes

Returns:

a string containing the attribute value

Example usage:

Using Jacl:

```
$AdminConfig showall  
"Default Datasource  
(cells/mycell/nodes/  
DefaultNode/servers/  
server1:resources.xml#  
DataSource_1)
```

Example output with Jacl:

```
{authMechanismPreference  
BASIC_PASSWORD}  
{category default}  
{connectionPool  
{{agedTimeout 0}  
{connectionTimeout 1000}  
{maxConnections 30}  
{minConnections 1}  
{purgePolicy
```

```

FailingConnectionOnly}
{reapTime 180}
{unusedTimeout 1800}}}
{datasourceHelperClassname
com.ibm.websphere.rsaadapter.
CloudscapeDataStoreHelper}
{description "Datasource
for the WebSphere Default Application"}
{jndiName DefaultDatasource}
{name "Default Datasource"}
{propertySet
{{resourceProperties
{{{description "Location of
Cloudscape default database."}
{name databaseName}
{type java.lang.String}
{value ${WAS_INSTALL_ROOT}/
bin/DefaultDB}}}} {{name
remoteDataSourceProtocol}
{type java.lang.String}
{value {}}}
{{name shutdownDatabase}
{type java.lang.String}
{value {}}}
{{name dataSourceName}
{type java.lang.String}
{value {}}}
{{name description}
{type java.lang.String}
{value {}}}
{{name connectionAttributes}
{type java.lang.String}
{value {}}}
{{name createDatabase}
{type java.lang.String}
{value {}}}}}}}}}
{provider "Cloudscape JDBC
Driver(cells/pongo/nodes/
pongo/servers/server1:resources.
xml#JDBCProvider_1)"}
{relationalResourceAdapter
"WebSphere Relational Resource
Adapter(cells/pongo/nodes/pongo/
servers/server1:resources.xml#
builtin_rra)"}
{statementCacheSize 0}

```

5.1+ Using Jython:

```

AdminConfig.showall("Default
Datasource(cells/mycell/nodes/
DefaultNode/servers/server1:
resources.xml#DataSource_1)")

```

Example output with Jython:

```

[authMechanismPreference
BASIC_PASSWORD]
[category default]
[connectionPool
[[agedTimeout []]
[connectionTimeout 1000]
[maxConnections 30]
[minConnections 1]
[purgePolicy
FailingConnectionOnly]
[reapTime 180]

```

```

[unusedTimeout 1800]]
[datasourceHelperClassname
com.ibm.websphere.rsaadapter.
CloudscapeDataStoreHelper]
[description "Datasource
for the WebSphere
Default Application"]
[jndiName DefaultDatasource]
[name "Default Datasource"]
[propertySet
[[resourceProperties
[[[description "Location of
Cloudscape default database."]
[name databaseName]
[type java.lang.String]
[value ${WAS_INSTALL_ROOT}/
bin/DefaultDB]] [[name
remoteDataSourceProtocol]
[type java.lang.String]
[value []]]
[[name shutdownDatabase]
[type java.lang.String]
[value []]
[[name dataSourceName]
[type java.lang.String]
[value []]] [[name description]
[type java.lang.String]
[value []]] [[name
connectionAttributes]
[type java.lang.String]
[value []]] [[name
createDatabase]
[type java.lang.String]
[value []]]]]]
[provider "Cloudscape JDBC
Driver(cells/pongo/nodes/
pongo/servers/server1:
resources.xml#JDBCProvider_1)"]
[relationalResourceAdapter
"WebSphere Relational Resource
Adapter(cells/pongo/nodes/pongo/
servers/server1:resources.xml#
builtin_rra)"]
[statementCacheSize 0]

```

showAttribute

Displays only the value for the single attribute that you specify.

The output of this command is different from the output of the show command when a single attribute is specified. The showAttribute command does not display a list that contains the attribute name and value. It only displays the attribute value.

Parameters:

config id, attribute

Returns:

a string containing the attribute value

Example usage:

Using Jacl:

```

set ns [$AdminConfig
getid /Node:mynode/]
$AdminConfig showAttribute
$ns hostName

```

5.1+ Using Jython:

```
ns = AdminConfig.getid  
('/Node:mynode/')  
print AdminConfig.  
showAttribute(ns, 'hostName')
```

Example output:

```
mynode
```

types

Returns a list of the configuration object types that you can manipulate.

Parameters:

none

Returns:

a list of object types

Example usage:

Using Jacl:

```
$AdminConfig types
```

5.1+ Using Jython:

```
print AdminConfig.types()
```

Example output:

```
AdminService  
Agent  
ApplicationConfig  
ApplicationDeployment  
ApplicationServer  
AuthMechanism  
AuthenticationTarget  
AuthorizationConfig  
AuthorizationProvider  
AuthorizationTableImpl  
BackupCluster  
CMPConnectionFactory  
CORBAObjectNameSpaceBinding  
Cell  
CellManager  
ClassLoader  
ClusterMember  
ClusteredTarget  
CommonSecureInteropComponent
```

validate

Invokes validation.

This command requests configuration validation results based on the files in your workspace, the value of the cross-document validation enabled flag, and the validation level setting. Optionally, you can specify a configuration ID to set the scope. If you specify a configuration ID, the scope of this request is the object named by the config id parameter.

Parameters:

config id (optional)

Returns:

a string containing results of validation

Example usage:

Using Jacl:

```
$AdminConfig validate
```

5.1+ Using Jython:

```
print AdminConfig.validate()
```

Example output:

```
WASX7193I: Validation results  
are logged in c:\WebSphere5\  
AppServer\logs\wsadmin.valout:  
Total number of messages: 16  
WASX7194I: Number of  
messages of severity 1: 16
```

ObjectName, Attribute, and AttributeList

WebSphere Application Server scripting commands use the underlying Java Management Extensions (JMX) classes, ObjectName, Attribute, and AttributeList, to manipulate object names, attributes and attribute lists.

WebSphere Application Server ObjectNames uniquely identify running objects. ObjectNames consist of the following:

- The domain name WebSphere.
- Several key properties, for example:
 - **type** - Indicates the type of object that is accessible through the MBean. For example, ApplicationServer, EJBContainer
 - **name** - Represents the display name of the particular object. For example, MyServer
 - **node** - Represents the name of the node on which the object runs
 - **process** - Represents the name of the server process in which the object runs
 - **mbeanIdentifier** - Correlates the MBean instance with corresponding configuration data

When ObjectNames classes are represented by strings, they have the following pattern:

```
[domainName]:property=value[,property=value]*
```

For example, you can specify `WebSphere:name=My Server, type=ApplicationServer,node=n1,*` to specify an application server named My Server on node n1. (The asterisk is a wild card character, used so that you do not have to specify the entire set of key properties.) The AdminControl commands that take strings as parameters expect strings that look like this example when specifying running objects (MBeans). You can obtain the ObjectName for a running object with the `getObjectName` command.

Attributes of these objects consist of a name and a value. You can extract the name and value with the `getName` and `getValue` methods available in the `javax.management.Attribute` class. You can also extract a list of attributes.

Modifying nested attributes with the wsadmin tool

The attributes for a WebSphere Application Server configuration object are often deeply nested. For example, a JDBCProvider object has an attribute factory, which is a list of the J2EEResourceFactory type objects. These objects can be DataSource objects that contain a connectionPool attribute with a ConnectionPool type that contains a variety of primitive attributes.

1. Invoke the AdminConfig object commands interactively, in a script, or use the `wsadmin -c` commands from an operating system command prompt.

- Obtain the configuration ID of the object, for example:

Using Jacl:

```
set t1 [$AdminConfig getid /DataSource:TechSamp/]
```

5.1+ Using Jython:

```
t1=AdminConfig.getId('/DataSource:TechSamp/')
```

where:

set	is a Jacl command
t1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
getId	is an AdminConfig command
DataSource	is the object type
<i>TechSamp</i>	is the name of the object that will be modified

- Modify one of the object parents and specify the location of the nested attribute within the parent, for example:

Using Jacl:

```
$AdminConfig modify $t1 {{connectionPool {{reapTime 2003}}}}
```

5.1+ Using Jython list:

```
AdminConfig.modify(t1, [["connectionPool", ["reapTime", "2003"]]])
```

5.1+ Using Jython string:

```
AdminConfig.modify(t1, '[[connectionPool [[reapTime 2003]]]]')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
modify	is an AdminConfig command
t1	evaluates to the configuration ID of the datasource in step number 2
connectionPool	is an attribute
reapTime	is a nested attribute within the connectionPool attribute
2003	is the value of the reapTime attribute

- Save the configuration by issuing an AdminConfig **save** command. For example:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

An alternative way to modify nested attributes is to modify the nested attribute directly, for example:

Using Jacl:

```
set techsamp [$AdminConfig getid /DataSource:TechSamp/]
set pool [$AdminConfig showAttribute $techsamp connectionPool]
$AdminConfig modify $pool {{reapTime 2003}}
```

5.1+ Using Jython list:

```
techsamp=AdminConfig.getid('/DataSource:TechSamp/')
pool=AdminConfig.showAttribute(techsamp,'connectionPool')
AdminConfig.modify(pool,[['reapTime',2003]])
```

5.1+ Using Jython string:

```
techsamp=AdminConfig.getid('/DataSource:TechSamp/')
pool=AdminConfig.showAttribute(techsamp,'connectionPool')
AdminConfig.modify(pool,['[reapTime 2003]'])
```

In this example, the first command gets the configuration id of the DataSource, and the second command gets the connectionPool attribute. The third command sets the reapTime attribute on the ConnectionPool object directly.

Managing configurations with scripting

Configuration management scripts use the AdminConfig object to access the repository where configuration information is stored. You can use the AdminConfig object to list configuration objects and their attributes, create configuration objects, modify configuration objects, remove configuration objects, and obtain help.

1. Decide how you want to execute the script. If you want to run the script immediately from the command line, enter it surrounded by quotes as a parameter to the **wsadmin -c** command. To save the script for repeated use, compose it in a file and execute it with the **wsadmin -f** command. If you want to compose and run the script interactively, issue the **wsadmin** command without the **-c** or **-f** flags. For more information about executing scripts, see Launching scripting clients
2. Write an AdminConfig script command statement to perform a management task, for example:

5.1+ Using Jacl:

```
$AdminConfig command
```

5.1+ Using Jython:

```
AdminConfig.command
```

3. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:
`AdminConfig.save()`

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Related concepts

“Jacl” on page 33

Related reference

“AdminConfig object for scripted administration” on page 104

Creating configuration objects using the wsadmin tool

Perform this task if you want to create an object. To create new objects from the default template, use the **create** command. Alternatively, you can create objects using an existing object as a template with the **createFromTemplate** command.

1. Invoke the AdminConfig object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Use the AdminConfig object **listTemplates** command to list available templates:

Using Jacl:

```
$AdminConfig listTemplates JDBCProvider
```

5.1+ Using Jython:
`AdminConfig.listTemplates('JDBCProvider')`

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
listTemplates	is an AdminConfig command
JDBCProvider	is an object type

3. Assign the ID string that identifies the existing object to which the new object is added. You can add the new object under any valid object type. The following example uses a node as the valid object type:

Using Jacl:

```
set n1 [$AdminConfig getid /Node:mynode/]
```

5.1+ Using Jython:
`n1 = AdminConfig.getid('/Node:mynode/')`

where:

set	is a Jacl command
\$	is a Jacl operator for substituting a variable name with its value

n1	is a variable name
AdminConfig	is an object representing the WebSphere Application Server configuration
getid	is an AdminConfig command
Node	is an object type
mynode	is the host name of the node where the new object is added

4. Specify the template that you want to use:

Using Jacl:

```
set t1 [$AdminConfig listTemplates JDBCProvider "DB2 JDBC Provider (XA)"]
```

5.1+ Using Jython:

```
t1 = AdminConfig.listTemplates('JDBCProvider', 'DB1 JDBC Provider (XA)')
```

where:

set	is a Jacl command
\$	is a Jacl operator for substituting a variable name with its value
t1	is a variable name
AdminConfig	is an object representing the WebSphere Application Server configuration
listTemplates	is an AdminConfig command
JDBCProvider	is an object type
DB1 JDBC Provider (XA)	is the name of the template to use for the new object

If you supply a string after the name of a type, you get back a list of templates with display names that contain the string you supplied. In this example, the AdminConfig **listTemplates** command returns the JDBCProvider template whose name matches *DB2 JDBC Provider (XA)*.

5. Create the object with the following command:

Using Jacl:

```
$AdminConfig createUsingTemplate JDBCProvider $n1 {{name newdriver}} $t1
```

5.1+ Using Jython:

```
AdminConfig.createUsingTemplate('JDBCProvider', n1, [['name', 'newdriver']], t1)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
createUsingTemplate	is an AdminConfig command
JDBCProvider	is an object type
n1	evaluates the ID of the host node specified in step number 3

<code>name</code>	is an attribute of JDBCProvider objects
<code>newdriver</code>	is the value of the name attribute
<code>t1</code>	evaluates the ID of the template specified in step number 4

Note: All `create` commands use a template unless there are no templates to use. If a default template exists, the command creates the object.

- Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the `reset` command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Related reference

"Example: Finding available templates" on page 145

Specifying configuration objects using the wsadmin tool

To manage an existing configuration object, you identify the configuration object and obtain configuration ID of the object to be used for subsequent manipulation.

- Invoke the AdminConfig object commands interactively, in a script, or use the `wsadmin -c` command from an operating system command prompt.
- Obtain the configuration ID with one of the following ways:
 - Obtain the ID of the configuration object with the `getid` command, for example:

Using Jacl:

```
set var [$AdminConfig getid /type:name/]
```

5.1+ Using Jython:

```
var = AdminConfig.getid('/type:name/')
```

where:

<code>set</code>	is a Jacl command
<code>var</code>	is a variable name
<code>\$</code>	is a Jacl operator for substituting a variable name with its value
<code>AdminConfig</code>	is an object representing the WebSphere Application Server configuration
<code>getid</code>	is an AdminConfig command
<code>/type:name/</code>	is the hierarchical containment path of the configuration object

<i>type</i>	is the object type Note: The name of the object type that you input here is the one based on the XML configuration files and does not have to be the same name that the administrative console displays.
<i>name</i>	is the optional name of the object

You can specify multiple `/type:name/` in the string, for example, `/type:name/type:name/type:name/`. If you just specify the type in the containment path without the name, include the colon, for example, `/type:/`. The containment path must be a path containing the correct hierarchical order. For example, if you specify `/Server:server1/Node:node/` as the containment path, you will not receive a valid configuration ID because Node is parent of Server and should come before Server in the hierarchy.

This command returns all the configuration IDs that match the representation of the containment and assigns them to a variable.

To look for all the server configuration IDs resided in mynode, use the following example:

Using Jacl:

```
set nodeServers [$AdminConfig getid /Node:mynode/Server:/]
```

5.1+ Using Jython:

```
nodeServers = AdminConfig.getId('/Node:mynode/Server:/')
```

To look for server1 configuration ID resided in mynode, use the following example:

Using Jacl:

```
set server1 [$AdminConfig getid /Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
server1 = AdminConfig.getId('/Node:mynode/Server:server1/')
```

To look for all the server configuration IDs, use the following example:

Using Jacl:

```
set servers [$AdminConfig getid /Server:/]
```

5.1+ Using Jython:

```
servers = AdminConfig.getId('/Server:/')
```

- Obtain the ID of the configuration object with the **list** command, for example:

Using Jacl:

```
set var [$AdminConfig list type]
```

or

```
set var [$AdminConfig list type scopeId]
```

5.1+ Using Jython:

```
var = AdminConfig.list('type')

or

var = AdminConfig.list('type', 'scopeId')
```

where:

set	is a Jacl command
var	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
list	is an AdminConfig command
type	is the object type Note: The name of the object type that you input here is the one based on the XML configuration files and does not have to be the same name that the administrative console displays.
scopeId	is the configuration ID of a cell, node, or server object

This command returns a list of configuration object IDs of a given type. If you specify the *scopeId*, the list of objects returned is within the scope specified. The list returned is assigned to a variable.

To look for all the server configuration IDs, use the following example:

Using Jacl:

```
set servers [$AdminConfig list Server]
```

5.1+ Using Jython:

```
servers = AdminConfig.list('Server')
```

To look for all the server configuration IDs in mynode, use the following example:

Using Jacl:

```
set scopeid [$AdminConfig getid /Node:mynode/]
set nodeServers [$AdminConfig list Server $scopeid]
```

5.1+ Using Jython:

```
scopeid = AdminConfig.getid('/Node:mynode/')
nodeServers = AdminConfig.list('Server', scopeid)
```

3. If there are more than one configuration IDs returned from the **getid** or **list** command, the IDs are returned in a list syntax. One way to retrieve a single element from the list is to use the **lindex** command. The following example retrieves the first configuration ID from the server object list:

Using Jacl:

```
set allServers [$AdminConfig getid /Server:/]
set aServer [lindex $allServer 0]
```

5.1+ Using Jython:

```
allServers = AdminConfig.getid('/Server:/')

# get line separator
import java
lineSeparator = java.lang.System.getProperty('line.separator')

arrayAllServers = allServers.split(lineSeparator)
aServer = arrayAllServers[0]
```

For other ways to manipulate the list and then perform pattern matching to look for a specified configuration object, refer to the Jacl syntax.

You can now use the configuration ID in any subsequent AdminConfig commands that require a configuration ID as a parameter.

Listing attributes of configuration objects using the wsadmin tool

1. Invoke the AdminConfig object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. List the attributes of a given configuration object type, using the **attributes** command, for example:

Using Jacl:

```
$AdminConfig attributes type
```

5.1+ Using Jython:

```
AdminConfig.attributes('type')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
attributes	is an AdminConfig command
type	is an object type

This command returns a list of attributes and its data type.

To get a list of attributes for the JDBCProvider type, use the following example command:

Using Jacl:

```
$AdminConfig attributes JDBCProvider
```

5.1+ Using Jython:

```
AdminConfig.attributes('JDBCProvider')
```

3. List the required attributes of a given configuration object type, using the **required** command, for example:

Using Jacl:

```
$AdminConfig required type
```

5.1+ Using Jython:

```
AdminConfig.required('type')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
required	is an AdminConfig command
type	is an object type

This command returns a list of required attributes.

To get a list of required attributes for the JDBCProvider type, use the following example command:

Using Jacl:

```
$AdminConfig required JDBCProvider
```

5.1+ Using Jython:

```
AdminConfig.required('JDBCProvider')
```

4. List attributes with defaults of a given configuration object type, using the **defaults** command, for example:

Using Jacl:

```
$AdminConfig defaults type
```

5.1+ Using Jython:

```
AdminConfig.defaults('type')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
defaults	is an AdminConfig command
type	is an object type

This command returns a list of all attributes, types, and defaults.

To get a list of attributes with defaults displayed for the JDBCProvider type, use the following example command:

Using Jacl:

```
$AdminConfig defaults JDBCProvider
```

5.1+ Using Jython:

```
AdminConfig.defaults('JDBCProvider')
```

Modifying configuration objects with the wsadmin tool

1. Invoke the AdminConfig object commands interactively, in a script, or use wsadmin -c from an operating system command prompt.
2. Retrieve the configuration ID of the objects that you want to modify, for example:

Using Jacl:

```
set jdbcProvider1 [$AdminConfig getid /JDBCProvider:myJdbcProvider/]
```

5.1+ Using Jython:

```
jdbcProvider1 = AdminConfig.getid('/JDBCProvider:myJdbcProvider/')
```

where:

set	is a Jacl command
jdbcProvider1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
getid	is an AdminConfig command
/JDBCProvider:myJdbcProvider/	is the hierarchical containment path of the configuration object
JDBCProvider	is the object type
myJdbcProvider	is the optional name of the object

3. Show the current attribute values of the configuration object with the show command, for example:

Using Jacl:

```
$AdminConfig show $jdbcProvider1
```

5.1+ Using Jython:

```
AdminConfig.show(jdbcProvider1)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
show	is an AdminConfig command
jdbcProvider1	evaluates to the ID of host node specified in step number 2

4. Modify the attributes of the configuration object, for example:

Using Jacl:

```
$AdminConfig modify $jdbcProvider1 {{description "This is my new description"}}
```

5.1+ Using Jython list:

```
AdminConfig.modify(jdbcProvider1, [['description', "This is my new description"]])
```

5.1+ Using Jython string:

```
AdminConfig.modify(jdbcProvider1, '[[description "This is my new description"]])'
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
modify	is an AdminConfig command
jdbcProvider1	evaluates to the ID of host node specified in step number 3
description	is an attribute of server objects
<i>This is my new description</i>	is the value of the description attribute

You can also modify several attributes at the same time. For example:

Using Jacl:

```
{ {name1 val1} {name2 val2} {name3 val3}}
```

5.1+ Using Jython list:

```
[[name1, val1], [name2, val2], [name3, val3]]
```

5.1+ Using Jython string:

```
'[[name1 val1] [name2 val2] [name3 val3]]'
```

5. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Removing configuration objects with the wsadmin tool

Use this task to delete a configuration object from the configuration repository. This action only affects the configuration. If there is a running instance of a configuration object when you remove the configuration, the change has no effect on the running instance.

1. Invoke the AdminConfig object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Assign the ID string that identifies the server you want to remove:

Using Jacl:

```
set s1 [$AdminConfig getid /Node:mynode/Server:myserver/]
```

where:

set	is a Jacl command
-----	-------------------

s1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
getid	is an AdminConfig command
Node	is an object type
<i>mynode</i>	is the host name of the node from which the server is removed
Server	is an object type
<i>myserver</i>	is the name of the server to remove

3. Issue the following command:

Using Jacl:

```
$AdminConfig remove $s1
```

5.1+ Using Jython:

```
AdminConfig.remove(s1)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
remove	is an AdminConfig command
s1	evaluates the ID of the server specified in step number 2

4. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

The WebSphere Application Server configuration no longer contains a specific server object. Running servers are not affected.

Related reference

“AdminConfig object for scripted administration” on page 104

Changing the WebSphere Application Server configuration using wsadmin

For this task, the wsadmin scripting client must be connected to the deployment manager server.

You can use the wsadmin AdminConfig and AdminApp objects to make changes to the WebSphere Application Server configuration. The purpose of this article is to illustrate the relationship between the commands used to change the configuration and the files used to hold configuration data. This discussion assumes that you have a network deployment installation, but the concepts are very similar for a WebSphere Application Server installation.

1. Invoke the AdminConfig object commands interactively, in a script, or use the **wsadmin -c** commands from an operating system command prompt.
2. Set a variable for creating a server:

Using Jacl:

```
set n1 [$AdminConfig getid /Node:mynode/]
```

5.1+ Using Jython:

```
n1 = AdminConfig.getid('/Node:mynode/')
```

where:

set	is a Jacl command
n1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
getid	is an AdminConfig command
Node	is the object type
<i>mynode</i>	is the name of the object that will be modified

3. Create a server with the following command:

Using Jacl:

```
set serv1 [$AdminConfig create Server $n1 {{name myserv}}]
```

5.1+ Using Jython list:

```
serv1 = AdminConfig.create('Server', n1, [['name', 'myserv']])
```

5.1+ Using Jython string:

```
serv1 = AdminConfig.create('Server', n1, '[[name myserv]]')
```

where:

set	is a Jacl command
serv1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
create	is an AdminConfig command
Server	is an AdminConfig object

n1	evaluates to the ID of host node specified in step number 2
name	is an attribute
myserv	is the value of the name attribute

After this command completes, some new files can be seen in a workspace used by the deployment manager server on behalf of this scripting client. A workspace is a temporary repository of configuration information that administrative clients use. Any changes made to the configuration by an administrative client are first made to this temporary workspace. For scripting, only when a **save** command is invoked on the AdminConfig object, these changes are transferred to the real configuration repository. Workspaces are kept in the `wstemp` subdirectory of a WebSphere Application Server installation.

4. Make a configuration change to the server with the following command:

Using Jacl:

```
$AdminConfig modify $serv1 {{stateManagement {{initialState STOP}}}}
```

5.1+ Using Jython list:

```
AdminConfig.modify(serv1, [['stateManagement', [['initialState', 'STOP']]]])
```

5.1+ Using Jython string:

```
AdminConfig.modify(serv1, '[[[stateManagement [[initialState STOP]]]]]')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminConfig	is an object representing the WebSphere Application Server configuration
modify	is an AdminConfig command
serv1	evaluates to the ID of host node specified in step number 3
stateManagement	is an attribute
initialState	is a nested attribute within the stateManagement attribute
STOP	is the value of the initialState attribute

This command changes the initial state of the new server. After this command completes, one of the files in the workspace is changed.

5. Install an application on the server.

6. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

7. Set the variable for node synchronize.

Note: This step only applies to network deployment installations. A node synchronization is necessary in order to propagate configuration changes to the affected node or nodes. By default this occurs periodically, as long as the node can communicate with the deployment manager. It is possible to cause this to happen explicitly by performing the following:

Using Jacl:

```
set Sync1 [$AdminControl completeObjectName type=NodeSync,node=mynodeName,*]
```

5.1+ Using Jython:

```
Sync1 = AdminControl.completeObjectName('type=NodeSync,node=mynodeName')
```

Example output:

```
WebSphere:platform=common,cell=myNetwork,version=5.0,name=node
Sync,mbeanIdentifier=nodeSync,type=NodeSync,node=myBaseNode,
process=nodeagent
```

where:

set	is a Jacl command
Sync1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
completeObjectName	is an AdminControl command
<i>type=NodeSync,node=mynodeName</i>	is a fragment of the object name. It is used to find the matching object name. For example: type=Server, name=serv1. It can be any valid combination of domain and key properties. For example, type, name, cell, node, process, etc.

8. Synchronize by issuing the following command:

Note: This step only applies to network deployment installations.

Using Jacl:

```
$AdminControl invoke $Sync1 sync
```

5.1+ Using Jython:

```
AdminControl.invoke(Sync1, 'sync')
```

Example output:

```
true
```

You will receive an output value of true if the synchronization completes.where:

\$	is a Jacl operator for substituting a variable name with its value
----	--

AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
invoke	is an AdminControl command
Sync1	evaluates to the ID of the server specified in step number 7
sync	is an attribute of modify objects

When the synchronization is complete, the files created in the `c:/WebSphere/DeploymentManager/config` directory now exist on the *mynode* node, in the `c:/WebSphere/AppServer/config` directory.

Configuration management examples with wsadmin

5.1+ There are examples that illustrate how to perform the important configuration management tasks. These examples show how to use features such as templates, and AdminConfig commands. They also show how to configure security, servers, and other resources in your installation. Basic knowledge of the syntax for the Jacl or Jython scripting language is helpful in order to understand and modify the examples.

Example: Finding available templates

Some configuration object types, for example, Server and other resource types, have templates that you can use when you create an object. If you create a JDBCProvider object using the `create` command, this object is built with the default template. If you know that you need a particular type of JDBCProvider object, you can use a template for that type.

Use the AdminConfig object `listTemplates` command to list available templates, for example:

Using Jacl:

```
$AdminConfig listTemplates JDBCProvider
```

5.1+ Using Jython:

```
AdminConfig.listTemplates('JDBCProvider')
```

- There is a variation of this command that makes it easier to locate a particular template or set of templates. If you supply a string after the name of a type, you only get back a list of templates display names that contain the supplied string, for example:

Using Jacl:

```
$AdminConfig listTemplates JDBCProvider DB2
```

5.1+ Using Jython:

```
AdminConfig.listTemplates('JDBCProvider', 'DB2')
```

This command returns a list of templates with display names containing `DB2`.

- You can use the `show` command with any template like any other configuration object, to see the attributes of the template object, for example:

Using Jacl:

```
set jdbc [$AdminConfig listTemplates JDBCProvider DB2]
set jdbc1 [lindex $jdbc 0]
$AdminConfig show $jdbc1
```

5.1+ Using Jython:

```
jdbc = AdminConfig.listTemplates('JDBCProvider', 'DB2')
# get line separator
import java
lineSeparator = java.lang.System.getProperty('line.separator')
arrayJdbc = jdbc.split(lineSeparator)
jdbc1 = arrayJdbc[0]
AdminConfig.show(jdbc1)
```

Example: Creating new virtual hosts using a template

Some configuration object types have templates that you can use when you create a virtual host.

- Create a new virtual host template *virtualhostname.xml* in the following directory:
`<WAS-ROOT>\config\templates\custom\`
 - Copy and paste the following file into the new virtual host template:
`<WAS-ROOT>\config\templates\default\virtualhosts.xml`
 - Edit and customize the new *virtualhostname.xml* file.
- Use the **reset** command to recognize new templates, for example:

Using Jacl:

```
$AdminConfig reset
```

5.1+ Using Jython:

```
AdminConfig.reset()
```

- Use the AdminConfig object **listTemplates** command to list available templates, for example:

Using Jacl:

```
$AdminConfig listTemplates VirtualHost
```

5.1+ Using Jython:

```
print AdminConfig.listTemplates('VirtualHost')
```

Example output:

```
default_host(template/default:virtualhosts.xml#VirtualHost_1)
my_host(template/default:virtualhosts.xml#VirtualHost_1)
```

Note: To list the new templates, restart DeploymentManager or use the AdminConfig object **reset** command.

- Create a new virtual host using the custom template, for example:

Using Jacl:

```
set cell [$AdminConfig getid /Cell:NetworkDeploymentCell/]
set vtempl [$AdminConfig listTemplates VirtualHost my_host]
$AdminConfig createUsingTemplate VirtualHost $cell {{name newVirHost}} $vtempl
```

5.1+ Using Jython:

```
cell = AdminConfig.getid('/Cell:nodeNetwork/')
vtempl = AdminConfig.listTemplates('VirtualHost', 'my_host')
AdminConfig.createUsingTemplate('VirtualHost', cell, [['name', 'newVirHost']], vtempl)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Note: The administrative console does not support the use of custom templates. The new template that you create will not be visible in the administrative console panels.

Example: Interpreting the output of the AdminConfig attributes command

The **attributes** command is a wsadmin tool on-line help feature. When you issue the **attributes** command, the information that displays does not represent a particular configuration object. It represents information about configuration object types, or object metadata. This article discusses how to interpret the attribute type display.

- Simple attributes

Using Jacl:

```
$AdminConfig attributes ExampleType1  
"attr1 String"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType1')  
attr1 String
```

Types do not display as fully qualified names. For example, `String` is used for `java.lang.String`. There are no ambiguous type names in the model. For example, `x.y.ztype` and `a.b.ztype`. Using only the final portion of the name is possible, and it makes the output easier to read.

- Multiple attributes

Using Jacl:

```
$AdminConfig attributes ExampleType2  
"attr1 String" "attr2 Boolean" "attr3 Integer"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType2')  
attr1 String attr2 Boolean attr3 Integer
```

All input and output for the scripting client takes place with strings, but `attr2 Boolean` indicates that `true` or `false` are appropriate values. The `attr3 Integer` indicates that string representations of integers ("42") are needed. Some attributes have string values that can take only one of a small number of predefined values. The wsadmin tool distinguishes these values in the output by the special type name `ENUM`, for example:

Using Jacl:

```
$AdminConfig attributes ExampleType3  
"attr4 ENUM(ALL, SOME, NONE)"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType3')  
attr4 ENUM(ALL, SOME, NONE)
```

where: `attr4` is an `ENUM` type. When you query or set the attribute, one of the values is `ALL`, `SOME`, or `NONE`. The value `A_FEW` results in an error.

- Nested attributes

Using Jacl:

```
$AdminConfig attributes ExampleType4  
"attr5 String" "ex5 ExampleType5"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType4')
attr5 String ex5 ExampleType5
```

The ExampleType4 object has two attributes: a string, and an ExampleType5 object. If you do not know what is contained in the ExampleType5 object, you can use another **attributes** command to find out. The **attributes** command displays only the attributes that the type contains directly. It does not recursively display the attributes of nested types.

- Attributes that represent lists

The values of these attributes are object lists of different types. The * character distinguishes these attributes, for example:

Using Jacl:

```
$AdminConfig attributes ExampleType5
"ex6 ExampleType6*"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType5')
ex6 ExampleType6*
```

In this example, objects of the ExampleType5 type contain a single attribute, ex6. The value of this attribute is a list of ExampleType6 type objects.

- Reference attributes

An attribute value that references another object. You cannot change these references using modify commands, but these references display because they are part of the complete representation of the type. Distinguish reference attributes using the @ sign, for example:

Using Jacl:

```
$AdminConfig attributes ExampleType6
"attr7 Boolean" "ex7 ExampleType7@"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType6')
attr7 Boolean ex7 ExampleType7@
```

ExampleType6 objects contain references to ExampleType7 type objects.

- Generic attributes

These attributes have generic types. The values of these attributes are not necessarily this generic type. These attributes can take values of several different specific types. When you use the AdminConfig attributes command to display the attributes of this object, the various possibilities for specific types are shown in parentheses, for example:

Using Jacl:

```
$AdminConfig attributes ExampleType8
"name String" "beast AnimalType(HorseType, FishType, ButterflyType)"
```

5.1+ Using Jython:

```
print AdminConfig.attributes('ExampleType8')
name String beast AnimalType(HorseType, FishType, ButterflyType)
```

In this example, the beast attribute represents an object of the generic AnimalType. This generic type is associated with three specific subtypes. The

wsadmin tool gives these subtypes in parentheses after the name of the base type. In any particular instance of ExampleType8, the beast attribute can have a value of HorseType, FishType, or ButterflyType. When you specify an attribute in this way, using a modify or create command, specify the type of AnimalType. If you do not specify the AnimalType, a generic AnimalType object is assumed (specifying the generic type is possible and legitimate). This is done by specifying beast:HorseType instead of beast.

Related reference

"Example: Showing attributes with the AdminConfig object"

"Example: Modifying attributes with the AdminConfig object" on page 150

Example: Showing attributes with the AdminConfig object

In the wsadmin tool, the AdminConfig **attributes** object displays configuration object types, or object metadata, and does not represent a particular configuration object. This article discusses using the metadata information to show configuration objects.

- Showing simple attributes

Each attribute in a configuration object is represented as a {name value} list.

Using Jacl:

```
$AdminConfig show $myEndPoint {host port}
{host myHost} {port 1234}
```

5.1+ Using Jython:

```
print AdminConfig.show(myEndPoint, ['host', 'port'])
[host myHost] [port 1234]
```

The example configuration object has two attributes. The value of the name attribute is *myHost*. The value of the port attribute is 1234.

- Showing attributes with subtypes

For example, this **show** command returns:

Using Jacl:

```
$AdminConfig show $myex8
{name Halibut} {beast myfish(cells/mycell/adocument.xml#FishType_1)}
```

5.1+ Using Jython:

```
print AdminConfig.show(myex8)
[name Halibut] [beast myfish(cells/mycell/adocument.xml#FishType_1)]
```

The name of the second attribute displays as *beast*. The value of *beast* for this particular ExampleType8 object has type FishType.

- Showing string list attributes

Several attributes on various objects have type String*. The String* type is a list of strings. These attributes can represent class paths, for example:

Using Jacl:

```
$AdminConfig show $obj1 classpath
{classpath c:/mine/one.jar;c:/two.jar;f:/myother/three.jar}
```

5.1+ Using Jython:

```
print AdminConfig.show(obj1, 'classpath')
[[classpath c:/mine/one.jar;c:/two.jar;f:/myother/three.jar]]
```

Example: Modifying attributes with the AdminConfig object

The **modify** command changes objects in the configuration. In the wsadmin tool, the AdminConfig **attributes** command displays configuration object types, or object metadata, and does not represent a particular configuration object. This article discusses using the metadata information to modify configuration objects.

- Modifying simple attributes

For example:

Using Jacl:

```
$AdminConfig modify  
$myex1 {{attr1  
sampleStringValue}}
```

or

```
$AdminConfig modify  
$myex1 "{attr1  
sampleStringValue}"
```

5.1+ Using Jython:

```
AdminConfig.modify  
(myex1, [['attr1',  
'sampleStringValue']])
```

For multiple attributes:

Using Jacl:

```
$AdminConfig attributes  
ExampleType2  
"attr1 String" "attr2  
Boolean" "attr3 Integer"  
$AdminConfig modify  
$myex2 {{attr1 "new  
string"} {attr2 false}  
{attr3 43}}
```

5.1+ Using Jython:

```
print AdminConfig.  
attributes('ExampleType2')  
attr1 String attr2  
Boolean attr3 Integer  
AdminConfig.modify  
(myex2, [['attr1',  
"new string"], ['attr2',  
'false'], ['attr3', 43]])
```

In this example, you supply values for all three of the attributes that the *ExampleType2* defines. If you enter the following:

Using Jacl:

```
$AdminConfig modify  
$myex2 {{attr3 43}}
```

5.1+ Using Jython:

```
AdminConfig.modify  
(myex2, [['attr3', 43]])
```

The **attr1** and **attr2** attributes would not change.

The following is an example that uses an attribute of ENUM type:

Using Jacl:

```
$AdminConfig attributes
ExampleType3
"attr4 ENUM(ALL,
SOME, NONE)"
$AdminConfig modify
$myex3 {{attr4 NONE}}
```

5.1+ Using Jython:

```
print AdminConfig.
attribute('ExampleType3')
attr4 ENUM(ALL,
SOME, NONE)
AdminConfig.modify
(myex3, [['attr4', 'NONE']])
```

- Modifying nested attributes

For example, you want to modify the ex10 attribute of an object of type ExampleType9:

Using Jacl:

```
$AdminConfig attributes
ExampleType9
"attr9a String"
"ex10 ExampleType10"
$AdminConfig attributes
ExampleType10
"attr10a String"
```

5.1+ Using Jython:

```
print AdminConfig.
attributes('ExampleType9')
attr9a String
ex10 ExampleType10
AdminConfig.attributes
('ExampleType10')
attr10a String
```

There are two ways to modify this object:

- Modify this attribute directly. Perform the following steps:

1. Obtain the configuration ID of the ex10 object:

Using Jacl:

```
$AdminConfig show $myex9
{attr9a MyFavoriteStrings}
{ex10 MyEx10(cells/mycell/
adocument.xml#ExampleType10_1)}
```

5.1+ Using Jython:

```
print AdminConfig.
attributes('ExampleType9')
[attr9a MyFavoriteStrings]
[ex10 MyEx10(cells/mycell/
adocument.xml#ExampleType10_1)]
```

2. Modify the ExampleType10 object:

Using Jacl:

```
$AdminConfig modify
MyEx10(cells/mycell/
adocument.xml#Example
Type10_1) {{attr10a
yetAnotherString}}
```

5.1+ Using Jython:

```
AdminConfig.modify
('MyEx10(cells/mycell/
adocument.xml#Example
Type10_1)', [['attr10a',
'yetAnotherString']])
```

- Modify the nested attribute of its containing object. Use the nested attributes syntax:

Using Jacl:

```
$AdminConfig modify
$myex9 {{ex10 {{attr10a
yetAnotherString}}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify
(myex9, [['ex10',
[['attr10a',
'yetAnotherString']])))
```

- Modifying list attributes

List attribute values represent a list of objects. For example, the *ServerCluster* type has an attribute called *BackupClusters* which contains an object collection of the *BackupCluster* type. The syntax for this type of attribute involves the members of the collection containing an extra set of braces around them, for example:

Using Jacl:

```
$AdminConfig modify
$cluster1
{{backupClusters
{{{backupClusterName
cell120}}} {{backupCluster
Name bc4}}}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify
(cluster1, [['backup
Clusters [[[['backup
ClusterName', 'cell120']],
[['backupClusterName',
'bc4']]]]])
```

In this example, the **modify** command takes a string that represents a list of attributes, a single attribute called *backupClusters*. The *backupClusters* attribute contains a list of objects of type *BackupCluster*. The list contains two objects, and each object is represented by exactly one attribute. `{{{backupClusterName cell120}}}` represents one object of the *BackupCluster* type, `{{{backupClusterName bc4}}}` represents a second *BackupCluster* object, and `{{{backupClusterName cell120}} {{{backupClusterName bc4}}}}` is the collection of these objects associated with the *backupClusters* attribute. The same syntax is required even if there is only a single object in the list. When supplying these list attributes, the list is added to the existing list. Be aware that there is no way to delete from a list. To remove the entire list, set the value of a list attribute to an empty string,

for example, (""). The **modify** command given in the above example, results in the addition of the **backupClusters** attribute to the existing contents.

The following is an example of modifying a nested attribute:

Using Jacl:

```
$AdminConfig modify
$cluster1
{{name "App Cluster
#3"} {preferLocal false}
{enableDynamicWLM true}
{backupClusters
{{{{backupClusterName
cell20} {domainBootstrap
Address {{port 555}
{host myhost}}}}
{{{backupClusterName
rrkbc4}}}} {members
{{{weight 1} {member
Name name1}} {{{weight 2}
{memberName name2}}}
{{{weight 3} {memberName
name3}}}}}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify
(cluster1, [['name',
"App Cluster #3"],
['preferLocal',
'false'],
['enableDynamicWLM',
'true'], ['backupClusters',
[[[['backupClusterName',
'cell20'],
['domainBootstrapAddress',
[['port', 555],
['host', 'myhost']]],
[[['backupClusterName',
'rrkbc4']]], ['members',
[[[['weight', 1],
['memberName', 'name1']],
[[['weight', 2],
['memberName', 'name2']],
[[['weight', 3],
['memberName', 'name3']]]]]]]])
```

This example list has five attributes: **name**, **preferLocal**, **enableDynamicWLM**, **backupClusters**, and **members**. The **members** attribute is a list of three objects, each of which consists of two sub-attributes, **weight** and **memberName**. The **backupClusters** attribute is a list of two objects. The first of these objects contains one simple subattribute and one complex subattribute. The complex subattribute contains two more subattributes, **port** and **host**.

The final variation on specifying configuration objects relates to the fact that some attributes represent generic objects that have different types of values. When you use the **AdminConfig attributes** command to display the attributes of an object, the various possibilities for specific types are shown in parentheses, for example:

Using Jacl:

```
$AdminConfig attributes
MyType
"name String" "components
Component(SpecificType1,
SpecificType2, SpecificType3)*"
```

5.1+ Using Jython:

```
print AdminConfig.
attributes('MyType')
name String components
Component(SpecificType1,
SpecificType2, SpecificType3)*
```

In this example, the component attribute represents a list of objects. Each member of the components attribute is the component type. Component is a generic type with three specific subtypes. When you specify an attribute in a **modify** or **create** command, specify the type of component. If you do not specify the type of component, a generic component object is assumed. To specify a particular component, use components:SpecificType1 instead of components, for example:

Using Jacl:

```
$AdminConfig modify
$myMyType
{{name name1}
{components:SpecificType2
{{{{attr1 val1} {attr2
val2}} {{attr1 val1a}
{attr2 val2a}}}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify
(myMyType, [['name',
'name1'], ['components:
SpecificType2',
[[['attr1', 'val1'],
['attr2', 'val2']],
[['attr1', 'val1a'],
['attr2', 'val2a']]]]])
```

This command modifies two attributes of the myMyType object: name and components.

- Modifying string list attributes

String list attributes have several attributes on various objects. These objects have the **String*** type, which is a list of strings. These attributes can represent class paths, for example. To update this list of strings, separate the members of the list by semi-colons. Use semi-colons with all platforms. The syntax for modifying these attributes is a list of strings, and not lists of attribute or name-value pairs, for example:

Using Jacl:

```
$AdminConfig modify
$obj1 {{classpath c:/
mine/one.jar;"c:/Program
Files/two.jar";f:/myother/
three.jar"}}
```

5.1+ Using Jython:

```
AdminConfig.modify(obj1,  
[['classpath', 'c:/mine/  
one.jar;"c:/Program Files/  
two.jar";f:/myother/  
three.jar']]
```

Example: Listing configuration objects with wsadmin

List configuration objects with the `list` command:

- To get a list of all configuration objects of a specific type, use the following example:

Using Jacl:

```
$AdminConfig list Server
```

5.1+ Using Jython:

```
print AdminConfig.list('Server')
```

Example output:

```
dmgr(cells/mycell/nodes/mynode/servers/dmgr:server.xml#Server_1)  
nodeagent(cells/mycell/nodes/mynode/servers/nodeagent:server.xml#Server_1)  
server1(cells/mycell/nodes/mynode/servers/server1:server.xml#Server_1)
```

- To list all configuration objects of a given type within a scope:

- Obtain the ID of the configuration object to be used as the scope.

To use the configuration ID as a scope, the configuration id must be the same for a cell, node, or server object.

To get a configuration ID for a cell object, use the following example:

Using Jacl:

```
set scopeId [$AdminConfig getid /Cell:mycell/]
```

5.1+ Using Jython:

```
scopeId = AdminConfig.getid('/Cell:mycell/')
```

To get a configuration ID for a node object, use the following example:

Using Jacl:

```
set scopeId [$AdminConfig getid /Cell:mycell/Node:mynode/]
```

5.1+ Using Jython:

```
scopeId = AdminConfig.getid('/Cell:mycell/Node:mynode/')
```

To get a configuration ID for a server object, use the following example:

Using Jacl:

```
set scopeId [$AdminConfig getid /Cell:mycell/Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
scopeId = AdminConfig.getid('/Cell:mycell/Node:mynode/Server:server1/')
```

- List the configuration objects within a scope.

To look for all the server configuration IDs within the node, use one of the following examples:

Using Jacl:

```
set scopeId [$AdminConfig getid /Cell:mycell/Node:mynode/]  
$AdminConfig list Server $scopeId
```

```
set scopeId [$AdminConfig getid /Cell:mycell/Node:mynode/]
set nodeServers [$AdminConfig list Server $scopeId]
```

The second example command assigns the returned list to a Jacl variable for subsequent use.

5.1+ Using Jython:

```
scopeId = AdminConfig.getid('/Cell:mycell/Node:mynode/')
AdminConfig.list('Server', scopeId)
scopeId = AdminConfig.getid('/Cell:mycell/Node:mynode/')
nodeServers = AdminConfig.list('Server', scopeId)
```

Example: Identifying valid configuration attributes for objects

You can determine valid attributes by using the AdminConfig **attributes** command.

The following example identifies the valid attributes for a node:

Using Jacl:

```
$AdminConfig attributes Node
```

5.1+ Using Jython:

```
print AdminConfig.attributes('Node')
```

This example produces the following output:

```
"defaultAppBinariesDirectory String"
"discoveryProtocol ENUM(UDP, TCP, MULTICAST)"
"properties Property(TypedProperty)*"
"appInstallWorkarea String"
"name String"
"hostName String"
```

Related reference

["Example: Interpreting the output of the AdminConfig attributes command" on page 147](#)

Example: Changing the location of the activity log

Change the location of the activity log by modifying the serviceLog attribute. The RASLoggingService object contains the serviceLog attribute.

The following example modifies the serviceLog attribute:

Using Jacl:

```
set dmgr1 [$AdminConfig getid /Server:dmgr/]
set rls [$AdminConfig list RASLoggingService $dmgr1]
set logFile [list name \${LOG_ROOT}/newlog.log]
set logAttr [list $logFile]
set attr [list [list serviceLog $logAttr]]
$AdminConfig modify $rls $attr
```

5.1+ Using Jython:

```
dmgr1 = AdminConfig.getid('/Server:dmgr')
rls = AdminConfig.list('RASLoggingService', dmgr1)
logFile = ['name', '\${LOG_ROOT}/newlog.log']
logAttr = [logFile]
attr = [['serviceLog', logAttr]]
AdminConfig.modify(rls, attr)
```

Example: Modifying port numbers in the serverindex file

This topic provides reference information about modifying port numbers in the serverindex.xml file. The end points of the serverindex.xml file are part of different objects in the configuration.

Use the following attributes to modify the serverindex.xml file:

- **BOOTSTRAP_ADDRESS**

An attribute of the NameServer object that exists inside the server. It is used by the naming client to specify the naming server to look up the initial context. To modify its end point, obtain the ID of the NameServer object and issue a **modify** command, for example:

Using JACL:

```
set s [$AdminConfig getid /Server:server1/]
set ns [$AdminConfig list NameServer $s]
$AdminConfig modify $ns {{BOOTSTRAP_ADDRESS} {{port 2810} {host myhost}}}
```

5.1+ Using Jython:

```
s = AdminConfig.getid('/Server:server1/')
ns = AdminConfig.list('NameServer', s)
AdminConfig.modify(ns, [['BOOTSTRAP_ADDRESS', [['port', 2810], ['host', 'myhost']]]])
```

- **SOAP_CONNECTOR-ADDRESS**

An attribute of the SOAPConnector object that exists inside the server. It is the port that is used by HTTP transport for incoming SOAP requests. To modify its end point, obtain the ID of the SOAPConnector object and issue a **modify** command, for example:

Using JACL:

```
set s [$AdminConfig getid /Server:server1/]
set soap [$AdminConfig list SOAPConnector $s]
$AdminConfig modify $soap {{SOAP_CONNECTOR_ADDRESS} {{host myhost} {port 8881}}}
```

5.1+ Using Jython:

```
s = AdminConfig.getid('/Server:server1/')
soap = AdminConfig.list('SOAPConnector', s)
AdminConfig.modify(soap, [['SOAP_CONNECTOR_ADDRESS', [['host', 'myhost'], ['port', 8881]]]])
```

- **DRS_CLIENT_ADDRESS**

An attribute of the SystemMessageServer object that exists inside the server. It is the port used to configure the Data Replication Service (DRS) which is a JMS-based message broker system for dynamic caching. To modify its end point, obtain the ID of the SystemMessageServer object and issue a **modify** command, for example:

Using JACL:

```
set s [$AdminConfig getid /Server:server1/]
set soap [$AdminConfig list SystemMessageServer $s]
$AdminConfig modify $soap {{DRS_CLIENT_ADDRESS} {{host myhost} {port 7874}}}
```

5.1+ Using Jython:

```
s = AdminConfig.getid('/Server:server1/')
soap = AdminConfig.list('SystemMessageServer', s)
AdminConfig.modify(soap, [['DRS_CLIENT_ADDRESS', [['host', 'myhost'], ['port', 7874]]]])
```

- **JMSSERVER_QUEUED_ADDRESS and JMSSERVER_DIRECT_ADDRESS**

An attribute of the JMSServer object that exists inside the server. These are ports used to configure the WebSphere Application Server JMS provider topic connection factory settings. To modify its end point, obtain the ID of the JMSServer object and issue a **modify** command, for example:

Using Jacl:

```
set s [$AdminConfig getid /Server:server1/]
set soap [$AdminConfig list JMServer $s]
$AdminConfig modify $soap {{JMSERVER_QUEUED_ADDRESS {{host myhost} {port 5560}}}}
$AdminConfig modify $soap {{JMSERVER_DIRECT_ADDRESS {{host myhost} {port 5561}}}}
```

5.1+ Using Jython:

```
s = AdminConfig.getid('/Server:server1/')
soap = AdminConfig.list('JMServer', s)
```

- **NODE_DISCOVERY_ADDRESS**

An attribute of the NodeAgent object that exists inside the server. It is the port used to receive the incoming process discovery messages inside a node agent process. To modify its end point, obtain the ID of the NodeAgent object and issue a **modify** command, for example:

Using Jacl:

```
set nodeAgentServer [$AdminConfig getid /Server:myhost/]
set nodeAgent [$AdminConfig list NodeAgent $nodeAgentServer]
$AdminConfig modify $nodeAgent {{NODE_DISCOVERY_ADDRESS {{host myhost} {port 7272}}}}
```

5.1+ Using Jython:

```
nodeAgentServer = AdminConfig.getid('/Server:myhost/')
nodeAgent = AdminConfig.list('NodeAgent', nodeAgentServer)
AdminConfig.modify(nodeAgent, [['NODE_DISCOVERY_ADDRESS', [['host', 'myhost'], ['port', 7272]]]])
```

- **CELL_DISCOVERY_ADDRESS**

An attribute of the deploymentManager object that exists inside the server. It is the port used to receive the incoming process discovery messages inside a deployment manager process. To modify its end point, obtain the ID of the deploymentManager object and issue a **modify** command, for example:

Using Jacl:

```
set netmgr [$AdminConfig getid /Server:netmgr/]
set deploymentManager [$AdminConfig list CellManager $netmgr]
$AdminConfig modify $deploymentManager {{CELL_MULTICAST_DISCOVERY_ADDRESS {{host myhost} {port 7278}}}}
$AdminConfig modify $deploymentManager {{CELL_DISCOVERY_ADDRESS {{host myhost} {port 7278}}}}
```

5.1+ Using Jython:

```
netmgr = AdminConfig.getid('/Server:netmgr/')
deploymentManager = AdminConfig.list('DeploymentManager', netmgr)
AdminConfig.modify(deploymentManager, [['CELL_MULTICAST_DISCOVERY_ADDRESS',
[['host', 'myhost'], ['port', 7272]]]])
AdminConfig.modify(deploymentManager, [['CELL_DISCOVERY_ADDRESS',
[['host', 'myhost'], ['port', 7278]]]])
```

Example: Disabling a component using wsadmin

An example of disabling the name server component of a configured server follows. You can modify this example to disable a different component.

- Identify the server and assign it to the server variable.

Using Jacl:

```
set server [$AdminConfig
getid /Cell:mycell/Node:
mynode/Server:server1/]
```

5.1+ Using Jython:

```

server = AdminConfig.
getid('/Cell:mycell/
Node:mynode/Server:
server1')
print server

```

Example output:

```

server1(cells/mycell/
nodes/mynode/servers/
server1:server.xml#
Server_1)

```

- List the components belonging to the server and assign them to the components variable.

Using Jacl:

```

set components
[$AdminConfig list
Component $server]

```

5.1+ Using Jython:

```

components =
AdminConfig.list
('Component', server)
print components

```

The components variable contains a list of components.

Example output:

```

(cells/mycell/nodes/
mynode/servers/server1:
server.xml#
ApplicationServer_1)
(cells/mycell/nodes/
mynode/servers/server1:
server.xml#EJBContainer_1)
(cells/mycell/nodes/
mynode/servers/server1:
server.xml#NameServer_1)
(cells/mycell/nodes/
mynode/servers/server1:
server.xml#WebContainer_1)

```

- Identify the name server component and assign it to the nameServer variable.

Since the name server component is the third element in the list, retrieve this element by using index 2.

Using Jacl:

```

set nameServer
[lindex $components 2]

```

5.1+ Using Jython:

```

# get line separator
import java
lineSeparator =
java.lang.System.
getProperty('line.separator')
arrayComponents =
components.split
(lineSeparator)
nameServer =
arrayComponents[2]
print nameServer

```

Example output:

```
(cells/mycell/nodes/
mynode/servers/server1:
server.xml#NameServer_1)
```

- Disable the name server component by changing the nested initialState attribute belonging to the stateManagement attribute.

Using Jacl:

```
$AdminConfig modify
$nameServer
{{stateManagement
{{initialState STOP}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify
(nameServer,
[['stateManagement',
[['initialState',
'STOP']]]])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Disabling a service using wsadmin

An example disabling the trace service of a configured server follows. You can modify this example to disable a different service.

- Identify the server and assign it to the server variable.

Using Jacl:

```
set server [$AdminConfig
getid /Cell:mycell/Node:
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.
getid('/Cell:mycell/
Node:mynode/Server:
server1/')
print server
```

Example output:

```
server1(cells/mycell/
nodes/mynode/servers/
server1:server.xml#
Server_1)
```

- List all the services belonging to the server and assign them to the services variable.

Using Jacl:

```
set services
[$AdminConfig
list Service $server]
```

5.1+ Using Jython:

```
services = AdminConfig.  
list('Service', server)  
print services
```

This command returns a list of services.

Example output:

```
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#AdminService_1)  
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#DynamicCache_1)  
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#Message  
ListenerService_1)  
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#Object  
RequestBroker_1)  
(cells/  
mycell/nodes/mynode/servers/  
server1:server.xml#  
PMIService_1)(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#RASLoggingService_1)  
(cells/mycell/nodes/mynode/  
servers/server1:server.xml#  
SessionManager_1)  
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#TraceService_1)  
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#  
TransactionService_1)
```

- Identify the trace service and assign it to the traceService variable.

Since trace service is the 8th element in the list, retrieve this element by using index 7.

Using Jacl:

```
set traceService  
[lindex $services 7]
```

5.1+ Using Jython:

```
# get line separator  
import java  
lineSeparator =  
java.lang.System.  
getProperty('line.  
separator')  
arrayServices =  
services.split  
(lineSeparator)  
traceService =  
arrayServices[7]  
print traceService
```

Example output:

```
(cells/mycell/nodes  
/mynode/servers/  
server1:  
server.xml#  
TraceService_1)
```

- Disable the trace service by modifying the enable attribute.

Using JACL:

```
$AdminConfig modify  
$traceService  
{ {enable false}}
```

5.1+ Using Jython:

```
AdminConfig.modify  
(traceService,  
[['enable', 'false']])
```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a trace using wsadmin

The following example sets the trace for a configured server:

- Identify the server and assign it to the server variable:

Using JACL:

```
set server [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Cell:mycell/  
Node:mynode/Server:  
server1/')  
print server
```

Example output:

```
server1(cells/mycell/  
nodes/mynode/servers/  
server1:server.xml#  
Server_1)
```

- Identify the trace service belonging to the server and assign it to the tc variable:

Using JACL:

```
set tc [$AdminConfig  
list TraceService $server]
```

5.1+ Using Jython:

```
tc = AdminConfig.list  
('TraceService', server)  
print tc
```

Example output:

```
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#TraceService_1)  
• Set the trace string.
```

The following example sets the trace string for a single component:

Using Jacl:

```
$AdminConfig modify  
$tc ${startupTrace  
Specification  
com.ibm.websphere.  
management.*=all=enabled}}
```

5.1+ Using Jython:

```
AdminConfig.modify(tc,  
[['startupTrace  
Specification',  
'com.ibm.websphere.  
management.*=all=  
enabled']] )
```

The following command sets the trace string for multiple components:

Using Jacl:

```
$AdminConfig modify  
$tc ${startupTrace  
Specification com.  
ibm.websphere.  
management.*=all=  
enabled:com.ibm.ws.  
management.*=all=  
enabled:com.ibm.ws.  
runtime.*=all=enabled}}
```

5.1+ Using Jython:

```
AdminConfig.modify  
(tc, [['startupTrace  
Specification', 'com.  
ibm.websphere.management.  
*=all=enabled:com.ibm.  
ws.management.*=all=  
enabled:com.ibm.ws.  
runtime.*=all=enabled']])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring the Java virtual machine using wsadmin

An example modifying the Java virtual machine (JVM) of a server to turn on debug follows:

- Identify the server and assign it to the server1 variable.

Using Jacl:

```
set server1 [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server1 = AdminConfig.  
getid('/Cell:mycell/  
Node:mynode/Server:  
server1')  
print server1
```

Example output:

```
server1(cells/mycell/  
nodes/mynode/servers/  
server1:server.xml#  
Server_1)
```

- Identify the JVM belonging to this server and assign it to the jvm variable.

Using Jacl:

```
set jvm [$AdminConfig  
list JavaVirtualMachine  
$server1]
```

5.1+ Using Jython:

```
jvm = AdminConfig.list  
('JavaVirtualMachine',  
server1)  
print jvm
```

Example output:

```
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#  
JavaVirtualMachine_1)
```

- Modify the JVM to turn on debug.

Using Jacl:

```
$AdminConfig modify  
$jvm {{debugMode true}  
{debugArgs "-Djava.  
compiler=NONE -Xdebug  
-Xnoagent -Xrunjdwp:  
transport=dt_socket,  
server=y,suspend=n,  
address=7777"}}
```

5.1+ Using Jython:

```
AdminConfig.modify(jvm,  
[['debugMode', 'true'],  
['debugArgs', "-Djava.  
compiler=NONE -Xdebug  
-Xnoagent -Xrunjdwp:  
transport=dt_socket,  
server=y,suspend=n,  
address=7777"]])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring an enterprise bean container using wsadmin

This topic presents an example of viewing and modifying an enterprise bean container of an application server:

- Identify the application server and assign it to the server variable.

Using Jacl:

```
set server [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Cell:mycell/  
Node:mynode/Server:  
server1/')  
print server
```

Example output:

```
server1(cells/mycell/  
nodes/mynode/servers/  
server1:server.xml#  
Server_1)
```

- Identify the EJB container belonging to the server and assign it to the ejbContainer variable.

Using Jacl:

```
set ejbContainer  
[$AdminConfig list  
EJBContainer $server]
```

5.1+ Using Jython:

```
ejbContainer =  
AdminConfig.list  
('EJBContainer', server)  
print ejbContainer
```

Example output:

```
(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#EJBContainer_1)
```

- View all the attributes of the EJB container.

The following example command does not show nested attributes:

Using Jacl:

```
$AdminConfig show  
$ejbContainer
```

Example output:

```
{cacheSettings  
(cells/mycell/nodes/  
mynode/servers/  
server1:server.  
xml#EJBCache_1)}  
{components {}}  
{inactivePool  
CleanupInterval 30000}  
{parentComponent  
(cells/mycell/nodes/  
mynode/servers/server1:
```

```

server.xml#
ApplicationServer_1)
{passivationDirectory
${USER_INSTALL_ROOT}
/temp}
{properties {}}
{services {(cells/
mycell/nodes/mynode
/servers/server1:
server.xml#Message
ListenerService_1)}
{stateManagement
(cells/mycell/nodes/
mynode/servers/server1:
server.xml#
StateManageable_10)}

```

5.1+ Using Jython:

```

print AdminConfig.
show(ejbContainer)

```

Example output:

```

[cacheSettings
(cells/mycell/nodes/
myode/servers/
server1:server.xml
#EJBCache_1)]
[components []]
[inactivePoolCleanup
Interval 30000]
[parentComponent
(cells/mycell/nodes/
myode/servers/server1:
server.xml#
ApplicationServer_1)
[passivationDirectory
${USER_INSTALL_
ROOT}/temp]
[properties {}]
[services [(cells/
mycell/nodes/myode/
servers/server1:
server.xml#Message
ListenerService_1)]
[stateManagement
(cells/mycell/nodes/
mynode/servers/
server1:server.xml#
StateManageable_10)]]

```

The following command example includes nested attributes:

Using Jacl:

```

$AdminConfig showall
$ejbContainer

```

Example output:

```

{cacheSettings
{{cacheSize 2053}
 {cleanupInterval
3000}}}
{components {}}
{inactivePool

```

```

CleanupInterval 30000}
{parentComponent
(cells/mycell/nodes
/mynode/servers/
server1:server.
xml#Application
Server_1)}
{passivationDirectory
${USER_INSTALL_ROOT}
/temp}
{properties {}}
{services {{context
(cells/mycell/nodes/
mynode/servers/
server1:server.xml#
EJBContainer_1)}
{listenerPorts {}}
{properties {}}
[threadPool
{{inactivityTimeout 3500}
{isGrowable
false}
{maximumSize
50}
{minimumSize
10}}}}}}
{stateManagement
{{initialState START}
{managedObject
(cells/mycell/nodes/
mynode/servers/
server1:server.xml#
EJBContainer_1)}}}

```

5.1+ Using Jython:

```

print AdminConfig.
showall(ejbContainer)

```

Example output:

```

[cacheSettings
[[cacheSize 2053]
[cleanupInterval
3000]]]
[components []]
[inactivePool
CleanupInterval 30000]
[parentComponent
(cells/mycell/nodes/
mynode/servers/
server1:server.xml#
ApplicationServer_1)]
[passivationDirectory
${USER_INSTALL_
ROOT}/temp]
[properties []]
[services [[[context
(cells/mycell/nodes/
mynode/servers/
server1:server.xml#
EJBContainer_1)]
[listenerPorts []]
[properties []]
[threadPool
[[inactivityTimeout 3500]
[isGrowable

```

```

false]
  [maximumSize
50]
  [minimumSize
10]]]]
[stateManagement
{{initialState START}
  [managedObject
(cells/mycell/nodes/
mynode/servers/
server1:server.xml#
EJBContainer_1)]}]

```

- Modify the attributes.

The following example command modifies the EJB cache settings which are nested attributes:

Using Jacl:

```

&AdminConfig modify
$ejbContainer
{{cacheSettings
{{cacheSize 2500}
{cleanupInterval 3500}}}}

```

5.1+ Using Jython:

```

AdminConfig.modify
(ejbContainer,
[['cacheSettings',
[['cacheSize', 2500],
['cleanupInterval', 3500]]]])

```

The following example command modifies the cleanup interval attribute:

Using Jacl:

```

$AdminConfig modify
$ejbContainer
{{inactivePool
CleanupInterval 15000}}

```

5.1+ Using Jython:

```

AdminConfig.modify
(ejbContainer,
[['inactivePool
CleanupInterval', 15000]])

```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring HTTP transport using wsadmin

This example configures the Web container HTTP transport.

- Identify the application server and assign it to the server variable.

Using Jacl:

```
set server [$AdminConfig getid /Cell:mycell/Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.getId('/Cell:mycell/Node:mynode/Server:server1')
print serve
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#Server_1)
```

- Identify the Web container belonging to the server and assign it to the wc variable.

Using JACL:

```
set wc [$AdminConfig list WebContainer $server]
```

5.1+ Using Jython:

```
wc = AdminConfig.list('WebContainer', server)
print wc
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#WebContainer_1)
```

- List all the transports belonging to the Web container and assign it to the transports variable.

Using JACL:

```
set transportsAttr [$AdminConfig showAttribute $wc transports]
set transports [lindex $transportsAttr 0]
```

5.1+ Using Jython:

```
transportsAttr = AdminConfig.showAttribute(wc, 'transports')
# eliminate the beginning "[" and the end "]"
cleanTransAttr = transportsAttr[1:len(transportsAttr)-1]
transports = cleanTransAttr.split(" ")[0]
```

These commands return the transport objects from the transports attribute in a list format.

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#HTTPTransport_1)
(cells/mycell/nodes/mynode/servers/server1:server.xml#HTTPTransport_2)
```

- Identify the transport to be modified and assign it to the transport variable.

Using JACL:

```
set transport [lindex $transports 0]
```

5.1+ Using Jython:

```
transports = cleanTransAttr[0]
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#HTTPTransport_1)
```

- Modify the address attribute to change the host and port.

Using JACL:

```
$AdminConfig modify $transport {{address {{host {myHost}} {port 9081}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify(transport, [['address', [['host', 'myHost'], ['port', 9081]]]])
```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a Performance Manager Infrastructure service using wsadmin

Use the following example to configure the Performance Manager Infrastructure (PMI) service for an application server:

- Identify the application server and assign it to the `server` variable, for example:

Using Jacl:

```
set server [$AdminConfig getid /Cell:mycell/Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.getid('Cell:mycell/Node:mynode/Server:server1/')
```

Example output:

```
server1(cells/mycell/nodes/mynode/servers/server1:server.xml#Server_1)
```

- Identify the PMI service that belongs to the server and assign it to the `pmi` variable, for example:

Using Jacl:

```
set pmi [$AdminConfig list PMIService $server]
```

5.1+ Using Jython:

```
pmi = AdminConfig.list('PMIService', server)
print pmi
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#PMIService_1)
```

- Modify the attributes, for example:

Using Jacl:

```
$AdminConfig modify $pmi {{enable true}
{initialSpecLevel beanModule=H:cacheModule=H:connectionPoolModule=
H:j2cModule=H:jvmRuntimeModule=H:orbPerfModule=H:servletSessionsModule=
H:systemModule=H:threadPoolModule=H:transactionModule=H:
webAppModule=H:webServicesModule=H:wlmModule=H:wsgwModule=H}}
```

5.1+ Using Jython:

```
AdminConfig.modify(pmi, [['enable', 'true'],
['initialSpecLevel', 'beanModule=H:cacheModule=H:connectionPoolModule=
H:j2cModule=H:jvmRuntimeModule=H:orbPerfModule=H:servletSessionsModule=
H:systemModule=H:threadPoolModule=H:transactionModule=H:webAppModule=H:
webServicesModule=H:wlmModule=H:wsgwModule=H']])
```

This example enables PMI service and sets the specification levels for all of components in the server. The following are the valid specification levels for the components:

N	represents none
L	represents low
M	represents medium
H	represents high
X	represents maximum

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a Java virtual machine log rotation policy using wsadmin

Use the following example to configure the rotation policy settings for Java virtual machine (JVM) logs:

- Identify the application server and assign it to the server variable, for example:

Using JACL:

```
set server [$AdminConfig getid /Cell:mycell/Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.getid('/Cell:mycell/Node:mynode/Server:server1/')
print server
```

Example output:

```
server1(cells/mycell/nodes/mynode/servers/server1:server.xml#Server_1)
```

- Identify the stream log and assign it to the log variable, for example:

The following example identifies the output stream log:

```
set log [$AdminConfig showAttribute $server1 outputStreamRedirect]
```

The following example the error stream log:

```
set log [$AdminConfig showAttribute $server1 errorStreamRedirect]
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#StreamRedirect_2)
```

- List the current values of the stream log, for example:

```
$AdminConfig show $log
```

Example output:

```
{baseHour 24}
{fileName ${SERVER_LOG_ROOT}/SystemOut.log}
{formatWrites true}
{maxNumberOfBackupFiles 1}
{messageFormatKind BASIC}
{rolloverPeriod 24}
{rolloverSize 1}
{rolloverType SIZE}
{suppressStackTrace false}
{suppressWrites false}
```

- Modify the rotation policy for the stream log:

The following example sets the rotation log file size to two megabytes:

```
$AdminConfig modify $log {{rolloverSize 2}}
```

The following example sets the rotation policy to manage itself. It is based on the age of the file with the rollover algorithm loaded at midnight, and the log file rolling over every 12 hours:

```
$AdminConfig modify $log {{rolloverType TIME} {rolloverPeriod 12} {baseHour 24}}
```

The following example sets the log file to roll over based on both time and size:

```
$AdminConfig modify $log {{rolloverType BOTH} {rolloverSize 2} {rolloverPeriod 12} {baseHour 24}}
```

- Save the changes with the following command:
\$AdminConfig save

Example: Modifying datasource custom properties using wsadmin

Use the following example to modify the existing custom properties of a datasource:

- Identify the datasource and assign it to the ds variable, for example:

Using Jacl:

```
set ds [$AdminConfig list  
DataSource myDataSource]
```

5.1+ Using Jython:

```
ds = AdminConfig.list  
('DataSource', 'myDataSource')  
print ds
```

Example output:

```
myDataSource(cells/  
mycell/nodes/mynode/  
servers/server1:  
resources.xml#DataSource_3)
```

- Obtain a list of existing custom properties, for example:

Using Jacl:

```
set ps [$AdminConfig  
showAttribute  
$ds propertySet]  
set rps [/index  
[$AdminConfig showAttribute  
$ps resourceProperties] 0]
```

5.1+ Using Jython:

```
ps = AdminConfig.  
showAttribute(ds,  
'propertySet')  
print ps  
rps = AdminConfig.  
showAttribute(ps,  
'resourceProperties')  
print rps
```

Example output:

```
databaseName(cells/  
mycell/nodes/mynode/  
servers/server1:  
resources.xml#  
J2EEResourceProperty_29)  
remoteDataSourceProtocol  
(cells/mycell/nodes/  
mynode/servers/server1:  
resources.xml#  
J2EEResourceProperty_30)  
shutdownDatabase  
(cells/mycell/nodes/  
mynode/servers/server1:  
resources.xml#  
J2EEResourceProperty_33)  
dataSourceName
```

```

(cells/mycell/nodes/
mynode/servers/server1:
resources.xml#
J2EEResourceProperty_34)
description(cells/
mycell/nodes/mynode/
servers/server1:
resources.xml#
J2EEResourceProperty_35)
connectionAttributes
(cells/mycell/nodes/
mynode/servers/server1:
resources.xml#
J2EEResourceProperty_36)
createDatabase
(cells/mycell/nodes/
mynode/servers/server1:
resources.xml#
J2EEResourceProperty_37)

```

- Modify the property value, for example:

Using Jacl:

```

foreach rp $rps {
    if {[regexp
databaseName $rp] == 1} {
        $AdminConfig
modify $rp {{value
newDatabaseName}}
    }
}

```

5.1+ Using Jython:

```

rpsarray = rps[1:len
(rps)-1].split(' ')
for rp in rpsarray:
name = AdminConfig.
showAttribute(rp, 'name')
if name == 'databaseName':
AdminConfig.modify(rp,
[['value', 'newvalue']])

```

This example modifies the value of the databaseName property. To change the other property values, modify the example.

- Save the changes:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring the message listener service using wsadmin

An example configuring the message listener service for an application server follows:

- Identify the application server and assign it to the server variable:

Using Jacl:

```

set server [$AdminConfig
getid /Cell:mycell/Node:
mynode/Server:server1/]

```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Cell:mycell/Node  
:mynode/Server:server1/')  
print server
```

Example output:

```
server1(cells/mycell/  
nodes/mynode/servers/  
server1:server.xml#  
Server_1)
```

- Identify the message listener service belonging to the server and assign it to the mls variable:

Using Jacl:

```
set mls [$AdminConfig  
list MessageListenerService  
$server]
```

5.1+ Using Jython:

```
mls = AdminConfig.list  
('MessageListenerService',  
server)  
print mls
```

Example output:

```
(cells/mycell/nodes/mynode/  
servers/server1:server.xml#  
MessageListenerService_1)
```

- Modify various attributes.

This example command changes the thread pool attributes:

Using Jacl:

```
$AdminConfig modify $mls  
{{threadPool {{inactivity  
Timeout 4000} {isGrowable true}  
{maximumSize 100}  
{minimumSize 25}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify(mls,  
[['threadPool', [['inactivity  
Timeout', 4000], ['isGrowable',  
'true'],  
['maximumSize', 100],  
['minimumSize', 25]]]])
```

This example modifies the property of the first listener port:

Using Jacl:

```
set lports [$AdminConfig  
showAttribute $mls listenerPorts]  
set lport [lindex  
$lports 0]  
$AdminConfig modify  
$lport {{maxRetries 2}}
```

5.1+ Using Jython:

```

lports = AdminConfig.
showAttribute(mls,
'listenerPorts')
cleanLports = lports
[1:len(lports)-1]
lport = cleanLports.
split(" ")[0]
AdminConfig.modify
([lport,
[['maxRetries', 2]])

```

This example adds a listener port:

Using Jacl:

```

set new [$AdminConfig
create ListenerPort
$mls {{name my}
{destinationJNDIName di}
{connectionFactoryJNDIName
jndi/fs}}]
$AdminConfig create
StateManageable $new
{{initialState START}}

```

5.1+ Using Jython:

```

new = AdminConfig.create
('ListenerPort', mls,
[['name', 'my'],
['destinationJNDIName',
'di'], ['connectionFactory
JNDIName', 'jndi/fs']])
print AdminConfig.create
('StateManageable', new,
[['initialState', 'START']])

```

Example output:

```

listenerPort1(cells/mycell/
nodes/mynode/servers/server1:
server.xml#ListenerPort_2)

```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring an ORB service using wsadmin

The following example modifies the Object Request Broker (ORB) service for an application server:

- Identify the application server and assign it to the server variable:

Using Jacl:

```
set server [$AdminConfig getid /Cell:mycell/Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.getid('/Cell:mycell/Node:mynode/Server:server1/')
print server
```

Example output:

- server1(cells/mycell/nodes/mynode/servers/server1:server.xml#Server_1)

- Identify the ORB belonging to the server and assign it to the orb variable:

Using Jacl:

```
set orb [$AdminConfig list ObjectRequestBroker $server]
```

5.1+ Using Jython:

```
orb = AdminConfig.list('ObjectRequestBroker', server)
print orb
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#ObjectRequestBroker_1)
```

- Modify the attributes:

Using Jacl:

```
$AdminConfig modify $orb {{connectionCacheMaximum 252} {noLocalCopies true}}
```

5.1+ Using Jython:

```
AdminConfig.modify(orb, [['connectionCacheMaximum', 252], ['noLocalCopies', 'true']])
```

This command modifies the connection cache maximum and pass by value attributes. You can modify the example to change the value of other attributes.

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring for database session persistence using wsadmin

The following example configures the session management of a Web container for database session persistence.

Before performing this task you have to create a JDBC provider and create a data source that points to an existing database.

- Identify the application server and assign it to the server variable:

Using Jacl:

```
set server [$AdminConfig
getid /Cell:mycell/Node:
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.getid
('/Cell:mycell/Node:mynode
/Server:server1/')
print server
```

Example output:

```
server1(cells/mycell/nodes/
mynode/servers/server1:
server.xml#Server_1)
```

- Identify the session management belonging to the server and assign it to the smgr variable:

Using Jacl:

```
set smgr [$AdminConfig  
list SessionManager $server]
```

5.1+ Using Jython:

```
smgr = AdminConfig.list  
('SessionManager', server)  
print smgr
```

Example output:

```
(cells/mycell/nodes/mynode  
/servers/server1:server.  
xml#SessionManager_1)
```

- Modify database session persistence:

Using Jacl:

```
$AdminConfig modify $smgr  
{  
{sessionDatabasePersistence  
{  
{datasourceJNDIName jdbc/  
mySession} {userId myUser}  
{password myPassword}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,  
[[['sessionDatabasePersistence',  
[['datasourceJNDIName',  
'jdbc/mySession'],  
['userId', 'myUser'],  
['password', 'myPassword']]]]])
```

This command sets the minimum set of attributes to configure database session persistence. You can optionally modify the db2RowSize and tableSpaceName attributes too.

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring for serialization session access using wsadmin

The following example configures session management of a Web container for serialization session access.

- Identify the application server and assign it to the server variable:

Using Jacl:

```
set server [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Cell:mycell/  
Node:mynode/Server:  
server1/')  
print server
```

Example output:

```
server1(cells/mycell/
nodes/mynode/servers/
server1:server.xml#
Server_1)
```

- Identify the session management belonging to the server and assign it to the smgr variable:

Using Jacl:

```
set smgr [$AdminConfig
list SessionManager $server]
```

5.1+ Using Jython:

```
smgr = AdminConfig.list
('SessionManager', server)
print smgr
```

Example output:

```
(cells/mycell/nodes/mynode/
servers/server1:server.xml#
SessionManager_1)
```

- Enable serialization session access.

- The following example sets the maximum wait time a servlet waits on a session before continuing processing:

Using Jacl:

```
$AdminConfig modify $smgr
{{allowSerializedSession
Access true} {maxWaitTime 20}}
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,
[['allowSerializedSession
Access', 'true'],
['maxWaitTime', 20]])
```

- In the following example, servlet processing can stop when the session request times out:

Using Jacl:

```
$AdminConfig modify $smgr
{{allowSerializedSessionAccess
true} {maxWaitTime 20}
{accessSessionOnTimeout true}}
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,
[['allowSerializedSession
Access', 'true'],
['maxWaitTime', 20],
['accessSessionOnTimeout',
'true']])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring for session tracking using wsadmin

The following example configures the session management of a Web container for session tracking:

- Identify the application server and assign it to the server variable:

Using Jacl:

```
set server [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Cell:mycell/Node:  
mynode/Server:server1/')  
print server
```

Example output:

```
server1(cells/mycell/nodes/  
mynode/servers/server1:  
server.xml#Server_1)
```

- Identify the session management belonging to the server and assign it to the smgr variable:

Using Jacl:

```
set smgr [$AdminConfig  
list SessionManager $server]
```

5.1+ Using Jython:

```
smgr = AdminConfig.list  
('SessionManager', server)  
print smgr
```

Example output:

```
(cells/mycell/nodes/mynode/  
servers/server1:server.xml#  
SessionManager_1)
```

- Modify attributes related to session tracking:

- This example command enables cookies and modifies cookie setting:

Using Jacl:

```
$AdminConfig modify $smgr  
{ {enableCookies true}  
{ defaultCookieSettings  
{ {maximumAge 10} } } }
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,  
[[['enableCookies', 'true'],  
['defaultCookieSettings',  
[['maximumAge', 10]]]])
```

- This example command enables protocol switch rewriting:

Using Jacl:

```
$AdminConfig modify $smgr  
{ {enableProtocolSwitch  
Rewriting true}  
{ enableUrlRewriting false}  
{ enableSSLTracking false} }
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,  
[['enableProtocolSwitch  
Rewriting', 'true'],  
['enableUrlRewriting',  
'false'], ['enableSSL  
Tracking', 'false']])
```

- This example command enables URL rewriting:

Using Jacl:

```
$AdminConfig modify  
$smgr {{enableUrlRewriting  
true} {enableProtocol  
SwitchRewriting false}  
{enableSSLTracking false}}
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,  
[['enableUrlRewriting',  
'true'], ['enableProtocol  
SwitchRewriting', 'false'],  
['enableSSLTracking', 'false']])
```

- This example command enables SSL tracking:

Using Jacl:

```
$AdminConfig modify $smgr  
{ {enableSSLTracking true}  
{enableProtocolSwitch  
Rewriting false} {enableUrl  
Rewriting false}}
```

5.1+ Using Jython:

```
AdminConfig.modify(smgr,  
[['enableSSLTracking',  
'true'], ['enableProtocol  
SwitchRewriting', 'false'],  
['enableU lRewriting',  
'false']])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring for processes using wsadmin

The following example modifies the process definition of a server:

- Identify the server and assign it to the server1 variable:

Using Jacl:

```
set server1 [$AdminConfig getid /Cell:mycell/Node:mynode/Server:server1/]
```

5.1+ Using Jython:

```
server1 = AdminConfig.getid('/Cell:mycell/Node:mynode/Server:server1/')  
print server1
```

Example output:

```
server1(cells/mycell/nodes/mynode/servers/server1:server.xml#Server_1)
```

- Identify the process definition belonging to this server and assign it to the processDef variable:

Using Jacl:

```
set processDef [$AdminConfig list JavaProcessDef $server1]
set processDef [$AdminConfig showAttribute $server1 processDefinition]
```

5.1+ Using Jython:

```
processDef = AdminConfig.list('JavaProcessDef', server1)
print processDef
processDef = AdminConfig.showAttribute(server1, 'processDefinition')
```

Example output:

```
(cells/mycell/nodes/mynode/servers/server1:server.xml#JavaProcessDef_1)
```

- Change the attributes.

- This example changes the working directory:

Using Jacl:

```
$AdminConfig modify $processDef {{workingDirectory c:/temp/user1}}
```

5.1+ Using Jython:

```
AdminConfig.modify(processDef, [['workingDirectory', 'c:/temp/user1']])
```

- This example modifies the stderr file name:

Using Jacl:

```
set errFile [list stderrFilename '\${LOG_ROOT}/server1/new_stderr.log']
set attr [list $errFile]
$AdminConfig modify $processDef [subst {{ioRedirect {$attr}}}]
```

5.1+ Using Jython:

```
errFile = ['stderrFilename', '\${LOG_ROOT}/server1/new_stderr.log']
attr = [errFile]
AdminConfig.modify(processDef, [['ioRedirect', [attr]]])
```

- This example modifies the process priority:

Using Jacl:

```
$AdminConfig modify $processDef {{execution {{processPriority 15}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify(processDef, [['execution', [['processPriority', 15]]]])
```

- This example changes the maximum startup attempts:

Using Jacl:

```
$AdminConfig modify $processDef {{monitoringPolicy {{maximumStartupAttempts 1}}}}
```

5.1+ Using Jython:

```
AdminConfig.modify(processDef, [['monitoringPolicy', [['maximumStartupAttempts', 1]]]])
```

You can modify this example to change other attributes in the process definition object.

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a shared library using wsadmin

The following example configures an application server to use a shared library.

- Identify the server and assign it to the server variable:

Using JACL:

```
set server [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server1/]
```

5.1+ Using Jython:

```
server = AdminConfig.  
getid('/Cell:mycell/Node:  
mynode/Server:server1/')  
print server
```

Example output:

```
server1(cells/mycell/  
nodes/mynode/servers/  
server1:server.xml#Server_1)
```

- Create the shared library in the server:

Using JACL:

```
$AdminConfig create  
Library $server {{name  
mySharedLibrary}  
{classPath c:/myShared  
LibraryClasspath}}
```

5.1+ Using Jython:

```
print AdminConfig.  
create('Library',  
server, [['name',  
'mySharedLibrary'],  
['classPath',  
'c:/mySharedLibrary  
Classpath']])
```

Example output:

```
MysharedLibrary  
(cells/mycell/nodes/  
mynode/servers/  
server1:libraries.  
xml#Library_1)
```

- Identify the application server from the server and assign it to the appServer variable:

Using JACL:

```
set appServer  
[$AdminConfig list  
ApplicationServer  
$server]
```

5.1+ Using Jython:

```
appServer =  
AdminConfig.list  
('ApplicationServer',  
server)  
print appServer
```

Example output:

```
server1(cells/mycell/
nodes/mynode/servers/
server1:server.xml#
ApplicationServer_1
```

- Identify the class loader in the application server and assign it to the classLoader variable.

To use the existing class loader associated with the server, the following commands use the first class loader:

Using Jacl:

```
set classLoaders
[$AdminConfig
showAttribute
$appServer classloaders]
set classLoader
[lindex $classLoaders 0]
```

5.1+ Using Jython:

```
classLoaders =
AdminConfig.
showAttribute
(appServer, 'classloaders')
cleanClassLoaders =
classLoaders[1:len
(classLoaders)-1]
classLoader =
cleanClassLoaders.
split(' ')[0]
```

Create a new class loader, by doing the following:

Using Jacl:

```
set classLoader
[$AdminConfig create
Classloader $appServer
{{mode PARENT_FIRST}}]
```

5.1+ Using Jython:

```
classLoader = AdminConfig.
create('Classloader',
appServer, [['mode',
'PARENT_FIRST']])
```

Example output:

```
(cells/mycell/nodes/
mynode/servers/server1:
server.xml#Classloader_1)
```

- Associate the created shared library with the application server through the class loader.

Using Jacl:

```
$AdminConfig create
LibraryRef $classLoader
{{libraryName MyshareLibrary}
{sharedClassloader true}}
```

5.1+ Using Jython:

```
print AdminConfig.create
('LibraryRef', classLoader,
[['libraryName',
'MyshareLibrary'],
['sharedClassloader', 'true']])
```

Example output:

```
(cells/mycell/nodes/mynode/
servers/server1:server.xml#
LibraryRef_1)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a variable map using wsadmin

This example creates a variable map to an existing server.

- Identify the server and assign it to the server variable.

Using Jacl:

```
set server [$AdminConfig
getid /Cell:mycell/Node:
mynode/Server:server2/]
```

5.1+ Using Jython:

```
server = AdminConfig.
getid('/Cell:mycell/
Node:mynode/Server:
server2/')
print server
```

Example output:

```
server2(cells/mycell/
nodes/mynode/servers/
server2:server.xml#
Server_2)
```

- Create an empty variable map for the server and assign it to the varMap variable.

Using Jacl:

```
set varMap [$AdminConfig
create VariableMap
$server {}]
```

5.1+ Using Jython:

```
varMap = AdminConfig.
create('VariableMap',
server, [])
print varMap
```

Example output:

```
(cells/mycell/nodes/
mynode/servers/server2:
variables.xml#
VariableMap_1)
```

This example is to create a variable map. If your server already has an existing variable map, then you can use the following to get its configuration object:

Using Jacl:

```
set varMap [$AdminConfig  
getid /Cell:mycell/Node:  
mynode/Server:server2/  
VariableMap:/]
```

5.1+ Using Jython:

```
varMap = AdminConfig.  
getid('/Cell:mycell/  
Node:mynode/Server:  
server2/VariableMap:/')
```

- Set up variable map entry attributes.

In the following example, you create variable map entries DB2_INSTALL_ROOT and DB2_LIB_DIR. DB2_LIB_DIR is going to refer back to DB2_INSTALL_ROOT.

Using Jacl:

```
set nameattr1  
[list symbolicName  
DB2_INSTALL_ROOT]  
set valattr1 [list  
value "c:/db2/sql1ib"]  
set nameattr2  
[list symbolicName  
DB2_LIB_DIR]  
set valattr2  
[list value  
"\${DB2_INSTALL_ROOT}/lib"]  
set attr1 [list  
$nameattr1 $valattr1]  
set attr2 [list  
$nameattr2 $valattr2]  
set attrs [list  
$attr1 $attr2]
```

Example output:

```
 {{symbolicName  
DB2_INSTALL_ROOT}  
 {value c:/db2/sql1ib}}  
 {{symbolicName  
DB2_LIB_DIR}  
 {value \${DB2_  
INSTALL_ROOT}/lib}}}
```

Using Jython:

```
nameattr1 =  
['symbolicName',  
'DB2_INSTALL_ROOT']  
valattr1 = ['value',  
"c:/db2/sql1ib"]  
nameattr2 =  
['symbolicName',  
'DB2_LIB_DIR']  
valattr2 = ['value',  
"\${DB2_INSTALL_  
ROOT}/lib"]  
attr1 =  
[nameattr1, valattr1]  
attr2 =
```

```

[nameattr2, valattr2]
attrs =
[attr1, attr2]
print attrs

```

Example output:

```

[[symbolicName,
DB2_INSTALL_ROOT],
[value, c:/db2/sql1ib]],
[[symbolicName,
DB2_LIB_DIR], [value,
"\${DB2_INSTALL_ROOT}
/lib"]]

```

- Modify the entries attribute in the variable map to add the two new entries.

Using JACL:

```

$AdminConfig modify
$varMap [subst
{{entries {$attrs}}}]

```

5.1+ Using Jython:

```

AdminConfig.modify
(varMap, [['entries',
[attrs]]])

```

- To view the variable map:

Using JACL:

```
$AdminConfig showall $varMap
```

Example output:

```

{entries {{symbolicName
DB2_INSTALL_ROOT}
{value c:/db2/sql1ib}}
{{symbolicName DB2_LIB_DIR}
{value ${DB2_INSTALL_ROOT}
/lib}}}}

```

5.1+ Using Jython:

```

print AdminConfig.
showall(varMap)

```

Example output:

```

[entries [[[symbolicName
DB2_INSTALL_ROOT]
[value c:/db2/sql1ib]]
[[symbolicName DB2_LIB_DIR]
[value ${DB2_INSTALL_
ROOT}/lib]]]]

```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring name space bindings using wsadmin

This example configures name space binding on a cell.

- Identify the cell and assign it to the cell variable.

Using Jacl:

```
set cell [$AdminConfig  
getid /Cell:mycell/]
```

Example output:

```
mycell(cells/mycell  
/cell.xml#Cell_1)
```

5.1+ Using Jython:

```
cell = AdminConfig.  
getid('/Cell:mycell/')  
print cell
```

You can change this example to configure on a node or server here.

- Add a new name space binding on the cell. There are four binding types to choose from when configuring a new name space binding. They are string, EJB, CORBA, and indirect.
 - To configure a string type name space binding:

Using Jacl:

```
$AdminConfig create  
StringNameSpaceBinding  
$cell {{name binding1}  
{nameInNameSpace  
myBindings/myString}  
{stringToBind "This is  
the String value that  
gets bound"}}
```

Example output:

```
binding1(cells/mycell:  
namebindings.xml#  
StringNameSpaceBinding_1)
```

5.1+ Using Jython:

```
print AdminConfig.  
create('StringName  
SpaceBinding', cell,  
[['name', 'binding1'],  
['nameInNameSpace',  
'myBindings/myString'],  
['stringToBind', "This  
is the String value  
that gets bound"]])
```

- To configure an EJB type name space binding:

Using Jacl:

```
$AdminConfig create  
EjbNameSpaceBinding  
$cell {{name binding2}  
{nameInNameSpace  
myBindings/myEJB}  
{applicationNodeName mynode}  
{bindingLocation  
SINGLESERVER}  
{applicationServerName  
server1} {ejbJndiName  
ejb/myEJB}}
```

5.1+ Using Jython:

```

print AdminConfig.
create('EjbNameSpace
Binding', cell, [[['name',
'binding2'],
[['nameInNameSpace',
'myBindings/myEJB'],
[['applicationNodeName',
'mynode'],
[['bindingLocation',
'SINGLESERVER'],
[['applicationServerName',
'server1'], ['ejbJndiName',
'ejb/myEJB']]])
```

This example is for an enterprise bean located in a server. For an enterprise bean in a cluster, change the configuration example to:

Using Jacl:

```

$AdminConfig create
EjbNameSpaceBinding $cell
{{name binding2}
{nameInNameSpace
myBindings/myEJB}
{bindingLocation
SERVERCLUSTER}
{applicationServerName
cluster1} {ejbJndiName
ejb/myEJB}}
```

5.1+ Using Jython:

```

print AdminConfig.
create('EjbNameSpaceBinding',
cell, [['name', 'binding2'],
[['nameInNameSpace',
'myBindings/myEJB'],
[['bindingLocation',
'SERVERCLUSTER'],
[['applicationServerName',
'cluster1'], ['ejbJndiName',
'ejb/myEJB']]])
```

Example output:

```

binding2(cells/mycell:
namebindings.xml#EjbName
SpaceBinding_1)
```

- To configure a CORBA type name space binding:

Using Jacl:

```

$AdminConfig create
CORBAObjectNameSpace
Binding $cell {{name
binding3} {nameInNameSpace
myBindings/myCORBA}
{corbanameUrl corbaname:
iiop:somehost.somecompany.
com:2809#stuff/MyCORBAObject}
{federatedContext false}}
```

Example output:

```

binding3(cells/mycell:
namebindings.xml#CORBA
ObjectNameSpaceBinding_1)
```

5.1 + Using Jython:

```
print AdminConfig.create
('CORBAObjectNameSpaceBinding',
cell, [['name', 'binding3'],
['nameInNameSpace',
'myBindings/myCORBA'],
['corbanameUrl',
'corbaname:iiop:somehost.
somecompany.com:2809#stuff/
MyCORBAObject'],
['federatedContext', 'false']])
```

- To configure an indirect type name space binding:

Using Jacl:

```
$AdminConfig create
IndirectLookupNameSpace
Binding $cell {{name binding4}
{nameInNameSpace myBindings/
myIndirect} {providerURL
corbaloc::myCompany.com:
9809/NameServiceServerRoot}
{jndiName jndi/name/for/EJB}}}
```

Example output:

```
binding4(cells/mycell:
namebindings.xml#Indirect
LookupNameSpaceBinding_1)
```

5.1 + Using Jython:

```
print AdminConfig.create
('IndirectLookupNameSpace
Binding', cell, [['name',
'binding4'], ['nameInNameSpace',
'myBindings/myIndirect'],
['providerURL', 'corbaloc::
myCompany.com:9809/NameService
ServerRoot'], ['jndiName',
'jndi/name/for/EJB']])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1 + Using Jython:

```
AdminConfig.save()
```

Example: Configuring a JDBC provider using wsadmin

An example configuring a new JDBC provider follows:

- Identify the parent ID and assign it to the node variable.

Using Jacl:

```
set node [$AdminConfig
getid /Cell:mycell/
Node:mynode/]
```

This example uses the node configuration object as the parent. You can modify this example to use cell or server configuration object as the parent.

5.1 + Using Jython:

```

node = AdminConfig.
getid('/Cell:mycell/
Node:mynode/')
print node

```

An example of this output follows:

```

mynode(cells/mycell
/nodes/mynode:node.
xml#Node_1)

```

- Identify the required attributes:

Using Jacl:

```

$AdminConfig required
JDBCProvider

```

5.1+ Using Jython:

```

print AdminConfig.
required('JDBCProvider')

```

An example of this output follows:

Attribute	Type
name	String
implementation	
ClassName	String

- Set up the required attributes and assign it to the jdbcAttrs variable:

Using Jacl:

```

set n1 [list
name JDBC1]
set implCN
[list implementationClassName
myclass]
set jdbcAttrs
[list $n1 $implCN]

```

An example of this output follows:

```

{name {JDBC1}}
{implementation
ClassName {myclass}}

```

You can modify the example to setup non-required attributes for JDBC provider.

5.1+ Using Jython:

```

n1 = ['name',
'JDBC1']
implCN =
['implementation
ClassName', 'myclass']
jdbcAttrs =
[n1, implCN]
print jdbcAttrs

```

5.1+ An example of this output follows:

```

[[name, JDBC1],
[implementation
ClassName, myclass]]

```

- Create a new JDBC provider using node as the parent:

Using Jacl:

```
$AdminConfig create  
JDBCProvider $node  
$jdbcAttrs
```

5.1+ Using Jython:

```
AdminConfig.create  
('JDBCProvider',  
node, jdbcAttrs)
```

An example of this output follows:

```
JDBC1(cells/mycell/  
nodes/mynode:resources.  
xml#JDBCProvider_1)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new data source using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjdbc [$AdminConfig getid /Cell:mycell/Node:mynode/JDBCProvider:JDBC1/]
```

5.1+ Using Jython:

```
newjdbc = AdminConfig.getid('/Cell:mycell/Node:mynode/JDBCProvider:JDBC1/')  
print newjdbc
```

Example output:

```
JDBC1(cells/mycell/nodes/mynode:resources.xml#JDBCProvider_1)
```

- Obtain the required attributes:

Using Jacl:

```
$AdminConfig required DataSource
```

5.1+ Using Jython:

```
print AdminConfig.required('DataSource')
```

Example output:

```
Attribute   Type  
name      String
```

- Setting up required attributes:

Using Jacl:

```
set name [list name DS1]  
set dsAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'DS1']  
dsAttrs = [name]
```

- Create a data source:

Using Jacl:

```
set newds [$AdminConfig create DataSource $newjdbc $dsAttrs]
```

5.1+ Using Jython:

```
newds = AdminConfig.create('DataSource', newjdbc, dsAttrs)
print newds
```

Example output:

```
DS1(cells/mycell/nodes/mynode:resources.xml#DataSource_1)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new connection pool using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newds [$AdminConfig getid /Cell:mycell/Node:mynode/JDBCProvider:JDBC1/DataSource:DS1/]
```

5.1+ Using Jython:

```
newds = AdminConfig.getid('/Cell:mycell/Node:mynode/JDBCProvider:JDBC1/DataSource:DS1/')
```

Example output:

```
DS1(cells/mycell/nodes/mynode:resources.xml$DataSource_1)
```

- Creating connection pool:

Using Jacl:

```
$AdminConfig create ConnectionPool $newds {}
```

5.1+ Using Jython:

```
print AdminConfig.create('ConnectionPool', newds, [])
```

Example output:

```
(cells/mycell/nodes/mynode:resources.xml#ConnectionPool_1)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new data source custom property using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newds [$AdminConfig getid /Cell:mycell/Node:mynode/JDBCProvider:JDBC1/DataSource:DS1/]
```

5.1+ Using Jython:

```
newds = AdminConfig.getid('/Cell:mycell/Node:mynode/JDBCProvider:JDBC1/DataSource:DS1/')
print newds
```

Example output:

```
DS1(cells/mycell/nodes/mynode:resources.xml$DataSource_1)
```

- Get the J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newds propertySet]
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newds, 'propertySet')
print propSet
```

Example output:

```
(cells/mycell/nodes/mynode:resources.xml#J2EEResourcePropertySet_8)
```

- Get required attribute:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

Example output:

Attribute	Type
name	String

- Set up attributes:

Using Jacl:

```
set name [list name RP4]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP4']
rpAttrs = [name]
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

Example output:

```
RP4(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_8)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new J2CAuthentication data entry using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set security [$AdminConfig getid /Cell:mycell/Security:/]
```

Example output:

(cells/mycell:security.xml#Security_1)

5.1+ Using Jython:

```
security = AdminConfig.getid('/Cell:mycell/Security:/')
print security
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required JAASAuthData
```

Example output:

Attribute	Type
alias	String
userId	String
password	String

5.1+ Using Jython:

```
print AdminConfig.required('JAASAuthData')
```

- Set up required attributes:

Using Jacl:

```
set alias [list alias myAlias]
set userid [list userId myid]
set password [list password secret]
set jaasAttrs [list $alias $userid $password]
```

Example output:

```
{alias myAlias} {userId myid} {password secret}
```

5.1+ Using Jython:

```
alias = ['alias', 'myAlias']
userid = ['userId', 'myid']
password = ['password', 'secret']
jaasAttrs = [alias, userid, password]
print jaasAttrs
```

5.1+ Example output:

```
[[alias, myAlias], [userId, myid], [password, secret]]
```

- Create JAAS auth data:

Using Jacl:

```
$AdminConfig create JAASAuthData $security $jaasAttrs
```

Example output:

(cells/mycell:security.xml#JAASAuthData_2)

5.1+ Using Jython:

```
print AdminConfig.create('JAASAuthData', security, jaasAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WAS40 data source using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjdbc [$AdminConfig  
getid /JDBCProvider:JDBC1/]
```

Example output:

```
JDBC1(cells/mycell/nodes/  
mynode:resources.xml  
#JDBCProvider_1)
```

5.1+ Using Jython:

```
newjdbc = AdminConfig.  
getid('/JDBCProvider:  
JDBC1')  
print newjdbc
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required  
WAS40DataSource
```

Example output:

```
Attribute Type  
name String
```

5.1+ Using Jython:

```
print AdminConfig.  
required  
('WAS40DataSource')
```

- Set up required attributes:

Using Jacl:

```
set name  
[list name was4DS1]  
set ds4Attrs  
[list $name]
```

5.1+ Using Jython:

```
name = ['name',  
'was4DS1']  
ds4Attrs = [name]
```

- Create WAS40DataSource:

Using Jacl:

```
set new40ds  
[$AdminConfig create  
WAS40DataSource  
$newjdbc $ds4Attrs]
```

Example output:

```
was4DS1(cells/mycell/  
nodes/mynode:resources.  
xml#WAS40DataSource_1)
```

5.1+ Using Jython:

```
new40ds = AdminConfig.  
create('WAS40DataSource',  
newjdbc, ds4Attrs)  
print new40ds
```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WAS40 connection pool using wsadmin:

- Identify the parent ID:

Using JACL:

```
set new40ds [$AdminConfig getid /Cell:mycell/Node:mynode/JDBCProvider:JDBC1/WAS40DataSource:was4DS1]
```

Example output:

```
was4DS1(cells/mycell/nodes/mynodes:resources.xml$WAS40DataSource_1)
```

5.1+ Using Jython:

```
new40ds = AdminConfig.getid('/Cell:mycell/Node:mynode/JDBCProvider:JDBC1/WAS40DataSource:was4DS1/  
print new40ds
```

- Get required attributes:

Using JACL:

```
$AdminConfig required WAS40ConnectionPool
```

Example output:

Attribute	Type
minimumPoolSize	Integer
maximumPoolSize	Integer
connectionTimeout	Integer
idleTimeout	Integer
orphanTimeout	Integer
statementCacheSize	Integer

5.1+ Using Jython:

```
print AdminConfig.required('WAS40ConnectionPool')
```

- Set up required attributes:

Using JACL:

```
set mps [list minimumPoolSize 5]  
set minps [list minimumPoolSize 5]  
set maxps [list maximumPoolSize 30]  
set conn [list connectionTimeout 10]  
set idle [list idleTimeout 5]  
set orphan [list orphanTimeout 5]  
set scs [list statementCacheSize 5]  
set 40cpAttrs [list $minps $maxps $conn $idle $orphan $scs]
```

Example output:

```
{minimumPoolSize 5} {maximumPoolSize 30}  
{connectionTimeout 10} {idleTimeout 5}  
{orphanTimeout 5} {statementCacheSize 5}
```

5.1+ Using Jython:

```

minps = ['minimumPoolSize', 5]
maxps = ['maximumPoolSize', 30]
conn = ['connectionTimeout', 10]
idle = ['idleTimeout', 5]
orphan = ['orphanTimeout', 5]
scs = ['statementCacheSize', 5]
40cpAttrs = [minps, maxps, conn, idle, orphan, scs]
print 40cpAttrs

```

5.1+ Example output:

```

[[minimumPoolSize, 5], [maximumPoolSize, 30],
[connectionTimeout, 10], [idleTimeout, 5],
[orphanTimeout, 5], [statementCacheSize, 5]]

```

- Create was40 connection pool:

Using JACL:

```
$AdminConfig create WAS40ConnectionPool $new40ds $40cpAttrs
```

Example output:

```
(cells/mycell/nodes/mynode:resources.xml#WAS40ConnectionPool_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('WAS40ConnectionPool', new40ds, 40cpAttrs)
```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WAS40 custom property using wsadmin:

- Identify the parent ID:

Using JACL:

```
set new40ds [$AdminConfig getid /Cell:mycell/Node:mynode/JDBCProvider:JDBC1/WAS40DataSource:was40ds]
```

Example output:

```
was4DS1(cells/mycell/nodes/mynodes:resources.xml$WAS40DataSource_1)
```

5.1+ Using Jython:

```
new40ds = AdminConfig.getid('/Cell:mycell/Node:mynode/JDBCProvider:JDBC1/WAS40DataSource:was40ds')
print new40ds
```

- Get required attributes:

Using JACL:

```
set propSet [$AdminConfig showAttribute $newds propertySet]
```

Example output:

```
(cells/mycell/nodes/mynode:resources.xml#J2EEResourcePropertySet_9)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newds, 'propertySet')
print propSet
```

- Get required attribute:

Using JACL:

```
$AdminConfig required J2EEResourceProperty
```

Example output:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up required attributes:

Using Jacl:

```
set name [list name RP5]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP5']
rpAttrs = [name]
```

- Create J2EE Resource Property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

Example output:

```
RP5(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_9)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new JMS provider using wsadmin

- Identify the parent ID:

Using Jacl:

```
set node [$AdminConfig
getid /Cell:mycell/
Node:mynode/]
```

Example output:

```
mynode(cells/mycell/
nodes/mynode:node.
xml#Node_1)
```

5.1+ Using Jython:

```
node = AdminConfig.
getid('/Cell:mycell/
Node:mynode/')
print node
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required  
JMSProvider
```

Example output:

```
Attribute      Type  
name          String  
externalInitial  
ContextFactory String  
externalProviderURL String
```

5.1+ Using Jython:

```
print AdminConfig.  
required('JMSProvider')
```

- Set up required attributes:

Using Jacl:

```
set name [list  
name JMSP1]  
set extICF [list  
externalInitialContextFactory  
"Put the external initial  
context factory here"]  
set extPURL [list  
externalProviderURL  
"Put the external  
provider URL here"]  
set jmspAttrs [list  
$name $extICF $extPURL]
```

Example output:

```
{name JMSP1}  
{externalInitialContextFactory  
{Put the external initial  
context factory here }}  
{externalProviderURL  
{Put the external  
provider URL here}}}
```

5.1+ Using Jython:

```
name = ['name',  
'JMSP1']  
extICF =  
['externalInitialContextFactory',  
"Put the external initial  
context factory here"]  
extPURL =  
['externalProviderURL',  
"Put the external  
provider URL here"]  
jmspAttrs = [name,  
extICF, extPURL]  
print jmspAttrs
```

- Create the JMS provider:

Using Jacl:

```
set newjmsp [$AdminConfig  
create JMSProvider  
$node $jmspAttrs]
```

Example output:

```
JMSP1(cells/mycell/
nodes/mynode:resources.
xml#JMSProvider_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.
create('JMSProvider',
node, jmspAttrs)
print newjmsp
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new JMS destination using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:myNode/JMSProvider:JMSP1]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSProvider_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:myNode/JMSProvider:JMSP1')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required GenericJMSDestination
```

Example output:

Attribute	Type
name	String
jndiName	String
externalJNDIName	String

5.1+ Using Jython:

```
print AdminConfig.required('GenericJMSDestination')
```

- Set up required attributes:

Using Jacl:

```
set name [list name JMSD1]
set jndi [list jndiName jms/JMSDestination1]
set extJndi [list externalJNDIName jms/extJMSD1]
set jmsdAttrs [list $name $jndi $extJndi]
```

Example output:

```
{name JMSD1} {jndiName jms/JMSDestination1} {externalJNDIName jms/extJMSD1}
```

5.1+ Using Jython:

```

name = ['name', 'JMSPD1']
jndi = ['jndiName', 'jms/JMSDestination1']
extJndi = ['externalJNDIName', 'jms/extJMSPD1']
jmsdAttrs = [name, jndi, extJndi]
print jmsdAttrs

```

- Create generic JMS destination:

Using Jacl:

```
$AdminConfig create GenericJMSDestination $newjmsp $jmsdAttrs
```

Example output:

```
JMSPD1(cells/mycell/nodes/mynode:resources.xml#GenericJMSDestination_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('GenericJMSDestination', newjmsp, jmsdAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new JMS connection using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:myNode/JMSProvider:JMSP1]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSP1_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:myNode/JMSProvider:JMSP1')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required GenericJMSConnectionFactory
```

Example output:

Attribute	Type
name	String
jndiName	String
externalJNDIName	String

5.1+ Using Jython:

```
print AdminConfig.required('GenericJMSConnectionFactory')
```

- Set up required attributes:

Using Jacl:

```

set name [list name JMSPCF1]
set jndi [list jndiName jms/JMSConnFact1]
set extJndi [list externalJNDIName jms/extJMSPCF1]
set jmstcfAttrs [list $name $jndi $extJndi]

```

Example output:

```
{name JMSPCF1} {jndiName jms/JMSConnFact1} {externalJNDIName jms/extJMSPCF1}
```

5.1+ Using Jython:

```
name = ['name', 'JMSCF1']
jndi = ['jndiName', 'jms/JMSConnFact1']
extJndi = ['externalJNDIName', 'jms/extJMCF1']
jmscfAttrs = [name, jndi, extJndi]
print jmscfAttrs
```

5.1+ Example output:

```
[[name, JMSCF1], [jndiName, jms/JMSConnFact1], [externalJNDIName, jms/extJMCF1]]
```

- Create generic JMS connection factory:

Using Jacl:

```
$AdminConfig create GenericJMSConnectionFactory $newjmsp $jmscfAttrs
```

Example output:

```
JMSCF1(cells/mycell/nodes/mynode:resources.xml#GenericJMSConnectionFactory_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('GenericJMSConnectionFactory', newjmsp, jmscfAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WebSphere queue connection factory using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSPProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSPProvider_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:myNode/JMSPProvider:JMSP1/')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required WASQueueConnectionFactory
```

Example output:

Attribute	Type
name	String
jndiName	String

5.1+ Using Jython:

```
print AdminConfig.required('WASQueueConnectionFactory')
```

- Set up required attributes:

Using Jacl:

```
set name [list name WASQCF]
set jndi [list jndiName jms/WASQCF]
set mqcfAttrs [list $name $jndi]
```

Example output:

```
{name WASQCF} {jndiName jms/WASQCF}
```

5.1+ Using Jython:

```
name = ['name', 'WASQCF']
jndi = ['jndiName', 'jms/WASQCF']
mqcfAttrs = [name, jndi]
print mqcfAttrs
```

5.1+ Example output:

```
[[name, WASQCF], [jndiName, jms/WASQCF]]
```

- Create was queue connection factories:

Using Jacl:

```
$AdminConfig create WASQueueConnectionFactory $newjmsp $mqcfAttrs
```

Example output:

```
WASQCF(cells/mycell/nodes/mynode:resources.xml#WASQueueConnectionFactory_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('WASQueueConnectionFactory', newjmsp, mqcfAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WebSphere topic connection factory using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSP1_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:mynode/JMSProvider:JMSP1/')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required WASTopicConnectionFactory
```

Example output:

Attribute	Type
name	String
jndiName	String
port	ENUM(DIRECT, QUEUED)

5.1+ Using Jython:

```
print AdminConfig.required('WASTopicConnectionFactory')
```

- Set up required attributes:

Using Jacl:

```
set name [list name WASTCF]
set jndi [list jndiName jms/WASTCF]
set port [list port QUEUED]
set mtcfAttrs [list $name $jndi $port]
```

Example output:

```
{name WASTCF} {jndiName jms/WASTCF} {port QUEUED}
```

5.1+ Using Jython:

```
name = ['name', 'WASTCF']
jndi = ['jndiName', 'jms/WASTCF']
port = ['port', 'QUEUED']
mtcfAttrs = [name, jndi, port]
print mtcfAttrs
```

5.1+ Example output:

```
[[name, WASTCF], [jndiName, jms/WASTCF], [port, QUEUED]]
```

- Create was topic connection factories:

Using Jacl:

```
$AdminConfig create WASTopicConnectionFactory $newjmsp $mtcfAttrs
```

Example output:

```
WASTCF(cells/mycell/nodes/mynode:resources.xml#WASTopicConnectionFactory_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('WASTopicConnectionFactory', newjmsp, mtcfAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WebSphere queue using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSP1_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:mynode/JMSProvider:JMSP1/')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required WASQueue
```

Example output:

```
Attribute      Type
name          String
jndiName     String
```

5.1+ Using Jython:

```
print AdminConfig.required('WASQueue')
```

- Set up required attributes:

Using Jacl:

```
set name [list name WASQ1]
set jndi [list jndiName jms/WASQ1]
set wqAttrs [list $name $jndi]
```

Example output:

```
{name WASQ1} {jndiName jms/WASQ1}
```

5.1+ Using Jython:

```
name = ['name', 'WASQ1']
jndi = ['jndiName', 'jms/WASQ1']
wqAttrs = [name, jndi]
print wqAttrs
```

5.1+ Example output:

```
[[name, WASQ1], [jndiName, jms/WASQ1]]
```

- Create was queue:

Using Jacl:

```
$AdminConfig create WASQueue $newjmsp $wqAttrs
```

Example output:

```
WASQ1(cells/mycell/nodes/mynode:resources.xml#WASQueue_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('WASQueue', newjmsp, wqAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new WebSphere topic using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSPprovider_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:mynode/JMSProvider:JMSP1/')
print newjmsp
```

- Get required attributes:

Using JACL:

```
$AdminConfig required WASTopic
```

Example output:

Attribute	Type
name	String
jndiName	String
topic	String

5.1+ Using Jython:

```
print AdminConfig.required('WASTopic')
```

- Set up required attributes:

Using JACL:

```
set name [list name WAST1]
set jndi [list jndiName jms/WAST1]
set topic [list topic "Put your topic here"]
set wtAttrs [list $name $jndi $topic]
```

Example output:

```
{name WAST1} {jndiName jms/WAST1} {topic {Put your topic here}}
```

5.1+ Using Jython:

```
name = ['name', 'WAST1']
jndi = ['jndiName', 'jms/WAST1']
topic = ['topic', "Put your topic here"]
wtAttrs = [name, jndi, topic]
print wtAttrs
```

5.1+ Example output:

```
[[name, WAST1], [jndiName, jms/WAST1], [topic, "Put your topic here"]]
```

- Create was topic:

Using JACL:

```
$AdminConfig create WASTopic $newjmsp $wtAttrs
```

Example output:

```
WAST1(cells/mycell/nodes/mynode:resources.xml#WASTopic_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('WASTopic', newjmsp, wtAttrs)
```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new MQ queue connection factory using wsadmin:

- Identify the parent ID:

Using JACL:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSPProvider_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getId('/Cell:mycell/Node:myNode/JMSPProvider:JMSP1')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required MQQueueConnectionFactory
```

Example output:

Attribute	Type
name	String
jndiName	String

5.1+ Using Jython:

```
print AdminConfig.required('MQQueueConnectionFactory')
```

- Set up required attributes:

Using Jacl:

```
set name [list name MQQCF]
set jndi [list jndiName jms/MQQCF]
set mqqcfAttrs [list $name $jndi]
```

Example output:

```
{name MQQCF} {jndiName jms/MQQCF}
```

5.1+ Using Jython:

```
name = ['name', 'MQQCF']
jndi = ['jndiName', 'jms/MQQCF']
mqqcfAttrs = [name, jndi]
print mqqcfAttrs
```

5.1+ Example output:

```
[[name, MQQCF], [jndiName, jms/MQQCF]]
```

- Create MQ queue connection factory:

Using Jacl:

```
$AdminConfig create MQQueueConnectionFactory $newjmsp $mqqcfAttrs
```

Example output:

```
MQQCF(cells/mycell/nodes/mynode:resources.xml#MQQueueConnectionFactory_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('MQQueueConnectionFactory', newjmsp, mqqcfAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new MQ topic connection factory using wsadmin:

- Identify the parent ID:

Using JACL:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSProvider_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:myNode/JMSProvider:JMSP1')
print newjmsp
```

- Get required attributes:

Using JACL:

```
$AdminConfig required MQTopicConnectionFactory
```

Example output:

Attribute	Type
name	String
jndiName	String

5.1+ Using Jython:

```
print AdminConfig.required('MQTopicConnectionFactory')
```

- Set up required attributes:

Using JACL:

```
set name [list name MQTCF]
set jndi [list jndiName jms/MQTCF]
set mqtcfAttrs [list $name $jndi]
```

Example output:

```
{name MQTCF} {jndiName jms/MQTCF}
```

5.1+ Using Jython:

```
name = ['name', 'MQTCF']
jndi = ['jndiName', 'jms/MQTCF']
mqtcfAttrs = [name, jndi]
print mqtcfAttrs
```

5.1+ Example output:

```
[[name, MQTCF], [jndiName, jms/MQTCF]]
```

- Create mq topic connection factory:

Using JACL:

```
$AdminConfig create MQTopicConnectionFactory $newjmsp $mqtcfAttrs
```

Example output:

```
MQTCF(cells/mycell/nodes/mynode:resources.xml#MQTopicConnectionFactory_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('MQTopicConnectionFactory', newjmsp, mqtcfAttrs)
```

- Save the changes with the following command:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new MQ queue using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSP1_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getId('/Cell:mycell/Node:myNode/JMSProvider:JMSP1')
print newjmsp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required MQQueue
```

Example output:

Attribute	Type
name	String
jndiName	String
baseQueueName	String

5.1+ Using Jython:

```
print AdminConfig.required('MQQueue')
```

- Set up required attributes:

Using Jacl:

```
set name [list name MQQ]
set jndi [list jndiName jms/MQQ]
set baseQN [list baseQueueName "Put the base queue name here"]
set mqqAttrs [list $name $jndi $baseQN]
```

Example output:

```
{name MQQ} {jndiName jms/MQQ} {baseQueueName {Put the base queue name here}}
```

5.1+ Using Jython:

```
name = ['name', 'MQQ']
jndi = ['jndiName', 'jms/MQQ']
baseQN = ['baseQueueName', "Put the base queue name here"]
mqqAttrs = [name, jndi, baseQN]
print mqqAttrs
```

5.1+ Example output:

```
[[name, MQQ], [jndiName, jms/MQQ], [baseQueueName, "Put the base queue name here"]]
```

- Create MQ queue factory:

Using Jacl:

```
$AdminConfig create MQQueue $newjmsp $mqqAttrs
```

Example output:

```
MQQ(cells/mycell/nodes/mynode:resources.xml#MQQueue_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('MQQueue', newjmsp, mqqAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new MQ topic using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newjmsp [$AdminConfig getid /Cell:mycell/Node:mynode/JMSProvider:JMSP1/]
```

Example output:

```
JMSP1(cells/mycell/nodes/mynode:resources.xml#JMSP1_1)
```

5.1+ Using Jython:

```
newjmsp = AdminConfig.getid('/Cell:mycell/Node:myNode/JMSProvider:JMSP1')
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required MQTopic
```

Example output:

Attribute	Type
name	String
jndiName	String
baseTopicName	String

5.1+ Using Jython:

```
print AdminConfig.required('MQTopic')
```

- Set up required attributes:

Using Jacl:

```
set name [list name MQT]
set jndi [list jndiName jms/MQT]
set baseTN [list baseTopicName "Put the base topic name here"]
set mqtAttrs [list $name $jndi $baseTN]
```

Example output:

```
{name MQT} {jndiName jms/MQT} {baseTopicName {Put the base topic name here}}
```

5.1+ Using Jython:

```
name = ['name', 'MQT']
jndi = ['jndiName', 'jms/MQT']
baseTN = ['baseTopicName', "Put the base topic name here"]
mqtAttrs = [name, jndi, baseTN]
print mqtAttrs
```

5.1+ Example output:

```
[[name, MQT], [jndiName, jms/MQT], [baseTopicName, "Put the base topic name here"]]
```

- Create MQ topic factory:

Using Jacl:

```
$AdminConfig create MQTopic $newjmsp $mqAttrs
```

Example output:

```
MQT(cells/mycell/nodes/mynode:resources.xml#MQTopic_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('MQTopic', newjmsp, mqAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new mail provider using wsadmin

- Identify the parent ID:

Using Jacl:

```
set node [$AdminConfig getid /Cell:mycell/Node:mynode/]
```

Example output:

```
mynode(cells/mycell/nodes/mynode:node.xml#Node_1)
```

5.1+ Using Jython:

```
node = AdminConfig.getid('/Cell:mycell/Node:mynode/')  
print node
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required MailProvider
```

Example output:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('MailProvider')
```

- Set up required attributes:

Using Jacl:

```
set name [list name MP1]  
set mpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'MP1']  
mpAttrs = [name]
```

- Create the mail provider:

Using Jacl:

```
set newmp [$AdminConfig create MailProvider $node $mpAttrs]
```

Example output:

```
MP1(cells/mycell/nodes/mynode:resources.xml#MailProvider_1)
```

5.1+ Using Jython:

```
newmp = AdminConfig.create('MailProvider', node, mpAttrs)
print newmp
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new mail session using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newmp [$AdminConfig getid /Cell:mycell/Node:mynode/MailProvider:MP1/]
```

Example output:

```
MP1(cells/mycell/nodes/mynode:resources.xml#MailProvider_1)
```

5.1+ Using Jython:

```
newmp = AdminConfig.create('MailProvider', node, mpAttrs)
print newmp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required MailSession
```

Example output:

Attribute	Type
name	String
jndiName	String

5.1+ Using Jython:

```
print AdminConfig.required('MailSession')
```

- Set up required attributes:

Using Jacl:

```
set name [list name MS1]
set jndi [list jndiName mail/MS1]
set msAttrs [list $name $jndi]
```

Example output:

```
{name MS1} {jndiName mail/MS1}
```

5.1+ Using Jython:

```
name = ['name', 'MS1']
jndi = ['jndiName', 'mail/MS1']
msAttrs = [name, jndi]
print msAttrs
```

5.1+ Example output:

```
[[name, MS1], [jndiName, mail/MS1]]
```

- Create the mail session:

Using Jacl:

```
$AdminConfig create MailSession $newmp $msAttrs
```

Example output:

```
MS1(cells/mycell/nodes/mynode:resources.xml#MailSession_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('MailSession', newmp, msAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new protocol provider using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newmp [$AdminConfig getid /Cell:mycell/Node:mynode/MailProvider:MP1/]
```

Example output:

```
MP1(cells/mycell/nodes/mynode:resources.xml#MailProvider_1)
```

5.1+ Using Jython:

```
newmp = AdminConfig.create('MailProvider', node, mpAttrs)
print newmp
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required ProtocolProvider
```

Example output:

Attribute	Type
protocol	String
classname	String

5.1+ Using Jython:

```
print AdminConfig.required('ProtocolProvider')
```

- Set up required attributes:

Using Jacl:

```
set protocol [list protocol "Put the protocol here"]
set classname [list classname "Put the class name here"]
set ppAttrs [list $protocol $classname]
```

Example output:

```
{protocol protocol1} {classname classname1}
```

5.1+ Using Jython:

```
protocol = ['protocol', "Put the protocol here"]
classname = ['classname', "Put the class name here"]
ppAttrs = [protocol, classname]
print ppAttrs
```

5.1+ Example output:

```
[[protocol, protocol1], [classname, classname1]]
```

- Create the protocol provider:

Using Jacl:

```
$AdminConfig create ProtocolProvider $newmp $ppAttrs
```

Example output:

```
(cells/mycell/nodes/mynode:resources.xml#ProtocolProvider_4)
```

5.1+ Using Jython:

```
print AdminConfig.create('ProtocolProvider', newmp, ppAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new custom property using wsadmin:

- Identify the parent ID:

Using Jacl:

```
set newmp [$AdminConfig getid /Cell:mycell/Node:mynode/MailProvider:MP1/]
```

Example output:

```
MP1(cells/mycell/nodes/mynode:resources.xml#MailProvider_1)
```

5.1+ Using Jython:

```
newmp = AdminConfig.create('MailProvider', node, mpAttrs)
print newmp
```

- Get the J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newmp propertySet]
```

Example output:

```
(cells/mycell/nodes/mynode:resources.xml#PropertySet_2)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newmp, 'propertySet')
print propSet
```

- Get required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

Example output:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name CP1]
set cpAttrs [list $name]
```

Example output:

```
{name CP1}
```

5.1+ Using Jython:

```
name = ['name', 'CP1']
cpAttrs = [name]
print cpAttrs
```

5.1+ Example output:

```
[[name, CP1]]
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $cpAttrs
```

Example output:

```
CP1(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_2)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, cpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new resource environment provider using wsadmin

An example configuring a new resource environment provider follows:

- Identify the parent ID and assign it to the node variable.

Using Jacl:

```
set node [$AdminConfig getid /Cell:mycell/Node:mynode/]
```

An example of this output follows:

```
mynode(cells/mycell/nodes/mynode:node.xml#Node_1)
```

5.1+ Using Jython:

```
node = AdminConfig.getid('/Cell:mycell/Node:mynode/')
print node
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required ResourceEnvironmentProvider
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('ResourceEnvironmentProvider')
```

- Set up the required attributes and assign it to the repAttrs variable:

Using Jacl:

```
set n1 [list name REP1]  
set repAttrs [list $name]
```

5.1+ Using Jython:

```
n1 = ['name', 'REP1']  
repAttrs = [n1]
```

- Create a new resource environment provider:

Using Jacl:

```
set newrep [$AdminConfig create ResourceEnvironmentProvider $node $repAttrs]
```

An example of this output follows:

```
REP1(cells/mycell/nodes/mynode:resources.xml#ResourceEnvironmentProvider_1)
```

5.1+ Using Jython:

```
newrep = AdminConfig.create('ResourceEnvironmentProvider', node, repAttrs)  
print newrep
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring custom properties for a resource environment provider using wsadmin: An example configuring a new custom property for a resource environment provider follows:

- Identify the parent ID and assign it to the newrep variable.

Using Jacl:

```
set newrep [$AdminConfig getid /Cell:mycell/Node:mynode/ResourceEnvironmentProvider:REP1/]
```

An example of this output follows:

```
REP1(cells/mycell/nodes/mynode:resources.xml#ResourceEnvironmentProvider_1)
```

5.1+ Using Jython:

```
newrep = AdminConfig.getid('/Cell:mycell/Node:mynode/ResourceEnvironmentProvider:REP1/')  
print newrep
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes and assign it to the repAttrs variable:

Using Jacl:

```
set name [list name RP]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP']
rpAttrs = [name]
```

- Get the J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newrep propertySet]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#PropertySet_1)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newrep, 'propertySet')
print propSet
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

An example of this output follows:

```
RP(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new referenceable using wsadmin: An example configuring a new referenceable follows:

- Identify the parent ID and assign it to the newrep variable.

Using Jacl:

```
set newrep [$AdminConfig getid /Cell:mycell/Node:mynode/ResourceEnvironmentProvider:REP1/]
```

An example of this output follows:

```
REP1(cells/mycell/nodes/mynode:resources.xml#ResourceEnvironmentProvider_1)
```

5.1+ Using Jython:

```
newrep = AdminConfig.getid('/Cell:mycell/Node:mynode/ResourceEnvironmentProvider:REP1/')
print newrep
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required Referenceable
```

An example of this output follows:

```
Attribute      Type
factoryClassname  String
classname      String
```

5.1+ Using Jython:

```
print AdminConfig.required('Referenceable')
```

- Set up the required attributes:

Using Jacl:

```
set fcn [list factoryClassname REP1]
set cn [list classname NM1]
set refAttrs [list $fcn $cn]
```

An example of this output follows:

```
{factoryClassname {REP1}} {classname {NM1}}
```

5.1+ Using Jython:

```
fcn = ['factoryClassname', 'REP1']
cn = ['classname', 'NM1']
refAttrs = [fcn, cn]
print refAttrs
```

- Create a new referenceable:

Using Jacl:

```
set newref [$AdminConfig create Referenceable $newrep $refAttrs]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#Referenceable_1)
```

5.1+ Using Jython:

```
newref = AdminConfig.create('Referenceable', newrep, refAttrs)
print newref
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new resource environment entry using wsadmin: An example configuring a new resource environment entry follows:

- Identify the parent ID and assign it to the newrep variable.

Using Jacl:

```
set newrep [$AdminConfig getid /Cell:mycell/Node:mynode/ResourceEnvironmentProvider:REP1/]
```

An example of this output follows:

```
REP1(cells/mycell/nodes/mynode:resources.xml#ResourceEnvironmentProvider_1)
```

5.1+ Using Jython:

```
newrep = AdminConfig.getid('/Cell:mycell/Node:mynode/ResourceEnvironmentProvider:REP1/')
print newrep
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required ResourceEnvEntry
```

An example of this output follows:

Attribute	Type
name	String
jndiName	String
referenceable	Referenceable@

5.1+ Using Jython:

```
print AdminConfig.required('ResourceEnvEntry')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name REE1]
set jndiName [list jndiName myjndi]
set newref [$AdminConfig getid /Cell:mycell/Node:mynode/Referenceable:/]
set ref [list referenceable $newref]
set reeAttrs [list $name $jndiName $ref]
```

5.1+ Using Jython:

```
name = ['name', 'REE1']
jndiName = ['jndiName', 'myjndi']
newref = AdminConfig.getid('/Cell:mycell/Node:mynode/Referenceable:/')
ref = ['referenceable', newref]
reeAttrs = [name, jndiName, ref]
```

- Create the resource environment entry:

Using Jacl:

```
$AdminConfig create ResourceEnvEntry $newrep $reeAttrs
```

An example of this output follows:

```
REE1(cells/mycell/nodes/mynode:resources.xml#ResourceEnvEntry_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('ResourceEnvEntry', newrep, reeAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring custom properties for resource environment entries using wsadmin:
An example configuring a new custom property for a resource environment entry follows:

- Identify the parent ID and assign it to the newree variable.

Using Jacl:

```
set newree [$AdminConfig getid /Cell:mycell/Node:mynode/ResourceEnvEntry:REE1/]
```

An example of this output follows:

```
REE1(cells/mycell/nodes/mynode:resources.xml#ResourceEnvEntry_1)
```

5.1+ Using Jython:

```
newree = AdminConfig.getid('/Cell:mycell/Node:mynode/ResourceEnvEntry:REE1/')
print newree
```

- Create the J2EE custom property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newree propertySet]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#J2EEResourcePropertySet_5)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newree, 'propertySet')
print propSet
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name RP1]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP1']
rpAttrs = [name]
```

- Create the J2EE custom property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

An example of this output follows:

```
RPI(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new URL provider using wsadmin

An example configuring a new URL provider follows:

- Identify the parent ID and assign it to the node variable.

Using Jacl:

```
set node [$AdminConfig
getid /Cell:mycell/
Node:mynode/]
```

An example of this output follows:

```
mynode(cells/mycell/
nodes/mynode:node.
xml#Node_1)
```

5.1+ Using Jython:

```
node = AdminConfig.
getId('/Cell:mycell/
Node:mynode/')
print node
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required
URLProvider
```

An example of this output follows:

Attribute	Type
streamHandler	String
ClassName	String
protocol	String
name	String

5.1+ Using Jython:

```
print AdminConfig.
required('URLProvider')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name URLP1]
set shcn [list
streamHandlerClassName
"Put the stream
handler classname here"]
set protocol [list
protocol "Put the
protocol here"]
set urlpAttrs
[list $name $shcn $protocol]
```

An example of this output follows:

```
{name URLP1}
{streamHandlerClassName
{Put the stream handler
classname here}} {protocol
{Put the protocol here}}
```

5.1+ Using Jython:

```
name = ['name', 'URLP1']
shcn = ['streamHandler
ClassName', "Put the
stream handler
classname here"]
protocol = ['protocol',
"Put the protocol here"]
urlpAttrs = [name,
shcn, protocol]
print urlpAttrs
```

5.1+ An example of this output follows:

```
[[name, URLP1],  
 [streamHandlerClassName,  
 "Put the stream handler  
 classname here"],  
 [protocol, "Put the  
 protocol here"]]
```

- Create a URL provider:

Using Jacl:

```
$AdminConfig create  
 URLProvider $node $urlpAttrs
```

An example of this output follows:

```
URLP1(cells/mycell/  
nodes/mynode:resources  
.xml#URLProvider_1)
```

5.1+ Using Jython:

```
print AdminConfig.create  
('URLProvider', node,  
 urlpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring custom properties for URL providers using wsadmin: An example configuring a new custom property for URL providers follows:

- Identify the parent ID and assign it to the newurlp variable.

Using Jacl:

```
set newurlp [$AdminConfig getid /Cell:mycell/Node:mynode/URLProvider:URLP1/]
```

An example of this output follows:

```
URLP1(cells/mycell/nodes/mynode:resources.xml#URLProvider_1)
```

5.1+ Using Jython:

```
newurlp = AdminConfig.getid('/Cell:mycell/Node:mynode/URLProvider:URLP1/')  
print newurlp
```

- Get the J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newurlp propertySet]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#PropertySet_7)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newurlp, 'propertySet')  
print propSet
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name RP2]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP2']
rpAttrs = [name]
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

An example of this output follows:

```
RP2(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new URL using wsadmin: An example configuring a new URL follows:

- Identify the parent ID and assign it to the newurlp variable.

Using Jacl:

```
set newurlp [$AdminConfig getid /Cell:mycell/Node:mynode/URLProvider:URLP1/]
```

An example of this output follows:

```
URLP1(cells/mycell/nodes/mynode:resources.xml#URLProvider_1)
```

5.1+ Using Jython:

```
newurlp = AdminConfig.getId('/Cell:mycell/Node:mynode/URLProvider:URLP1/')
print newurlp
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required URL
```

An example of this output follows:

Attribute	Type
name	String
spec	String

5.1+ Using Jython:

```
print AdminConfig.required('URL')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name URL1]
set spec [list spec "Put the spec here"]
set urlAttrs [list $name $spec]
```

An example of this output follows:

```
{name URL1} {spec {Put the spec here}}
```

5.1+ Using Jython:

```
name = ['name', 'URL1']
spec = ['spec', "Put the spec here"]
urlAttrs = [name, spec]
```

5.1+ An example of this output follows:

```
[[name, URL1], [spec, "Put the spec here"]]
```

- Create a URL:

Using Jacl:

```
$AdminConfig create URL $newurlp $urlAttrs
```

An example of this output follows:

```
URL1(cells/mycell/nodes/mynode:resources.xml#URL_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('URL', newurlp, urlAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring custom properties for URLs using wsadmin: An example configuring a new custom property for a URL follows:

- Identify the parent ID and assign it to the newurl variable.

Using Jacl:

```
set newurl [$AdminConfig getid /Cell:mycell/Node:mynode/URLProvider:URLP1/URL:URL1/]
```

An example of this output follows:

```
URL1(cells/mycell/nodes/mynode:resources.xml#URL_1)
```

5.1+ Using Jython:

```
newurl = AdminConfig.getid('/Cell:mycell/Node:mynode/URLProvider:URLP1/URL:URL1/')
print newurl
```

- Create a J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newurl propertySet]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#J2EEResourcePropertySet_7)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newurl, 'propertySet')
print propSet
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name RP3]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP3']
rpAttrs = [name]
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

An example of this output follows:

```
RP3(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_7)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new J2C resource adapter using wsadmin

An example configuring a new J2C resource adapter follows:

- Identify the parent ID and assign it to the node variable.

Using Jacl:

```
set node [$AdminConfig getid /Cell:mycell/Node:mynode/]
```

An example of this output follows:

```
mynode(cells/mycell/nodes/mynode:node.xml#Node_1)
```

5.1+ Using Jython:

```
node = AdminConfig.getId('/Cell:mycell/Node:mynode/')
print node
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2CResourceAdapter
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2CResourceAdapter')
```

- Set up the required attributes:

Using Jacl:

```
set rarFile c:/currentScript/cicseci.rar
set option [list -rar.name RAR1]
```

5.1+ Using Jython:

```
rarFile = 'c:/currentScript/cicseci.rar'
option = '[-rar.name RAR1]'
```

- Create a resource adapter:

Using Jacl:

```
set newra [$AdminConfig installResourceAdapter $rarFile mynode $option]
```

An example of this output follows:

```
RAR1(cells/mycell/nodes/mynode:resources.xml#J2CResourceAdapter_1)
```

5.1+ Using Jython:

```
newra = AdminConfig.installResourceAdapter(rarFile, 'mynode', option)
print newra
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring custom properties for J2C resource adapters using wsadmin:

An example configuring a new custom property for a J2C resource adapters follows:

- Identify the parent ID and assign it to the newra variable.

Using Jacl:

```
set newra [$AdminConfig getId /Cell:mycell/Node:mynode/J2CResourceAdapter:RAR1/]
```

An example of this output follows:

```
RAR1(cells/mycell/nodes/mynode:resources.xml#J2CResourceAdapter_1)
```

5.1+ Using Jython:

```
newra = AdminConfig.getId('/Cell:mycell/Node:mynode/J2CResourceAdapter:RAR1/')
```

- Get the J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newra propertySet]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#PropertySet_8)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newra, 'propertySet')
print propSet
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name RP4]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP4']
rpAttrs = [name]
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

An example of this output follows:

```
RP4(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_8)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring a new J2C connection factory using wsadmin: An example configuring a new J2C resource factory follows:

- Identify the parent ID and assign it to the newra variable.

Using Jacl:

```
set newra [$AdminConfig getId /Cell:mycell/Node:mynode/J2CResourceAdapter:RAR1/]
```

An example of this output follows:

```
RAR1(cells/mycell/nodes/mynode:resources.xml#J2CResourceAdapter_1)
```

5.1+ Using Jython:

```
newra = AdminConfig.getId('/Cell:mycell/Node:mynode/J2CResourceAdapter:RAR1/')
print newra
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2CConnectionFactory
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2CConnectionFactory')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name J2CCF1]
set j2ccfAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'J2CCF1']
j2ccfAttrs = [name]
```

- Create a connection factory:

Using Jacl:

```
$AdminConfig create J2CConnectionFactory $newra $j2ccfAttrs
```

An example of this output follows:

```
J2CCF1(cells/mycell/nodes/mynode:resources.xml#J2CConnectionFactory_1)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2CConnectionFactory', newra, j2ccfAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring custom properties for J2C connection factories using wsadmin: An example configuring a new custom property for a J2C resource factories follows:

- Identify the parent ID and assign it to the newcf variable:

Using Jacl:

```
set newcf [$AdminConfig getId /J2CConnectionFactory:J2CCF1/]
```

An example of this output follows:

```
J2CCF1(cells/mycell/nodes/mynode:resources.xml#J2CConnectionFactory_1)
```

5.1+ Using Jython:

```
newcf = AdminConfig.getid('/J2CConnectionFactory:J2CCF1/')
```

```
print newcf
```

- Get the J2EE resource property set:

Using Jacl:

```
set propSet [$AdminConfig showAttribute $newcf propertySet]
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#PropertySet_8)
```

5.1+ Using Jython:

```
propSet = AdminConfig.showAttribute(newcf, 'propertySet')
print propSet
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required J2EEResourceProperty
```

An example of this output follows:

Attribute	Type
name	String

5.1+ Using Jython:

```
print AdminConfig.required('J2EEResourceProperty')
```

- Set up the required attributes:

Using Jacl:

```
set name [list name RP4]
set rpAttrs [list $name]
```

5.1+ Using Jython:

```
name = ['name', 'RP4']
rpAttrs = [name]
```

- Create a J2EE resource property:

Using Jacl:

```
$AdminConfig create J2EEResourceProperty $propSet $rpAttrs
```

An example of this output follows:

```
RP4(cells/mycell/nodes/mynode:resources.xml#J2EEResourceProperty_8)
```

5.1+ Using Jython:

```
print AdminConfig.create('J2EEResourceProperty', propSet, rpAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring new J2C authentication data entries using wsadmin: An example configuring new J2C authentication data entries follows:

- Identify the parent ID and assign it to the security variable.

Using Jacl:

```
set security [$AdminConfig getid /Security:mysecurity/]
```

5.1+ Using Jython:

```
security = AdminConfig.getid('/Security:mysecurity/')
```

- Identify the required attributes:

Using Jacl:

```
$AdminConfig required JAASAuthData
```

An example of this output follows:

Attribute	Type
alias	String
userId	String
password	String

5.1+ Using Jython:

```
print AdminConfig.required('JAASAuthData')
```

- Set up the required attributes:

Using Jacl:

```
set alias [list alias myAlias]
set userid [list userId myid]
set password [list password secret]
set jaasAttrs [list $alias $userid $password]
```

An example of this output follows:

```
{alias myAlias} {userId myid} {password secret}
```

5.1+ Using Jython:

```
alias = ['alias', 'myAlias']
userid = ['userId', 'myid']
password = ['password', 'secret']
jaasAttrs = [alias, userid, password]
```

5.1+ An example of this output follows:

```
[[alias, myAlias], [userId, myid], [password, secret]]
```

- Create JAAS authentication data:

Using Jacl:

```
$AdminConfig create JAASAuthData $security $jaasAttrs
```

An example of this output follows:

```
(cells/mycell/nodes/mynode:resources.xml#JAASAuthData_2)
```

5.1+ Using Jython:

```
print AdminConfig.create('JAASAuthData', security, jaasAttrs)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Enabling and disabling global security with a profile

The default profile sets up procedures so that you can enable and disable global security based on LocalOS registry.

- You can use the help command to find out the arguments that you need to provide with this call, for example:

Using Jacl:

```
securityon help
```

An example of this output follows:

```
Syntax: securityon user password
```

5.1+ Using Jython:

```
securityon()
```

5.1+ An example of this output follows:

```
Syntax: securityon(user, password)
```

- To enable global security based on the LocalOS registry, use the following procedure call and arguments:

Using Jacl:

```
securityon user1 password1
```

5.1+ Using Jython:

```
securityon('user1', 'password')
```

- To disable global security based on the LocalOS registry, use the following procedure call:

Using Jacl:

```
securityoff
```

5.1+ Using Jython:

```
securityoff()
```

Example: Enabling and disabling Java 2 security using wsadmin

An example of enabling and disabling Java 2 security follows:

- Identify the security configuration object and assign it to the security variable:

Using Jacl:

```
set security [$AdminConfig list Security]
```

An example of this output follows:

```
(cells/mycell:security.xml#Security_1)
```

5.1+ Using Jython:

```
security = AdminConfig.list('Security')
print security
```

- Modify the enforceJava2Security attribute.

To enable Java 2 security:

Using Jacl:

```
$AdminConfig modify $security {{enforceJava2Security true}}
```

5.1+ Using Jython:

```
AdminConfig.modify(security, [['enforceJava2Security', 'true']])
```

To disable Java 2 security:

Using Jacl:

```
$AdminConfig modify $security {{enforceJava2Security false}}
```

5.1+ Using Jython:

```
AdminConfig.modify(security, [['enforceJava2Security', 'false']])
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Managing running objects with scripting

Operation management scripts use the AdminControl object to communicate with the MBeans that represent running objects. You can use the AdminControl object to list running objects and their attributes, invoke actions on running objects, obtain help, and obtain dynamic information about running MBeans.

1. Decide how you want to execute the script. If you want to run the script immediately from the command line, enter it surrounded by quotes as a parameter to the **wsadmin -c** command. To save the script for repeated use, compose it in a file and execute it with the **wsadmin -f** command. If you want to compose and run the script interactively, issue the **wsadmin** command without the **-c** or **-f** flags. For more information about executing scripts, see [Launching scripting clients](#)
2. Write an AdminControl script command statement to perform a management task, for example:

Using Jacl:

```
$AdminControl command
```

5.1+ Using Jython:

```
AdminControl.command()
```

Related concepts

[“Jacl” on page 33](#)

Related reference

[“AdminControl object for scripted administration” on page 80](#)

Specifying running objects using the wsadmin tool

1. Invoke the AdminControl object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Obtain the configuration ID with one of the following ways:
 - Obtain the object name with the **completeObjectName** command, for example:

Using Jacl:

```
set var [$AdminControl completeObjectName template]
```

5.1+ Using Jython:

```
var = AdminControl.completeObjectName(template)
```

where:

set	is a Jacl command
var	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
completeObjectName	is an AdminControl command
template	is a string containing a segment of the object name to be matched. The template has the same format as an object name with the following pattern: [domainName] :property=value[,property=value]*. See Object name, Attribute, Attribute list for more information.

If there are several MBeans that match the template, the **completeObjectName** command only returns the first match. The matching MBean object name is then assigned to a variable.

To look for *server1* MBean in *mynode*, use the following example:

Using Jacl:

```
set server1 [$AdminControl completeObjectName node=mynode,server:server1*]
```

5.1+ Using Jython:

```
server1 = AdminControl.completeObjectName('node=mynode,server:server1*')
```

- Obtain the object name with the **queryNames** command, for example:

Using Jacl:

```
set var [$AdminControl queryNames template]
```

5.1+ Using Jython:

```
var = AdminControl.queryNames(template)
```

where:

set	is a Jacl command
var	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere Application server process.
queryNames	is an AdminControl command

template	is a string containing a segment of the object name to be matched. The template has the same format as an object name with the following pattern: [domainName]:property=value[,property=value]*
----------	--

3. If there are more than one running objects returned from the **queryNames** command, the objects are returned in a list syntax. One simple way to retrieve a single element from the list is to use the **lindex** command in Jacl and **split** command in Jython. The following example retrieves the first running object from the server list:

Using Jacl:

```
set allServers [$AdminControl queryNames type=Server,*]
set aServer [lindex $allServers 0]
```

5.1+ Using Jython:

```
allServers = AdminControl.queryNames('type=Server,*')

# get line separator
import java
lineSeparator = java.lang.System.getProperty('line.separator')

aServer = allServers.split(lineSeparator)[0]
```

For other ways to manipulate the list and then perform pattern matching to look for a specified configuration object, refer to the Jacl syntax.

You can now use the running object in with other AdminControl commands that require an object name as a parameter.

Related concepts

["ObjectName, Attribute, and AttributeList" on page 129](#)

Identifying attributes and operations for running objects with the wsadmin tool

Use the Help object **attributes** or **operations** commands to find information on a running MBean in the server.

1. Invoke the AdminControl object commands interactively, in a script, or use the **wsadmin -c** tool from an operating system command prompt.
2. Specify a running object.
3. Use the **attributes** command to display the attributes of the running object:

Using Jacl:

```
$Help attributes MBeanObjectName
```

5.1+ Using Jython:

```
Help.attributes(MBeanObjectName)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
----	--

Help	is the object that provides general help and information for running MBeans in the connected server process
attributes	is a Help command
MBeanObjectName	is the string representation of the MBean object name obtained in step 2

4. Use the **operations** command to find out the operations supported by the MBean:

Using Jacl:

```
$Help operations MBeanObjectName
```

or

```
$Help operations MBeanObjectName operationName
```

5.1+ Using Jython:

```
Help.operations(MBeanObjectName)
```

or

```
Help.operations(MBeanObjectName, operationName)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
Help	is the object that provides general help and information for running MBeans in the connected server process
operations	is a Help command
MBeanObjectName	is the string representation of the MBean object name obtained in step number 2
operationName	(optional) is the specified operation for which you want to obtain detailed information

If you do not provide the `operationName`, all operations supported by the MBean return with the signature for each operation. If you specify `operationName`, only the operation that you specify returns and it contains details which include the input parameters and the return value. To display the operations for the server MBean, use the following example:

Using Jacl:

```
set server [$AdminControl completeObjectName type=Server,name=server1,*]
$Help operations $server
```

5.1+ Using Jython:

```
server = AdminControl.completeObjectName('type=Server,name=server1,*')
Help.operations(server)
```

To display detailed information about the stop operation, use the following example:

Using Jacl:

```
$Help operations $server stop
```

5.1+ Using Jython:

```
Help.operations(server, 'stop')
```

Performing operations on running objects using the wsadmin tool

1. Invoke the AdminControl object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Obtain the object name of the running object with the following command:

Using Jacl:

```
$AdminControl completeObjectName name
```

Using Jython:

```
AdminControl.completeObjectName(name)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
completeObjectName	is an AdminControl command
<i>name</i>	is a fragment of the object name. It is used to find the matching object name. For example: type=Server, name=serv1, *. It can be any valid combination of domain and key properties. For example, type, name, cell, node, process, etc.

3. Issue the following command:

Using Jacl:

```
set s1 [$AdminControl completeObjectName type=Server, name=server1, *]
```

Using Jython:

```
s1 = AdminControl.completeObjectName('type=Server, name=server1, *)
```

where:

set	is a Jacl command
s1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
completeObjectName	is an AdminControl command
type	is the object name property key
Server	is the name of the object
name	is the object name property key

<i>server1</i>	is the name of the server where the operation will be invoked
----------------	---

4. Invoke the operation with the following command:

Using Jacl:

```
$AdminControl invoke $s1 stop
```

Using Jython:

```
AdminControl.invoke(s1, 'stop')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
invoke	is an AdminControl command
s1	is the ID of the server specified in step number 3
stop	is an operation to be invoked on the server

The following example is for operations that require parameters:

Using Jacl:

```
set traceServ [$AdminControl completeObjectName type=TraceService,process=server1,*]
$AdminControl invoke $traceServ appendTraceString "com.ibm.ws.management.*=all=enabled"
```

Using Jython:

```
traceServ = AdminControl.completeObjectName('type=TraceService,process=server1,*')
AdminControl.invoke(traceServ, 'appendTraceString', "com.ibm.ws.management.*=all=enabled")
```

Modifying attributes on running objects with the wsadmin tool

1. Invoke the AdminControl object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.

2. Obtain the name of the running object with the following command:

Using Jacl:

```
$AdminControl complete
ObjectName name
```

5.1+ Using Jython:

```
AdminControl.complete
ObjectName(name)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
completeObjectName	is an AdminControl command

<i>name</i>	is a fragment of the object name. It is used to find the matching object name. For example: type=Server, name=serv1, *. It can be any valid combination of domain and key properties. For example, type, name, cell, node, process, etc.
-------------	--

3. Issue the following command:

Using Jacl:

```
set ts1 [$AdminControl  
completeObjectName name]
```

5.1+ Using Jython:

```
ts1 = AdminControl.  
completeObjectName(name)
```

where:

set	is a Jacl command
ts1	is a variable name
\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
completeObjectName	is an AdminControl command
<i>name</i>	is a fragment of the object name. It is used to find the matching object name. For example: type=Server, name=serv1, *. It can be any valid combination of domain and key properties. For example, type, name, cell, node, process, etc.

4. Modify the running object with the following command:

Using Jacl:

```
$AdminControl setAttribute  
$ts1 ringBufferSize 10
```

5.1+ Using Jython:

```
AdminControl.setAttribute  
(ts1, 'ringBufferSize', 10)
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
setAttribute	is an AdminControl command
ts1	evaluates to the ID of the server specified in step number 3
ringBufferSize	is an attribute of modify objects
10	is the value of the ringBufferSize attribute

You can also modify multiple attribute name and value pairs, for example:

Using Jacl:

```
set ts1 [$AdminControl  
completeObjectName  
type=TraceService,  
process=server1,*]  
$AdminControl setAttributes  
$ts1 {{ringBufferSize  
10} {traceSpecification  
com.ibm.*=all=disabled}}
```

5.1+ Using Jython list:

```
ts1 = AdminControl.completeObject  
ObjectName('type=TraceService,  
process=server1,*')  
AdminControl.setAttributes  
(ts1, [['ringBufferSize',  
10], ['traceSpecification',  
'com.ibm.*=all=disabled']])
```

5.1+ Using Jython string:

```
ts1 =AdminControl.completeObject  
ObjectName('type=TraceService,  
process=server1,*')  
AdminControl.setAttributes  
(ts1, '[ringBufferSize 10]  
[traceSpecification  
com.ibm.*=all=disabled]')
```

The new attribute values are returned to the command line.

Operation management examples with wsadmin

There are examples that illustrate how to manage running objects using wsadmin. Use these examples to identify running objects, modify them and invoke actions on them with the AdminControl object. Basic knowledge of the syntax for the Jacl scripting language is helpful in order to understand and modify the examples.

Example: Representing lists and javax.management.AttributeList objects with strings when scripting

Represent lists and javax.management.AttributeList objects using strings when scripting. These objects have different syntax conventions depending on the scripting language and whether the list or AttributeList object is input or output. The Java Management Extensions (JMX) Specification states that:

- The Attribute class represents a single attribute-value pair
- The AttributeList class represents a list of attribute-value pairs

The Attribute and AttributeList objects are typically used for conveying the attribute values of an MBean, as the result of a getter operation, or as the argument of a setter operation.

Jacl

When using the Jacl interface, construct lists using the standard Jacl list syntax. For example, a list of two attribute names might look like: {passivationDirectory inactivePoolCleanupInterval} On output, the wsadmin tool does not display the enclosing brackets, and you can manipulate the result as a Jacl list. An AttributeList object is represented by a Jacl list. The outer enclosing list represents the entire AttributeList class and can have any number of interior lists.

The interior lists each have a length of two, where the first element is the attribute name, and the second element is a string representation of the attribute value. For example, `{ {passivationDirectory c:/temp} }` is an attribute list containing a single attribute name and value, and `{ {traceSpecification com.ibm.*=all=enabled} {ringBufferSize 0} }` contains two attributes. Enter input (in a script) string AttributeLists exactly like this. If the value of the attribute contains a space, then enclose the value in another set of curly braces, or in double quotes: `{ {passivationDirectory "c:/My Folder/temp"} }` On output, the outer set of parenthesis does not display, which makes the output value a Jacl list that the script can easily manipulate.

Jython 5.1+

When using the Jython interface, construct lists using the standard Jython list syntax. For example, a list of two attribute names might look like the following: `[['passivationDirectory', 'inactivePoolCleanupInterval']]`. You can manipulate the result as a Jython list. An AttributeList object is represented by a Jython list. The outer enclosing list represents the entire AttributeList class and can have any number of interior lists. The interior lists each have a length of two where the first element is the attribute name, and the second element is a string representation of the attribute value. For example, `[['passivationDirectory', 'c:/temp']]` is an attribute list containing a single attribute name and value, and `[['traceSpecification', 'com.ibm.*=all=enabled'], ['ringBufferSize', 0]]` contains two attributes. Enter input (in a script) string AttributeLists exactly like this. If the value of the attribute contains a space, then enclose the value in double quote: `[['passivationDirectory', "c:/My Folder/temp"]]`.

Example: Identifying running objects

In the WebSphere Application Server, MBeans represent running objects. You can interrogate the MBean server to see the objects it contains. Use the AdminControl object to interact with running MBeans.

- Use the `queryNames` command to see running MBean objects. For example:

Using Jacl:

```
$AdminControl  
queryNames *
```

5.1+ Using Jython:

```
print AdminControl.  
queryNames('*')
```

This command returns a list of all MBean types. Depending on the server to which your scripting client attaches, this list can contain MBeans that run on different servers:

- If the client attaches to a stand-alone WebSphere Application Server, the list contains MBeans that run on that server.
- If the client attaches to a node agent, the list contains MBeans that run in the node agent and MBeans that run on all application servers on that node.
- If the client attaches to a deployment manager, the list contains MBeans that run in the deployment manager, all of the node agents communicating with that deployment manager, and all application servers on the nodes served by those node agents.
- The list that the `queryNames` command returns is a string representation of JMX `ObjectName` objects. For example:

```
WebSphere:cell=MyCell,  
name=TraceService,  
mbeanIdentifier=  
TraceService,type=  
TraceService,node=  
MyNode,process=server1
```

This example represents a TraceServer object that runs in *server1* on *MyNode*.

- The single queryNames argument represents the ObjectName object for which you are searching. The asterisk ("*") in the example means return all objects, but it is possible to be more specific. As shown in the example, ObjectName has two parts: a domain, and a list of key properties. For MBeans created by the WebSphere Application Server, the domain is WebSphere. If you do not specify a domain when you invoke queryNames, the scripting client assumes the domain is WebSphere. This means that the first example query above is equivalent to:

Using Jacl:

```
$AdminControl queryNames  
WebSphere:*
```

5.1+ Using Jython:

```
AdminControl.queryNames  
('WebSphere:')
```

- WebSphere Application Server includes the following key properties for the ObjectName object:
 - name
 - type
 - cell
 - node
 - process
 - mbeanIdentifier

These key properties are common. There are other key properties that exist. You can use any of these key properties to narrow the scope of the **queryNames** command. For example:

Using Jacl:

```
$AdminControl queryNames  
WebSphere:type=Server,  
node=myNode,*
```

5.1+ Using Jython:

```
AdminControl.queryNames  
('WebSphere:type=Server,  
node=myNode,*)
```

This example returns a list of all MBeans that represent server objects running the node *myNode*. The, * at the end of the ObjectName object is a JMX wildcard designation. For example, if you enter the following:

Using Jacl:

```
$AdminControl queryNames  
WebSphere:type=Server,  
node=myNode
```

5.1+ Using Jython:

```

print AdminControl.queryNames
('WebSphere:type=Server,
node=myNode')

```

you get an empty list back because the argument to queryNames is not a wildcard. There is no Server MBean running that has exactly these key properties and no others.

- If you want to see all the MBeans representing applications running on a particular node, invoke the following example:

Using Jacl:

```

$AdminControl queryNames
WebSphere:type=Application,
node=myNode,*

```

5.1+ Using Jython:

```

print AdminControl.queryNames
('WebSphere:type=Application,
node=myNode,*')

```

Example: Turning traces on and off in a server process with the wsadmin tool

The following example turns on tracing in a server process:

- Identify the object name for the TraceService MBean running in the process:

Using Jacl:

```

$AdminControl completeObjectName type=Server,name=server1,*

```

5.1+ Using Jython:

```

AdminControl.completeObjectName('type=Server,name=server1,*')

```

- Obtain the name of the object and set it to a variable:

Using Jacl:

```

set ts [$AdminControl completeObjectName type=TraceService,process=server1,*]

```

5.1+ Using Jython:

```

ts = AdminControl.completeObjectName('type=TraceService,process=server1,*')

```

- Turn on traces for the server:

Using Jacl:

```

$AdminControl setAttribute $ts traceSpecification com.ibm.*=all=enabled

```

5.1+ Using Jython:

```

AdminControl.setAttribute(ts, 'traceSpecification', 'com.ibm.*=all=enabled')

```

Related concepts

Enabling trace

Example: Dumping threads in a server process

Use the AdminControl object to dump the Java threads of a running server.

- For example:

Using Jacl:

```

set jvm [$AdminControl completeObjectName type=JVM,process=server1,*]
$AdminControl invoke $jvm dumpThreads

```

5.1+ Using Jython:

```
jvm = AdminControl.completeObjectName('type=JVM,process=server1,*')
AdminControl.invoke(jvm, 'dumpThreads')
```

This example produces a Java core file. You can use this file for problem determination.

Example: Setting up profiles to make tracing easier when scripting

Set up a profile to make tracing easier. The following profile example turns tracing on and off:

Using Jacl:

```
proc ton {} {
    global AdminControl
    set ts [lindex [$AdminControl queryNames type=TraceService,*] 0]
    $AdminControl setAttribute $ts traceSpecification com.ibm.=all=enabled
}

proc toff {} {
    global AdminControl
    set ts [lindex [$AdminControl queryNames type=TraceService,*] 0]
    $AdminControl setAttribute $ts traceSpecification com.ibm.*=all=disabled
}

proc dt {} {
    global AdminControl
    set jvm [lindex [$AdminControl queryNames type=JVM,*] 0]
    $AdminControl invoke $jvm dumpThreads
}
```

5.1+ Using Jython:

```
# get line separator
import java.lang.System as sys
lineSeparator = sys.getProperty('line.separator')

def ton():
    global lineSeparator
    ts = AdminControl.queryNames('type=TraceService,*').split(lineSeparator)[0]

    AdminControl.setAttribute(ts, 'traceSpecification', 'com.ibm.=all=enabled')

def toff():
    global lineSeparator
    ts = AdminControl.queryNames('type=TraceService,*').split(lineSeparator)[0]

    AdminControl.setAttribute(ts, 'traceSpecification', 'com.ibm.*=all=disabled')

def dt():
    global lineSeparator
    jvm = AdminControl.queryNames('type=JVM,*').split(lineSeparator)[0]
    AdminControl.invoke(jvm, 'dumpThreads')
```

If you start the wsadmin tool with this profile, you can use the **ton** command to turn on tracing in the server, the **toff** command to turn off tracing, and the **dt** command to dump the Java threads. For more information about running scripting commands in a profile, see the [Launching Scripting Clients](#) article.

Related reference

[“Wsadmin tool” on page 31](#)

Example: Starting a server using wsadmin

The following example starts an application server with the node specified.

- The following command starts *server1* in *mynode* node:

Using Jacl:

```
$AdminControl startServer server1 mynode
```

Example output:

```
WASX7319I: The serverStartupSyncEnabled attribute is set to false. A start will be attempted for server "server1" but the configuration information for node "mynode" may not be current.
```

```
WASX7262I: Start completed for server "server1" on node "mynode"
```

5.1+ Using Jython:

```
print AdminControl.startServer('server1', 'mynode')
```

- The **startServer** command has several command syntax options. If you have Network Deployment installation, you have to use one of following:

Using Jacl:

```
$AdminControl startServer serverName nodeName
```

```
$AdminControl startServer serverName nodeName waitTime
```

5.1+ Using Jython:

```
AdminControl.startServer('serverName', 'nodeName')
```

```
AdminControl.startServer('serverName', 'nodeName', waitTime)
```

- If you have an application server base installation, you can use the following syntax in addition to the previous syntax:

Using Jacl:

```
$AdminControl startServer serverName
```

```
$AdminControl startServer serverName waitTime
```

5.1+ Using Jython:

```
AdminControl.startServer('serverName')
```

```
AdminControl.startServer('serverName', waitTime)
```

Example: Stopping a server using wsadmin

The following example stops an application server with the node specified.

- The following command stops *server1* in node *mynode*.

Using Jacl:

```
$AdminControl stopServer server1 mynode
```

Example output:

```
WASX7337I: Invoked stop for server "server1" Waiting for stop completion.
```

```
WASX7264I: Stop completed for server "server1" on node "mynode"
```

5.1+ Using Jython:

```
print AdminControl.stopServer('server1', 'mynode')
```

- The stop command has several command syntaxes.

If you have Network Deployment installation, use the one of following command syntax:

Using Jacl:

```
$AdminControl stopServer serverName nodeName  
$AdminControl stopServer serverName nodeName immediate
```

5.1+ Using Jython:

```
AdminControl.stopServer('serverName', 'nodeName')  
AdminControl.stopServer('serverName', 'nodeName', 'immediate')
```

If you have application server base installation, you can use the following syntax, in addition to the previous syntax:

Using Jacl:

```
$AdminControl stopServer serverName  
$AdminControl stopServer serverName immediate
```

5.1+ Using Jython:

```
AdminControl.stopServer('serverName')  
AdminControl.stopServer('serverName', 'immediate')
```

Example: Querying the server state using the wsadmin tool

The following example queries the server state.

- Identify the server and assign it to the server variable.

Using Jacl:

```
set server [$AdminControl completeObjectName cell=mycell,node=mynode,name=server1,type=Server,*]
```

5.1+ Using Jython:

```
server = AdminControl.completeObjectName('cell=mycell,node=mynode,name=server1,type=Server,*')  
print server
```

This command returns the server MBean that matches the partial object name string.

Example output:

```
WebSphere:cell=mycell,name=server1,mbeanIdentifier=server.xml#Server_1,type=Server,node=mynode,
```

- Query for the state attribute.

Using Jacl:

```
$AdminControl getAttribute $server state
```

5.1+ Using Jython:

```
print AdminControl.getAttribute(server, 'state')
```

The **getAttribute** command returns the value of a single attribute.

Example output:

```
STARTED
```

Example: Querying the product identification using wsadmin

The following example queries the product version information.

- Identify the server and assign it to the server variable.

Using Jacl:

```
set server [$AdminControl  
completeObjectName type=  
Server, name=server1,  
node=mynode,*]
```

Example output:

```
WebSphere:cell=mycell,  
name=server1,  
mbeanIdentifier=  
server.xml#Server_1,  
type=Server, node=mynode,  
process=server1, process  
Type=ManagedProcess
```

5.1+ Using Jython:

```
server = AdminControl.  
completeObjectName  
('type=Server, name=  
server1, node=mynode, *')  
print server
```

- Query the server version. The product information is stored in the serverVersion attribute. The **getAttribute** command returns the attribute value of a single attribute, passing in the attribute name.

Using Jacl:

```
$AdminControl getAttribute  
$server1 serverVersion
```

Using Jacl:

```
print AdminControl.  
getAttribute(server1,  
'serverVersion')
```

Example output for a Network Deployment installation follows:

```
IBM WebSphere Application  
Server Version Report
```

```
-----  
Platform  
Information
```

```
-----  
Name: IBM  
WebSphere Application Server  
Version: 5.0
```

```
Product Information
```

```
-----  
ID: BASE  
Name: IBM  
WebSphere Application Server  
Build Date:  
9/11/02  
Build Level:  
r0236.11  
Version:  
5.0.0
```

```
Product Information
```

```

ID: ND
Name: IBM
WebSphere Application Server
for Network Deployment
Build Date:
9/11/02
Build Level:
r0236.11
Version: 5.0.0

-----
End Report
-----
```

Example: Starting a listener port using wsadmin

The following example starts a listener port on an application server.

- Identify the listener port MBeans for the application server and assign it to the lPorts variable.

Using Jacl:

```
set lPorts [$AdminControl
queryNames type=ListenerPort,
cell=mycell,node=mynode,
process=server1,*]
```

5.1+ Using Jython:

```
lPorts = AdminControl.
queryNames('type=ListenerPort,
cell=mycell,node=mynode,
process=server1,*')
print lPorts
```

This command returns a list of listener port MBeans.

Example output:

```
WebSphere:cell=mycell,
name=ListenerPort,
mbeanIdentifier=server.
xml#ListenerPort_1,
type=ListenerPort,
node=mynode,process=server1
WebSphere:cell=mycell,
name=listenerPort,
mbeanIdentifier=ListenerPort,
type=server.xml#ListenerPort
_2,node=mynode,process=server1
```

- Start the listener port if it is not started with the following example:

Using Jacl:

```
foreach lPort $lPorts {
    set state [$AdminControl
getAttribute $lport started]
    if {$state == "false"} {
        $AdminControl invoke
    $lPort start
    }
}
```

5.1+ Using Jython:

```

# get line separator
import java
lineSeparator = java.lang.
System.getProperty
('line.separator')

lPortsArray = lPorts.split
(lineSeparator)
for lPort in lPortsArray:
    state = AdminControl.
    getAttribute(lPort,
    'started')
    if state == 'false':
        AdminControl.invoke
        (lPort, 'start')

```

5.1+ These pieces of Jacal and Jython code loop through the listener port MBeans. For each listener port MBean, get the attribute value for the started attribute. If the attribute value is set to false, then start the listener port by invoking the start operation on the MBean.

Example: Testing data source connection using wsadmin to call a method on the MBean

The following example tests a dataSource, to ensure a connection to the database.

- Identify the DataSourceCfgHelper MBean and assign it to the dshelper variable.

Using Jacal:

```

set dshelper [$AdminControl
queryNames type=DataSource
CfgHelper,process=server1,*]

```

Example output:

```

WebSphere:cell=mycell,
name=DataSourceCfgHelper,
mbeanIdentifier=Data
SourceCfgHelper,
type=DataSourceCfgHelper,
node=mynode,process=server1

```

5.1+ Using Jython:

```

dshelper = AdminControl.
queryNames('type=Data
SourceCfgHelper,
process=server1')
print dshelper

```

- Test the connection.

Using Jacal:

```

$AdminControl invoke
$dshelper testConnection
ToDataSource "COM.ibm.db2.
jdbc.DB2XADataSource
db2admin db2admin
{{databaseName sample}}
c:/sqllib/java/db2java.zip en US"

```

5.1+ Using Jython:

```

print AdminControl.invoke
(dshelper, 'testConnection
ToDataSource', 'COM.ibm.

```

```
db2.jdbc.DB2XDataSource  
dbuser1 dbpwd1 "{{databaseName  
jtest1}}" c:/sqllib/  
java12/db \"\" \"\")
```

This example command invokes the `testConnectionToDataSource` operation on the MBean, passing in the classname, userid, password, database name, JDBC driver class path, language, and country.

Example output:

```
DSRA8025I: Successfully  
connected to DataSource
```

The Preferred Method

Instead of using the method `testConnectionToDataSource`, use the method `testConnection` and pass in the configuration ID of the data source. The `testConnection` method is not available in V5.0. The data source to be tested has to be saved in the master configuration.

```
set myds [$AdminConfig  
getid "/JDBCProvider:  
Sybase 12.0 JDBC Driver  
/DataSource:sybases/]  
$AdminControl invoke  
$dhelper testConnection  
$myds
```

To aid in making a batch program, the command returns a value instead of a message. A return value of **0** means success. A return value of **1 - n** means success, but with a number of warnings. If the process fails, you receive an exception message.

Example: Configuring transaction properties for a server using wsadmin

The following example configures the run-time transaction properties for an application server.

- Identify the transaction service MBean for the application server.

Using Jacl:

```
set ts [$AdminControl  
completeObjectName  
cell=mycell,node=mynode,  
process=server1,type=  
TransactionService,*]
```

5.1+ Using Jython:

```
ts = AdminControl.  
completeObjectName  
('cell=mycell,node=  
mynode,process=server1,  
type=TransactionService,*)  
print ts
```

This command returns the transaction service MBean for server1.

Example output:

```
WebSphere:cell=mycell,  
name=TransactionService,  
mbeanIdentifier=  
TransactionService,  
type=TransactionService,  
node=mynode,process=server1
```

- Modify the attributes. The following example is for the Windows operating system:

Using Jacl:

```
$AdminControl invoke $ts  
{  
{transactionLogDirectory  
c:/WebSphere/AppServer/  
tranlog/server1} {client  
InactivityTimeout 30}  
{totalTranLifetimeTimeout 180}}
```

5.1+ Using Jython:

```
AdminControl.invoke(ts,  
[['transactionLogDirectory',  
'c:/WebSphere/AppServer/  
tranlog/server1'], ['client  
InactivityTimeout', 30],  
['totalTranLifetimeTimeout', 180]])
```

The clientInactivityTimeout is in seconds. The totalTranLifetimeTimeout is in milliseconds. A value of 0 in either attribute means no timeout limit.

Example: Stopping a cluster using wsadmin

The following example stops a cluster:

- Identify the Cluster MBean and assign it to the cluster variable.

Using Jacl:

```
set cluster [$AdminControl completeObjectName cell=mycell,type=Cluster,name=cluster1,*]
```

5.1+ Using Jython:

```
cluster = AdminControl.completeObjectName('cell=mycell,type=Cluster,name=cluster1,*')  
print cluster
```

This command returns the Cluster MBean.

Example output:

```
WebSphere:cell=mycell,name=cluster1,mbeanIdentifier=Cluster,type=Cluster,process=cluster1
```

- Stop the cluster.

Using Jacl:

```
$AdminControl invoke $cluster stop
```

5.1+ Using Jython:

```
AdminControl.invoke(cluster, 'stop')
```

This command invokes the stop operation on the Cluster MBean.

Example: Querying cluster state using wsadmin

The following example queries the state of the cluster:

- Identify the Cluster MBean and assign it to the cluster variable.

Using Jacl:

```
set cluster [$AdminControl completeObjectName cell=mycell,type=Cluster,name=cluster1,*]
```

5.1+ Using Jython:

```
cluster = AdminControl.completeObjectName('cell=mycell,type=Cluster,name=cluster1,*')
print cluster
```

This command returns the Cluster MBean.

Example output:

```
WebSphere:cell=mycell,name=cluster1,mbeanIdentifier=Cluster,type=Cluster,process=cluster1
```

- Query the cluster state.

Using Jacl:

```
$AdminControl getAttribute $cluster state
```

5.1+ Using Jython:

```
AdminControl.getAttribute(cluster, 'state')
```

This command returns the value of the run-time state attribute.

Example: Listing running applications on running servers using wsadmin

The following example lists all the running applications on all the running servers on each node of each cell.

- Provide this example as a Jacl script file and run it with the "-f" option:

```
1 #-----
2 # lines 4 and 5 find
all the cell and process
them one at a time
3 #-----
4 set cells
[$AdminConfig list Cell]
5 foreach cell $cells {
6   #
7   # lines 10 and 11
find all the nodes belonging
to the cell and
8   # process them
at a time
9   #
10  set nodes
[$AdminConfig list
Node $cell]
11  foreach node
$nodes {
12    #
13    # lines 16-20
find all the running
servers belonging to
the cell
14    # and node,
and process them one
at a time
15    #
16    set cname
[$AdminConfig showAttribute
$cell name]
17    set nname
[$AdminConfig showAttribute
$node name]
18    set servs
[$AdminControl queryNames
type=Server,cell=$cname,
node=$nname,*]
```

```

19      puts "Number of
running servers on node
$nodeName: [!length $servers]"
20      foreach server
$servers {
21          #-----
22          # lines 25-31
get some attributes from
the server to display;
23          # invoke an
operation on the server
JVM to display a property.
24          #-----
25          set sname
[$AdminControl getAttribute
$server name]
26          set ptype
[$AdminControl getAttribute
$server processType]
27          set pid
[$AdminControl getAttribute
$server pid]
28          set state
[$AdminControl getAttribute
$server state]
29          set jvm
[$AdminControl queryNames
type=JVM,cell=$cname,node=
$nodeName,process=$sname,*]
30          set osname
[$AdminControl invoke $jvm
getProperty os.name]
31          puts " $sname
($ptype) has pid $pid;
state: $state; on $osname"
32
j3          #-----
34          # line 37-42
find the applications running
on this server and
35          # display the
application name.
35          #-----
37          set apps
[$AdminControl queryNames
type=Application,cell=$cname,
node=$nodeName,process=$sname,*]
38          puts " Number
of applications running on
$sname: [!length $apps]"
39          foreach app
$apps {
40              set appName
[$AdminControl getAttribute
$app name]
41              puts "
$appName"
42          }
43          puts "-----"
44          puts ""
45
46      }
47  }
48 }

```

- **5.1+** Using Jython:

* Provide this example as a Jython script file and run it with the "-f" option:

```
1  -----
2  # lines 7 and 8
3  find all the cell and
4  process them one at
5  a time
6  -----
7  # get line separator
8  import java.lang.
9  System as sys
10 lineSeparator =
11 sys.getProperty('line.
12 separator')
13 cells = AdminConfig.
14 list('Cell').split
15 (lineSeparator)
16 for cell in cells:
17     -----
18     # lines 13 and
19     find all the nodes
20     belonging to the cell and
21     # process them
22     at a time
23     -----
24     nodes = AdminConfig.
25     list('Node', cell).split
26     (lineSeparator)
27     for node in nodes:
28         -----
29         # lines 19-23
30         find all the running
31         servers belonging to
32         the cell
33         # and node,
34         and process them one
35         at a time
36         -----
37         cname =
38         AdminConfig.showAttribute
39         (cell, 'name')
40         nname =
41         AdminConfig.showAttribute
42         (node, 'name')
43         servs =
44         AdminControl.queryNames
45         ('type=Server,cell=' +
46         cname + ',node=' + nname
47         + '*').split(lineSeparator)
48         print "Number
49         of running servers on node
50         " + nname + ": %s \n" %
51         (len(servs))
52         for server
53         in servs:
54             -----
55             # lines 28-34
56             get some attributes from
57             the server to display;
58             # invoke an
59             operation on the server JVM
60             to display a property.
61             -----
62             sname =
63             AdminControl.getAttribute
64             (server, 'name')
65             ptype =
```

```

AdminControl.getAttribute
(server, 'processType')
30          pid =
AdminControl.getAttribute
(server, 'pid')
31          state =
AdminControl.getAttribute
(server, 'state')
32          jvm =
AdminControl.queryNames
('type=JVM,cell=' +
 cname + ',node=' + nname
+ ',process=' + sname + ',*')
33          osname =
AdminControl.invoke(jvm,
'getProperty', 'os.name')
34          print " " +
sname + " " + ptype +
has pid " + pid + "; state:
" + state + "; on " +
osname + "\n"
35
36          #-----
37          # line 40-45
find the applications
running on this server and
38          # display
the application name.
39          #-----
40          apps =
AdminControl.queryNames
('type=Application,cell=' +
 Cname + ',node=' + nname +
',process=' + sname + ',*').
split(lineSeparator)
41          print "Number of
applications running on " +
sname + ": %s \n" % (len(apps))
42          for app in apps:
43          fname =
AdminControl.getAttribute
(app, 'name')
44          print fname
+ "\n"
45          print "-----"
46          print "\n"

```

- Example output:

```

Number of running
servers on node mynode: 2
      mynode (NodeAgent)
has pid 3592; state:
STARTED; on Windows 2000
      Number of
applications running
on mynode: 0
-----
server1 (ManagedProcess)
has pid 3972; state:
STARTED; on Windows 2000
      Number of applications
running on server1: 0
-----
Number of running
servers on node
mynodeManager: 1

```

```
dmgr (DeploymentManager)
has pid 3308; state: STARTED;
on Windows 2000
    Number of applications
running on dmgr: 2
    adminconsole
    filetransfer
```

Example: Starting an application using wsadmin

The following example starts an application:

- Identify the application manager MBean for the server where the application resides and assign it the appManager variable.

Using Jacl:

```
set appManager [$AdminControl
queryNames cell=mycell,node=
mynode,type=ApplicationManager,
process=server1,*]
```

5.1+ Using Jython:

```
appManager = AdminControl.
queryNames('cell=mycell,node
=mynode,type=ApplicationManager,
process=server1,*')
print appManager
```

This command returns the application manager MBean.

Example output:

```
WebSphere:cell=mycell,name=
ApplicationManager,
mbeanIdentifier=
ApplicationManager,
type=ApplicationManager,
node=mynode,process=server1
```

- Start the application.

Using Jacl:

```
$AdminControl invoke
$appManager startApplication
myApplication
```

5.1+ Using Jython:

```
AdminControl.invoke(appManager,
'startApplication',
'myApplication')
```

This command invokes the startApplication operation on the MBean, passing in the application name to start.

Example: Stopping running applications on a server using wsadmin

The following example stops all running applications on a server:

- Identify the application manager MBean for the server where the application resides, and assign it to the appManager variable.

Using Jacl:

```
set appManager [$AdminControl  
queryNames cell=mycell,node=  
mynode,type=ApplicationManager,  
process=server1,*]
```

5.1+ Using Jython:

```
appManager = AdminControl.  
queryNames('cell=mycell,  
node=mynode,type=Application  
Manager,process=server1,*)  
print appManager
```

This command returns the application manager MBean.

Example output:

```
WebSphere:cell=mycell,  
name=ApplicationManager,  
mbeanIdentifier=Application  
Manager,type=ApplicationManager,  
node=mynode,process=server1
```

- Query the running applications belonging to this server and assign the result to the apps variable.

Using Jacl:

```
set apps [$AdminControl  
queryNames cell=mycell,  
node=mynode,type=Application,  
process=server1,*]
```

5.1+ Using Jython:

```
# get line separator  
import java.lang.  
System as sys  
lineSeparator = sys.  
getProperty('line.  
separator')  
  
apps = AdminControl.  
queryNames('cell=mycell,  
node=mynode,type=Application,  
process=server1,*').split  
(lineSeparator)  
print apps
```

This command returns a list of application MBeans.

Example output:

```
WebSphere:cell=mycell,  
name=adminconsole,  
mbeanIdentifier=deployment.  
xml#ApplicationDeployment_1,  
type=Application,node=mynode,  
Server=server1,process=  
server1,J2EEName=adminconsole  
WebSphere:cell=mycell,name=  
filetransfer,mbeanIdentifier  
=deployment.xml#Application  
Deployment_1,type=Application,  
node=mynode,Server=server1,  
process=server1,J2EEName=  
filetransfer
```

- Stop all the running applications.

Using JACL:

```
foreach app $apps {
    set appName [$AdminControl
getAttribute $app name]
    $AdminControl invoke
$appManager stopApplication
$appName
}
```

5.1+ Using Jython:

```
for app in apps:
    appName = AdminControl.
getAttribute(app, 'name')
    AdminControl.invoke
(appManager, 'stopApplication',
appName)
```

This command stops all the running applications by invoking the stopApplication operation on the MBean, passing in the application name to stop.

.

Example: Querying application state using wsadmin

The following examples queries for the presence of Application MBean to find out whether the application is running.

Using JACL:

```
$AdminControl
completeObjectName
type=Application,
name=myApplication,*
```

5.1+ Using Jython:

```
print AdminControl.
completeObjectName
('type=Application,
name=myApplication,*)
```

If myApplication is running, then there should be an MBean created for it. Otherwise, the command returns nothing. If myApplication is running, the following is the example output:

```
WebSphere:cell=mycell,
name=myApplication,
mbeanIdentifier=cells/
mycell/applications/
myApplication.ear/
deployments/
myApplication/
deployment.xml#
ApplicationDeployment_1,
type=Application,node=
mynode,Server=dmgr,
process=dmgr,
J2EEName=myApplication
```

Example: Updating the Web server plug-in configuration files using wsadmin

This examples regenerates the Web server plug-in configuration file.

- Identify the Web server plug-in configuration file generator MBean and assign it to the pluginGen variable.

Using Jacl:

```
set pluginGen
[$AdminControl
completeObjectName
type=PluginCfgGenerator,*]
```

5.1+ Using Jython:

```
pluginGen = AdminControl.
completeObjectName
('type=PluginCfgGenerator,*')
print pluginGen
```

Example output:

```
WebSphere:cell=pongoNetwork,
name=PluginCfgGenerator,
mbeanIdentifier=PluginCfg
Generator,type=PluginCfg
Generator,node=pongoManager
,process=dmgr
```

- Generate the updated plug-in configuration file.

Using Jacl:

```
$AdminControl invoke
$pluginGen generate
"c:/WebSphere/Deployment
Manager c:/WebSphere/
DeploymentManager/config
mycell null null
plugin-cfg.xml"
```

5.1+ Using Jython:

```
AdminControl.invoke
(pluginGen, 'generate',
"c:/WebSphere/Deployment
Manager c:/WebSphere/
DeploymentManager/config
mycell null null
plugin-cfg.xml")
```

This example command assumes a Windows system install. It invokes the generate operation on the MBean, passing in the install root directory, configuration root directory, cell name, node name, server name, and output file name. To pass in null as the value of an argument, enter null as given in the example. This is provided for operation that allows null as the value of its argument and processes null differently from an empty string. In this example, both node and server are set to null. The generate operation generates plug-in configuration for all the nodes and servers resided in the cell. The output file plugin-cfg.xml is created in the config root directory.

You can modify this example command to generate plug-in configuration for a particular node or server by specifying the node and server names.

Managing applications with scripting

Application management scripts use the AdminApp object to manage applications in the application server configuration. You can use the AdminApp object to install and uninstall applications, list installed applications, edit application configurations and obtain help. It is important to save application configuration changes because the application configuration information is part of the server configuration.

1. Decide how you want to execute the script. If you want to run the script immediately from the command line, enter it surrounded by quotes as a parameter to the **wsadmin -c** command. To save the script for repeated use, compose it in a file and execute it with the **wsadmin -f** command. If you want to compose and run the script interactively, issue the **wsadmin** command without the -c or -f flags. For more information about executing scripts, see Launching scripting clients.
2. Write an AdminApp script command statement to perform a task, for example:

Using Jacl:

```
$AdminApp command
```

5.1+ Using Jython:

```
AdminApp.command()
```

3. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Related concepts

“Jacl” on page 33

Related reference

“AdminApp object for scripted administration” on page 48

Installing applications with the wsadmin tool

Steps for using the AdminApp object commands to install an application into the run time follow:

1. Invoke the AdminApp object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Issue one of the following commands:

The following command uses the EAR file and the command option information to install the application:

Using Jacl:

```
$AdminApp install c:/MyStuff/application1.ear {-server serv2}
```

5.1+ Using Jython list:

```
AdminApp.install('c:/MyStuff/application1.ear', ['-server' 'serv2'])
```

5.1+ Using Jython string:

```
AdminApp.install('c:/MyStuff/application1.ear', '[-server serv2]')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object supporting application object management
install	is an AdminApp command
c:/MyStuff/application1.ear	is the name of the application to install
server	is an installation option
serv2	is the value of the server option

The following command changes the application information by prompting you through a series of installation tasks:

Using Jacl:

```
$AdminApp installInteractive c:/MyStuff/application1.ear
```

5.1+ Using Jython:

```
AdminApp.installInteractive('c:/MyStuff/application1.ear')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object allowing application objects to be managed
installInteractive	is an AdminApp command
c:/MyStuff/application1.ear	is the name of the application to install

In a Network Deployment environment only, the following command uses the EAR file and the command option information to install the application on a cluster:

Using Jacl:

```
$AdminApp install c:/MyStuff/application1.ear {-cluster cluster1}
```

5.1+ Using Jython list:

```
AdminApp.install('c:/MyStuff/application1.ear', ['-cluster' 'cluster1'])
```

5.1+ Using Jython string:

```
AdminApp.install('c:/MyStuff/application1.ear', '[-cluster cluster1]')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
----	--

AdminApp	is an object allowing application objects to be managed
install	is an AdminApp command
c:/MyStuff/application1.ear	is the name of the application to install
cluster	is an installation option
cluster1	is the value of the server option

3. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Related reference

"Example: Identifying supported tasks and options for an Enterprise Archive file" on page 271

"Example: Obtaining task information while installing applications" on page 269

"Example: Listing the modules in an installed application" on page 265

Installing stand-alone Java archive and Web archive files with the wsadmin tool

Use the AdminApp object commands to install Java archive (JAR) and Web archive (WAR) files. The archive file must end in .jar or .war for the wsadmin tool to install. The wsadmin tool uses these extensions to figure out the archive type.

1. Invoke the AdminApp object commands interactively, in a script, or use wsadmin -c from an operating system command prompt.
2. Issue one of the following commands:

The following command uses the EAR file and the command option information to install the application:

Using Jacl:

```
$AdminApp install c:/MyStuff/mymodule1.jar {-server serv2}
```

5.1+ Using Jython list:

```
AdminApp.install('c:/MyStuff/mymodule1.jar', '[-server serv2]')
```

5.1+ Using Jython string:

```
AdminApp.install('c:/MyStuff/mymodule1.jar', ['-server' 'serv2'])
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object supporting application management

<code>install</code>	is an AdminApp command
<code>c:/MyStuff/mymodule1.jar</code>	is the name of the application that will be installed
<code>server</code>	is an installation option
<code>serv2</code>	is the value of the server option

The following command allows you to change the application information by prompting you through a series of installation tasks:

Using Jacl:

```
$AdminApp installInteractive c:/MyStuff/mymodule1.jar
```

5.1+ Using Jython:

```
AdminApp.installInteractive('c:/MyStuff/mymodule1.jar')
```

where:

<code>\$</code>	is a Jacl operator for substituting a variable name with its value
<code>AdminApp</code>	is an object allowing application objects to be managed
<code>installInteractive</code>	is an AdminApp command
<code>c:/MyStuff/mymodule1.jar</code>	is the name of the application that will be installed

3. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the `reset` command of the `AdminConfig` object to undo changes that you made to your workspace since your last save.

Listing applications with the wsadmin tool

Use the `AdminApp` object commands to create a list of installed applications.

1. Invoke the `AdminApp` object commands interactively, in a script, or use the `wsadmin -c` command from an operating system command prompt.
2. Query the configuration and create a list, by issuing the following command:

Using Jacl:

```
$AdminApp list
```

5.1+ Using Jython:

```
AdminApp.list()
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object allowing application objects management
list	is an AdminApp command

The following is example output:

```
DefaultApplication
SampleApp
app1serv2
```

Related reference

“AdminApp object for scripted administration” on page 48

Editing application configurations with the wsadmin tool

1. Invoke the AdminApp object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Issue one of the following commands:

The following command uses the installed application and the command option information to edit the application:

Using Jacl:

```
$AdminApp edit app1 {options}
```

5.1+ Using Jython list:

```
AdminApp.edit('app1', ['options'])
```

5.1+ Using Jython string:

```
AdminApp.edit('app1', '[options]')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object allowing application objects management
edit	is an AdminApp command
app1	is the name of the application to edit
{options}	is a list of edit options and tasks similar to the ones for the install command

The following command changes the application information by prompting you through a series of editing tasks:

Using Jacl:

```
$AdminApp editInteractive app1
```

5.1+ Using Jython:

```
AdminApp.editInteractive('app1')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object allowing application objects management
editInteractive	is an AdminApp command
<i>app1</i>	is the name of the application to edit

3. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Uninstalling applications with the wsadmin tool

1. Invoke the AdminApp object commands interactively, in a script, or use the **wsadmin -c** command from an operating system command prompt.
2. Issue the following command:

Using Jacl:

```
$AdminApp uninstall application1
```

5.1+ Using Jython:

```
AdminApp.uninstall('application1')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminApp	is an object supporting application objects management
uninstall	is an AdminApp command
<i>application1</i>	is the name of the application to uninstall

Note: Specify the name of the application you want to uninstall, not the name of the Enterprise ARchive (EAR) file.

3. Save the configuration changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Use the **reset** command of the AdminConfig object to undo changes that you made to your workspace since your last save.

Uninstalling an application removes it from the WebSphere Application Server configuration and from all the servers that the application was installed on. The application binaries (EAR file contents) are deleted from the installation directory. This occurs when the configuration is saved for single server WebSphere Application Server editions or when the configuration changes are synchronized from deployment manager to the individual nodes for network deployment configurations.

Application management examples with wsadmin

There are examples that illustrate how to manage applications using wsadmin. Use these examples to see how to install, identify, configure and uninstall applications and application modules with the AdminApp object. Basic knowledge of the syntax for the Jacl scripting language is helpful in order to understand and modify the examples.

Example: Listing the modules in an installed application

Use the AdminApp object **listModules** command to list the modules in an installed application. For example, invoke the following command interactively in a script, or use wsadmin -c from an operating system command prompt:

Using Jacl:

```
$AdminApp listModules  
DefaultApplication -server
```

5.1+ Using Jython:

```
print AdminApp.listModules  
('DefaultApplication')
```

Example output:

```
DefaultApplication#  
IncCMP11.jar+META-INF/  
ejb-jar.xml#WebSphere:  
cell=mycell,node=  
mynode,server=myserver  
DefaultApplication#  
DefaultWebApplication.  
war+WEB-INF/web.xml#  
WebSphere:cell=mycell,  
node=mynode,server=myserver
```

Example: Listing the modules in an application server: The following example lists all modules on all enterprise applications installed on server1 in node1:

Note: * means that the module is installed on server1 node node1 and other node and/or server.

+ means that the module is installed on server1 node node1 only means that the module is not installed on server1 node node1.

```
1 #-----  
2 # setting up variables to keep server name and node name  
3 #-----  
4 set serverName server1  
5 set nodeName node1  
6 #-----  
7 # setting up 2 global lists to keep the modules  
8 #-----  
9 set ejbList {}  
10 set webList {}
```

```

11
12 #-----
13 # gets all deployment objects and assigned it to deployments variable
14 #-----
15 set deployments [$AdminConfig getid /Deployment:/]
16
17 #-----
18 # lines 22 thru 148 Iterates through all the deployment objects to get the modules
19 # and perform filtering to list application that has at least one module installed
20 # in server1 in node myNode
21 #-----
22 foreach deployment $deployments {
23
24     # -----
25     # reset the lists that hold modules for each application
26     #-----
27     set webList {}
28     set ejbList {}
29
30     #-----
31     # get the application name
32     #-----
33     set appName [lindex [split $deployment () 0]
34
35     #-----
36     # get the deployedObjects
37     #-----
38     set depObject [$AdminConfig showAttribute $deployment deployedObject]
39
40     #-----
41     # get all modules in the application
42     #-----
43     set modules [lindex [$AdminConfig showAttribute $depObject modules] 0]
44
45     #-----
46     # initialize lists to save all the modules in the appropriate list to where they belong
47     #-----
48     set modServerMatch {}
49     set modServerMoreMatch {}
50     set modServerNotMatch {}
51
52     #
53     # lines 55 to 112 iterate through all modules to get the targetMappings
54     #
55     foreach module $modules {
56         #
57         # setting up some flag to do some filtering and get modules for server1 on node1
58         #
59         set sameNodeSameServer "false"
60         set diffNodeSameServer "false"
61         set sameNodeDiffServer "false"
62         set diffNodeDiffServer "false"
63
64         #
65         # get the targetMappings
66         #
67         set targetMaps [lindex [$AdminConfig showAttribute $module targetMappings] 0]
68
69         #
70         # lines 72 to 111 iterate through all targetMappings to get the target
71         #
72         foreach targetMap $targetMaps {
73             #
74             # get the target
75             #
76             set target [$AdminConfig showAttribute $targetMap target]
77

```

```

78      #-----
79      # do filtering to skip ClusteredTargets
80      #-----
81      set targetName [lindex [split $target #] 1]
82      if {[regexp "ClusteredTarget" $targetName] != 1} {
83          set sName [$AdminConfig showAttribute $target name]
84          set nName [$AdminConfig showAttribute $target nodeName]
85
86          #-----
87          # do the server name match
88          #-----
89          if {$sName == $serverName} {
90              if {$nName == $nodeName} {
91                  set sameNodeSameServer "true"
92              } else {
93                  set diffNodeSameServer "true"
94              }
95          } else {
96              #-----
97              # do the node name match
98              #-----
99              if {$nName == $nodeName} {
100                  set sameNodeDiffServer "true"
101              } else {
102                  set diffNodeDiffServer "true"
103              }
104          }
105
106         if {$sameNodeSameServer == "true"} {
107             if {$sameNodeDiffServer == "true" || $diffNodeDiffServer == "true" || $di
108                 break
109             }
110         }
111     }
112 }
113
114 #-----
115 # put it in the appropriate list
116 #-----
117 if {$sameNodeSameServer == "true"} {
118     if {$diffNodeDiffServer == "true" || $diffNodeSameServer == "true" || $sameNodeDiffSe
119         set modServerMoreMatch [linsert $modServerMoreMatch end [$AdminConfig showAttrib
120     } else {
121         set modServerMatch [linsert $modServerMatch end [$AdminConfig showAttribute $mod
122     }
123 } else {
124     set modServerNotMatch [linsert $modServerNotMatch end [$AdminConfig showAttribute $mo
125 }
126 }
127
128
129 #-----
130 # print the output with some notation as a mark
131 #-----
132 if {$modServerMatch != {} || $modServerMoreMatch != {}} {
133     puts stdout "\tApplication name: $appName"
134 }
135
136 #-----
137 # do grouping to appropriate module and print
138 #-----
139 if {$modServerMatch != {}} {
140     filterAndPrint $modServerMatch "+"
141 }
142 if {$modServerMoreMatch != {}} {
143     filterAndPrint $modServerMoreMatch "*"
144 }

```

```

145 if {($modServerMatch != {} || $modServerMoreMatch != {}) "" $modServerNotMatch != {}} {
146     filterAndPrint $modServerNotMatch ""
147 }
148}
149
150
151 proc filterAndPrint {lists flag} {
152     global webList
153     global ejbList
154     set webExists "false"
155     set ejbExists "false"
156
157 #
158 # If list already exists, flag it so as not to print the title more then once
159 # and reset the list
160 #
161 if {$webList != {}} {
162     set webExists "true"
163     set webList {}
164 }
165 if {$ejbList != {}} {
166     set ejbExists "true"
167     set ejbList {}
168 }
169
170 #
171 # do some filtering for web modules and ejb modules
172 #
173 foreach list $lists {
174     set temp [lindex [split $list .] 1]
175     if {$temp == "war"} {
176         set webList [linsert $webList end $list]
177     } elseif {$temp == "jar"} {
178         set ejbList [linsert $ejbList end $list]
179     }
180 }
181
182 #
183 # sort the list before printing
184 #
185 set webList [lsort -dictionary $webList]
186 set ejbList [lsort -dictionary $ejbList]
187
188 #
189 # print out all the web modules installed in server1
190 #
191 if {$webList != {}} {
192     if {$webExists == "false"} {
193         puts stdout "\t\tWeb Modules:"
194     }
195     foreach web $webList {
196         puts stdout "\t\t\t$web $flag"
197     }
198 }
199
200 #
201 # print out all the ejb modules installed in server1
202 #
203 if {$ejbList != {}} {
204     if {$ejbExists == "false"} {
205         puts stdout "\t\tEJB Modules:"
206     }
207     foreach ejb $ejbList {
208         puts stdout "\t\t\t$ejb $flag"
209     }
210 }
211}

```

```

Example output for server1 on node node1:
Application name: TEST1
    EJB Modules:
        deplmtest.jar +
    Web Modules:
        mtcomps.war *
Application name: TEST2
    Web Modules:
        mtcomps.war +
    EJB Modules:
        deplmtest.jar +
Application name: TEST3
    Web Modules:
        mtcomps.war *
    EJB Modules:
        deplmtest.jar *
Application name: TEST4
    EJB Modules:
        deplmtest.jar *
    Web Modules:
        mtcomps.war

```

Related reference

"Example: Listing the modules in an installed application" on page 265

Example: Obtaining task information while installing applications

The `installInteractive` command of the `AdminApp` object prompts you through a series of tasks when you install an application. You are presented with the title of the task, a description of the task, and the current contents of the task that you can modify.

- Use the `install` command instead of the `installInteractive` command, provide updates for each task, but you must provide all of the information on the command line. The task name specifies each task and the information you need to update the task. You can treat the task information as a two-dimensional array of string data. For example:

Using Jacl:

```

-taskname {{item1a
item2a item3a} {item1b
item2b item3b} ...}

```

5.1+ Using Jython:

```

["-taskname", [[{"item1a",
"item2a", "item3a"}, {"item1b",
"item2b", "item3b"}]]]

```

This example is a linear representation of rows and columns, where `{item1a item2a item3a}` represents the first row, and each row for the task name has three columns.

The number and type of the columns in this list depend on the task you specify.

- Obtain information about the data needed for each task using the `taskInfo` command of the `AdminApp` object. For example, there is a task called `MapWebModToVH` used to map Web modules to virtual hosts. To specify this task as part of the option string on the command line, enter the following:

Using Jacl:

```

-MapWebModToVH {"JavaMail
Sample WebApp" mtcomps.war,
WEB-INF/web.xml default_host{}}

```

5.1+ Using Jython:

```
["-MapWebModToVH",
[["JavaMail Sample WebApp",
"mtcomps.war,WEB-INF/web.xml",
default_host"]]]
```

Example Jacl output:

```
WASX7278I: Generated
command line: install
c:/websphere/appserver/
installableapps/
jmsample.ear
{-BindJndiForEJBNon
MessageBinding
{{deplmtest.jar
MaileJBObject deplmtest.
jar,META-INF/ejb-jar.xml
ejb/JMSampEJB1 }}
-MapResRefToEJB
{{deplmtest.jar
MaileJBObject
deplmtest.jar,META-INF/
ejb-jar.xml mail/
MailSession9
javax.mail.Session mail/
DefaultMailSessionX }
{"JavaMail Sample WebApp"
mtcomps.war,
WEB-INF/web.xml
mail/MailSession9
javax.mail.Session mail/
DefaultMailSessionY }}
-MapWebModToVH
{{"JavaMail
Sample WebApp"
mtcomps.war,WEB-INF/
web.xml newhost }}
-nopreCompileJSPs
-novalidateApp -installed.
ear.destination
c:/mylocation
-distributeApp
-nouseMetaDataFromBinary}
```

5.1+ Example Jython output:

```
WASX7278I: Generated
command line: install
c:/websphere/appserver/
installableapps/
jmsample.ear
'[-BindJndiForEJB
NonMessageBinding
[[deplmtest.jar
MaileJBObject
deplmtest.jar,META-INF/
ejb-jar.xml ejb/JMSampEJB1 ]]
-MapResRefToEJB
[[deplmtest.jar MaileJBObject
deplmtest.jar,META-INF/
ejb-jar.xml mail/
MailSession9
javax.mail.Session
mail/DefaultMailSessionX ]
["JavaMail Sample
```

```

WebApp" mtcomps.
war,WEB-INF/web.xml
mail/MailSession9
javax.mail.Session mail/
DefaultMailSessionY ]]
-MapWebModToVH
[["JavaMail Sample
WebApp"
mtcomps.war,WEB-INF/
web.xml newhost ]]
-nopreCompileJSPs
-novalidateApp
-installed.ear.destination
c:/mylocation
-distributeApp
-nouseMetaDataFromBinary]

```

Using the **taskInfo** command, you can see which of the items you can change for a task. Supply the columns for each row you modify, and the columns that you are not allowed to change must match one of the existing rows. In this case, **taskInfo** tells you that there are three items in each row, called *webModule*, *uri*, and *virtualHost* and the current column values for every row.

- Obtain help while creating complex installation commands, by using a feature of the **installInteractive** command. Install the application interactively once and specify the updates that you need. Then look for message WASX7278I in the output log for the wsadmin tool. You can cut and paste the data in this message into a script, and modify it. For example:

```

WASX7278I: Generated
command line: install
c:/websphere/appserver/
installableapps/jmsample.ear
{-BindJndiForEJBNon
MessageBinding {{deplmtest.
jar MailEJBObject deplmtest.
jar,META-INF/ejb-jar.xml
ejb/JMSampEJB1 }}
-MapResRefToEJB
{{deplmtest.jar
MailEJBObject deplmtest.
jar,META-INF/ejb-jar.xml
mail/MailSession9
javax.mail.Session mail/
DefaultMailSessionX }
{"JavaMail Sample WebApp"
mtcomps.war,WEB-INF/
web.xml
mail/MailSession9
javax.mail.Session
mail/DefaultMailSessionY }}
-MapWebModToVH {"JavaMail
Sample WebApp"
mtcomps.war,WEB-INF/web.
xml newhost }}
-nopreCompileJSPs
-novalidateApp -installed.
ear.destination
c:/mylocation -distributeApp
-nouseMetaDataFromBinary}

```

Example: Identifying supported tasks and options for an Enterprise Archive file

The AdminApp object **install** command supports a set of options and tasks. The following examples use the AdminApp object to obtain a list of supported tasks and options for an Enterprise Archive (EAR) file:

- To identify supported options and tasks, use the AdminApp object **options** command:

Using Jacl:

```
$AdminApp options c:/MyStuff/myapp1.ear
```

5.1+ Using Jython:

```
AdminApp.options('c:/MyStuff/myapp1.ear')
```

This command displays a list of tasks and options.

- To identify supported options only, use the following command:

Using Jacl:

```
$AdminApp options
```

5.1+ Using Jython:

```
AdminApp.options()
```

- To learn more about any of the tasks or options, use the AdminApp object **help** command. For example:

Using Jacl:

```
$AdminApp help deployejb
```

5.1+ Using Jython:

```
AdminApp.help('deployejb')
```

Example: Configuring applications for enterprise bean modules using the wsadmin tool

You can use the AdminApp object to set configurations in an application. Some configuration settings are not available through the AdminApp object. This example uses the AdminConfig object to configure enterprise bean modules for all the JARs in the application.

- Get the deployment object for the application and assign it to the deployments variable:

Using Jacl:

```
set deployments
[$AdminConfig getid
/Deployment:myApp/]
```

5.1+ Using Jython:

```
deployments =
AdminConfig.getid
('/Deployment:myApp/')
print deployments
```

Example output:

```
myApp(cells/mycell/
applications/myApp.
ear/deployments/
myApp:deployment.
xml#Deployment_1)
```

- Get all the modules in the application and assign it to the modules variable:

Using Jacl:

```

set deploymentObject
[$AdminConfig showAttribute
$deployments deployedObject]
set modules
[$AdminConfig showAttribute
$deploymentObject modules]

```

Example output:

```

(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
WebModuleDeployment_1)
(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleDeployment_1)
(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleDeployment_2)

```

5.1+ Using Jython:

```

deploymentObject =
AdminConfig.showAttribute
(deployments, 'deployedObject')
print modules =
AdminConfig.showAttribute
(deploymentObject, 'modules')

```

5.1+ Example output:

```

[(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
WebModuleDeployment_1)
(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleDeployment_1)
(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleDeployment_2)]

```

- Create an enterprise bean module configuration object for each JAR and set the timeout attribute:

Using Jacl:

```

foreach module
$modules {
    if ([regexp
EJBModuleDeployment
$module] == 1) {
        $AdminConfig
create EJBModule
Configuration $module
{{name myejbModuleConfig}
{description "EJB
Module Config post
created"}
{enterpriseBeanConfigs:
StatefulSessionBeanConfig

```

```

    {{{ejbName myejb}
    {timeout 10000}}}}
}
}

```

5.1+ Using Jython:

```

arrayModules = modules
[1:len(modules)-1].
split(" ")
for module in
arrayModules:
    if module.find
('EJBModuleDeployment')
!= -1:
        AdminConfig.
create('EJBModule
Configuration', module,
[['name', 'myejbModule
Config'], ['description',
"EJB Module Config post
created"], ['enterprise
BeanConfigs:Stateful
SessionBeanConfig',
[[['ejbName', 'myejb'],
['timeout', 10000]]]]])

```

You can modify this example to set other attributes for the enterprise bean module configuration.

Example output:

```

myejbModuleConfig(cells/
mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleConfiguration_1)

```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Disabling application loading in deployed targets using wsadmin

The following example uses the AdminConfig object to disable application loading in deployed targets:

- Obtain the deployment object for the application and assign it to the deployments variable, for example:

Using Jacl:

```
set deployments
[$AdminConfig getid
/Deployment:myApp/]
```

5.1+ Using Jython:

```
deployments =
AdminConfig.getid
("/Deployment:myApp/")
```

Example output:

```
myApp(cells/mycell/
applications/myApp.
ear/deployments/
myApp:deployment.
xml#Deployment_1)
```

- Obtain the target mappings in the application and assign them to the `targetMappings` variable, for example:

Using Jacl:

```
set deploymentObject
[$AdminConfig
showAttribute
$deployments deployedObject]
set targetMappings
[lindex [$AdminConfig
showAttribute
$deploymentObject
targetMappings] 0]
```

Example output:

```
(cells/mycell/applications/
ivtApp.ear/deployments/
ivtApp:deployment.xml#
DeploymentTargetMapping_1)
```

5.1+ Using Jython:

```
deploymentObject =
AdminConfig.
showAttribute
(deployments,
'deployedObject')
targetMappings =
AdminConfig.
showAttribute
(deploymentObject,
'targetMappings')
targetMappings =
targetMappings[1:len
(targetMappings)-1].
split(" ")
print targetMappings
```

5.1+ Example output:

```
['(cells/mycell/
applications/ivtApp.
ear/deployments/
ivtApp:deployment.
xml#DeploymentTarget
Mapping_1)']
```

- Disable the loading of the application on each deployed target, for example:

Using Jacl:

```
foreach tm
$targetMappings {
    $AdminConfig
modify $tm
{{enable false}}
}
```

5.1+ Using Jython:

```

for targetMapping
in targetMappings:
    AdminConfig.
modify(targetMapping,
[["enable", "false"]])
• Save the changes with the following command:
Using Jacl:
$AdminConfig save

```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Configuring applications for session management using the wsadmin tool

You can use the AdminApp object to set configurations in an application. Some configuration settings are not available through the AdminApp object. This example uses the AdminConfig object to configure session manager for the application.

- Identify the deployment configuration object for the application and assign it to the deployment variable:

Using Jacl:

```
set deployment
[$AdminConfig getid
/Deployment:myApp/]
```

5.1+ Using Jython:

```
deployment = AdminConfig.
getid('/Deployment:myApp/')
print deployment
```

Example output:

```
myApp(cells/mycell/
applications/myApp.ear
/deployments/myApp:
deployment.xml#Deployment_1)
```

- Retrieve the application deployment and assign it to the appDeploy variable:

Using Jacl:

```
set appDeploy [$AdminConfig
showAttribute $deployment
deployedObject]
```

5.1+ Using Jython:

```
appDeploy = AdminConfig.
showAttribute(deployment,
'deployedObject')
print appDeploy
```

Example output:

```
(cells/mycell/applications/
myApp.ear/deployments/myApp:
deployment.xml#Application
Deployment_1)
```

- To obtain a list of attributes you can set for session manager, use the attributes command:

Using Jacl:

```
$AdminConfig attributes  
SessionManager
```

5.1+ Using Jython:

```
print AdminConfig.  
attributes('SessionManager')
```

Example output:

```
"accessSessionOn  
Timeout Boolean"  
  
"allowSerialized  
SessionAccess Boolean"  
"context Service  
Context@"  
"defaultCookie  
Settings Cookie"  
"enable Boolean"  
"enableCookies  
Boolean"  
"enableProtocol  
SwitchRewriting Boolean"  
"enableSSLTracking  
Boolean"  
"enableSecurity  
Integration Boolean"  
"enableUrlRewriting  
Boolean"  
"maxWaitTime Integer"  
"properties Property  
(TypedProperty)*"  
"sessionDRSPersistence  
DRSSettings"  
"sessionDatabasePersistence  
SessionDatabasePersistence"  
"sessionPersistenceMode  
ENUM(DATABASE, DATA-  
REPLICATION, NONE)"  
"tuningParams TuningParams"
```

- Set up the attributes for the session manager:

Using Jacl:

```
set attr1 [list  
enableSecurityIntegration  
true]  
set attr2 [list  
maxWaitTime 30]  
set attr3 [list  
sessionPersistenceMode NONE]  
set attrs [list  
$attr1 $attr2 $attr3]  
set sessionMgr  
[list sessionManagement $attrs]
```

5.1+ Using Jython:

```
attr1 = ['enable  
SecurityIntegration',  
'true']  
attr2 =  
['maxWaitTime', 30]  
attr3 = ['session  
PersistenceMode', 'NONE']
```

```

attrs = [attr1,
attr2, attr3]
sessionMgr =
[['sessionManagement', attrs]]

```

This example sets three top level attributes in the session manager. You can modify the example to set other attributes of session manager including the nested attributes in Cookie, DRSSettings, SessionDataPersistence, and TuningParms object types. To list the attributes for those object types, use the attribute command in AdminConfig object.

Example output using Jacl:

```

sessionManagement
{{enableSecurity
Integration true}
{maxWaitTime 30}
{sessionPersistenceMode
NONE}}

```

5.1+ Example output using Jython:

```

[[sessionManagement,
[[enableSecurityIntegration,
true], [maxWaitTime, 30],
[sessionPersistenceMode,
NONE]]]

```

- Create the session manager for the application:

Using Jacl:

```

$AdminConfig create
ApplicationConfig
$appDeploy [list
$sessionMgr]

```

5.1+ Using Jython:

```

print AdminConfig.
create('ApplicationConfig',
appDeploy, sessionMgr)

```

Example output:

```

(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
ApplicationConfig_1)

```

- Save the changes with the following command:

Using Jacl:

```

$AdminConfig save

```

5.1+ Using Jython:

```

AdminConfig.save()

```

-

Example: Configuring applications for session management in Web modules using the wsadmin tool

You can use the AdminApp object to set configurations in an application. Some configuration settings are not available through the AdminApp object. This example uses the AdminConfig object to configure session manager for Web module in the application.

- Identify the deployment configuration object for the application and assign it to the deployment variable:

Using Jacl:

```
set deployment [$AdminConfig
getid /Deployment:myApp/]
```

5.1+ Using Jython:

```
deployment = AdminConfig.
getid('/Deployment:myApp/')
print deployment
```

Example output:

```
myApp(cells/mycell/
applications/myApp.ear/
deployments/myApp:
deployment.xml#Deployment_1)
```

- Get all the modules in the application and assign it to the modules variable:

Using Jacl:

```
set appDeploy
[$AdminConfig
showAttribute $deployments
deployedObject]
set modules [$AdminConfig
showAttribute
$deploymentObject modules]
```

Example output:

```
(cells/mycell/applications
/myApp.ear/deployments/
myApp:deployment.xml#
WebModuleDeployment_1)
(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleDeployment_1)
(cells/mycell/applications
/myApp.ear/deployments/
myApp:deployment.xml#
WebModuleDeployment_2)
```

5.1+ Using Jython:

```
deploymentObject =
AdminConfig.showAttribute
(deployments,
'deployedObject')
print modules =
AdminConfig.showAttribute
(deploymentObject, 'modules')
```

5.1+ Example output:

```
[(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
WebModuleDeployment_1)
(cells/mycell/applications/
myApp.ear/deployments/
myApp:deployment.xml#
EJBModuleDeployment_1)]
```

```
(cells/mycell/applications/  
myApp.ear/deployments/  
myApp:deployment.xml#  
EJBModuleDeployment_2)]
```

- To obtain a list of attributes you can set for session manager, use the attributes command.:.

Using Jacl:

```
$AdminConfig attributes  
SessionManager
```

5.1+ Using Jython:

```
print AdminConfig.  
attributes('SessionManager')
```

Example output:

```
"accessSessionOn  
Timeout Boolean"  
"allowSerialized  
SessionAccess Boolean"  
"context ServiceContext@"  
"defaultCookie  
Settings Cookie"  
"enable Boolean"  
"enableCookies Boolean"  
"enableProtocol  
SwitchRewriting Boolean"  
"enableSSLTracking Boolean"  
"enableSecurity  
Integration Boolean"  
"enableUrlRewriting Boolean"  
"maxWaitTime Integer"  
"properties Property  
(TypedProperty)*"  
"sessionDRSPersistence  
DRSSettings"  
"sessionDatabase  
Persistence Session  
DatabasePersistence"  
"sessionPersistenceMode  
ENUM(DATABASE, DATA_-  
REPLICATION, NONE)"  
"tuningParams TuningParams"
```

- Set up the attributes for session manager:

Using Jacl:

```
set attr1 [list  
enableSecurity  
Integration true]  
set attr2 [list  
maxWaitTime 30]  
set attr3 [list  
sessionPersistence  
Mode NONE]  
set attr4 [list  
enabled true]  
set attrs [list  
$attr1 $attr2  
$attr3 $attr4]  
set sessionMgr  
[list session  
Management $attrs]
```

5.1+ Using Jython:

```

attr1 = ['enable
SecurityIntegration',
'true']
attr2 = ['maxWait
Time', 30]
attr3 = ['session
PersistenceMode',
'NONE']
attrs = [attr1,
attr2, attr3]
sessionMgr =
['sessionManagement',
 attrs]

```

This example sets four top level attributes in the session manager. You can modify the example to set other attributes in the session manager including the nested attributes in Cookie, DRSSettings, SessionDataPersistence, and TuningParms object types. To list the attributes for those object types, use the attribute command in AdminConfig object.

Example output using JACL:

```

sessionManagement
{{enableSecurity
Integration true}
{maxWaitTime 30}
{sessionPersistence
Mode NONE}
{enabled true}}

```

5.1+ Example output using Jython:

```

[sessionManagement,
[[enableSecurity
Integration, true],
[maxWaitTime, 30],
[sessionPersistence
Mode, NONE]]]

```

- Set up the attributes for Web module:

Using JACL:

```

set nameAttr [list
name myWebModuleConfig]
set descAttr [list
description "Web
Module config post
create"]
set webAttrs [list
$nameAttr $descAttr
$sessionMgr]

```

Example output:

```

{name myWebModule
Config} {description
{Web Module config
post create}}
{sessionManagement
{{enableSecurity
Integration true}
{maxWaitTime 30}
{sessionPersistence
Mode NONE}
{enabled true}}}

```

5.1+ Using Jython:

```
nameAttr = ['name',  
'myWebModuleConfig']  
descAttr = ['description',  
"Web Module config  
post create"]  
webAttrs = [nameAttr,  
descAttr, sessionMgr]
```

5.1+ Example output:

```
[[name, myWebModule  
Config], [description,  
"Web Module config  
post create"],  
[sessionManagement,  
[[enableSecurity  
Integration, true],  
[maxWaitTime, 30],  
[sessionPersistence  
Mode, NONE],  
[enabled, true]]]]
```

- Create the session manager for each Web module in the application:

Using Jacl:

```
foreach module $modules {  
    if ([regexp  
WebModuleDeployment  
$module] == 1) {  
        $AdminConfig  
create WebModuleConfig  
$module $webAttrs  
    }  
}
```

5.1+ Using Jython:

```
arrayModules = modules  
[1:len(modules)-1].  
split(" ")  
for module in  
arrayModules:  
    if module.find  
('WebModuleDeployment')  
!= -1:  
        AdminConfig.  
create('WebModuleConfig',  
module, webAttrs)
```

You can modify this example to set other attributes of session manager in Web module configuration.

Example output:

```
myWebModuleConfig  
(cells/mycell/  
applications/myApp.  
ear/deployments/  
myApp:deployment.  
xml#WebModule  
Configuration_1)
```

- Save the changes with the following command:

Using Jacl:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

Example: Exporting applications using the wsadmin tool

Exporting applications enables you to back them up and preserve their binding information. You can export your applications before you update installed applications or before you migrate to a different version of the WebSphere Application Server product.

- Export an enterprise application to a location of your choice, for example:

Using Jacl:

```
$AdminApp export app1 C:/mystuff/exported.ear
```

5.1+ Using Jython:

```
AdminApp.export('app1', 'C:/mystuff/exported.ear')
```

where *app1* is the name of the application that will be exported and *C:/mystuff/exported.ear* is the name of the file where the exported application will be stored.

- Export Data Definition Language (DDL) files in the enterprise bean module of an application to a destination directory, for example:

Using Jacl:

```
$AdminApp exportDDL app1 C:/mystuff
```

5.1+ Using Jython:

```
AdminApp.exportDDL('app1', 'C:/mystuff')
```

where *app1* is the name of the application whose DDL files will be exported and *C:/mystuff* is the name of the directory where the DDL files export from the application.

Example: Configuring a shared library for an application

You can use the AdminApp object to set certain configurations in the application. This example uses the AdminConfig object to configure a shared library for an application.

- Identify the shared library and assign it to the library variable.
 - To create a new shared library, perform the following steps:
 1. Identify the node and assign it to a variable, for example:

Using Jacl:

```
set node [$AdminConfig  
getid /Cell1:mycell1/  
Node:mynode/]
```

5.1+ Using Jython:

```
node = AdminConfig.  
getid('/Cell1:mycell1/  
Node:mynode/')  
print node
```

Example output:

```
mynode(cells/mycell1/  
nodes/mynode:node.  
xml#Node_1)
```

2. Create the shared library in the node, for example:

Using Jacl:

```
set library
[$AdminConfig
create Library
$node {{name
mySharedLibrary}
{classPath c:/
mySharedLibrary
Classpath}}]
```

5.1+ Using Jython:

```
library =
AdminConfig.create
('Library', node,
[['name', 'mySharedLibrary'],
['classPath', 'c:/
mySharedLibraryClasspath']])
print library
```

Example output:

```
MySharedLibrary(cells/
mycell/nodes/mynode:
libraries.xml#Library_1)
```

This example creates a new shared library in the node scope. You can modify it to use the cell or server scope.

- To use an existing shared library, issue the following command:

Using Jacl:

```
set library
[$AdminConfig getid
/Library:mySharedLibrary]
```

5.1+ Using Jython:

```
library = AdminConfig.
getid('/Library:
mySharedLibrary')
print library
```

Example output:

```
MySharedLibrary(cells/
mycell/nodes/mynode:
libraries.xml#Library_1)
```

- Identify the deployment configuration object for the application and assign it to the deployment variable:

Using Jacl:

```
set deployment
[$AdminConfig getid
/Deployment:myApp]
```

5.1+ Using Jython:

```
deployment = AdminConfig.
getid('/Deployment:myApp')
print deployment
```

Example output:

```
myApp(cells/mycell/
applications/myApp.
ear/deployments/myApp:
deployment.xml#
Deployment_1)
```

- Retrieve the application deployment and assign it to the appDeploy variable:

Using Jacl:

```
set appDeploy
[$AdminConfig
showAttribute
$deployment
deployedObject]
```

5.1+ Using Jython:

```
appDeploy =
AdminConfig.
showAttribute
(deployment,
'deployedObject')
print appDeploy
```

Example output:

```
(cells/mycell/
applications/
myApp.ear/deployments
/myApp:deployment.xml
#ApplicationDeployment_1)
```

- Identify the class loader in the application deployment and assign it to the classLoader variable:

Using Jacl:

```
set classLoader
[$AdminConfig
showAttribute
$appDeploy classloader]
```

5.1+ Using Jython:

```
classLoader =
AdminConfig.
showAttribute
(appDeploy, 'classloader')
print classLoader
```

Example output:

```
(cells/mycell/
applications/myApp.ear/
deployments/myApp:
deployment.xml#
Classloader_1)
```

- Associate the shared library in the application through the class loader:

Using Jacl:

```
$AdminConfig create
LibraryRef $classLoader
{{libraryName
MyshareLibrary}
{sharedClassloader true}}
```

5.1+ Using Jython:

```
print AdminConfig.  
create('LibraryRef',  
classLoader,  
[['libraryName',  
'MyshareLibrary'],  
['sharedClassloader',  
'true']])
```

Example output:

```
(cells/mycell/  
applications/myApp.  
ear/deployments/  
myApp:deployment.  
xml#LibraryRef_1)
```

- Save the changes:

Using JACL:

```
$AdminConfig save
```

5.1+ Using Jython:

```
AdminConfig.save()
```

wsadmin scripting environment

The wsadmin tool contains facilities so that you can manage and customize the scripting environment. You can make temporary alterations to the scripting environment with the following wsadmin command options:

- **-profile** - Use this option to run one or more script files after you start the scripting tool.

Profile files are wsadmin scripts that initialize variables and define functions for the mainline scripts executed with the wsadmin tool. You can specify multiple profile options. They are executed in the order listed.

- **-p** - Use this option to specify scripting properties defined in a file.

Edit one or more properties files to make more persistent alterations to the scripting environment. The wsadmin tool loads the following levels of properties files:

- The properties in the \$WAS_ROOT/properties/wsadmin.properties file.
- The properties in the \$user_home/wsadmin.properties file.
- The properties indicated by the WSADMIN_PROPERTIES file.
- Any properties files specified on the command line.

The properties files load in this order. The properties file loaded last takes precedence over the one loaded before it.

The properties files include specifications for the connection type, the port and host used when attempting a connection, the location where trace and logging output are directed, the temporary directory to access files while installing applications and modules, class path information to append to the list of paths to search for classes and resources, and so on.

- **-wsadmin_classpath** - Use this option to add class path information to the wsadmin class path.
- **-conntype** - Use this option to specify the type of connection between the scripting client and the server.
- **-javaoption** - Use this option to pass Java standard or non-standard options to start the scripting tool.

Related concepts

"Jacl" on page 33

wsadmin traces

The default properties file, `wsadmin.properties`, specifies that the tracing and logging information goes to the `wsadmin.traceout` file in the WebSphere logs directory.

It is recommended that trace output go to this or some other file. In the event of a script problem, you can examine this file for errors, or forward the file to IBM Support if necessary. The `wsadmin` tool also creates a log entry for each command you issue interactively or with the `-c` option, and logs the script names that the `-f` option invokes. If the `com.ibm.ws.scripting.traceString` property is set in the properties file, diagnostic information also logs to this file. If the `com.ibm.ws.scripting.traceFile` property is not set in the properties file, this information goes to the console.

You can turn on traces of the WebSphere Application Server code running inside the scripting process by either specifying the `com.ibm.ws.scripting.traceString` property, or by using the `AdminControl` object trace method. If IBM Support personnel direct you to turn on such a trace, the output also goes to the file specified by the `com.ibm.ws.scripting.traceFile` property, or to the console, if that property is not in effect. You should use the `trace` command and the `traceString` property for setting up client traces only.

Tracing operations with the wsadmin tool

1. Invoke the `AdminControl` object commands interactively, in a script, or use the `wsadmin -c` command from an operating system command prompt.
2. Enable tracing with the following command:

Using Jacl:

```
$AdminControl trace com.ibm.*=all=enabled
```

5.1+ Using Jython:

```
AdminControl.trace('com.ibm.*=all=enabled')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
trace	is an AdminControl command
com.ibm.*=all=enabled	indicates to turn on tracing

The following command disables tracing:

Using Jacl:

```
$AdminControl trace com.ibm.*=all=disabled
```

5.1+ Using Jython:

```
AdminControl.trace('com.ibm.*=all=disabled')
```

where:

\$	is a Jacl operator for substituting a variable name with its value
AdminControl	is an object that enables the manipulation of MBeans running in a WebSphere server process
trace	is an AdminControl command
com.ibm.*=all=disabled	indicates to turn off tracing

The trace command changes the trace settings for the current session. You can change this setting persistently by editing the wsadmin.properties file. The property com.ibm.ws.scripting.traceString is read by the launcher during initialization. If it has a value, the value is used to set the trace.

A related property, com.ibm.ws.scripting.traceFile, designates a file to receive all trace and logging information. The wsadmin.properties file contains a value for this property. Run the wsadmin tool with a value set for this property. It is possible to run without this property set, where all logging and tracing goes to the administrative console.

Related reference

"Example: Setting up profiles to make tracing easier when scripting" on page 243

"Example: Dumping threads in a server process" on page 242

Profiles and scripting

Scripting provides the capability to customize the environment in which scripts run by using the profile script. You can specify a profile in the following ways:

- Specify the **-profile** command option with wsadmin. You can specify more than one profile with the use of the multiple **-profile** option. The profile is invoked in the order given. An example on the Windows system follows:

Using Jacl:

```
wsadmin -profile c:\myprofile1.jacl -profile c:\myprofile2.jacl
```

myprofile1.jacl is run before myprofile2.jacl

5.1+ Using Jython:

```
wsadmin -lang jython -profile c:\myprofile1.py -profile c:\myprofile2.py
```

myprofile1.py is run before myprofile2.py

- Specify the profile scripts using the com.ibm.ws.scripting.profiles property in the properties file. You can specify multiple profiles by separating each profile script with a ;. The profiles are invoked in the order given. An example of this property in the Windows system follows:

Using Jacl:

```
com.ibm.ws.scripting.profiles=c:/myprofile1.jacl;c:/myprofile2.jacl
```

5.1+ Using Jython:

```
com.ibm.ws.scripting.profiles=c:/myprofile1.py;c:/myprofile2.py
```

If profile is set in both the **-profile** option and as a property in the properties file, the profiles listed in the property file are invoked before the profiles in the command option.

If profile is specified, the profile is run when the scripting process starts. Any command specified with the **-c** command option and script file specified with the **-f** command option runs after the profiles are executed. In this way, the command and script file can use anything set up by the profiles. If the scripting process brings up an interactive session, then any procedures and variables defined in the profiles are available to the interactive session.

Properties used by scripted administration

Specifies the Java properties used by scripting administration.

There are three levels of default property files that load before any property file specified on the command line. The first level represents an installation default, located in the WebSphere Application Server properties directory called `wsadmin.properties`. The second level represents a user default, and is located in the Java `user.home` property just as `.wscprc` was in the WebSphere Application Server V4.0. This properties file is also called `wsadmin.properties`. The third level is a properties file pointed to by the `WSADMIN_PROPERTIES` environment variable. This environment variable is defined in the environment where the `wsadmin` tool starts. If one or more of these property files is present, they are interpreted before any properties file present on the command line. These three levels of property files load in the order that they are specified. The properties file loaded last, overrides the ones loaded earlier.

The following Java properties are used by scripting:

com.ibm.ws.scripting.classpath

Searches for classes and resources, and is appended to the list of paths.

com.ibm.ws.scripting.connectionType

Determines the connector to use. This value can either be SOAP, RMI, or NONE. The `wsadmin.properties` file specifies SOAP as the connector.

com.ibm.ws.scripting.host

Determines the host to use when attempting a connection. If not specified, the default is the local machine.

com.ibm.ws.scripting.port

Specifies the port to use when attempting a connection. The `wsadmin.properties` file specifies 8879 as the SOAP port for a single server installation.

com.ibm.ws.scripting.defaultLang

Indicates the language to use when executing scripts. The `wsadmin.properties` file specifies Jacl as the scripting language.

5.1+ The supported scripting languages are Jacl and Jython. Other scripting languages that the Bean Scripting Framework (BSF) supports might work, but have not been tested.

com.ibm.ws.scripting.traceString

Turns on tracing for the scripting process. Tracing turned off is the default.

com.ibm.ws.scripting.traceFile

Determines where trace and log output is directed. The `wsadmin.properties` file specifies the `wsadmin.traceout` file located in the WebSphere Application Server properties directory as the value of this property.

If multiple users work with the wsadmin tool simultaneously, set different traceFile properties in the user properties files. If the file name contains double byte character set (DBCS) characters, use unicode format, such as \uxxxx, where xxxx is a number.

com.ibm.ws.scripting.validationOutput

Determines where the validation reports are directed. The default file is wsadmin.valout located in the WebSphere Application Server logs directory. If multiple users work with the wsadmin tool simultaneously, set different validationOutput properties in the user properties files. If the file name contains double byte character set (DBCS) characters, use unicode format, such as \uxxxx, where xxxx is a number.

com.ibm.ws.scripting.emitWarningForCustomSecurityPolicy

Controls whether message WASX7207W is emitted when custom permissions are found.

The possible values are true and false. The default value is true.

com.ibm.ws.scripting.tempdir

Determines the directory to use for temporary files when installing applications. The Java virtual machine API uses java.io.temp as the default value.

com.ibm.ws.scripting.validationLevel

Determines the level of validation to use when configuration changes are made from the scripting interface.

Possible values are: NONE, LOW, MEDIUM, HIGH, HIGHEST. The default is HIGHEST.

com.ibm.ws.scripting.crossDocumentValidationEnabled

Determines whether the validation mechanism examines other documents when changes are made to one document.

Possible values are true and false. The default value is true.

com.ibm.ws.scripting.profiles

Specifies a list of profiles to run automatically before running user commands, scripts, or an interactive shell.

5.1+ The wsadmin.properties file specifies securityProcs.jacl and LTPA_LDAPSecurityProcs.jacl as the values of this property. If Jython is specified with the wsadmin -lang option, wsadmin will perform conversion to change the profile names specified in this property to use file extension that matches the language specified. Use the default to make security configuration easier.

Java Management Extensions connectors

Use this page to view and change the configuration for Java Management Extensions (JMX) connectors.

To view this administrative console page, click one of the following paths:

- **Servers > Application Servers >server_name > Administration Services > JMX Connectors**
- **Servers > JMS Servers >server_name > Administration Services > JMX Connectors**

Java Management Extensions (JMX) connectors communicate with WebSphere Application Server when you invoke a scripting process. There is no default for the type and parameters of a connector. The wsadmin.properties file specifies the Simple Object Access Protocol (SOAP) connector and an appropriate port number. You can also use the Remote Method Invocation (RMI) connector.

Use one of the following methods to select the connector type and attributes:

- Specify properties in a properties file.
- Indicate options on the command line.

Type

Specifies the type of the JMX connector.

Data type	Enum
Default	SOAPConnector
Range	SOAPConnector For JMX connections using Simple Object Access Protocol (SOAP).
	RMIConnector For JMX connections using Remote Method Invocation (RMI).
	HTTPConnector For JMX connections using HTTP.
	JMSConnector For JMX connections using Java Messaging Service (JMS).

JMX connector settings

Use this page to view the configuration for a Java Management Extensions (JMX) connector.

To view this administrative console page, click one of the following paths:

- Servers > Application Servers >*server_name* > Administration Services > JMX Connectors >*connector_type*
- Servers > JMS Servers >*server_name* > Administration Services > JMX Connectors >*connector_type*

Type:

Specifies the type of the JMX connector.

Data type	Enum
Default	SOAPConnector
Range	SOAPConnector For JMX connections using Simple Object Access Protocol (SOAP).
	RMIConnector For JMX connections using Remote Method Invocation (RMI).
	HTTPConnector For JMX connections using HTTP.
	JMSConnector For JMX connections using Java Messaging Service (JMS).

Security and scripting

- Enabling and disabling security:

The wsadmin tool has two security related profiles by default that make security configuration easier. These profiles set up procedures that you can call to enable and disable security. The available procedures are:

securityon	turns global security on using LocalOS security
------------	---

<code>securityoff</code>	turns global security off
<code>LTPA_LDAPSecurityOn</code>	turns LTPA/LDAP global security on using the LDAP user registry
<code>LTPA_LDAPSecurityOff</code>	turns LTPA/LDAP global security off

Using Jacl, enter the **securityon help** command or **LTPA_LDAPSecurityOn help** command to find out the parameters required for these procedures. For the procedures that turn security off, no parameters are required.

5.1+ Using Jython, enter the **securityon('help')** command or **LTPA_LDAPSecurityOn('help')** command to find out the parameters required for these procedures. For the procedures that turn security off, no parameters are required.

- Supplying user and password information:

If you enable security for a WebSphere Application Server cell, you need to supply authentication information in order to communicate with servers.

You can specify user and password information on a wsadmin command line or the `sas.client.props` file located in the properties directory.

Use the **-user** and **-password** command options on the wsadmin tool to specify the user and password information.

The properties file updates required for running in secure mode will depend on whether a Remote Method Invocation (RMI) or Simple Object Access Protocol (SOAP) connector is being used to connect.

If you are using a Remote Method Invocation (RMI) connector, set the following properties in the `sas.client.props` file with the appropriate values:

```
com.ibm.CORBA.loginUserId=
com.ibm.CORBA.loginPassword=
```

Change the value of the following property from prompt to properties:

```
com.ibm.CORBA.loginSource=properties
```

The default value for this property is prompt in the `sas.client.props` file. If you leave the default value, a dialog box appears with a password prompt. If the script is running unattended, it will appear to hang.

If you are using a Simple Object Access Protocol (SOAP) connector, set the following properties in the `soap.client.props` file with the appropriate values:

```
com.ibm.SOAP.loginUserId=
com.ibm.SOAP.loginPassword=
com.ibm.SOAP.securityEnabled=true
```

There is no corresponding `com.ibm.SOAP.loginSource` property for a SOAP connector.

If you specify user and password information on a command line and in the properties file, the command line information will override the information in the properties file.

Scripting management examples with wsadmin

There are examples that illustrate how to customize the scripting environment using wsadmin. Basic knowledge of the syntax for the Jacl scripting language is helpful in order to understand and modify the examples.

Related reference

"Example: Setting up profiles to make tracing easier when scripting" on page 243

Example: Using the wsadmin tool in a secure environment

If you enable security for a WebSphere Application Server cell, supply authentication information to communicate with servers.

The nature of the properties file updates required for running in secure mode depend on whether you connect with a Remote Method Invocation (RMI) connector, or a Simple Object Access Protocol (SOAP) connector:

- If you use a Remote Method Invocation (RMI) connector, set the following properties in the sas.client.props file with the appropriate values:

```
com.ibm.CORBA.loginUserId=  
com.ibm.CORBA.loginPassword=
```

Also, set the following property:

```
com.ibm.CORBA.loginSource=properties
```

The default value for this property is prompt in the sas.client.props file. If you leave the default value, a dialog box appears with a password prompt. If the script is running unattended, it appears to hang.

- If you use a Simple Object Access Protocol (SOAP) connector, set the following properties in the soap.client.props file with the appropriate values:

```
com.ibm.SOAP.securityEnabled=true  
com.ibm.SOAP.loginUserId=  
com.ibm.SOAP.loginPassword=
```

To specify user and password information, choose one of the following methods:

- Specify user name and password on a command line, using the **-user** and **-password** commands. For example:
`wsadmin.sh -conntype RMI -port 2809 -user u1 -password secret1`
- Specify user name and password in the sas.client.props file for a RMI connector or the soap.client.props file for a SOAP connector.

If you specify user and password information on a command line and in the sas.client.props file or the soap.client.props file, the command line information overrides the information in the props file.

Example: Enabling and disabling LTPA_LDAP security with a profile using wsadmin

The following example calls the procedures set up by the default profile to enable and disable LTPA/LDAP security, based on single sign-on using LDAP user registry.

Enabling LTPA/LDAP global security:

- Use help to find out what arguments you need to provide:

Using Jacl:

```
LTPA_LDAPSecurityOn help
```

Example output:

```
Syntax: LTPA_LDAPSecurityOn server user password port domain
```

5.1+ Using Jython:

```
LTPA_LDAPSecurityOn('help')
```

5.1+ Example output:

Syntax: LTPA_LDAPSecurityOn(server, user, password, port, domain)

- Issue the call with the arguments provided to turn on LTPA/LDAP security:

Using Jacl:

```
LTPA_LDAPSecurityOn 1dpaServer1 user1 password1 660 ibm.com
```

5.1+ Using Jython:

```
LTPA_LDAPSecurityOn('1dpaServer1', 'user1', 'password1', '660', 'ibm.com')
```

Example output:

PLEASE READ BELOW:

Done with LTPA/LDAP security turning on process, now you need to restart all the processes to make it affected. Then you can start using the client with SOAP or RMI connector.

- If you use the SOAP connector to connect to the server, you need to modify the soap.client.props file in your <install_root>/properties directory.

Update as below for SOAP connector:

```
com.ibm.SOAP.securityEnabled=true  
com.ibm.SOAP.loginUserId=user1  
com.ibm.SOAP.loginPassword=password1
```

- If you use the RMI connector to connect to the server, you are prompted to enter the user ID and the password. If you want to bypass the login process, you can modify sas.client.props file in your <install_root>/properties directory. Update as below for RMI connector:

```
com.ibm.CORBA.loginSource=properties  
com.ibm.CORBA.loginUserId=user1  
com.ibm.CORBA.loginPassword=password1
```

Disabling LTPA/LDAP global security:

- Issue the following call to turn off LTPA/LDAP global security

Using Jacl:

```
LTPA_LDAPSecurityOff
```

5.1+ Using Jython:

```
LTPA_LDAPSecurityOff()
```

Example output:

LTPA/LDAP security is off now but you need to restart all the processes to make it affected.

wsadmin tool performance tips

The following performance tips are for the wsadmin tool:

- If the deployment manager is running at a higher fix pack level than the that of the node agent, you must run wsadmin.sh or wsadmin.bat from the bin directory of the deployment manager. See [Installing interim fixes and fix packs](#) for more information.
- When you launch a script using the wsadmin.bat or wsadmin.sh files, a new process is created with a new Java virtual machine (JVM) API. If you use scripting with multiple wsadmin -c commands from a batch file or a shell script, these commands execute slower than if you use a single wsadmin -f command. The -f option runs faster because only one process and JVM API are created for installation and the Java classes for the installation only load once.

The following example executes multiple application installation commands from a batch file:

Using Jacl:

```
wsadmin -c "$AdminApp install c:\\myApps\\App1.ear {-appname appl1}"
wsadmin -c "$AdminApp install c:\\myApps\\App2.ear {-appname appl2}"
wsadmin -c "$AdminApp install c:\\myApps\\App3.ear {-appname appl3}"
```

5.1+ Using Jython:

```
wsadmin -lang jython -c "AdminApp.install('c:\\myApps\\App1.ear', '[-appname appl1]')"
wsadmin -lang jython -c "AdminApp.install('c:\\myApps\\App2.ear', '[-appname appl2]')"
wsadmin -lang jython -c "AdminApp.install('c:\\myApps\\App3.ear', '[-appname appl3]')
```

Or, for example, using Jacl, you can create the following file, *appinst.jacl*, that contains the commands:

```
$AdminApp install c:\\myApps\\App1.ear {-appname appl1}
$AdminApp install c:\\myApps\\App2.ear {-appname appl2}
$AdminApp install c:\\myApps\\App3.ear {-appname appl3}
```

Then invoke this file using: `wsadmin -f appinst.jacl`

5.1+ Or, for example, using Jython, you can create the following file, *appinst.py*, that contains the commands:

```
AdminApp.install('c:\\myApps\\App1.ear', '[-appname appl1]')
AdminApp.install('c:\\myApps\\App2.ear', '[-appname appl2]')
AdminApp.install('c:\\myApps\\App3.ear', '[-appname appl3]')
```

Then invoke this file using: `wsadmin -lang jython -f appinst.py`

- Use the AdminControl queryNames and completeObjectName commands carefully with a large installation. For example, if there are only a few beans on a single machine, the `$AdminControl queryNames *` command performs well. If a scripting client connects to the deployment manager in a multiple machine environment, use a command only if it is necessary for the script to obtain a list of all the Mbeans in the system. If you need the Mbeans on a node, it is easier to invoke `"$AdminControl queryNames node=mynode,*"`. The JMX system management infrastructure forwards requests to the system to fulfill the first query, *. The second query, `node=mynode,*` is targeted to a specific machine.
- The WebSphere Application Server is a distributed system, and scripts perform better if you minimize remote requests. If some action or interrogation is required on several items, for example, servers, it is more efficient to obtain the list of items once and iterate locally. This procedure applies to actions that the AdminControl command performs on running MBeans, and actions that the AdminConfig command performs on configuration objects.

Chapter 6. Welcome to Commands

Command line tools are simple programs that you run from an operating system command line prompt to perform specific tasks, as opposed to general purpose administration. Using the tools, you can start and stop application servers, check server status, add or remove nodes, and complete similar tasks.

Chapter 7. Managing using command line tools

There are several command line tools that you can use to start, stop, and monitor WebSphere server processes and nodes. These tools only work on local servers and nodes. They cannot operate on a remote server or node. To administer a remote server, you can use the wsadmin scripting program connected to the deployment manager for the cell in which the target server or node is configured. See Deploying and managing using scripting for more information about using the wsadmin scripting program. You can also use the V5 administrative console which runs in the deployment manager for the cell. For more information about using the administrative console, see Deploying and managing with the GUI.

To manage using command line tools, perform the following steps:

1. Open a system command prompt.
2. Change to the bin directory.
3. Run the command.

The command executes the requested function and displays the results on the screen. Refer to the command log file for additional information. When you use the -trace option for the command, the additional trace data is captured in the command log file. The directory location for the log files is under the default system log root directory, except for commands related to a specific server instance, in which case the log directory for that server is used. You can override the default location for the command log file using the -logfile option for the command.

Example: Security and the command line tools

If you want to enable WebSphere Application Server security, you need to provide the command line tools with authentication information. Without authentication information, the command line tools receive an AccessDenied exception when you attempt to use them with security enabled. There are multiple ways to provide authentication data:

- Most command line tools support a -username and -password option for providing basic authentication data. Specify the user ID and password for an administrative user. For example, you can use a member of the administrative console users with operator or administrator privileges, or the administrative user ID configured in the user registry. The following example demonstrates the **stopNode** command, which specifies command line parameters:
`stopNode -username adminuser -password adminpw`
- You can place the authentication data in a properties file that the command line tools read. The default file for this data is the **sas.client.props** file in the properties directory for the WebSphere Application Server.

startServer command

The **startServer** command reads the configuration file for the specified application server and starts the server. Depending on the options you specify, you can launch a new Java virtual machine (JVM) API to run the server process, or write the launch command data to a file. You can run this command from the **install_root/bin** directory of a WebSphere Application Server installation, or a Network Deployment installation.

```
startServer server [options]
```

where *server* is the name of the application server you want to start. This argument is required.

Parameters

The following options are available for the **startServer** command:

-nowait

Tells the **startServer** command not to wait for successful initialization of the launched server process.

-quiet

Suppresses the progress information that the **startServer** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information is written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information to the log file for debugging purposes.

-timeout <seconds>

Specifies the waiting time before server initialization times out and returns an error.

-statusport <portNumber>

Specifies that an administrator can set the port number for server status callback.

-script [<script fileName>] -background

Generates a launch script with the **startServer** command instead of launching the server process directly. The launch script name is an optional argument. If you do not supply the launch script name, the default script file name is `start_<server>` based on the `<server>` name passed as the first argument to the **startServer** command. The **-background** parameter is an optional parameter that specifies that the generated script will run in the background when you execute it.

-J <java_option>

Specifies options to pass through to the Java interpreter.

-help

Prints a usage statement.

-?

Prints a usage statement.

The following examples demonstrate correct syntax:

```
startServer server1
```

```
startServer server1 -script (produces the start_server1.sh or .bat files)
```

```
startServer server1 -trace (produces the startserver.log file)
```

stopServer command

The **stopServer** command reads the configuration file for the specified server process. This command sends a Java Management Extensions (JMX) command to the server telling it to shut down. By default, the **stopServer** command does not return control to the command line until the server completes the shut down process. There is a -nowait option to return immediately, as well as other options to control the behavior of the **stopServer** command. You can run this command from the `install_root/bin` directory of a WebSphere Application Server installation or a Network Deployment installation.

```
stopServer <server> [options]
```

where *server* is the name of the configuration directory of the server you want to stop. This argument is required.

Parameters

The following options are available for the **stopServer** command:

-nowait

Tells the **stopServer** command not to wait for successful shutdown of the server process.

-quiet

Suppresses the progress information that the **stopServer** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information is written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file for debugging purposes.

-timeout <seconds>

Specifies the time to wait for server shutdown before timing out and returning an error.

-statusport <portNumber>

Supports an administrator in setting the port number for server status callback.

-conntype <type>

Specifies the Java Management Extensions (JMX) connector type to use for connecting to the deployment manager. Valid types are Simple Object Access Protocol (SOAP), or Remote Method Invocation (RMI).

-port <portNumber>

Specifies the server Java Management Extensions (JMX) port to use explicitly, so that you can avoid reading the configuration files to obtain the information.

-username <name>

Specifies the user name for authentication if security is enabled in the server. Acts the same as the -user option.

-user <name>

Specifies the user name for authentication if security is enabled in the server. Acts the same as the -username option.

-password <password>

Specifies the password for authentication if security is enabled in the server.

Note: If you are running in a secure environment but have not provided a user ID and password, you will receive the following error message:
ADMN0022E: Access denied for the stop operation on Server MBean due to insufficient or empty credentials.

To solve this problem, provide the user ID and password information.

-help

Prints a usage statement.

-? Prints a usage statement.

The following examples demonstrate correct syntax:

```
stopServer server1
```

```
stopServer server1 -nowait
```

```
stopServer server1 -trace (produces the stopserver.log file)
```

startManager command

The **startManager** command reads the configuration file for the Network Deployment manager process and constructs a **launch** command. Depending on the options you specify, the **startManager** command launches a new Java virtual machine (JVM) API to run the manager process, or writes the **launch** command data to a file. You must run this command from the `install_root/bin` directory of a Network Deployment installation.

```
startManager [options]
```

Parameters

The following options are available for the **startManager** command:

-nowait

Tells the **startManager** command not to wait for successful initialization of the deployment manager process.

-quiet

Suppresses the progress information that the **startManager** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file using the **startManager** command for debugging purposes.

-timeout <seconds>

Specifies the waiting time before deployment manager initialization times out and returns an error.

-statusport <portNumber>

Specifies that an administrator can set the port number for deployment manager status callback.

-script [<script fileName>] -background

Generates a launch script with the **startManager** command instead of launching the deployment manager process directly. The launch script name is an optional argument. If you do not provide the launch script name, the default script file name is **<start_dmgr>**. The **-background** parameter is an optional parameter that specifies that the generated script will run in the background when you execute it.

-J-<java_option>

Specifies options to pass through to the Java interpreter.

-help

Prints a usage statement.

-?

Prints a usage statement.

The following examples demonstrate correct syntax:

```
startManager
```

```
startManager -script (produces the start_dmgr.sh or .bat file)
```

```
startManager -trace (produces the startmanager.log file)
```

stopManager command

The **stopManager** command reads the configuration file for the Network Deployment manager process. It sends a Java Management Extensions (JMX) command to the manager telling it to shut down. By default, the **stopManager** command waits for the manager to complete the shutdown process before it returns control to the command line. There is a **-nowait** option to return immediately, as well as other options to control the behavior of the **stopManager** command. You must run this command from the **install_root/bin** directory of a Network Deployment installation.

```
stopManager [options]
```

Parameters

The following options are available for the **stopManager** command:

-nowait

Tells the **stopManager** command not to wait for successful shutdown of the deployment manager process.

-quiet

Suppresses the progress information that the **stopManager** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information is written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information to a file for debugging purposes.

- timeout <seconds>**
 - Specifies the waiting time for the manager to complete shutdown before timing out and returning an error.
- statusport <portNumber>**
 - Specifies that an administrator can set the port number for server status callback.
- conntype <type>**
 - Specifies the Java Management Extensions (JMX) connector type to use for connecting to the deployment manager. Valid types are Simple Object Access Protocol (SOAP) or Remote Method Invocation (RMI).
- port <portNumber>**
 - Specifies the deployment manager JMX port to use explicitly, so that you can avoid reading the configuration files to obtain information.
- username <name>**
 - Specifies the user name for authentication if security is enabled in the deployment manager. Acts the same as the -user option.
- user <name>**
 - Specifies the user name for authentication if security is enabled in the deployment manager. Acts the same as the -username option.
- password <password>**
 - Specifies the password for authentication if security is enabled in the deployment manager.

Note: If you are running in a secure environment but have not provided a user ID and password, you receive the following error message:

ADMN0022E: Access denied for the stop operation on Server MBean due to insufficient or empty credentials.

To solve this problem, provide the user ID and password information.

- help**
 - Prints a usage statement.
- ?** Prints a usage statement.

The following examples demonstrate correct syntax:

stopManager

stopManager -nowait

stopManager -trace (produces the stopmanager.log file)

startNode command

The **startNode** command reads the configuration file for the node agent process and constructs a **launch** command. Depending on the options that you specify, the **startNode** command creates a new Java virtual machine (JVM) API to run the agent process, or writes the launch command data to a file. You must run this command from the `install_root/bin` directory of a WebSphere Application Server installation.

`startNode [options]`

Parameters

The following options are available for the **startNode** command:

-nowait

Tells the **startNode** command not to wait for successful initialization of the node agent process.

-quiet

Suppresses the progress information that the **startNode** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file for debugging purposes.

-timeout <seconds>

Specifies the waiting time before node agent initialization times out and returns an error.

-statusport <portNumber>

Specifies that an administrator can set the port number for node agent status callback.

-script [<script fileName>] -background

Generates a launch script with the **startNode** command instead of launching the node agent process directly. The launch script name is an optional argument. If you do not provide the launch script name, the default script file name is `start_<nodeName>`, based on the name of the node. The **-background** parameter is an optional parameter that specifies that the generated script will run in the background when you execute it.

-J-<java_option>

Specifies options to pass through to the Java interpreter.

-help

Prints a usage statement.

-?

Prints a usage statement.

The following examples demonstrate correct syntax:

`startNode`

`startNode -script` (produces the `start_node.bat` or `.sh` file)

`startNode -trace` (produces the `startnode.log` file)

stopNode command

The **stopNode** command reads the configuration file for the Network Deployment node agent process and sends a Java Management Extensions (JMX) command telling the node agent to shut down. By default, the **stopNode** command waits for the node agent to complete shutdown before it returns control to the command line. There is a **-nowait** option to return immediately, as well as other options to control the behavior of the **stopNode** command. You must run this command from the `install_root/bin` directory of a WebSphere Application Server installation.

```
stopNode [options]
```

Parameters

The following options are available for the **stopNode** command:

-nowait

Tells the **stopNode** command not to wait for successful shutdown of the node agent process.

-quiet

Suppresses the progress information that the **stopNode** command prints in normal mode.

-logfile <filename>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file for debugging purposes.

-timeout <seconds>

Specifies the waiting time for the agent to shut down before timing out and returning an error.

-statusport <portNumber>

Specifies that an administrator can set the port number for server status callback.

-stopservers

Stops all application servers on the node before stopping the node agent.

-conntype <type>

Specifies the Java Management Extensions (JMX) connector type to use for connecting to the deployment manager. Valid types are Simple Object Access Protocol (SOAP) or Remote Method Invocation (RMI).

-port <portNumber>

Specifies the node agent JMX port to use explicitly, so that you can avoid reading configuration files to obtain the information.

-username <name>

Specifies the user name for authentication if security is enabled in the node agent. Acts the same as the -user option.

-user <name>

Specifies the user name for authentication if security is enabled in the node agent. Acts the same as the -username option.

-password <password>

Specifies the password for authentication if security is enabled in the node agent.

Note: If you are running in a secure environment but have not provided a user ID and password, you receive the following error message:

ADMN0022E: Access denied for the stop operation on Server MBean due to insufficient or empty credentials.

To solve this problem, provide the user ID and password information.

-help

Prints a usage statement.

Note: When requesting help for the usage statement for the **stopNode** command, a reference to the **stopServer** command displays. All of the options displayed for this usage statement apply to the **stopNode** command.

-? Prints a usage statement.

Note: When requesting help for the usage statement for the **stopNode** command, a reference to the **stopServer** command displays. All of the options displayed for this usage statement apply to the **stopNode** command.

The following examples demonstrate correct syntax:

```
stopNode
```

```
stopNode -nowait
```

```
stopNode -trace (produces the stopnode.log file)
```

addNode command

The **addNode** command incorporates a WebSphere Application Server installation into a cell. You must run this command from the `install_root/bin` directory of a WebSphere Application Server installation. Depending on the size and location of the new node you incorporate into the cell, this command can take a few minutes to complete.

The node agent server is automatically started as part of the **addNode** command. If you recycle the system that hosts an application server node, and did not set up the node agent to act as an operating system daemon, you must issue a **startNode** command to start the node agent before starting any application servers.

```
addNode <deploymgr host> <deploymgr port> [options]
```

The `<deploymgr host>` argument is required. The default port number is 8879 for the default Simple Object Access Protocol (SOAP) port of the deployment manager. SOAP is the default Java Management Extensions (JMX) connector type for the command. If you install the deployment manager using coexistence ports, the default SOAP port is 8889.

Parameters

The following options are available for the **addNode** command:

-nowait

Tells the **addNode** command not to wait for successful initialization of the launched node agent process.

-quiet

Suppresses the progress information that the **addNode** command prints in normal mode.

-logfile <filename>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file for debugging purposes.

-replacelog

By default, the **addNode** command appends to the existing trace file. This option causes the **addNode** command to overwrite the trace file.

-noagent

Tells the **addNode** command not to launch the node agent process for the new node.

-username <name>

Specifies the user name for authentication if security is enabled. Acts the same as the **-user** option.

-user <name>

Specifies the user name for authentication if security is enabled. Acts the same as the **-username** option.

-password <password>

Specifies the password for authentication if security is enabled.

-conntype <type>

Specifies the JMX connector type to use for connecting to the deployment manager. Valid types are SOAP or RMI, which stands for Remote Method Invocation.

-includeapps

By default the **addNode** command does not carry over applications from the stand-alone servers on the new node to the cell. This option tells the **addNode** command to attempt to include applications from the new node. If the application already exists in the cell, a warning is printed and the application is not installed into the cell.

By default, during application installation, application binaries are extracted in the `install_root/installedApps/cellName` directory. After the **addNode** command, the cell name of the configuration on the node that you added changes from the base cell name to the deployment manager cell name. The application binaries are located where they were before the **addNode** command ran, for example, `install_root/installedApps/old_cellName`.

If the application was installed by explicitly specifying the location for binaries as the following example:

```
 ${INSTALL_ROOT}/ ${CELL}
```

where the variable `${CELL}`, specifies the current cell name, then when the **addNode** command runs, the binaries are moved to the following directory:

```
 ${INSTALL_ROOT}/currentCellName
```

You have to use the **-includeApps** option to migrate all the applications to the new cell. Federating the node to a cell using the **addNode** command does not merge any cell level configuration, including virtual host information. If the virtual host and aliases for the new cell do not match WebSphere Application Server, you cannot access the applications running on the servers. You have to manually add all the virtual host and host aliases to the new cell, using the administrative console running on the deployment manager.

-startingport <portNumber>

Supports the specification of a port number to use as the base port number for all node agent and Java Messaging Service (JMS) server ports created during the **addNode** command. With this support you can control which ports are defined for these servers, rather than using the default port values. The starting port number is incremented to calculate the port number for every node agent port and JMS server port configured during the **addNode** command.

-help

Prints a usage statement.

-? Prints a usage statement.

This program:

- Copies the base WebSphere Application Server cell configuration to a new cell structure. This new cell structure matches the structure of deployment manager.
- Creates a new node agent definition for the node that the cell incorporates.
- Sends commands to the deployment manager to add the documents from the new node to the cell repository.
- Performs the first configuration synchronization for the new node, and verifies that this node is synchronized with the cell.
- Launches the node agent process for the new node.

After federating the node, the **addNode** command backs up the plugin-cfg.xml file from the <install_root>/config/cells directory to the config/backup/base/cells directory. The **addNode** command in Fix Pack 2 regenerates a new plugin-cfg.xml file at the Deployment Manager and the nodeSync operation copies the files to the node level.

For information about port numbers, see port number settings in WebSphere Application Server versions.

Red Hat users: The default Red Hat installation creates an association between the host name of the machine and the loopback address -- 127.0.0.1. In addition, the /etc/nsswitch.conf file is set up to use the /etc/hosts path before trying to look up the server using a name server. This setup can cause failures when trying to add or administrate nodes when the deployment manager or application server is running on the Red Hat system.

If your deployment manager or your application server run on the Red Hat system, perform the following operations on your Red Hat machines to ensure that you can successfully add and administer nodes:

- Remove the 127.0.0.1 mapping to the local host in the /etc/hosts path.
- Edit the /etc/nsswitch.conf file so that the hosts line reads:

hosts: dns files

The following examples demonstrate correct syntax:

```
addNode testhost 8879
```

```
addNode deploymgr 8879 -trace (produces the addNode.log file)
```

```
addNode host25 8879 -nowait (does not wait for a node agent process)
```

where 8879 is the default port.

Example output:

```

D:\WebSphere\AppServer\bin>addnode <dmgr_host>
ADMU0116I: Tool information is being logged in file
          D:\WebSphere\AppServer\logs\addNode.log
ADMU0001I: Begin federation of node <node_name> with deployment manager at
          <dmgr_host>:8879.
ADMU0009I: Successfully connected to deployment manager server: <dmgr_host>:8879.
ADMU0505I: Servers found in configuration:
ADMU0506I: Server name: server1
ADMU2010I: Stopping all server processes for node <node_name>
ADMU0512I: Server server1 cannot be reached. It appears to be stopped.
ADMU0024I: Deleting the old backup directory.
ADMU0015I: Backing up the original cell repository.
ADMU0012I: Creating node agent configuration for node: <node_name>
ADMU0014I: Adding node <node_name> configuration to cell: <cell_name>
ADMU0016I: Synchronizing configuration between node and cell.
ADMU0018I: Launching node agent process for node: <node_name>
ADMU0020I: Reading configuration for node agent process: nodeagent
ADMU0022I: Node agent launched. Waiting for initialization status.
ADMU0030I: Node agent initialization completed successfully. Process ID is:
          2340
ADMU0523I: Creating queue manager for node <node_name> on server jmsserver
ADMU0525I: Details of queue manager creation can be seen in the file:
          createMQ.<node_name>_jmsserver.log
ADMU9990I:
ADMU0300I: Congratulations! Your node <node_name> has been successfully
          incorporated into the <cell_name> cell.
ADMU9990I:
ADMU0306I: Be aware:
ADMU0302I: Any cell-level documents from the stand-alone <node_name>
          configuration have not been migrated to the new cell.
ADMU0307I: You might want to:
ADMU0303I: Update the configuration on the <cell_name> deployment manager
          with values from the old cell-level documents.
ADMU9990I:
ADMU0306I: Be aware:
ADMU0304I: Because the -includeapps option was not specified, applications installed on
          the stand-alone node were not installed on the new cell.
ADMU0307I: You might want to:
ADMU0305I: Install applications onto the <cell_name> cell using the wsadmin
          $AdminApp command or the administrative console.
ADMU9990I:
ADMU0003I: Node <node_name> has been successfully federated.

```

Related tasks

[Federating multiple Version 5 installation instances](#)

Related reference

[Port number settings in WebSphere Application Server versions](#)

This topic provides reference information about identifying port numbers in versions of WebSphere Application Server, as a means of determining port conflicts that might occur when you intend for an earlier version to coexist or interoperate with Version 5.0.x with Version 5.1.

[Establishing multimachine environments](#)

serverStatus command

Use the **serverStatus** command to obtain the status of one or all of the servers configured on a node. You can run this command from the `install_root/bin` directory of a WebSphere Application Server installation or a Network Deployment installation.

`serverStatus <server>|-all [options]`

The first argument is required. The argument is either the name of the server for which status is desired, or the -all keyword which requests status for all servers defined on the node.

Parameters

The following options are available for the **serverStatus** command:

-quiet

Suppresses the progress information that the **serverStatus** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file for debugging purposes.

-username <name>

Specifies the user name for authentication if security is enabled. Acts the same as the -user option.

-user <name>

Specifies the user name for authentication if security is enabled. Acts the same as the -username option.

-password <password>

Specifies the password for authentication if security is enabled.

-help

Prints a usage statement.

-? Prints a usage statement.

The following examples demonstrate correct syntax:

```
serverStatus server1
```

```
serverStatus -all (returns status for all defined servers)
```

```
serverStatus -trace (produces the serverStatus.log file)
```

removeNode command

The **removeNode** command returns a node from a Network Deployment distributed administration cell to a base WebSphere Application Server installation. You must run this command from the `install_root/bin` directory of a WebSphere Application Server installation.

The **removeNode** command only removes the node-specific configuration from the cell. This command does not `uninstall` any applications that were installed as the result of executing an **addNode** command. Such applications can subsequently deploy on additional servers in the Network Deployment cell. As a consequence, an **addNode** command with the `-includeapps` option executed after a **removeNode** command does not move the applications into the cell because they already exist from the first **addNode** command. The resulting application servers added on the node do not contain any applications. To deal with this situation, add the node

and use the deployment manager to manage the applications. Add the applications to the servers on the node after it is incorporated into the cell.

Depending on the size and location of the new node you remove from the cell, this command can take a few minutes to complete.

`removeNode [options]`

All arguments are optional.

Parameters

The following options are available for the `removeNode` command:

-quiet

Suppresses the progress information that the `removeNode` command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information is written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into a file for debugging purposes.

-statusport <portNumber>

Specifies that an administrator can set the port number for the node agent status callback.

-username <name>

Specifies the user name for authentication if security is enabled. Acts the same as the `-user` option.

-user <name>

Specifies the user name for authentication if security is enabled. Acts the same as the `-username` option.

-password <password>

Specifies the password for authentication if security is enabled.

-force

Cleans up the local node configuration regardless of whether you can reach the deployment manager for cell repository cleanup. After using the `-force` parameter, you may need to use the `cleanupNode` command on the deployment manager.

-help

Prints a usage statement.

-?

Prints a usage statement.

This program:

- Stops all of the running server processes in the node, including the node agent process.
- Removes the configuration documents for the node from the cell repository by sending commands to the deployment manager.
- Copies the original application server cell configuration into the active configuration.

The following examples demonstrate correct syntax:

```
removeNode -quiet  
removeNode -trace (produces the removeNode.log file)
```

cleanupNode command

The **cleanupNode** command cleans up a node configuration from the cell repository. Only use this command to clean up a node if you have a node defined in the cell configuration, but the node no longer exists. You must run this command from the `install_root/bin` directory of a Network Deployment installation.

```
cleanupNode <node name> <deploymgr host> <deploymgr port> [options]
```

where the first argument is required.

Parameters

The following options are available for the **cleanupNode** command:

-quiet

Suppresses the progress information that the **cleanupNode** command prints in normal mode.

-trace

Generates trace information into a file for debugging purposes.

The following examples demonstrate correct syntax:

```
cleanupNode myNode  
cleanupNode myNode -trace
```

syncNode command

The **syncNode** command forces a configuration synchronization to occur between the node and the deployment manager for the cell in which the node is configured. Only use this command when you cannot run the node agent because the node configuration does not match the cell configuration. You must run this command from the `install_root/bin` directory of a WebSphere Application Server installation.

```
syncNode <deploymgr host> <deploymgr port> [options]
```

where the `<deploymgr host>` argument is required.

Parameters

The following options are available for the **syncNode** command:

-stopservers

Tells the **syncNode** command to stop all servers on the node, including the node agent, before performing configuration synchronization with the cell.

-restart

Tells the **syncNode** command to launch the node agent process after configuration synchronization completes.

-nowait

Tells the **syncNode** command not to wait for successful initialization of the launched node agent process.

-quiet
Suppresses the progress information that the **syncNode** command prints in normal mode.

-logfile <fileName>
Specifies the location of the log file to which information gets written.

-replacelog
Replaces the log file instead of appending to the current log.

-trace
Generates trace information into a file for debugging purposes.

-timeout <seconds>
Specifies the waiting time before node agent initialization times out and returns an error.

-statusport <portnumber>
Specifies that an administrator can set the port number for node agent status callback.

-username <name>
Specifies the user name for authentication if security is enabled. Acts the same as the **-user** option.

-user <name>
Specifies the user name for authentication if security is enabled. Acts the same as the **-username** option.

-password <password>
Specifies the password for authentication if security is enabled.

-conntype <type>
Specifies the Java Management Extensions (JMX) connector type to use for connecting to the deployment manager. Valid types are Simple Object Access Protocol (SOAP) or Remote Method Invocation (RMI).

-help
Prints a usage statement.

-? Prints a usage statement.

The following examples demonstrate correct syntax:

```
syncNode testhost 8879
```

```
syncNode deploymgr 8879 -trace (produces the syncNode.log file)
```

```
syncNode host25 4444 -stopservers -restart (assumes that the deployment manager JMX port is 4444)
```

backupConfig command

The **backupConfig** command is a simple utility to back up the configuration of your node to a file. By default, all servers on the node stop before the backup is made so that partially synchronized information is not saved. You can run this command from the `install_root/bin` directory of a WebSphere Application Server installation or a network deployment installation.

```
backupConfig <backup_file> [options]
```

where `backup_file` specifies the file to which the backup is written. If you do not specify one, a unique name is generated.

Parameters

The following options are available for the **backupConfig** command:

-nostop

Tells the **backupConfig** command not to stop the servers before backing up the configuration.

-quiet

Suppresses the progress information that the **backupConfig** command prints in normal mode.

-logfile <fileName>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into the log file for debugging purposes.

-username <name>

Specifies the user name for authentication if security is enabled in the server.

Acts the same as the **-user** option.

-user <name>

Specifies the user name for authentication if security is enabled in the server.

Acts the same as the **-username** option.

-password <password>

Specifies the password for authentication if security is enabled in the server.

-help

Prints a usage statement.

-? Prints a usage statement.

The following example demonstrates correct syntax:

```
backupConfig
```

This example creates a new file that includes the current date. For example:

```
WebSphereConfig_2003-04-22.zip
```

```
backupConfig myBackup.zip -nostop
```

This example creates a file called `myBackup.zip`, and does not stop any servers before beginning the backup process.

restoreConfig command

The **restoreConfig** command is a simple utility to restore the configuration of your node after backing up the configuration using the **backupConfig** command. By default, all servers on the node stop before the configuration restores so that a node synchronization does not occur during the restoration. If the configuration directory already exists, it is renamed before the restoration occurs. You can run this command from the `install_root/bin` directory of a WebSphere Application Server installation or a Network Deployment installation.

```
restoreConfig <backup_file> [options]
```

where `backup_file` specifies the file to be restored. If you do not specify one, the command will not run.

Parameters

The following options are available for the **restoreConfig** command:

-nostop

Tells the **restoreConfig** command not to stop the servers before restoring the configuration.

-quiet

Suppresses the progress information that the **restoreConfig** command prints in normal mode.

-location <directory_name>

Specifies the directory where the backup file is restored. The location defaults to the `install_root/config` directory.

-logfile <fileName>

Specifies the location of the log file to which information gets written.

-replacelog

Replaces the log file instead of appending to the current log.

-trace

Generates trace information into the log file for debugging purposes.

-username <name>

Specifies the user name for authentication if security is enabled in the server.
Acts the same as the `-user` option.

-user <name>

Specifies the user name for authentication if security is enabled in the server.
Acts the same as the `-username` option.

-password <password>

Specifies the password for authentication if security is enabled in the server.

-help

Prints a usage statement.

-? Prints a usage statement.

The following example demonstrates correct syntax:

```
restoreConfig WebSphereConfig_2003-04-22.zip
```

The following example restores the given file to the `/tmp` directory and does not stop any servers before beginning the restoration:

```
restoreConfig WebSphereConfig_2003-04-22.zip -location /tmp -nostop
```

EARExpander command

Use the **EARExpander** command to expand an enterprise archive file (EAR) into a directory to run the application in that EAR file. You can collapse a directory containing application files into a single EAR file. You can type **EARExpander** with no arguments to learn more about its options.

```
EarExpander -ear earName -operationDir dirName -operation <expand | collapse> [-expansionFlags <a11|v1|v2>]
```

Parameters

The following options are available for the **EARExpander** command:

-ear

Specifies the name of the input EAR file for the expand operation or the name of the output EAR file for the collapse operation.

-operationDir

Specifies the directory where the EAR file is expanded or specifies the directory from where files are collapsed.

-operation <expand | collapse>

The expand value expands an EAR file into a directory structure required by the WebSphere Application Server run time. The collapse value creates an EAR file from an expanded directory structure.

-expansionFlags <all | war>

(Optional) The all value expands all files from all of the modules. The war value only expands the files from Web archive file (WAR) modules.

The following examples demonstrate correct syntax:

```
EARExander -ear C:\WebSphere\AppServer\installableApps\DefaultApplication.ear  
-operationDir C:\MyApps -operation expand -expansionFlags war
```

```
EARExander -ear C:\backup\DefaultApplication.ear  
-operationDir C:\MyAppsDefaultApplication.ear -operation collapse
```

createmq command

You can use the **createmq** command to create a queue manager and messaging broker for embedded messaging.

On Network Deployment, the **createmq** command line tool (createmq.sh or createmq.bat, in the \$WAS_HOME\bin directory) creates the queue manager and messaging broker for use by the specified JMS server (jmsserver).

Note:

- This command is not intended for general administration of queue managers and messaging brokers. You should only use this command where instructed in task descriptions, for example Running an Application Server and nodeagent from a non-root user, or on advice from your IBM representative.
- Before running this command, you should stop the specified server.

createmq command syntax

The command syntax is as follows:

```
createmq was_home cell_name node_name server_name messaging_dir broker_dir
```

Parameters:

was_home

The \$WAS_HOME directory, where WebSphere Application Server is installed.

cell_name

The name of the cell within which the queue manager is to exist.

node_name

The name of the node agent that the queue manager is to run with.

server_name

The name of the server that is to use the queue manager.

On Network Deployment, this is **jmsserver** for the JMS server.

messaging_dir

The directory where embedded messaging is installed; for example, on Windows "C:\WebSphere\WebSphere MQ"

broker_dir

The directory where the embedded messaging broker (WEMPS) is installed; for example, on Windows "C:\WebSphere\WebSphere MQ\WEMPS"

You can see details of the Queue Manager creation in the file \$WAS_HOME\logs\createMQ.node_name.server_name.log.

Example For Application Server on Windows:

```
creatempq "C:\WebSphere\AppServer" BG4IPL BG4IPL  
server1 "C:\WebSphere\WebSphere MQ"  
"C:\WebSphere\WebSphere MQ\WEMPS"
```

The results of this command would be output to the C:\WebSphere\AppServer\log\createMQ.BG4IPL_server1.log

deletelmq command

You can use the **deletelmq** command to delete a queue manager and messaging broker for embedded messaging.

On Network Deployment, the **deletelmq** command line tool (deletelmq.sh or deletelmq.bat, in the \$WAS_HOME\bin directory) deletes the queue manager and messaging broker for the specified JMS server (jmsserver).

Note:

- This command is not intended for general administration of queue managers and messaging brokers. You should only use this command where instructed in task descriptions, for example Running an Application Server and nodeagent from a non-root user, or on advice from your IBM representative.
- Before running this command, you should stop the specified server.

deletelmq command syntax

The command syntax is as follows:

```
deletelmq was_home cell_name node_name server_name
```

Parameters:

was_home

The \$WAS_HOME directory, where WebSphere Application Server is installed.

cell_name

The name of the cell within which the queue manager exists.

node_name

The name of the node agent that the queue manager runs with.

server_name

The name of the server that uses the queue manager.

On Network Deployment, this is **jmsserver** for the JMS server.

You can see details of the Queue Manager deletion in the file
\$WAS_HOME\logs\deletemq.*node_name.server_name.log*.

Example For Application Server on Windows:

```
deletemq "C:\WebSphere\AppServer" BG4IPL BG4IPL server1  
"C:\WebSphere\WebSphere MQ" "C:\WebSphere\WebSphere MQ\WEMPS"
```

The results of this command would be output to the
C:\WebSphere\AppServer\log\deletemq.BG4IPL.server1.log

Chapter 8. Welcome to Programming

The product supports a Java programming interface for developing administrative programs. All of the administrative tools supplied with the product are written according to the API, which is based on the industry standard Java Management Extensions (JMX) specification.

Chapter 9. Deploying and managing using programming

This section describes how to use Java administrative APIs for customizing the WebSphere Application Server administrative system. WebSphere Application Server supports access to the administrative functions through a set of Java classes and methods. You can write a Java program that performs any of the administrative features of the WebSphere Application Server administrative tools. You can also extend the basic WebSphere Application Server administrative system to include your own managed resources. For more information, view the JMX Javadoc.

1. Decide that you want to write a Java administrative program. Instead of writing a Java administrative program, consider several other options that you can use to manage WebSphere Application Server processes. These options include: wsadmin, the administrative console, or the administrative command line tools. The administrative tools provide most of the functions you might need to manage the product and the applications that run in the WebSphere Application Server. You can use the command line tools from automation scripts to control the servers. Scripts written for the wsadmin scripting tool offer a wide range of possible custom solutions that you can develop quickly. You might have management features for your application or operating environment that are not implemented in the basic WebSphere Application Server administrative system. In this case, you can use the administrative classes and methods to add newly managed objects to the administrative system. You can also incorporate WebSphere Application Server administration into other Java programs by using the Java administrative APIs.
2. Create a custom Java administrative client program using the Java administrative APIs. (Optional)
3. Extend the WebSphere Application Server administrative system with custom MBeans. (Optional)

Creating a custom Java administrative client program using WebSphere Application Server administrative Java APIs

This section describes how to develop a Java program using the WebSphere Application Server administrative APIs for accessing the WebSphere administrative system. For more information, view the JMX Javadoc.

1. Develop an administrative client program.
2. Build the administrative client program by compiling it with javac and providing the location of the necessary JAR files in the classpath argument. For example, if your installation directory is `w:\DeploymentManager` a typical command would look like the following example:

```
javac -classpath  
w:\DeploymentManager\lib\admin.jar;w:\DeploymentManager\lib\wsexception.jar;  
w:\DeploymentManager\lib\jmxr.jar  
MyAdminClient.java
```
3. Run the administrative client program by setting up the run-time environment so that the program can find all of the prerequisites. Many of the batch or script files in the `bin` directory under the installation root perform a similar function. An example of a batch file that runs an administrative client program named `MyAdminClient` follows:

```

@echo off
call "%~dp0setupCmdLine.bat"
"%JAVA_HOME%\bin\java" "%CLIENTSAS%" "-Dwas.install.root=%WAS_HOME%"
"-Dwas.repository.root=%CONFIG_ROOT%" -Dcom.ibm.CORBA.BootstrapHost=%COMPUTERNAME%
-classpath "%WAS_CLASSPATH%;w:\DeploymentManager\classes;w:\DeploymentManager\lib\admin.jar;
w:\DeploymentManager\lib\wasjmx.jar" MyAdminClient %*

```

Developing an administrative client program

This page contains examples of key features of an administrative client program that utilizes WebSphere Application Server administrative APIs and Java Management Extentions (JMX). WebSphere Application Server administrative APIs provide control of the operational aspects of your distributed system as well as the ability to update your configuration. This page also demonstrates examples of operational control. For information, view the Administrative Javadoc, the JMX Javadoc, or the MBean Javadoc.

1. Create an AdminClient instance. An administrative client program needs to invoke methods on the AdminService object that is running in the deployment manager (or the application server in the base installation). The AdminClient class provides a proxy to the remote AdminService object through one of the supported Java Management Extensions (JMX) connectors. The following example shows how to create an AdminClient instance:

```

Properties connectProps = new Properties();
connectProps.setProperty(
    AdminClient.CONNECTOR_TYPE, AdminClient.CONNECTOR_TYPE_SOAP);

connectProps.setProperty(AdminClient.CONNECTOR_HOST, "localhost");
connectProps.setProperty(AdminClient.CONNECTOR_PORT, "8879");
AdminClient adminClient = null;
try
{
    adminClient = AdminClientFactory.createAdminClient(connectProps);
}
catch (ConnectorException e)
{
    System.out.println("Exception creating admin client: " + e);
}

```

2. Find an MBean Once you obtain an AdminClient instance, you can use it to access managed resources in the administration servers and application servers. Each managed resource registers an MBean with the AdminService through which you can access the resource. The MBean is represented by an ObjectName instance that identifies the MBean. An ObjectName consists of a domain name followed by an unordered set of one or more key properties. For the WebSphere Application Server, the domain name is WebSphere and the key properties defined for administration are as follows:

type	The type of MBean. For example: Server, TraceService, Java Virtual Machine (JVM).
name	The name identifier for the individual instance of the MBean.
cell	The name of the cell that the MBean is executing.
node	The name of the node that the MBean is executing.

process	The name of the process that the MBean is executing.
---------	--

You can locate an MBean by querying for them with ObjectNames that match desired key properties. The following example shows how to find the MBean for the NodeAgent of node MyNode:

```
String nodeName = "MyNode";
String query = "WebSphere:type=NodeAgent,node=" + nodeName + ",*";
ObjectName queryName = new ObjectName(query);
ObjectName nodeAgent = null;
Set s = adminClient.queryNames(queryName, null);
if (!s.isEmpty())
    nodeAgent = (ObjectName)s.iterator().next();
else
    System.out.println("Node agent MBean was not found");
```

3. Use the MBean. What a particular MBean allows you to do depends on that MBean's management interface. It may declare attributes that you can obtain or set. It may declare operations that you can invoke. It may declare notifications for which you can register listeners. For the MBeans provided by the WebSphere Application Server, you can find information about the interfaces they support in the MBean javadoc. The following example invokes one of the operations available on the NodeAgent MBean that we located above. The following example will start the *MyServer* application server:

```
String opName = "launchProcess";
String signature[] = { "java.lang.String" };
String params[] = { "MyServer" };
try
{
    adminClient.invoke(nodeAgent, opName, params, signature);
}
catch (Exception e)
{
    System.out.println("Exception invoking launchProcess: " + e);
}
```

4. Register for events. In addition to managing resources, the Java Management Extensions (JMX) API also supports application monitoring for specific administrative events. Certain events produce notifications, for example, when a server starts. Administrative applications can register as listeners for these notifications. The WebSphere Application Server provides a full implementation of the JMX notification model, and provides additional function so you can receive notifications in a distributed environment. For a complete list of the notifications emitted from WebSphere Application Server MBeans, refer to the `com.ibm.websphere.management.NotificationConstants` class in the Javadoc. The following is an example of how an object can register itself for event notifications emitted from an MBean using the node agent ObjectName:

```
adminClient.addNotificationListener(nodeAgent, this, null, null);
```

In this example, the `null` value will result in receiving all of the node agent MBean event notifications. You can also use the `null` value with the `handback` object.

5. Handle the events. Objects receive JMX event notifications via the `handleNotification` method which is defined by the `NotificationListener` interface and which any event receiver must implement. The following example is an implementation of `handleNotification` that reports the notifications that it receives:

```
public void handleNotification(Notification n, Object handback)
{
    System.out.println("*****");
```

```

        System.out.println("* Notification received at " + new Date().toString());
        System.out.println("* type      = " + ntfyObj.getType());
        System.out.println("* message   = " + ntfyObj.getMessage());
        System.out.println("* source    = " + ntfyObj.getSource());
        System.out.println(
            "* seqNum    = " + Long.toString(ntfyObj.getSequenceNumber()));
        System.out.println("* timeStamp = " + new Date(ntfyObj.getTimeStamp()));
        System.out.println("* userData  = " + ntfyObj.getUserData());
        System.out.println("*****");
    }
}

```

Administrative client program example

The following example is a complete administrative client program. Copy the contents to a file named MyAdminClient.java. After changing the node name and server name to the appropriate values for your configuration, you can compile and run it using the instructions from Creating a custom Java administrative client program using WebSphere Application Server administrative Java APIs

```

import java.util.Date;
import java.util.Properties;
import java.util.Set;

import javax.management.InstanceNotFoundException;
import javax.management.MalformedObjectNameException;
import javax.management.Notification;
import javax.management.NotificationListener;
import javax.management.ObjectName;

import com.ibm.websphere.management.AdminClient;
import com.ibm.websphere.management.AdminClientFactory;
import com.ibm.websphere.management.exception.ConnectorException;

public class AdminClientExample implements NotificationListener
{

    private AdminClient adminClient;
    private ObjectName nodeAgent;
    private long ntfyCount = 0;

    public static void main(String[] args)
    {
        AdminClientExample ace = new AdminClientExample();

        // Create an AdminClient
        ace.createAdminClient();

        // Find a NodeAgent MBean
        ace.getNodeAgentMBean("ellington");

        // Invoke launchProcess
        ace.invokeLaunchProcess("server1");

        // Register for NodeAgent events
        ace.registerNotificationListener();

        // Run until interrupted
        ace.countNotifications();
    }

    private void createAdminClient()
    {
        // Set up a Properties object for the JMX connector attributes
        Properties connectProps = new Properties();
        connectProps.setProperty(
            AdminClient.CONNECTOR_TYPE, AdminClient.CONNECTOR_TYPE_SOAP);
        connectProps.setProperty(AdminClient.CONNECTOR_HOST, "localhost");
        connectProps.setProperty(AdminClient.CONNECTOR_PORT, "8879");
    }
}

```

```

        // Get an AdminClient based on the connector properties
        try
        {
            adminClient = AdminClientFactory.createAdminClient(connectProps);
        }
        catch (ConnectorException e)
        {
            System.out.println("Exception creating admin client: " + e);
            System.exit(-1);
        }

        System.out.println("Connected to DeploymentManager");
    }

private void getNodeAgentMBean(String nodeName)
{
    // Query for the ObjectName of the NodeAgent MBean on the given node
    try
    {
        String query = "WebSphere:type=NodeAgent,node=" + nodeName + ",*";
        ObjectName queryName = new ObjectName(query);
        Set s = adminClient.queryNames(queryName, null);
        if (!s.isEmpty())
            nodeAgent = (ObjectName)s.iterator().next();
        else
        {
            System.out.println("Node agent MBean was not found");
            System.exit(-1);
        }
    }
    catch (MalformedObjectNameException e)
    {
        System.out.println(e);
        System.exit(-1);
    }
    catch (ConnectorException e)
    {
        System.out.println(e);
        System.exit(-1);
    }

    System.out.println("Found NodeAgent MBean for node " + nodeName);
}

private void invokeLaunchProcess(String serverName)
{
    // Use the launchProcess operation on the NodeAgent MBean to start
    // the given server
    String opName = "launchProcess";
    String signature[] = { "java.lang.String" };
    String params[] = { serverName };
    boolean launched = false;
    try
    {
        Boolean b = (Boolean)adminClient.invoke(
nodeAgent, opName, params, signature);
        launched = b.booleanValue();
        if (launched)
            System.out.println(serverName + " was launched");
        else
            System.out.println(serverName + " was not launched");
    }
    catch (Exception e)
}

```

```

        {
            System.out.println("Exception invoking launchProcess: " + e);
        }
    }

private void registerNotificationListener()
{
    // Register this object as a listener for notifications from the
    // NodeAgent MBean.  Don't use a filter and don't use a handback
    // object.
    try
    {
        adminClient.addNotificationListener(nodeAgent, this, null, null);
        System.out.println("Registered for event notifications");
    }
    catch (InstanceNotFoundException e)
    {
        System.out.println(e);
    }
    catch (ConnectorException e)
    {
        System.out.println(e);
    }
}

public void handleNotification(Notification ntfyObj, Object handback)
{
    // Each notification that the NodeAgent MBean generates will result in
    // this method being called
    ntfyCount++;
    System.out.println("*****");
    System.out.println("* Notification received at " + new Date().toString());
    System.out.println("* type      = " + ntfyObj.getType());
    System.out.println("* message   = " + ntfyObj.getMessage());
    System.out.println("* source    = " + ntfyObj.getSource());
    System.out.println(
        "* seqNum    = " + Long.toString(ntfyObj.getSequenceNumber()));
    System.out.println("* timeStamp = " + new Date(ntfyObj.getTimeStamp()));
    System.out.println("* userData  = " + ntfyObj.getUserData());
    System.out.println("*****");
}

private void countNotifications()
{
    // Run until killed
    try
    {
        while (true)
        {
            Thread.currentThread().sleep(60000);
            System.out.println(ntfyCount + " notification have been received");
        }
    }
    catch (InterruptedException e)
    {
    }
}
}

```

Extending the WebSphere Application Server administrative system with custom MBeans

You can extend the WebSphere Application Server administration system by supplying and registering new Java Management Extensions (JMX) MBeans (see JMX 1.0 Specification for details) in one of the WebSphere processes. JMX MBeans represent the management interface for a particular piece of logic. All of the managed resources within the standard WebSphere 5.0 infrastructure are represented as JMX MBeans. There are a variety of ways in which you can create your own MBeans and register them with the JMX MBeanServer running in any WebSphere process. For more information, view the MBean Javadoc.

1. Create custom JMX MBeans.

You have some alternatives to select from, when creating MBeans to extend the WebSphere administrative system. You can use any existing JMX MBean from another application. You can register any MBean that you tested in a JMX MBeanServer outside of the WebSphere Application Server environment in a WebSphere Application Server process. Including Standard MBeans, Dynamic MBeans, Open MBeans, and Model MBeans.

In addition to any existing JMX MBeans, and ones that were written and tested outside of the WebSphere Application Server environment, you can use the special distributed extensions provided by WebSphere and create a WebSphere ExtensionMBean provider. This alternative provides better integration with all of the distributed functions of the WebSphere administrative system. An ExtensionMBean provider implies that you supply an XML file that contains an MBean Descriptor based on the DTD shipped with the WebSphere Application Server. This descriptor tells the WebSphere system all of the attributes, operations, and notifications that your MBean supports. With this information, the WebSphere system can route remote requests to your MBean and register remote Listeners to receive your MBean event notifications.

All of the internal WebSphere MBeans follow the Model MBean pattern (see WebSphere Application Server administrative MBean documentation for details). Pure Java classes supply the real logic for management functions, and the WebSphere MBeanFactory class reads the description of these functions from the XML MBean Descriptor and creates an instance of a ModelMBean that matches the descriptor. This ModelMBean instance is bound to your Java classes and registered with the MBeanServer running in the same process as your classes. Your Java code now becomes callable from any WebSphere Application Server administrative client through the ModelMBean created and registered to represent it.

2. Register the new MBeans.

There are several ways to register your MBean with the MBeanServer in a WebSphere Application Server process. The following list describes the available options:

- Go through the AdminService interface. You can call the registerMBean() method on the AdminService interface and the invocation is delegated to the underlying MBeanServer for the process, after appropriate security checks. You can obtain a reference to the AdminService using the getAdminService() method of the AdminServiceFactory class.
- Get MBeanServer instances directly. You can get a direct reference to the JMX MBeanServer instance running in any WebSphere Application Server process, by calling the getMBeanServer() method of the MBeanFactory class. You get a reference to the MBeanFactory class by calling the getMBeanFactory() method of the AdminService interface. Registering the MBean directly with

- the MBeanServer instance can result in that MBean not participating fully in the distributed features of the WebSphere Application Server administrative system.
- Go through the MBeanFactory class. If you want the greatest possible integration with the WebSphere Application Server system, then use the MBeanFactory class to manage the life cycle of your MBean through the activateMBean and deactivateMBean methods of the MBeanFactory class. Use these methods, by supplying a subclass of the RuntimeCollaborator abstract superclass and an XML MBean descriptor file. Using this approach, you supply a pure Java class that implements the management interface defined in the MBean descriptor. The MBeanFactory class creates the actual ModelMBean and registers it with the WebSphere Application Server administrative system on your behalf.
 - Use the JMXManageable and CustomService interface. You can make the process of integrating with WebSphere administration even easier, by implementing a CustomService interface, that also implements the JMXManageable interface. Using this approach, you can avoid supplying the RuntimeCollaborator. When your CustomService interface is initialized, the WebSphere MBeanFactory class reads your XML MBean descriptor file and creates, binds, and registers an MBean to your CustomService interface automatically. After the shutdown method of your CustomService is called, the WebSphere Application Server system automatically deactivates your MBean.

Regardless of the approach used to create and register your MBean, you must set up proper Java 2 security permissions for your new MBean code. The WebSphere AdminService and MBeanServer are tightly protected using Java 2 security permissions and if you do not explicitly grant your code base permissions, security exceptions are thrown when you attempt to invoke methods of these classes. If you are supplying your MBean as part of your application, you can set the permissions in the was.policy file that you supply as part of your application metadata. If you are using a CustomService interface or other code that is not delivered as an application, you can edit the library.policy file in the node configuration, or even the server.policy file in the properties directory for a specific installation.

Java 2 security permissions

You must grant Java 2 security permissions to application scoped code for JMX and WebSphere Application Server administrative privileges in order to allow the code to call WebSphere Application Server administrative and JMX methods.

- To invoke JMX class and interface methods, at least one of the following permissions are required:

```
permission com.tivoli.jmx.MBeanServerPermission "MBeanServer.*"
permission com.tivoli.jmx.MBeanServerPermission "MBeanServerFactory.*"
```

where the individual target names are:

```
MBeanServer.addNotificationListener
MBeanServer.createMBean
MBeanServer.deserialize
MBeanServer.getAttribute
MBeanServer.getDefaultDomain
MBeanServer.getMBeanCount
MBeanServer.getMBeanInfo
MBeanServer.getObjectInstance
MBeanServer.instantiate
MBeanServer.invoke
MBeanServer.isRegistered
MBeanServer.queryMBeans
```

```
MBeanServer.queryNames  
MBeanServer.registerMBean  
MBeanServer.removeNotificationListener  
MBeanServer.setAttribute  
MBeanServer.unregisterMBean  
MBeanServerFactory.createMBeanServer  
MBeanServerFactory.newMBeanServer  
MBeanServerFactory.findMBeanServer  
MBeanServerFactory.releaseMBeanServer
```

- For WebSphere Application Server administrative APIs, the permissions are the following:

```
permission com.ibm.websphere.security.WebSphereRuntimePermission "AdminPermission";
```

Chapter 10. Welcome to Data

Administrative tasks typically involve defining new configurations of the product or performing operations on managed resources within the environment. IBM WebSphere Application Server configuration data is kept in files. Because all product configuration involves changing the content of those files, it is useful to know the structure and content of the configuration files.

The WebSphere Application Server product includes an implementation of the JMX specification. All operations on managed resources in the product go through JMX functions. This means a more standard framework underlying your administrative operations, as well as the ability to tap into the systems management infrastructure programmatically.

Chapter 11. Working with server configuration files

Application server configuration files define the available application servers, their configurations, and their contents.

You should periodically save changes to your administrative configuration. You can change the default locations of configuration files, as needed.

1. Edit configuration files. The master repository is comprised of .xml configuration files. You can edit configuration files using the administrative console, scripting, wsadmin commands, programming, or by editing a configuration file directly.
2. Save changes made to configuration files. Using the console, you can save changes as follows:
 - a. Click **Save** on the taskbar of the administrative console.
 - b. Put a checkmark in the **Synchronize changes with Nodes** check box.
 - c. On the Save page, click **Save**.
3. Handle temporary configuration files resulting from a session timing out.
4. Change the location of temporary configuration files.
5. Change the location of backed-up configuration files.
6. Change the location of temporary workspace files.
7. Back up and restore configurations.

Configuration documents

WebSphere Application Server stores configuration data for servers in several documents in a cascading hierarchy of directories. The configuration documents describe the available application servers, their configurations, and their contents. Most configuration documents have XML content.

Hierarchy of directories of documents

The cascading hierarchy of directories and the documents' structure support multi-node replication to synchronize the activities of all servers in a cell. In a Network Deployment environment, changes made to configuration documents in the cell repository, are automatically replicated to the same configuration documents that are stored on nodes throughout the cell.

At the top of the hierarchy is the **cells** directory. It holds a subdirectory for each cell. The names of the cell subdirectories match the names of the cells. For example, a cell named *cell1* has its configuration documents in the subdirectory *cell1*.

On the Network Deployment node, the subdirectories under the cell contain the entire set of documents for every node and server throughout the cell. On other nodes, the set of documents is limited to what applies to that specific node. If a configuration document only applies to *node1*, then that document exists in the configuration on *node1* and in the Network Deployment configuration, but not on any other node in the cell.

Each cell subdirectory has the following files and subdirectories:

- The *cell1.xml* file, which provides configuration data for the cell

- Files such as `security.xml`, `virtualhosts.xml`, `resources.xml`, and `variables.xml`, which provide configuration data that applies across every node in the cell
- The **clusters** subdirectory, which holds a subdirectory for each cluster defined in the cell. The names of the subdirectories under clusters match the names of the clusters.
Each cluster subdirectory holds a `cluster.xml` file, which provides configuration data specifically for that cluster.
- The **nodes** subdirectory, which holds a subdirectory for each node in the cell. The names of the nodes subdirectories match the names of the nodes.
Each node subdirectory holds files such as `variables.xml` and `resources.xml`, which provide configuration data that applies across the node. Note that these files have the same name as those in the containing cell's directory. The configurations specified in these node documents override the configurations specified in cell documents having the same name. For example, if a particular variable is in both cell- and node-level `variables.xml` files, all servers on the node use the variable definition in the node document and ignore the definition in the cell document.
- The **applications** subdirectory, which holds a subdirectory for each application deployed in the cell. The names of the applications subdirectories match the names of the deployed applications.
Each deployed application subdirectory holds a `deployment.xml` file that contains configuration data on the application deployment. Each subdirectory also holds a **META-INF** subdirectory that holds a J2EE application deployment descriptor file as well as IBM deployment extensions files and bindings files. Deployed application subdirectories also hold subdirectories for all .war and entity bean .jar files in the application. Binary files such as .jar files are also part of the configuration structure.

An example file structure is as follows:

```

cells
  cell1
    cell.xml resources.xml virtualhosts.xml variables.xml security.xml
    nodes
      nodeX
        node.xml variables.xml resources.xml serverindex.xml
        serverA
          server.xml variables.xml
        nodeAgent
          server.xml variables.xml
      nodeY
        node.xml variables.xml resources.xml serverindex.xml
    applications
      sampleApp1
        deployment.xml
        META-INF
          application.xml ibm-application-ext.xml ibm-application-bnd.xml
      sampleApp2

```

```

deployment.xml
META-INF
application.xml ibm-application-ext.xml ibm-application-bnd.xml

```

Changing configuration documents

You can use one of the administrative tools (console, wsadmin, Java APIs) to modify configuration documents or edit them directly. It is preferable to use the administrative console because it validates changes made to configurations.

""Configuration document descriptions"" states whether you can edit a document using the administrative tools or must edit it directly.

Configuration document descriptions

Most configuration documents have XML content. The table below describes the documents and states whether you can edit them using an administrative tool or must edit them directly.

If possible, edit a configuration document using the administrative console because it validates any changes that you make to configurations. You can also use one of the other administrative tools (wsadmin or Java APIs) to modify configuration documents. Using the administrative console or wsadmin scripting to update configurations is less error prone and likely quicker and easier than other methods.

However, you cannot edit some files using the administrative tools. Configuration files that you must edit manually have an X in the **Manual editing required** column in the table below.

Document descriptions

Configuration file	Locations	Purpose	Manual editing required
admin-authz.xml	config/cells/ <i>cell_name</i> /	Define a role for administrative operation authorization.	X
app.policy	config/cells/ <i>cell_name</i> / nodes/ <i>node_name</i> /	Define security permissions for application code.	X
cell.xml	config/cells/ <i>cell_name</i> /	Identify a cell.	
cluster.xml	config/cells/ <i>cell_name</i> / clusters/ <i>cluster_name</i> /	Identify a cluster and its members and weights. This file is only available with the Network Deployment product.	
deployment.xml	config/cells/ <i>cell_name</i> / applications/ <i>application_name</i> /	Configure application deployment settings such as target servers and application-specific server configuration.	

<code>filter.policy</code>	<code>config/cells/ <i>cell_name</i>/</code>	Specify security permissions to be filtered out of other policy files.	X
<code>integral-jms-authorizations.xml</code>	<code>config/cells/ <i>cell_name</i>/</code>	Provide security configuration data for the integrated messaging system.	X
<code>library.policy</code>	<code>config/cells/ <i>cell_name</i>/ nodes/ <i>node_name</i>/</code>	Define security permissions for shared library code.	X
<code>multibroker.xml</code>	<code>config/cells/ <i>cell_name</i>/</code>	Configure a data replication message broker.	
<code>namestore.xml</code>	<code>config/cells/ <i>cell_name</i>/</code>	Provide persistent name binding data.	X
<code>naming-authz.xml</code>	<code>config/cells/ <i>cell_name</i>/</code>	Define roles for a naming operation authorization.	X
<code>node.xml</code>	<code>config/cells/ <i>cell_name</i>/ nodes/ <i>node_name</i>/</code>	Identify a node.	
<code>pmirm.xml</code>	<code>config/cells/ <i>cell_name</i>/</code>	Configure PMI request metrics.	X
<code>resources.xml</code>	<code>config/cells/ <i>cell_name</i>/ config/cells/ <i>cell_name</i>/ nodes/ <i>node_name</i>/ config/cells/ <i>cell_name</i>/ nodes/ <i>node_name</i>/ servers/ <i>server_name</i>/</code>	Define operating environment resources, including JDBC, JMS, JavaMail, URL, JCA resource providers and factories.	
<code>security.xml</code>	<code>config/cells/ <i>cell_name</i>/</code>	Configure security, including all user ID and password data.	
<code>server.xml</code>	<code>config/cells/ <i>cell_name</i>/ nodes/ <i>node_name</i>/ servers/ <i>server_name</i>/</code>	Identify a server and its components.	
<code>serverindex.xml</code>	<code>config/cells/ <i>cell_name</i>/ nodes/ <i>node_name</i>/</code>	Specify communication ports used on a specific node.	

spi.policy	config/cells/ <i>cell_name</i> / nodes/ <i>node_name</i> /	Define security permissions for service provider libraries such as resource providers.	X
variables.xml	config/cells/ <i>cell_name</i> / config/cells/ <i>cell_name</i> / nodes/ <i>node_name</i> / config/cells/ <i>cell_name</i> / nodes/ <i>node_name</i> / servers/ <i>server_name</i> /	Configure variables used to parameterize any part of the configuration settings.	
virtualhosts.xml	config/cells/ <i>cell_name</i> /	Configure a virtual host and its MIME types.	

Object names

When you create a new object using the administrative console or a wsadmin command, you often must specify a string for a name attribute. Most characters are allowed in the name string. However, the name string cannot contain the following characters:

/	forward slash
\	backslash
*	asterisk
,	comma
:	colon
;	semi-colon
=	equal sign
+	plus sign
?	question mark
	vertical bar
<	left angle bracket
>	right angle bracket
&	ampersand (and sign)
%	percent sign
'	single quote mark
"	double quote mark
]]>	
.	period (not valid if first character; valid if a later character)

Configuration repositories

A configuration repository stores configuration data. By default, configuration repositories reside in the *config* subdirectory of the product installation root directory.

A cell-level repository stores configuration data for the entire cell and is managed by a file repository service that runs in the deployment manager. The deployment manager and each node have their own repositories. A node-level repository stores configuration data needed by processes on that node and is accessed by the node agent and application servers on that node.

When you change a WebSphere Application Server configuration by creating an application server, installing an application, changing a variable definition or the like, and then save the changes, the cell-level repository is updated. The file synchronization service distributes the changes to the appropriate nodes.

Handling temporary configuration files resulting from session timeout

If the console is not used for 15 minutes or more, the session times out. The same thing happens if you close the browser window without saving the configuration file. Changes to the file are saved to a temporary file when the session times out, after 15 minutes.

When a session times out, the configuration file in use is saved under the `userid/timeout` directory under the `ServletContext's temp` area. This is value of the `javax.servlet.context.tempdir` attribute of the `ServletContext`. By default, it is:
`install_root/temp/hostname/Administration/admin/admin.war`

You can change the temp area by specifying it as a value for the `tempDir` init-param of the action servlet in the deployment descriptor (`web.xml`) of the administrative application.

The next time you log on to the console, you are prompted to load the saved configuration file. If you decide to load the saved file:

1. If a file with the same name exists in the `install_root/config` directory, that file is moved to the `userid/backup` directory in the temp area.
2. The saved file is moved to the `install_root/config` directory.
3. The file is then loaded.

If you decide not to load the saved file, it is deleted from the `userid/timeout` directory in the temp area.

The configuration file is also saved automatically when the same user ID logs into the non-secured console again, effectively starting a different session. This process is equivalent to forcing the existing user ID out of session, similar to a session timing out.

Changing the location of temporary configuration files

The configuration repository uses copies of configuration files and temporary files while processing repository requests. It also uses a back-up directory while managing the configuration. You can change the default locations of these files from the configuration directory to a directory of your choice using system variables or the administrative console.

The default location for the configuration temporary directory is `CONFIG_ROOT/temp`. Change the location by doing either of the following:

- Set the system variable `was.repository.temp` to the location you want for the repository temporary directory. Set the system variable when launching a Java

process using the -D option. For example, to set the default location of the repository temporary directory, use the following option:

`-Dwas.repository.temp=%CONFIG_ROOT%/temp`

- Use the administrative console to change the location of the temporary repository file location for each server configuration. For example, on the Network Deployment product, to change the setting for a deployment manager, do the following:
 1. Click **System Administration > Deployment Manager** in the navigation tree of the administrative console. Then, click **Administration Services**, **Repository Service**, and **Custom Properties**.
 2. On the Properties page, click **New**.
 3. On the settings page for a property, define a property for the temporary file location. The key for this property is `was.repository.temp`. The value can include WebSphere Application Server variables such as `${WAS_TEMP_DIR}/config`. Then, click **OK**.

The system property set using the first option takes precedence over the configuration property set using the second option.

Changing the location of backed-up configuration files

During administrative processes like adding a node to a cell or updating a file, configuration files are backed up to a back-up location. The default location for the back-up configuration directory is `CONFIG_ROOT/backup`. Change the location by doing either of the following:

- Set the system variable `was.repository.backup` to the location you want as the repository back-up directory. Set the system variable when launching a Java process using the -D option. For example, to set the default location of the repository back-up directory, use the following option:
`-Dwas.repository.backup=%CONFIG_ROOT%/backup`
- Use the administrative console to change the location of the repository back-up directory for each server configuration. For example, on the Network Deployment product, do the following to change the setting for a deployment manager:
 1. Click **System Administration > Deployment Manager** in the navigation tree of the administrative console. Then, click **Administration Services**, **Repository Service**, and **Custom Properties**.
 2. On the Properties page, click **New**.
 3. On the settings page for a property, define a property for the back-up file location. The key for this property is `was.repository.backup`. The value can include WebSphere Application Server variables such as `${WAS_TEMP_DIR}/backup`. Then, click **OK**.

The system property set using the first option takes precedence over the configuration property set using the second option.

Changing the location of temporary workspace files

The administrative console workspace allows client applications to navigate the configuration. Each workspace has its own repository location defined either in the system property or the property passed to a workspace manager when creating the workspace: `workspace.user.root` or `workspace.root`, which is calculated as `%workspace.root% / user_ID / workspace / wstemp`.

The default workspace root is calculated based on the user installation root: %user.install.root%/wstemp. You can change the default location of temporary workspace files by doing either of the following:

- Change the setting for the system variable *workspace.user.root* or *workspace.root* so its value is no longer set to the default location. Set the system variable when launching a Java process using the -D option. For example, to set the default location the full path of the root of all users' directories, use the following option:
-Dworkspace.user.root=*full_path_for_root_of_all_user_directories*
- Change the setting it at the user level with the programming APIs. When you create the workspace, set the WorkSpaceManager.WORKSPACE_USER_ROOT property on the API.

Backing up and restoring administrative configurations

WebSphere Application Server represents its administrative configurations as XML files. You should back up configuration files on a regular basis.

1. Synchronize administrative configuration files.
 - a. Click **System Administration > Nodes** in the console navigation tree to access the Nodes page.
 - b. Click **Full Resynchronize**. The resynchronize operation resolves conflicts among configuration files and can take several minutes to run.
2. Run the backupConfig command to back up configuration files.
3. Run the restoreConfig command to restore configuration files. Specify backup files that do not contain invalid or inconsistent configurations.

Server configuration files: Resources for learning

Use the following links to find relevant supplemental information about administering WebSphere Application Server server configuration files. The information resides on IBM and non-IBM Internet sites, whose sponsors control the technical accuracy of the information.

These links are provided for convenience. Often, the information is not specific to the IBM WebSphere Application Server product, but is useful all or in part for understanding the product. When possible, links are provided to technical papers and Redbooks that supplement the broad coverage of the release documentation with in-depth examinations of particular product areas.

View links to additional information:

Administration


- Listing of all IBM WebSphere Application Server Redbooks
- System Administration for WebSphere Application Server V5 -- Part 1: Overview of V5 Administration

Chapter 12. Welcome to Administrative agents

Servers, nodes and node agents, cells and the deployment manager are fundamental concepts in the administrative universe of the product. It is also important to understand the various processes in the administrative topology and the operating environment in which they apply.

A base WebSphere Application Server (single server) installation includes only the Application Server process. A single server installation can host one or more sets of managed servers, known as nodes. A managed server is a single WebSphere Application Server JVM instance, running in its own process. A node cannot span multiple machines, but a machine can have multiple nodes, each with multiple managed servers. There is no node agent or network deployment manager involved in this configuration. No coordination between application server processes is supported in the single server environment. Administration is limited to a single process at a time.

IBM WebSphere Application Server Package




A Network Deployment installation can support a network of computer systems that are configured to run collaborating instances of a single server installation. Each computer having a single server installation is known as a node. The Network Deployment product provides centralized administration and workload management for a set of nodes, known as a cell. A cell has a master administrative repository that stores all of the cell's configuration data.

One computer is designated as the central deployment manager machine. The central deployment manager program (dmgr) oversees the cell.

In the Network Deployment product, each node has a node agent that serves as an intermediary between the application servers on the node and the deployment manager that oversees the entire cell.

Administrative logic running in a node agent keeps the configuration data of a node synchronized with the configuration data of all nodes within a cell.

IBM WebSphere Application Server Network Deployment Package



You establish a multiple machine environment (a cell) through a series of installation and configuration steps.

Chapter 13. Managing administrative agents

After you install and set up the Network Deployment product, you probably will not need to change the configuration of its components much, if at all. You might want to manage configuration data stored in files by configuring a file synchronization service (part of managing nodes in step 5). However, you will mainly need to monitor and control incorporated nodes, and the resources on those nodes, using the administrative console or other administrative tools.

1. Use the settings page for an administrative service to configure administrative services.
2. Use the settings page for a repository service to configure administrative repositories.
3. Configure cells.
4. Configure deployment managers.
5. Manage nodes.
6. Manage node agents.
7. Configure remote file services.

Cells

Cells are arbitrary, logical groupings of one or more nodes in a WebSphere Application Server distributed network.

A cell is a configuration concept, a way for administrators to logically associate nodes with one another. Administrators define the nodes that make up a cell, according to the specific criteria that make sense in their organizational environments.

Administrative configuration data is stored in XML files. A cell retains master configuration files for each server in every node in the cell. Each node and server also have their own local configuration files. Changes to a local node or to a server configuration file are temporary, if the server belongs to the cell. While in effect, local changes override cell configurations. Changes to server and node configuration files at the cell level are permanent. Synchronization occurs at designated events, such as when a server starts.

Node

A node is a logical grouping of managed servers.

A node usually corresponds to a physical computer system with a distinct IP host address. Node names usually are identical to the host name for the computer.

A node agent manages all WebSphere Application Server servers on a node. The node agent represents the node in the management cell.

Administration service settings

Use this page to view and change the configuration for an administration service.

To view this administrative console page, click one of the following paths:

- **Servers > Application Servers >*server_name* > Administration Services**
- **Servers > JMS Servers >*server_name* > Administration Services**

Standalone

Specifies whether the server process is a participant in a Network Deployment cell or not. If true, the server does not participate in distributed administration. If false, the server participates in the Network Deployment system.

The default value for base WebSphere Application Server installations is true. When addNode runs to incorporate the server into a Network Deployment cell, the value switches to false.

Data type	Boolean
Default	true

Preferred Connector

Specifies the preferred JMX Connector type. Available options, such as SOAPConnector or RMICConnector, are defined using the JMX Connectors page.

Data type	String
Default	SOAP

Extension MBean Providers collection

Use this page to view and change the configuration for JMX extension MBean providers.

You can configure JMX extension MBean providers to be used to extend the existing WebSphere managed resources in the core administrative system. Each MBean provider is a library containing an implementation of a JMX MBean and its MBean XML Descriptor file.

To view this administrative console page, click one of the following paths:

- Servers > Application Servers >*server_name* > Administration Services > Extension MBean Providers
- Servers > JMS Servers >*server_name* > Administration Services > Extension MBean Providers

Classpath

The classpath within the provider library where the MBean Descriptor can be located.

Description

An arbitrary descriptive text for the Extension MBean Provider configuration.

Name The name used to identify the Extension MBean provider library.

Extension MBean Provider settings

Use this page to view and change the configuration for a JMX extension MBean provider.

You can configure a library containing an implementation of a JMX MBean, and its MBean XML Descriptor file, to be used to extend the existing WebSphere managed resources in the core administrative system

To view this administrative console page, click one of the following paths:

- Servers > Application Servers >*server_name* > Administration Services > Extension MBean Providers >*provider_library_name*
- Servers > JMS Servers >*server_name* > Administration Services > Extension MBean Providers >*provider_library_name*

Classpath:

The classpath within the provider library where the MBean Descriptor can be located. The class loader needs this information to load and parse the Extension MBean XML Descriptor file.

Data type	String
------------------	--------

Description:

An arbitrary descriptive text for the Extension MBean Provider configuration. Use this field for any text that helps identify or differentiate the provider configuration.

Data type	String
------------------	--------

Name:

The name used to identify the Extension MBean provider library.

Data type	String
------------------	--------

Repository service settings

Use this page to view and change the configuration for an administrative service repository.

To view this administrative console page, click one of the following paths:

- Servers > Application Servers >*server_name* > Administration Services > Repository Service
- Servers > JMS Servers >*server_name* > Administration Services > Repository Service

Audit Enabled

Specifies whether to audit repository updates in the log file. The default is to audit repository updates.

Data type	Boolean
Default	true

Administrative agents: Resources for learning

Use the following links to find relevant supplemental information about WebSphere Application Server administrative agents and distributed administration. The information resides on IBM and non-IBM Internet sites, whose sponsors control the technical accuracy of the information.

These links are provided for convenience. Often, the information is not specific to the IBM WebSphere Application Server product, but is useful all or in part for understanding the product. When possible, links are provided to technical papers and Redbooks that supplement the broad coverage of the release documentation with in-depth examinations of particular product areas.

View links to additional information:

Administration

- Listing of all IBM WebSphere Application Server Redbooks

- System Administration for WebSphere Application Server V5 -- Part 1: Overview of V5 Administration

Notices

References in this publication to IBM products, programs, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only IBM's product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any of IBM's intellectual property rights may be used instead of the IBM product, program, or service. Evaluation and verification of operation in conjunction with other products, except those expressly designated by IBM, is the user's responsibility.

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
500 Columbus Avenue
Thornwood, New York 10594 USA

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
Mail Station P300
522 South Road
Poughkeepsie, NY 12601-5400
USA
Attention: Information Requests

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

Trademarks and service marks

The following terms are trademarks of IBM Corporation in the United States, other countries, or both:

- AIX
- CICS
- Cloudscape
- DB2
- DFSMS
- Everyplace
- iSeries
- IBM
- IMS
- Informix
- iSeries
- Language Environment
- MQSeries
- MVS
- OS/390
- RACF
- Redbooks
- RMF
- SecureWay
- SupportPac
- ViaVoice
- VisualAge
- VTAM
- WebSphere
- z/OS
- zSeries

Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, and service names may be trademarks or service marks of others.