# **High Level Assembler:**

# **Toolkit Feature Technical Overview**

# SHARE 102 (Feb. 2004), Session 8166

February, 2004

John R. Ehrman ehrman@us.ibm.com or ehrman@vnet.ibm.com

International Business Machines Corporation Silicon Valley (nee Santa Teresa) Laboratory 555 Bailey Avenue San Jose, California 95141 USA

#### - Synopsis: ·

This document provides an overview of the IBM High Level Assembler for MVS & VM & VSE Toolkit Feature and shows how its components can be used at all stages of program development and deployment.

HLASM documentation, presentation materials, and demonstration and trial versions of some Toolkit components are available on the HLASM web site:

http://www.ibm.com/software/ad/hlasm/

The examples in this document are for purposes of illustration only, and no warranty of correctness or applicability is implied or expressed.

Permission is granted to SHARE Incorporated to publish this material in the proceedings of the SHARE 102 (Feb. 2004). IBM retains the right to publish this material elsewhere.

© IBM Corporation 1995, 2004. All rights reserved.

#### - Notice -

© IBM Corporation 1995, 2004. All rights reserved. Note to U.S. Government Users: Documentation subject to restricted rights. Use, duplication, or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

#### – Copyright Notices and Trademarks -

Note to U.S. Government Users: Documentation subject to restricted rights. Use, duplication, or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

The following terms, denoted by an asterisk (\*) in this publication, are trademarks or registered trademarks of the International Business Machines Corporation in the United States and/or other countries:

IBM	ESA	System/370	System/370/390
System/390	MVS/ESA	OS/390	VM/ESA
VSE/ESA	VSE	z/OS	z/VM
z/Architecture DFSMS	zSeries	OS/2	OS/2 Warp
Bromo			

The following are trademarks or registered trademarks of other corporations:

Windows 95	Windows 98	Windows 2000	Windows NT	Windows XP	
------------	------------	--------------	------------	------------	--

#### – Publications, Collection Kits, Web Sites -

The currently available product publications for High Level Assembler for MVS & VM & VSE are:

- High Level Assembler for MVS & VM & VSE Language Reference, SC26-4940
- High Level Assembler for MVS & VM & VSE Programmer's Guide, SC26-4941
- High Level Assembler for MVS & VM & VSE General Information, GC26-4943
- High Level Assembler for MVS & VM & VSE Licensed Program Specifications, GC26-4944
- High Level Assembler for MVS & VM & VSE Installation and Customization Guide, SC26-3494
- High Level Assembler for MVS & VM & VSE *Toolkit Feature Interactive Debug Facility User's Guide*, GC26-8709
- High Level Assembler for MVS & VM & VSE Toolkit Feature User's Guide, GC26-8710
- High Level Assembler for MVS & VM & VSE *Toolkit Feature Installation and Customization Guide*, GC26-8711
- High Level Assembler for MVS & VM & VSE *Toolkit Feature Interactive Debug Facility Reference* Summary, GC26-8712
- High Level Assembler for MVS & VM & VSE Release 2 Presentation Guide, SG24-3910


Soft-copy High Level Assembler for MVS & VM & VSE publications are available on the following *IBM Online Library Omnibus Edition* Compact Disks:

- VSE Collection, SK2T-0060
- *MVS Collection*, SK2T-0710
- Transaction Processing and Data Collection, SK2T-0730
- VM Collection, SK2T-2067
- OS/390 Collection, SK2T-6700 (BookManager), SK2T-6718 (PDF)

HLASM publications are available online at the HLASM web site:

http://www.ibm.com/software/ad/hlasm/

Formatted 01 Dec 03, 1403.




# High Level Assembler Toolkit Feature

The High Level Assembler Toolkit Feature is an optional, separately priced feature of IBM High Level Assembler. It provides a powerful and flexible set of six tools to improve application recovery and development, and to assist in program preparation, analysis, debugging, and maintenance on z/OS\*, z/VM\*, OS/390\*, MVS/ESA\*, VM/ESA\*, and VSE/ESA\* systems. These productivity-enhancing tools are:

- **Disassembler**, a tool which converts binary machine language to Assembler Language source statements. It helps you understand programs in executable or object format, and enables recovery of lost source code.
- Cross-Reference Facility, a flexible source-code analysis and cross-referencing tool. It helps you determine variable and macro usage, analyze high-level control flows, and locates specific uses of arbitrary strings of characters.
- **Program Understanding Tool**, a workstation-based program analysis tool. It provides multiple and "variable-magnification" views of control flows within single programs or across entire application modules.
- Interactive Debug Facility, a powerful and sophisticated symbolic debugger for applications written in Assembler Language and other compiled languages. It simplifies and speeds the development of correct and reliable applications. (It is not intended for debugging privileged or supervisor-state code.)
- Structured Programming Macros, a complete set of macro instructions that implement the most widely used structured-programming constructs (IF, DO, CASE, SEARCH, SELECT). These macros simplify coding and help eliminate errors in writing branch instructions.
- File Comparison Utility (known as "Enhanced SuperC"), a versatile file searching and comparison tool. It can scan or compare single file or groups of files with an extensive set of selection and rejection criteria. Typical uses include comparing an original source file with a modified source file, or a pre-migration application output file with a post-migration output file. Newly added functions include "smart comparisons" of date fields to assist date "windowing".

Together, these tools provide a powerful set of capabilities to speed application development, diagnosis, and recovery.

This presentation provides an overview of the features and use of each of the six Toolkit components. They are based on tools that have been used widely and tested extensively inside IBM before being "packaged" in the High Level Assembler Toolkit.



## Why Consider Using the Toolkit?

The six components of the High Level Assembler Toolkit Feature help you in managing all stages of application recovery, understanding, development, test, and maintenance. Among the reasons you may consider in using the Toolkit are:

1. Preserve investments in applications, people, skills, and procedures

Many organizations have substantial investments in applications or application components written in Assembler Language. Converting to other languages has many costs (many hidden, and many significant), so it is important to continue to maintain and enhance existing code. This also helps to preserve investments in personnel and their knowledge of the applications, as well as in the organization's established estimation, development, test, and maintenance procedures.

2. Improve application maintainability and understandability

Application maintenance is usually the largest cost element of an application, so several Toolkit components will be valuable in helping you with understanding and maintaining Assembler Language code.

3. Improve application error correction

Testing typically detects only a fraction of latent errors in applications before they are deployed; finding and fixing those problems is helped by the Toolkit.

The components of the High Level Assembler Toolkit Feature can help you save time, reduce costs, improve product quality, and increase customer satisfaction.

## **Hardware Requirements**

The High Level Assembler Toolkit Feature requires the same hardware environments as IBM High Level Assembler for MVS & VM & VSE Version 1 Release 4. Requirements for 24-bit Virtual Storage are:

- Disassembler: 100K bytes
- IDF: 600K bytes
- XREF: depends on number and sizes of modules being scanned
- · SuperC: depends on number and sizes of modules being scanned
- ...plus working storage (depending on the application)

The Program Understanding Tool (ASMPUT) component of the High Level Assembler Toolkit Feature requires a workstation capable of running OS/2, Windows 95, 98, 2000, or NT with a minimum of 16 MB memory (32 MB recommended) and 80 MB of available hard-drive space, plus a host-sytem connection or other means of transferring SYSADATA files to the workstation for analysis.

### **Software Requirements**

The High Level Assembler Toolkit Feature operates in all MVS/ESA and VM/ESA environments where IBM High Level Assembler for MVS & VM & VSE Version 1 Release 4 (MVS & VM Edition) operates. On MVS, the Interactive Debug Facility's macro facilities require TSO/E V2 or later.

On z/OS and OS/390, the High Level Assembler Toolkit Feature is an optional element; it operates in all environments where the same level of the High Level Assembler base element operates.

The High Level Assembler Toolkit Feature operates in VSE/ESA Version 2 (or later) environments where IBM High Level Assembler for MVS & VM & VSE Version 1 Release 4 (VSE Edition) operates. On VSE, the Interactive Debug Facility requires VSE Version 2.2 or later.

The Toolkit Feature's components can be used independently of High Level Assembler. However, the most productive uses of many of the Toolkit Feature's components rely on SYSADATA files produced by High Level Assembler for MVS & VM & VSE.

Note: The SYSADATA files should not be created if the GOFF or XOBJECT option is in effect.

The Program Understanding Tool (ASMPUT) component of the High Level Assembler Toolkit Feature requires one of:

- OS/2\* Version 4 (8H1425) with fixpack 8 or later
- Windows\* 95
- Windows 98
- Windows 2000
- Windows NT Version 4.0 with Service Pack 3 or later, on Intel workstations only.
- Windows XP

A recommended host-connection software package is eNetwork Personal Communications Version 4.2.1 (8H8735), which supports OS/2 and Windows.

GC26-8709	Toolkit Feature Interactive Debug Facility User's Guide
	The reference document for all IDF facilities, commands, windows and messages.
GC26-8710	Toolkit Feature User's Guide
	Reference and usage information for the Disassembler, the Cross-Reference Facility, the Program Understanding Tool, the File Comparison Utility, and the Structured Programming Macros
GC26-8711	Toolkit Feature Installation and Customization Guide
	Information needed to install all Toolkit Feature components
GC26-8712	Toolkit Feature Interactive Debug Facility Reference Summary
	Quick-reference summary, with syntax of all commands and a list of all options; for experienced ASMIDF users.

### **Publications**

The four publications for the High Level Assembler Toolkit Feature are:

GC26-8709 Toolkit Feature Interactive Debug Facility User's Guide

The main reference document that describes all IDF facilities, commands, windows and messages.

GC26-8710 Toolkit Feature User's Guide

Reference and usage information for the Disassembler, the Cross-Reference Facility, the Program Understanding Tool, the Enhanced SuperC File Comparison Utility, and the Structured Programming Macros

- **GC26-8711** Toolkit Feature Installation and Customization Guide Information needed to install all Toolkit Feature components
- **GC26-8712** Toolkit Feature Interactive Debug Facility Reference Summary

Quick-reference summary, with syntax for all commands and a list of all the options. This booklet is intended for experienced ASMIDF users.

For more information about ordering the High Level Assembler Toolkit Feature, refer to Software Announcement 295-498, dated December 12, 1995.

	Converte chiest ands to Assembler Language source
	Converts object code to Assembler Language source
	Supports latest processor instructions, including z/Architecture
	Input files:
	<ul> <li>Object modules; MVS load modules and program objects; CMS modules; VSE phases</li> </ul>
	<ul> <li>Control statements (including a COPYLIB)</li> </ul>
•	Output files:
	LISTING control records, messages, source listing, etc.
	PUNCH assembler-ready source file, to re-create the object
•	Limitations:
	<ul> <li>16MB upper limit on size of module being disassembled</li> <li>MVS: no Program Objects containing nonstandard classes</li> <li>No Generalized Object File Format (GOFF) object files</li> <li>VSE: phases have no ESD; cannot extract individual CSECTs</li> <li>SYM-record information not used, even if present</li> </ul>

# **HLASM Toolkit Disassembler**

The High Level Assembler Toolkit Feature's Disassembler lets you extract single control sections (CSECTs) from object modules or from executables such as MVS load modules, CMS modules, and VSE phases. It converts them to Assembler Language statements that can be assembled to generate the same object code. A control file (including a COPYLIB of previously created control statements) supplies information to guide the Disassembler in producing a more readable and modifiable output source program.

The Disassembler produces two output files:

- Listing Various sections describe the module being disassembled, control records, messages, text listing and the source listing.
- **Punch** An assembler language source file that can be used directly as input to the assembler to recreate the object text file.

The Disassembler currently has the following limitations:

- 16MB upper limit on the size of the module being disassembled
- On MVS: Program Objects containing nonstandard classes (i.e., classes not defined and owned by the DFSMS/MVS Binder) cannot be disassembled.
- Generalized Object File Format (GOFF) object files cannot be disassembled.
- On VSE: Because VSE executable phases have no External Symbol Dictionary (ESD), the Disassembler cannot extract individual CSECTs, nor produce a useful ESD report.

**Note:** VSE utilities can create an object-module file from a phase; that object module may also be disassembled.

• SYM-record information is not used, even if present in the object file or load module.

Publication GC26-8710, *High Level Assembler for MVS & VM & VSE Toolkit Feature User's Guide* describes all the control records, JCL requirements, and error messages for the Disassembler.

Current service includes APAR PQ66807.

•	<ul> <li>Copyright protection and the COPYRIGHTOK option</li> </ul>					
•	Control	statements add symbolic and structure information				
	DATA, I	NSTR, DS				
		designate data, code, and empty areas				
	DSECT	provides symbolic mappings of structures				
	ULABL	assigns user labels to points in the program				
	USING	provides basing data to allow symbolic references in place of explicit base-displacement operands				
	COPY	includes previously created control statements				
•	Symboli	c names automatically provided for <u>all</u> registers				
	- Acces	s, Control, Floating-Point, General Purpose, and Vector				
•	Informat	ive comments on SVCs, STM, EX, BAL, BALR, etc.				
•	Listing o	contains ESD, RLD, other useful information				

## **Disassembler Operation**

The COPYRIGHTOK option controls the processing of control sections that contain copyright information. By default, the disassembler will scan the object code for the following data:

- (c)
- (C)
- © (at code point X'B4')
- "Copyright" in any combination of upper case and lower case letters.

If any one of these is found, message ASMD010 will be issued and the disassembly will stop. However, if you specify the COPYRIGHTOK option, then you are acknowledging that you own the copyright for the module or that you have obtained permission from the copyright owner to disassemble the module. In this case the Disassembler will issue message ASMD008 to acknowledge this, and processing will continue.

The Disassembler operates in two passes: Pass 1 reads and processes all the control records, and builds storage tables for later use. The main tables are for labels, USINGs and DSECTs. Pass 2 performs the actual disassembly, analyzing the module's machine language text and writing assembler language instructions to the listing and punch files.

Your first control statement specifies the module and control section to be disassembled. Additional control statements provide further guidance and helpful information to the Disassembler, allowing it to create a more readable program. You can supply sets of control statements in the primary input stream to the Disassembler, or (as each set is developed) you can save them in a library and direct the Disassembler to read them using COPY control statements.

- You can describe the layout of the control section with control statements asserting that certain areas of the module contain data only, instructions only, or are known to be uninitialized.
- You can request symbolic resolutions of halfword base-displacement storage by supplying control statements giving base addresses and the base registers to be used for addressing.
- You can assign your own labels to designated positions in the program, and define data structures (DSECTs).
- The Disassembler automatically assigns symbolic names to registers. Branch instructions use extended mnemonics where possible, and supervisor call (SVC) instructions are identified when known. (The Disassembler cannot create source programs that recover original macro calls, of course!)

• The Disassembler listing provides a full summary of the inputs and outputs of the disassembly, and the reconstructed Assembler Language source program is placed in a separate PUNCH file.

When the disassembler-generated statements are assembled by High Level Assembler using the ADATA option, the resulting SYSADATA file (also called the ADATA file) may be used as input to other Toolkit Feature components. This combination of facilities can help you recover lost source code written in *any* compiled language.

Disassembler Usage
Initial disassembly
- Specify the module and CSECT to be disassembled
Add USING records
- Specify base registers, contents, and USING ranges
Add other control records
- Specify areas used for instructions, data, and "empty space"
- Assign your own labels to known instructions, data areas, work areas
<ul> <li>Map data structures with DSECT statements</li> </ul>
Program Understanding Tool helps clarify structure
<ul> <li>Especially useful for compiled HLL code</li> </ul>
Place control records in separate files, include COPY statements
HLASM Toolkit Feature © IBM Corporation 1995, 2004. All rights reserved. 6

## **Disassembler Usage Examples**

Some examples of the disassembler will use the object file from the program listed in Figure 1 below. The object text file in each of the following three examples is identical. Each example has its own set of control records:

- 1. Initial run (DISASM1)
- 2. Add USING records (DISASM2)
- 3. Add other control records (DISASM3)

The control files used for these disassemblies are discussed starting at "Sample Disassembler Control Files: DISASM1" on page 8. (Note that because the examples were run under CMS, the first operand of the first control statement is ignored; the name is used only to distinguish the three samples.)

Trace CSec	t	
stm	r14,r12,12(r13)	Save caller's registers
lr	r12,r15	Establish Base
Usin	g trace,r12	and tell the assembler
st	r13,savearea+4	Chain
	r2,savearea	the
st	r2,8(,r13)	saveareas
la	r15,12	set default return code

Figure 1 (Part 1 of 2). Sample Program for Disassembly

	e: m( r( a)	yflag,myflag xit yflag,myflag 8,areaaddr realen,=f'8192' 15,8	Have we been here? Get out now Clear the flag Set up address of area Set up length of area Set the return code
st mvc	r 2 r r	14,r12,12(r13)	Point to previous area Store the return code Point saved R1 at Parm list Restore the registers Return
myflag		F'1'	
savearea			
dump_data			
areaaddr			
arealen			
titlea		a(title)	
title		cl16'Hello world'	
	Equ		
r8	Equ		
r12	Equ		
r13	Equ		
r14	Equ		
r15	Equ		
Enc			

Figure 1 (Part 2 of 2). Sample Program for Disassembly

### Sample Disassembler Control Files: DISASM1

The initial version of the control file specifies only a single statement, to designate the module name and the CSECT name. (Under CMS, the module name DISASM1 is ignored.)

DISASM1 TRACE

- \* specifies the module (not used on VM) and the CSECT.

Figure 2. Initial Set of Disassembler Control Statements

The output of this disassembly contains no USING statements and no internal labels; all addressing is in base-displacement form, as illustrated in Figure 3 on page 9 below. (Note that the last statement before END is a call on the ASMDREG macro: this macro is supplied with the Toolkit Feature, and simply defines the names of the general purpose registers R0 through R15. It is equivalent to the REGEQU macro, which unfortunately is not available on all platforms.)

TRAC	Ū.	RACE of Load Module DISASM1 '
*	Produced by ASMDASM on	98.120 at 14:06
TRACE	CSECT	
	STM R14,R12,12(R13)	Save regs
	LR R12,R15	
	ST R13,92(,R12)	
	LA R2,88(,R12)	
	ST R2,8(,R13)	
	LA R15,12	
	OC 80(4,R12),80(R12)	
	BZ 52(,R12)	
	etc	
	DC CL16'Hello world '	
	ASMDREG	
	END	

Figure 3. Sample Disassembly With Minimal Control Statements

### Sample Disassembler Control Files: DISASM2

After inspecting the initial disassembly, we have determined that register 12 should be used as a base register, so we add a USING control statement. (Remember: under CMS, the module name DISASM2 is ignored.)

DISASM2 TRACE \* Now we have added a USING record which specifies that \* the USING applies to all addresses between X'000000' and X'0000CO', \* register 12 (X'C') is to be used as a Program base register \* and that the value loaded into the register is X'000000' USING 000000 0000CO C P 000000

Figure 4. Disassembler Control Statements Specifying USING

The output from this disassembly would use symbolic labels for storage references based on register 12. The generated names are of the form Annnnn where nnnnnn is the hexadecimal offset of the label from the base of the control section. This is illustrated in Figure 5 on page 10 below.

TRAC * TRACE	TITLE CSECT	'Disassembly of CSECT Produced by ASMDASM of				
	USING	*,R12				
A000000	EQU	*				
	STM	R14,R12,12(R13)	Sa	ave r	egs	
	LR	R12,R15				
	ST	R13,A00005C				
	LA	R2,A000058				
	ST	R2,8(,R13)				
	LA	R15,12				
	00	A000050(4),A000050				
	ΒZ	A000034				
	XC	A000050(4),A000050				
		etc				
A0000B0	EQU	*				
	DC	CL16'Hello world	I			
	ASMDRI	EG				
	END					

Figure 5. Sample Disassembly With USING Control Statement

### Sample Disassembler Control Files: DISASM3

For the final disassembly, we observe that there is a save area at offset X'000058' that we will call SAVEAREA, and this area is uninitialized space; also, there appears to be a fullword at offset X'000050' used as a FLAG, so we add three new control statements.

DISASM3 TRACE USING 000000 0000C0 C P 000000 \* The following defines a label SAVEAREA for an area which starts at \* offset X'000058' and is 72 bytes long (18 fullwords) ULABL SAVEAREA 000058 072 \* This defines the area from X'000058' to X'00009F' as an \* uninitialized storage area (this will force the use of the DS opcode) DS 000058 00009F \* another label definition - FLAG at offset X'50' for 4 bytes ULABL FLAG 000050 004

Figure 6. Disassembler Control Statements Specifying Additional Info


The output from this (possibly final) disassembly is shown in Figure 7 on page 11 below:

* TRACE	CSECT	Produced by ASMDAS	M on 1998.120 at 17:58
INACL		*,R12	
A000000	EQU	*	
	STM	R14,R12,12(R13)	Save regs
	LR	R12,R15	
	ST	R13, SAVEAREA+4	
	LA	R2, SAVEAREA	
	ST	R2,8(,R13)	
	LA	R15,12	
	00	FLAG(4),FLAG	
	ΒZ	A000034	
	XC	FLAG(4),FLAG	
	ST	R8,A0000A4	
	MVC	A0000A8(4),A000048	
	LA	R15,8	
A000034	L	R13, SAVEAREA+4	
	ST	R15,16(,R13)	
	MVC LM	24(4,R13),A00004C R14,R12,12(R13)	Postono nogo
	BR	R14, K12, 12(K15)	Restore regs Exit
	SPACE	K14	EXIL
A000048	DC	F'08192'	
A000040	DC	A (A0000A0)	
FLAG	DC	F'00001'	
	DC	F'0'	
SAVEAREA		CL72	
A0000A0	EQU	*	
	DĊ	F'00001'	
A0000A4	DC	F'0'	
8A0000A8	DC	F'0'	
	DC	A(A0000B0)	
A0000B0	EQU	*	
	DC	CL16'Hello world	I
	ASMDRI	-G	

Figure 7. Disassembler Output for Sample Program

Further refinements are possible, but the most important features of this simple program are now evident.

When analyzing the successive disassemblies, many users have found that it helps to analyze the logical structure of the program using the Program Understanding Tool (described on page 14). It can help you identify loops, calls, and other major code segments.




# HLASM Toolkit Cross-Reference Facility

The High Level Assembler Toolkit cross-reference tool (ASMXREF) supports your maintenance tasks by analyzing and scanning source programs, macro definitions, INCLUDE and COPY books and other files for symbols, macro calls, and user-specified tokens. The source programs may be written in Assembler Language, C/C++, PL/I, or REXX. Other languages supported for a subset of the available reports include COBOL, FORTRAN, ASM88, CLIST, "Generic", ISPF panels and skeletons, JCL, MASM, Modula, Pascal, QMF/SQL, RPG, and SCRIPT.

ASMXREF can also be used for identifying fields of application importance such as DATE, TIME, and YYMMDD. You additionally specify tokens to be *excluded*, so that searches for a token such as "MM" can reject matches on tokens such as SUMMER. Furthermore, an arbitrary "match anything" character (sometimes called a wildcard character) can be used to create generic tokens such as "YY\*"; the scan will then search for occurrences of the token with any other characters allowed in the position of the arbitrary character.

ASMXREF does not support VSAM files.



**Control Flow Report:** The CF report tabulates all inter-module program references as a function of member or entry point name. Additional language-specific capabilities are provided for selected languages.

**Lines of Code Report:** The LOC report provides a count, arranged by part, of the number of source lines in the part, the executable and non-executable statements and the number of comment lines in the part. Appropriate tags can be used to indicate lines changed, deleted, added, or moved, as well as to indicate programmer activity.

Lines of Object Oriented Code Report: There is a special subset of the LOC report for C/C++: the LOOC (Lines of Object Oriented Code) reports the Lines of Code (LOC) per class and per object, and objects per class, containing data similar to that in the "standard" LOC report. "Shipped Source Instructions" (SSI) indicates the number of executable and non-executable instructions that are not blank or comments.


**Macro Where Used Report:** The MWU report lists all macros or functions invoked and all segments copied, including the type and frequency of the invocation or reference.

**Symbol Where Used Report:** The SWU report lists all symbols referenced within the source members, and the type of reference. These symbols can be variables or macros.

**Token Where Used Report:** The TWU report shows for each module scanned the number of lines of code, the number of occurrences of each token, and the total number of token matches. Tokens may also be excluded from matching.

When you create the TWU report, a "tagged source program" is also generated. This file contains special language-specific inserted comment statements where tokens are found. Subsequent assembly of a "tagged" file helps you track important variables during control-flow analysis using the Program Understanding Tool.

**Spreadsheet Oriented Report:** The SOR report contains the same information as the TWU report, as a comma-delimited file suitable for input into a standard spreadsheet application. This tabular information helps you identify the critical modules in an application and estimate the effort required for needed modifications.



# HLASM Toolkit Program Understanding Tool

The Program Understanding Tool (ASMPUT) helps you analyze and extract information about Assembler Language applications, using a graphical user interface to display graphical and source views of an application's structure. ASMPUT extracts application analysis information from the SYSADATA file generated during host assembly by HLASM; this ADATA file is downloaded to the workstation for analysis and display on Windows or OS/2 Warp\* 4.

ASMPUT can display linked views of selected programs and modules including:

- a Content view
- an Assembled Listing view
- a graphical Control Flow view
- an Expanded Source Code view.

These views provide complete high, medium, and low level information about Assembler Language applications.

- At the highest level, you can discover the relationships among programs and modules within an application.
- A mid-level view displays the calling structures among programs within a module, including routines external to a program.
- At the lowest level, you can examine details of internal control flows within each program.

ASMPUT lets you display multiple views of a given program or module. These multiple views are linked: scrolling through one view automatically scrolls through all other open views of that program, module, or application. Linked views help you see quickly the association between the assembled source code and the graphical control-flow representations of the program.

At any time, you can narrow or expand the focus of your analysis by zooming in or out on areas of particular interest. For example, you can use the VIEW CONTENTS window to scroll through the contents of an application and simultaneously see the change in control flow information displayed in the VIEW CONTROL FLOW window.

ASMPUT displays several folders which provide a complete inventory of application analysis information, program samples, tools, documentation, extensive help files, and a detailed online tutorial to help you

learn to use ASMPUT for analyzing Assembler Language applications. Installation is simplified by packaging all Toolkit components as host files; ASMPUT files are then downloaded to the workstation.

The initial window gives direct access to all needed files, functions, and information needed to analyze assembler language programs.

View					
				13	
Refresh Inventory	DATA	Inventory	Reference	Samples	
	<b>e</b>	(1)			Refresh Inventory DATA Inventory Reference Samples

Figure 8. Example of the ASMPUT window

The shaded icons in this window indicate that the **Tools** and **Inventory** windows are also open. Following ADATA analysis, you can display many different views of a program. A view of the initial analysis might be the source file, as shown in the following figure:

ile Edit Yew Wint SID	lo∗ Help		
calcprg.xaa	Statemer	nt 18 Column 2 Location	Input
	2 CALCERO	COPY INBUFVAR COPY OUTBUFVA CSECT	
		ORESTING GETMAIN RU, LV=181 LR R5, R1	STANDARD ENTRY LIN GET STORAGE FOR IN SAVE ADDRESS
		USING INBUFVARDS,R5 GEFHAIN BU,GV~161	ESTABLISH ADDRESSA GET STORAGE FOR ON
		LR R6,R1 UXING OUTBUFVARDS,R6 LA R1,LOCATE	SAVE ADDRESS ESTABLISH ADDRESSA AREA TO READ RECOR
		L R15,=V(READ) BALR R14,R15 LR R1,R5	BRANCH TO ROUTINE INITIALIZE R1 TO A
	0	CLI LOCATE, C'1' BNE CALLDB2 L R15, =V(DB1D0PRG)	IS DATA LOCATION C
	•	1 (15, V(DB1D61K6)	<u> </u>

Figure 9. Example of the ASMPUT source listing

The Program Understanding Tool uses different colors to highlight machine, assembler, and macro instructions. Other listings display the program's components (source, macro, and COPY files), or the control flow analysis, where "basic blocks" (sequences of instructions ending at a branch) are identified.

The control flow graphs are the heart of ASMPUT. For example, a top-level view of the control flow graph for the CALCPRG sample program appears like this:




Figure 10. Example of the Control Flow View

The next level of detail shows the structure of each of the routines called from the main CALCPRG program:




Figure 11. Example of a More Detailed Control Flow View

Using the View pull-down, you can expand or collapse the "layers" of detail being displayed.

Note the following:

- ASMPUT R4 accepts ADATA files from previous releases of HLASM, but previous releases of ASMPUT cannot accept ADATA files from later HLASM releases.
- The OS/2 version of ASMPUT shipped with HLASM R3 works only with HLASM R3 ADATA files. If you
  have ADATA files generated by HLASM R2 and want to continue to use them, you should retain your
  copy of the OS/2-based ASMPUT shipped with HLASM R2.

Note: HLASM R2 service was withdrawn as of December 31, 2001.

Note: HLASM R3 service will be withdrawn as of October 6, 2003.

- ASMPUT R4 should apply service for APARs PQ41190 and PQ58466.
- ASMPUT R3 should apply service for APARs PQ26063 and PQ20235.
- Windows operating systems have additional restrictions: buttons on the menu bar don't work (but the pull-down menus *do* work); and graph printing is not available. However, a trial version of ASMPUT with a graph-printing facility is available on the HLASM web site.

Supports latest processor enhancements
- 64-bit instructions and AMODE(64)
- APAR PQ51325, Requires HLASM R4 and z/OS 1.2 or later
- New options, commands, and windows
- additional floating point registers and new FP instructions
Primarily for Assembler Language programs
- Also usable for programs in other languages
<ul> <li>Without source-language support</li> </ul>
Multiple selectable "windows" for address stops, breakpoints, register displays, disassembled code, register histories, etc.
- Windows may be used in any order or combination
 SM Toolkit Feature © IBM Corporation 1995, 2004. All rights reserved. ASM Toolkit Interactive Debug Facility (IDF)
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available)
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition)
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition) - Instruction counting, execution "history"
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition)
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition) - Instruction counting, execution "history" Exit routines (in REXX or other language) invokable at breakpoints
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition) - Instruction counting, execution "history" Exit routines (in REXX or other language) invokable at breakpoints - Capture, analyze, and respond to program conditions
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition) - Instruction counting, execution "history" Exit routines (in REXX or other language) invokable at breakpoints - Capture, analyze, and respond to program conditions Storage and register modification by over-typing
 ASM Toolkit Interactive Debug Facility (IDF) Execution stepping: displays disassembled code (and source, if available) - Per instruction, or between breakpoints or routines - Breakpoints include "watchpoints" (break on specified condition) - Instruction counting, execution "history" Exit routines (in REXX or other language) invokable at breakpoints - Capture, analyze, and respond to program conditions Storage and register modification by over-typing Record/playback facility to re-execute debugging sessions

# HLASM Toolkit Interactive Debug Facility (IDF)

The High Level Assembler Toolkit Feature Interactive Debug Facility (IDF) supports a rich set of capabilities that speed error detection and correction. While IDF is intended primarily for debugging Assembler Language programs on MVS, VM, and VSE systems, it can also be used advantageously to debug programs written in most high level languages, though without the source-language support facilities provided for Assembler Language code.

- IDF supports all new z/Architecture instructions and the additional floating-point registers introduced with the G5 processor families. (It also shares a common disassembly routine with the Disassembler and several other system components, ensuring correct handling of all instructions by each.)
  - Support for 64-bit debugging was added via APAR PQ51325 (PTFs MVS UQ57987, CMS UQ57988, VSE UQ57989). The enhancements include one new option (AMODE64), four new commands (EPNAMES, GPRG, GPRH, and REGS64), and two new windows (for Entry Point Names and 64-bit registers). The support is available only in HLASM R4. Recent service is APAR PQ71106.

- IDF provides multiple selectable views of a program, including separate windows for address stops, breakpoints, register displays, object code disassembly, storage dumps, language-specific support, register histories, non-traced routines, and other information. These views can be used in any order or combination.
- Execution of a program can be controlled by stepping through individual instructions or between selected breakpoints or routines.
- If source code is available (which will almost always be the case for programs assembled with High Level Assembler), IDF can display source statements as the program is executed.
- The power of IDF is greatly magnified by its ability to pass control from any breakpoint to user exit routines written in REXX or other languages that can capture and analyze program data, and respond dynamically to program conditions.
- Instruction executions can be counted, and an instruction execution history can be maintained.
- Storage areas and register contents can be modified dynamically during debugging by simply typing new values on the displays.
- IDF supports a special class of conditional breakpoints called watchpoints, which are triggered only when a user-specified condition occurs.
- A command-level record and playback facility allows a debugging session to be re-executed automatically.
- Extensive tailoring capabilities allow you to establish a familiar debugging environment. Most debugging actions can be easily controlled by PF-key settings.

Interactive Debug Facility (IDF) Overview
Components
<ul> <li>Base Debugger: ASMIDF can be used without source-language support</li> <li>On CMS, includes interface module</li> </ul>
<ul> <li>ASMLANGX (Extraction Utility) prepares HLASM ADATA files</li> </ul>
<ul> <li>Two breakpoint types: SVC97, invalid opcodes (X'01xx')</li> </ul>
System considerations
- TSO: naming conventions; etc.
<ul> <li>Supports DFSMS/MVS Binder Program Objects (standard classes)</li> <li>SVC97 option if application uses ESPIE/ESTAE; subtask of IDF</li> <li>NOSVC97 option if application uses TSO TEST; same task as IDF</li> </ul>
<ul> <li>CMS: Invalid opcodes only (NOSVC97); PER support</li> </ul>
<ul> <li>VSE: Link with ASMLKEDT, specify VTAM terminal</li> </ul>
<ul> <li>ISPF: TSOEXEC command (IDF "owns" the screen)</li> </ul>
- CICS, DB2, IMS with some limitations
<ul> <li>Debugging authorized code: not supported!</li> </ul>
<ul> <li>LE: specify NOSPIE, NOSTAE (or TRAP(OFF))</li> </ul>
HLASM Toolkit Feature © IBM Corporation 1995, 2004. All rights reserved.

### Interactive Debug Facility (IDF) Overview

The original IDF provided a debugger without any source-language capability. It can still be used in that way, and any reference to the "base debugger" implies using IDF without its source language capabilities.

IDF comprises two main components:

1. On TSO, the base debugger is the load module ASMIDF. This is a TSO command processor; it will only run in that environment with a real terminal.

On CMS, the base debugger consists of two modules; ASMIDF and ASMIDFMA. ASMIDF is a self-relocating nucleus extension. This loads the main module, ASMIDFMA, as a nucleus extension at the start of a debugging session, and deletes it at the end.

On VSE, the ASMIDF debugger runs in batch mode. A VTAM terminal must be available.

2. The other component of ASMIDF is ASMLANGX, the extraction utility that reads SYSADATA files and creates the ASMLANGX files (with source statements, symbols, and type information) for later use by the language-support component of ASMIDF.

IDF uses two different breakpoint techniques, both of which overlay instructions at the point where the breakpoint is required:

**TSO** Invalid opcodes of the form X'01xx' or SVC 97 instructions

- CMS Invalid opcodes of the form X'01xx' (SVC 97 not supported)
- VSE Invalid opcodes of the form X'01xx'

The implications of these choices will be described shortly. IDF inserts these breakpoint opcodes when it is about to begin executing the target program. When any "event" occurs, the original instructions are restored before control is returned to you, so that all displays will show your program without the breakpoint overlays. Note that some other debuggers depend on having the compiler insert special links to the debugger, which limits their usefulness for code that is fully optimized for production environments. IDF, on the other hand, is a lower-level debugger that uses opcode overlays to set breakpoints.

- TSO considerations
  - Debuggable modules

IDF supports debugging of programs in both the old load module format and in the Program Object formats produced by the DFSMS/MVS or z/OS Binder so long as the Program Object classes are those assigned and owned by the Binder.

- SVC97 and NOSVC97 options

By default, ASMIDF uses the TSO TEST SVC (SVC97). You must use the SVC97 technique when debugging an application which itself uses ESTAE or ESPIE. This is because the application's ESTAE/ESPIE setup will take precedence over IDF's. (This is not available under ISPF unless you use the standard TSOEXEC command to set up the appropriate environment; the same restriction applies to the TSO TEST command.)

NOSCV97 works by telling ASMIDF that it is not to use SVC97; it then uses invalid opcodes to set breakpoints.

- TSO naming conventions

ASMIDF was originally developed as a CMS tool and later ported to TSO, so there are a lot of CMS conventions throughout the manuals. TSO users must translate their DDNAMES and member names from a CMS-like file name using the following scheme:

#### CMS TSO Equivalent

- fn PDS member name (ignored if using sequential file)
- ft DDNAME, which in turn points to the TSO dataset
- fm not used on TSO
- TSO TEST

You MUST use the "invalid opcode" technique (NOSVC97) when debugging an application which itself uses the TSO TEST facilities. This is because TSO TEST is limited to one use per address space.

CMS considerations

IDF/CMS by default uses the invalid opcode technique, which is "full function" on CMS. Instead of using ESTAE/ESPIE on CMS, IDF steals the Program New PSW. IDF/CMS also uses the CP

PER/TRACE facilities. This technique is required for debugging read-only code (e.g. within a DCSS) on CMS. (MVS/TSO unfortunately doesn't expose any PER facilities to an application program.) Currently, the additional Floating Point Registers (AFPR) are not supported on CMS.

- VSE considerations: The program is first link edited with a special version of the VSE/ESA Linkage Editor (ASMLKEDT) that captures external symbols and places that information in the librarian member phasename.MAP.
  - VSE naming conventions

File naming conventions are derived from their CMS equivalents:

CMS	VSE Equivalent
fn	VSE librarian member name
ft	DLBL name, which in turn points to the VSE dataset name

fm not used on VSE

Currently, the additional Floating Point Registers (AFPR) are not supported on VSE.

 ISPF Considerations: Chapter 21 of the IDF User's Guide briefly discusses using ASMIDF with ISPF (for TSO) applications. The invocation command is different, depending on whether the application being debugged resides in the STEPLIB or ISPLLIB allocations. The manual also discusses the use of TSOEXEC, breakpoint method selection, and an example of debugging ISPF dialogs. (If you get a message like

ASMMAI033E IDF intialization failed. Check your environment, or if IDF ABENDed, Logoff, Logon, and try again \*\*\*\*


it's possible you invoked ASMIDF under ISPF but forgot to use TSOEXEC.)

ASMIDF does not use ISPF services. It is a TSO Command Processor and will assume control of the entire screen. So if you had a split screen under ISPF and started up ASMIDF on one of the logical screens, the other logical screen(s) would not be available for display until you exited ASMIDF. It may be useful to look at the SWAP option; there is a short section "Programs performing Full-screen I/O" on page 43 of the IDF User's Guide.

- CICS Considerations: IDF may be used to debug CICS only if you run IDF on a TSO logon and run then CICS as a program within the TSO region. IDF is not intended for debugging CICS transactions in a production environment.
- DB2 Considerations: The IDF Reference manual discusses using ASMIDF with DB2 applications (for MVS).
  - 1. The IDF option NOSVC97 is required.

2. When testing under LE/370, the LE options NOSPIE and NOSTAE must be used.

- IMS Considerations: While IDF has not been tested in the IMS environment, it should be possible to debug Batch Message Programs that run under TSO. Care must be taken with DBREAK commands, to ensure that "code" breakpoints are not overlaid on IMS PSB modules.
- Authorized code: IDF as shipped is not authorized and hence will not debug programs that use authorized services.
- Language Environment (LE): Just specify the LE option TRAP(OFF) (or the options NOSPIE and NOSTAE), so that Interactive Debug Facility can gain control on breakpoints and other exceptions.
- Assembler Language Considerations: ASMIDF does not support dependent USINGs (labeled or not), USING-range specifications, or USINGs that do not cover the base (at offset zero) of their range (e.g. USING A+5000,2).



## Preparing a Debug Session

ASMIDF may be used to debug a program at the assembler object-code level.

- On CMS the LOAD MAP file must be retained; it is used to determine the location of the program's CSECTs and external symbols. The LOAD MAP file should be renamed so that the file name matches that of the executable module (MODMAP option)
- On TSO, ASMIDF extracts the required information from the load module itself and no extra information is required.
- On VSE, link edit the program with the supplied ASMLKEDT link editor, to capture information about external symbols in the output phase.

To use the source level facilities of ASMIDF, some preparation is required:

1. The assembly must be done with the ADATA option specified and the resultant SYSADATA file used as input to the next step. (The ADATA option and the characteristics of the SYSADATA file are described in the HLASM Programmer's Guide, SC26-4941.)


Note: There is no special support in IDF for labeled and dependent USING statements.

 Run ASMLANGX using the SYSADATA file as input. This will create an extraction ASMLANGX file that will be used during the debugging session. (The SYSADATA and ASMLANGX files should have the same name.)

Note: An appendix in the IDF User's Guide describes some useful EXECs.

- 3. Create the target module from the object-file text as normal; on CMS, retain the (renamed) LOAD MAP file, and on VSE retain the phasename.MAP file.
- 4. The only file required by ASMIDF for source level debugging is the ASMLANGX file; you may erase both the LISTING and SYSADATA files, if desired.

The extraction file produced by ASMLANGX may be created on any MVS, CMS, or VSE system and then be shipped to any of the others.



## **ASMIDF** Invocation

While most option settings may be changed while ASMIDF is running, some may only be set on the command line, for example, AMODE31.

Also note that some programs will consume all available storage, leaving none available for operation of ASMIDF. There are two ways of dealing with this:

- 1. Load all required files before allowing the program to commence
- 2. Reduce the storage that the program will obtain.

The debugger always starts in control, and will set up the traps/intercepts that it needs before handing over control to the user program. If the user program then sets up its own traps/intercepts, subsequent actions depend on the underlying operating system.

ASMIDF initializes itself so that if any "interesting event" occurs within the target module, ASMIDF will receive control. Such an event could be any one of the following:

- Program check
- ABEND
- Breakpoint reached (including Watchpoints)
- Program completion
- Break-in interrupt
- Module load (for deferred breakpoints)
- PER interrupt (CMS only)

Unless one of these events occurs, the target program executes without interference from ASMIDF and generally without degradation (slightly dependent on PER options used in CMS).

If you are trying to follow execution through a routine that is "unknown" to IDF, it checks to see that the PSW remains within the program's defined limits and will warn you if you're about to go outside those bounds. The warning is just to let you know that IDF is about to lose control of the session; you can choose to continue if you want. There are several ways around this "unknown routine" problem:

- 1. Ensure that IDF knows about all modules you'd like to trace. Using DBREAK will help, as IDF sets up the appropriate control blocks itself (TRIGGER LOAD may also help).
- 2. You can tell IDF about any loaded modules via the SET MODULE command.

SET MODULE name BASE address will tell IDF the start address SET MODULE name SIZE 111111 will tell IDF the length

3. SET TRACEALL ON will allow IDF to trace anywhere.

Under ISPF, it is recommended that you invoke ASMIDF via the TSOEXEC command: from option 6 under ISPF, issue:

TSOEXEC ASMIDF IEFBR14

You may also invoke ASMIDF with the NOSVC97 option: from option 6 under ISPF, issue:

ASMIDF IEFBR14 (NOSVC97

but this requires certain limitations on the target program's behavior.

ASMIDF: Useful Options
PROFILE/NOPROFIL IDF by default looks for PROFILE ASM (a REXX exec)
AMODE24/AMODE31/AMODE64 Sets initial AMODE of target program
AUTOSIZE/NOAUTOSZ Controls automatic window resizing
PATH, FASTPATH Counts number of instruction executions
LIBE Specifies library containing target application module
CMDLOG, RLOG Create or append to or replay command log file
HLASM Toolkit Feature © IBM Corporation 1995, 2004. All rights reserved. 15

### **Useful ASMIDF Options**

There are over 50 invocation options; most of their settings can be modified dynamically during debugging by appropriate commands.

PROFILE/NOPROFIL

By default, ASMIDF will run a REXX EXEC named PROFILE ASM during its initialization. This EXEC may be used to customize the environment to your particular needs.

The PROFILE option allows you to specify a different filename while the NOPROFIL option disables any profile invocation. No error messages are issued if the profile is not found.

**Note:** No profile is provided with the toolkit; however, a sample profile is illustrated in Figure 12 on page 25.

• AMODE24/AMODE31/AMODE64

If your target program needs to be started in a particular addressing mode, then use one of these options to set that mode.

AUTOSIZE/NOAUTOSZ

By default, ASMIDF will AUTOSIZE the displayed windows as windows are opened and closed. You may decide that you'd like to keep the screen layout consistent with particular windows in specific places; in this case the NOAUTOSZ option stops ASMIDF re-sizing the windows.

#### • PATH, FASTPATH

This option provides the user with two new facilities:

- 1. ASMIDF will display the number of times that an instruction has been executed.
- 2. ASMIDF retains a history of the last 1023 instructions executed. This history may be accessed via the HISTORY command.

There are some additional variations on PATH that may be useful: PATHFILE and FASTPATH.

LIBE

This option will tell ASMIDF to load the target module from the specified library, rather than using the default search order. This is useful on TSO if your test library is not in the default search order.

CMDLOG and RLOG

These two options provide a record and playback facility.

CMDLOG will cause ASMIDF to log each command in a log file (on CMS, ASM CMDLOG fm; on TSO, the dataset defined by the CMDLOG DD name; and on VSE, the dataset defined by the CMDLOGO DLBL name).

If RLOG is specified, then once the PROFILE has completed and the target is ready for execution, all the commands in the log file will be replayed.

**Note:** CMDLOG will *append* to an existing log file. This can cause unexpected results when the log file is then used by RLOG.

```
/*_____
                                                       -*/
/*
    This is a sample PROFILE ASM. To try it, pick your favorite
                                                       */
/*
                                                       */
   module and then issue:
                                                       */
/*
       ASMIDF module (profile sampprof
/*_____*/
                          /* Define a new PF key - see User */
 'SET PFK 2 Macro REGS'
                           /* Guide p241 for REGS macro
                                                       */
                           /* Customize the colors
                                                       */
 'COLOR WRYG'
                           /* Suppress disassembly display
 'SHOW SOURCE'
                                                       */
                           /* Display all output in hex
 'SET HEXDISP ON'
                                                       */
                           /* Numeric input default is hex
 'SET HEXINPUT ON'
                                                       */
 'SET MSG <<< This is ASMIDF profile SAMPPROF >>>'
 Exit
```

Figure 12. Sample profile for ASMIDF

ASMIDF: Debugger Windows
Command Window (always displayed)
<ul> <li>Current Registers: General (32 or 64 bit), Access, Control, Float</li> <li>APFR for 16 Floating-Point registers</li> </ul>
Old Registers
Break (breakpoints and watchpoints)
Disassembly (multiple)
• Dump (multiple)
Entry Point Names
Language Support Module Information
Minimized Window Viewer
Options
Skipped Subroutines
Target Status
ADSTOPS (CMS only: uses PER; supports REGSTOPS also)
HLASM Toolkit Feature © IBM Corporation 1995, 2004. All rights reserved.

### **ASMIDF: Debugger Windows**

ASMIDF is cursor sensitive: if an argument is missing from a command then it will use the current cursor position and attempt to derive the argument from that.

Some commands allow the user to specify which window the command should apply to. This is done by adding an equal sign followed by the window number. For example, CLOSE =3 will close window number 3. (The window number is displayed as the first part of the title).

Opening and closing of windows is done by:

1. Issuing the appropriate command for that window. These commands act as toggles: if the specified window is not open it will be opened; otherwise the specified window will be closed.

For example, the command REGS will cause the current register window to be displayed (provided that the Current Registers window is not already open).

- 2. Issuing the OPEN command with the desired window type will open the window if possible (for example, OPEN DUMP).
- 3. Issuing the CLOSE command against the window.

Most windows will only allow one window of that type to be displayed at a time. However, it is possible to open multiple disassembly and dump windows at once. (The MINimize, MAXimize and ORDER commands may be helpful in this situation to improve readability).

An example of a screen containing multiple windows is shown in Figure 13 on page 27.

A brief description of each window type follows. By default, the windows are positioned one after another vertically, except that the AdStops, Break, and Skipped Subroutines windows are positioned at the right edge of the screen.

• Command Window (always displayed)

The Command Window contains the command input area, the message display area, and the PF-key settings (this portion may be customized).

• Current Registers (see window 01 in Figure 13)

The Current Registers Window displays the current PSW, General Purpose, and Floating Point registers. The Control and Access registers can also be displayed. The contents of the PSW or registers can be modified simply by overtyping.

R0 00009025 R1 0001	00057752 (TCAT) Condition: = c 00057788 (TCAT)	r3,=f'3' LOCRET	
r02-01d Registers	K14 000145CC K1	5 600570E0 FPR0	
(TCAT) @PROLOG+40 0005771E 9620 COBA R0 00009025 R1 000120D4 R4 FEFEFEFE R5 FEFEFEFE R8 FEFEFEFE R9 000577BC R12 800576E0 R13 00012130 r03-Disassembly-	OI R2 FEFEFEFE R R6 FEFEFEFE R R10 FEFEFEFE R1	CTGOPTN3,32 3 FEFEFEFE FPRO 7 FEFEFEFE FPR2 1 FEFEFEFE FPR4	000000000000000000000000000000000000000
(TCAT) @PROLOG+32 00057716 92C1 COCA 0005771A 943F COBA 0005771E 9620 COBA 00057722 4190 07D8 00057726 5090 C108 00057726 5090 C108 0005772A 1F88 00057726 5080 C10C 00057730 4190 C108 00057734 5090 C0C4 00057738 4170 0002 r04-Storage Dump	MVI NI LA ST SLR ST LA ST LA	CTGOPTN3,63 CTGOPTN3,32 R9,2008 R9,CATWRK	
(TCAT) CTGOPTN3 0005779A 21		.	
(TCAT) CTGOPTN4		I	
0005779B 00 (TCAT) CTGENT		•	
0005779C 000577BC			
(TCAT) CTGCAT			
000577A0 00000000			
(TCAT) CTGWKA 000577A4 00000000 (TCAT) CTGDSORG			I
==>			
1 5	<b>.</b>	ntil 5 Run reak 11 Ste	

Figure 13. Example of Several Open IDF Windows on One Screen

If the REGS64 or GPRG commands are issued, the registers are displayed as 64-bit registers and the PSW is displayed as a 128-bit field, as shown in Figure 14 on page 27.

<sub>г</sub> 01—Сі	ırrent Reg	gisters—						
) (TES	STVAR) TES	STVAR						
		EPSW FF	0000	000000000000000000000000000000000000000	0000000	00000	ACCO (CC mask=8 E)	)
R0	0000000	FEFE000F	R8	00000000	FEFE080F	FPR0	000000000000000000000000000000000000000	
R1	0000000	0000D024	R9	00000000	FEFE090F	FPR2	0000000000000000	
R2	00000000	FEFE020F	R10	00000000	<b>FEFE0A0F</b>	FPR4	000000000000000000000000000000000000000	
R3	00000000	FEFE030F	R11	00000000	FEFE0B0F	FPR6	000000000000000000000000000000000000000	
R4	00000000	FEFE040F	R12	00000000	0000ACC0			
R5	0000000	FEFE050F	R13	00000000	0000D058			
R6	00000000	FEFE060F	R14	00000000	00090466			
R7	0000000	FEFE070F	R15	00000000	0000ACC0			
Í								1

Figure 14. Current Registers Window, as opened with REGS64

• Additional Floating-Point Registers (AFPR)

Under TSO, if AFPR support is available on the processor, all sixteen floating-point registers and the Floating-Point Control Register are displayed and may be updated by overtyping.

• Old Registers (see window 02 in Figure 13)

The Old Registers Window shows the value of the PSW and the General and Floating Point registers the last time IDF was in control. If your program is "single stepping", the contents of this window are the "before" values prior to executing the current instruction.

• Break (breakpoints and watchpoints) (see window 05 in Figure 13)

The Break Window lists active breakpoints and watchpoints, along with any commands associated with them.

• Disassembly (multiple) (see window 03 in Figure 13)

The Disassembly Windows display storage contents as disassembled Assembler Language instruction statements. Locations at which breakpoints or watchpoints have been set are highlighted. Modifications can be made by overtyping the instruction.

• Dump (multiple) (see window 04 in Figure 13)

The Dump Windows display storage in dump format (both hexadecimal or character). Modifications can be made by overtyping either portion of the display.

An example of a screen showing storage dumps of two modules is shown in Figure 15.

-01-Storage-	-Dump				
(ASMXDACP)		0			
			95A28584	40D481A3	å00úLicensed Mat
0015FB28	85998981	93A24060	40D79996	978599A3	erials - Propert
0015FB38	A8409686	40C9C2D4	40C1E2D4	D3C1D5C7	y of IBM ASMLANG
0015FB48	E7404DC3	5D40C396	97A89989	8788A340	X (C) Copyright
0015FB58	C9C2D440	F1F9F9F5	4B40C193	9340D989	IBM 1995. All Ri
0015FB68	8788A3A2	40D985A2	8599A585	844B40E4	ghts Reserved. U
0015FB78	E240C796	A5859995	948595A3	40E4A285	S Government Use
0015FB88	99A240D9	85A2A399	8983A385	8440D989	rs Restricted Ri
0015FB98	8788A3A2	406040E4	A2856B40	84A49793	ghts - Use, dupl
0015FBA8	898381A3	89969540	96994084	89A28393	ication or discl
0015FBB8	96A2A499	85409985	A2A39989	83A38584	osure restricted
0015FBC8	4082A840	C7E2C140	C1C4D740	E2838885	by GSA ADP Sche
	84A49385				dule Contract wi
	A38840C9		9699974B	400007FE	th IBM CorpÚ
(ASMXMAIN)					
	47F0F016		_/ _ / 2 = 0 = 0 =		å00ASMXMAIN 9
	F54BF2F9				5.296.°Ö}õ.[õ.
	47F0C028				å0{8ìø{.ì.ΰ
	181D1B10				!.}.å}{
	50001000				&Kç}ç.Ü.J&.
	000450D0				&}0.q10.K.}ì
	5860D058				1-}11Ø&ØJ.1·}&
	4120D212				K.&P°
0015FC78	D2835090	A164D779	90009000	4130A110	Kc&°.ÀP.°.°

Figure 15. Example of IDF DUMP Window

Entry Point Names

This scrollable window displays the names of entry points in the section currently being debugged. If the name is longer than 8 characters, up to 64 are displayed; an 8-character contraction of the name is also shown.

<sub>F</sub> 03—Entry point name		More:+
Program TESTIDF	Entry short name TESTIDF Address 00018EF8	
Long name TESTIDF		

Figure 16. Entry Point Names Window

• Language Support Module Information (multiple)

The Language Support Module (LSM) Window can be opened when language-extraction data is available. It can display the values of symbolic variables, as well as the status of the available information.

• Minimized Window Viewer

The MINIMIZE command can be used to temporarily minimize a window, to make more space available on the screen for other windows. The Minimized Window shows the type and number of the minimized windows.

Options

The Options Window displays the current status of IDF options; some of the options can be modified by overtyping their values.

Skipped Subroutines

The Skipped Subroutines Window displays the addresses and names of subroutines for which single-stepping, statement stepping, or instruction counting is being bypassed.

Target Status

The Target Status Window displays information about all programs known to IDF.

• ADSTOPS (CMS only: uses PER; supports REGSTOPS also)

The AdStops Window displays the storage ranges to be checked for storage alteration events, and the General Purpose Registers to be checked for register alteration events.

	BREAK: Set a breakpoint, or display the Break Window
	DBREAK: Set a deferred ("sticky") breakpoint
	DUMP: Display storage in symbolic or "dump" format
•	FIND/LOCATE: Locate and display given strings in storage
•	HISTORY: Display previously executed instructions
•	WATCH: Specify a break-test condition at a "watchpoint"
•	<b>DISASM</b> : Disassemble a specified area of storage
•	STEP/STMTSTEP/RUN: Control instruction-execution rates
•	FOLLOW: Dynamically track contents of a register or word in storage
•	LANGUAGE LOAD: Load specified language-extraction files
•	HIDE/SHOW: Control display detail of source and disassembly data
•	UNTIL: Execute instructions up to a specified address
•	nearly 190, in all!
•	New, for 64-bit debugging: REGS64, GPRG, GPRH, EPNAMES

# **ASMIDF: Useful Debugger Commands**

This list shows some of the commands available within ASMIDF. It is by no means comprehensive (there are nearly 190 available commands); the complete list is provided in Chapter 2 of the IDF User's Guide.

You can enter instruction and data addresses symbolically if the Language Support Module (language extraction) is available. This can greatly simplify debugging of "familiar" modules.

Some useful commands are the following:

• BREAK

Set a breakpoint, or display the Break Window. At most 64 active breakpoints can be set. (In practice, this is many more than normal applications will need.)

DBREAK

Set a deferred ("sticky") breakpoint: these can be used for debugging modules not yet loaded into storage.

• DUMP

Display storage in symbolic or "dump" format, with overtyping modifications in hex or character format.

• FIND/LOCATE

Locate and display given strings in storage, using a syntax like that of the ISPF editor FIND command or of the XEDIT LOCATE command.

HISTORY

Display previously executed instructions when the PATH or PATHFILE option has been specified. This allows you to review the flow of execution that led to the current instruction.

• WATCH

Specifies a break-test comparison to be checked each time control passes the "watchpoint"; a break occurs only if the condition is true.

DISASM

This command requests disassembly of a designated area of storage.

STEP/STMTSTEP/RUN

These three commands control instruction-execution rates: RUN executes until the next "event" occurs; STEP executes an instruction at a time; and STMTSTEP executes all instructions associated with a single source-language statement.

• FOLLOW

The FOLLOW command will cause a Dump Window to automatically track the value of a 4-byte area of storage, or the contents of a register.

LANGUAGE LOAD


Loads specified language-extraction files for general or module-specific use.

HIDE/SHOW

These two commands control the amount of detail when source code and disassembled storage is being displayed.

• UNTIL

Executes instructions up to (but not including) a specified address.



# **ASMIDF: Debugger Macros**

ASMIDF provides an extremely flexible and powerful macro facility that you may use to customize your debugging environment. All the macros used by ASMIDF are written in REXX, but you may also write them in "compiled REXX". Some examples are provided in the IDF User's Guide.

ASMIDF provides many useful facilities to assist the macro writer. Some of these are:

 Default address. ASMIDF sets up a REXX environment that allows the user to direct commands to ASMIDF for processing.


On CMS, there are some restrictions on the address; these are detailed in Chapter 15 of the User's Guide.

- EXTRACT command. This allows the macro to obtain a great variety of information from ASMIDF about the current environment (see the example below of the REGS macro). Nearly 90 different types of debugger and target-program data are available.
- IMPMacro option. This option (which is set on by default) causes ASMIDF to search for a macro if the entered command is not found in the ASMIDF command table.
- MRUN/MSTEP commands. These cause the target program to immediately resume execution until the next event; control is then returned to the macro.

There are two special macros within ASMIDF; the PROFILE macro and the EXIT macro.

- The PROFILE macro is driven during ASMIDF initialization and may be used to completely customize the user environment.
- EXIT is a special purpose routine which, if enabled via the EXITEXEC command, is given control at various significant events. If the EXIT macro sets a return code of 1, then ASMIDF will NOT display that event to the user and execution of the target will resume as normal. The EXIT routine (whose name is set by the SET EXITEXEC command) may be written in a compiled or assembled language for added convenience or performance, if you specify the CMPEXIT option.

Chapter 17 of the IDF User's Guide describes EXIT routines.




### **ASMIDF: Debugger Macros, Example 1**

The TRAP macro will set a deferred breakpoint for a module, and then allow the program to RUN until that breakpoint is reached. At that breakpoint, it will change the qualifier for symbols to match the name of the routine to be entered, and then will LANGUAGE LOAD the symbol-extraction file for that section. Finally, it removes the (deferred) breakpoint, and returns control to the user.

REXX REGS - Toggle th	e current registers window.	_*/ */ */
* When the REGS window is ope * display so that it is the f *	ened, it will be moved on the ASMIDF First window.	*/ */ _*/
'REGS'	/* Toggle REGS window	*/
	/* Obtain window information /* Is REGS window present? /* Yes? Force to be 1st window	*/ */ */
Exit		

## **ASMIDF:** Debugger Macros, Example 2

The REGS macro (taken from Chapter 16 of the IDF User's Guide) shows how the EXTRACT command may be used to obtain information about the current debugging environment. It checks to see if the REGS window is available, and if so puts it at the top of the display list using the ORDER command.



# **HLASM Toolkit Structured Programming Macros**

The High Level Assembler Toolkit Feature Structured Programming Macros simplify the coding and understanding of complex control flows, and help to minimize the likelihood of introducing errors when coding test and branch instructions. The macros support the most widely used structured-programming control structures and eliminate the need to code most explicit branches.

The Toolkit Feature Structured Programming Macros can be used to create the following structures:

IF/ELSEIF/ELSE/ENDIF

One-way or two-way branching, depending on simple or complex test conditions.

• DO/ITERATE/DOEXIT/ASMLEAVE/ENDDO and STRTSRCH/ORELSE/ENDLOOP/ENDSRCH

A rich and flexible set of looping structures with a variety of control and exit facilities.

CASENTRY/CASE/ENDCASE


Fast N-way branching, based on an integer value in a register. Deciding which branch to take is made at the CASENTRY macro; a direct branch to the selected CASE is then done, followed by an exit to the ENDCASE macro.

There is no OTHRWISE facility within this macro set.

SELECT/WHEN/OTHRWISE/ENDSEL

Sequential testing, based on sets of comparisons, expressible in two different forms. These macros create a series of tests that are evaluated in the order they are specified in the program. If a test is true, the WHEN section of code for that test will be executed, followed by an exit at the ENDSEL macro. If no test is satisfied, then the OTHRWISE section (if present) will be performed.

All the macro sets may be nested, and there are no internal limits to the depth of nesting. Tests made by the various ENDxxx macros ensure that each structure's nesting closure is at the correct level, and diagnostic messages (MNOTEs) are issued if they are not.



## Why Use the Structured Programming Macros?

Experience with Structured Programming Macros has shown many benefits, including

· Improved code readability and understandability

Since application understanding and maintenance has significant costs, the improvements provided by the macros can reduce those costs.

· Faster application development

The macros simplify logic and need fewer statements to write, which can therefore speed your development tasks.

• Cleaner and more readable code


The macros can help eliminate extraneous statements and statement labels that might clutter the logic of a program, so the code is easier to write and read.

Incremental use

You can use as few or as many of the macros as you like, and when you like; they can be introduced incrementally into existing programs. Thus, you aren't forced to make major changes to your code to start taking advantage of the macros' benefits.

Recent enhancements include:

- The Structured Programming Macros can generate based or relative-immediate instructions, especially branch on condition instructions. If you want to use relative-immediate instructions, simply specify ASMMREL ON after the COPY ASMMSP statement.
- · Major extensions have been made to the capabilities of key macro sets.
- · Various helpful diagnostics have been added, including checks for correct nesting.



#### **Structured Programming Macros: Usage**

To use the macros, you must code COPY ASMMSP within the source. This will define all the macros as inline macros. Once this has been done you can use all the macros described without any further limitations. Alternatively, the High Level Assembler PROFILE(ASMMSP) option could be used to automatically include the ASMMSP member into the source without requiring any source changes.

Due to IBM Corporate product-naming standards, all distributed part names must start with the product prefix. In the case of these macros, this resulted in the creation of the ASMMSP member which contains all the "high level" user macros such as IF, CASE, etc. All supplied members have a prefix of ASMM.

The "user" macros are grouped in the following five sets:

- IF/ELSEIF/ELSE/ENDIF
- DO/ITERATE/DOEXIT/ASMLEAVE/ENDDO
- STRTSRCH/EXITIF/ORELSE/ENDLOOP/ENDSRCH
- CASE/CASENTRY/ENDCASE
- SELECT/WHEN/OTHRWISE/ENDSEL

We will describe each of these sets in turn.

In many of the following examples, a test condition is shown as (a). A test condition may take any of these basic forms:


(numeric_condition_mask)
(condition_mnemonic)
(instruction,operand1,operand2,condition)
(instruction, operand1, operand2, operand3, condition)
<pre>(compare_instruction,operand1,condition,operand2)</pre>

values from 1 to 14
E, NE, H, NH, GT, LE,... etc.
(LTR,0,0,Z)
(CLM,R6,B'1100',XY,NE)
(CLI,CHAR,EQ,C'\*')

Multiple conditions may be combined using logical connectors: AND, OR, ANDIF, and ORIF, as in

(LTR,0,0,Z),OR,(CLI,CHAR,EQ,C'\*')

Very elaborate conditions can be constructed from the basic forms and connectors; see the *High Level Assembler Toolkit User's Guide* for details.



#### Structured Programming Macros: If-Then-Else

These "IF-THEN-ELSE" macros (IF/ELSEIF/ELSE/ENDIF) provide for one- or two-way branching depending on a condition. You may select execution of one of two blocks of code depending on a true-false condition.

The one-way IF-ENDIF branch is illustrated in Figure 17:




Figure 17. IF-THEN Control Structure

The two-way IF-ELSE-ENDIF branch is illustrated in Figure 18:




Figure 18. IF-THEN-ELSE Control Structure

```
Structured Programming Macros: Example 1
   Add absolute value of c(R4) to c(R5); don't change R4
•
•
   Unstructured:
            I TR
                  R4,R4
                                        Set CC
                                        Negative? Branch
                  LABEL1
            RM
            AR
                  R5,R4
                                        Positive or zero - add to R5
            B
                  LABEL2
                                        Skip the negative case
     LABEL1 DS
                 OH
            SR
                  R5,R4
                                        Subtract negative value
     LABEL2 DS
                 OH
   Structured:
٠
            IF
                  (LTR,R4,R4,NM) THEN Test R4 for non-negative
             AR
                                        Positive or zero - add to R5
                    R5,R4
            ELSE
                                        Otherwise.
                    R5,R4
                                        Subtract negative value
             SR
            ENDIF
  Can also use relative-immediate instructions:
•
                  (CHI,15,EQ,-3)
                                        Compare with Halfword-Immediate
            IF
HLASM Toolkit Feature
                       © IBM Corporation 1995, 2004. All rights reserved.
                                                                                   25
```

#### **Structured Programming Macros: Example 1**

This assembler program segment shows how to test a variable and then execute one of two paths depending on the value of the variable. The "problem" requires that we add the absolute value of the contents of R4 to R5, without disturbing R4.

This IF/ELSE/ENDIF structure is first coded using basic assembler language and then using the Toolkit macros. The unstructured assembler language segment could appear as follows:


	LTR	R4,R4	Set CC
	BM	LABEL1	Negative? Branch
	AR	R5,R4	Positive or zero - add to R5
	В	LABEL2	Skip the negative case
LABEL1	DS	ОН	
	SR	R5,R4	Subtract negative value

The structured equivalent could be written as follows (remember that the THEN "keyword" is only a comment; it is not part of the syntax of the IF/ELSE macros):

IF	(LTR,R4,R4,NM)	THEN	Test R4 for non-negative
AR	R5,R4		Positive or zero - add to R5
ELSE	,		Otherwise,
SR	R5,R4		Subtract negative value
ENDIF			

and the results would be identical to the original (non-structured) statements:

	ΙF	(LTR,R4,R4,NM)	THEN	Test R4 for non-negative
+		LTR R4,R4		
+		BC 15-11,#@LB1		
	AR	R5,R4		Positive or zero - add to R5
	ELSE	,		
+		BC 15,#@LB3		
+#@LB1		EQU *		
	SR	R5,R4		Subtract negative value
	ENDIF			
+#@LB3		EQU *		



Testing multiple conditions can be written as nested IF statements:

```
IF (a) Then

A

ELSE

IF (b) Then

B

ELSE

(more IF/ELSE/ENDIFs)

ENDIF

ENDIF
```

If the number of tests is large, the increased nesting levels can become awkward to manage. The ELSEIF macro can reduce the nesting of such structures to a single level, and can be used with or without an ELSE clause, as shown in Figure 19:




Figure 19. Simplified Structure with Multiple ELSEIF Statements

The same structure with an ELSE clause is shown in Figure 20 on page 39:





Figure 20. Simplified Structure with Multiple ELSEIF Statements and ELSE Clause

These four macros provide a complete set of conditional statement structures.



#### Structured Programming Macros: Do, Do-While, Do-Until

These macros provide for executing a block of code repeatedly until some limit is reached or some condition is satisfied (DO, DO-WHILE, DO-UNTIL macros). The conditions controlling the looping and the termination condition may be specified in a rich set of combinations:

- with FROM,TO,BY specifications, or with infinite looping
- · by counting
- · with forward or backward indexing
- · with explicit specification of BXH or BXLE
- DO-WHILE and DO-UNTIL (or mixed with any other DO type)
- · DOEXIT macro uses IF-macro syntax to exit the containing DO (one level)
- ASMLEAVE exits any number of containing DOs (one or more levels)
- · ITERATE requests immediate execution of the next loop iteration

The simplest loop — the "infinite" loop, terminated by some internally-determined condition — is most conveniently exited using the DOEXIT macro, as shown in Figure 21 on page 40:





Figure 21. Simple DO Loop Structure with DOEXIT Statement



The DO-WHILE and DO-UNTIL control structures allow further conditional controls over loop execution. Their condition tests may be any operands valid on IF macros, except that the CC= operand is not allowed.

A DO-WHILE structure tests a condition before executing a loop, as illustrated in Figure 22 below:




Figure 22. DO-WHILE Control Structure

A DO-UNTIL structure tests a condition after executing a loop, as illustrated in Figure 23 below:




Figure 23. DO-UNTIL Control Structure

The DO-WHILE and DO-UNTIL structures can be combined, as illustrated in Figure 24 on page 41 below:




Figure 24. DO-WHILE/DO-UNTIL Control Structure

```
Structured Programming Macros: Example 2
   Search a string for first blank character, or end of string
   Unstructured:
            L
                  R5,=A(Start-1)
                                      Address start-1 of expression
     Top_of_Loop DS OH
            Ċ
                  R5,End
                                      Test for end of expression
            BNL
                                      and exit if we've reached end
                 Leave_Loop
            LA
                  R5,1(,R5)
                                      Move along one byte
                 0(R5),C''
            CLI
                                      Test for a blank
            BNE
                  Top_of_Loop
                                      not yet, repeat loop
     Leave Loop DS OH
.
   Structured:
            L.
                  R5,=A(Start-1)
                                      Address start-1 of expression
            D0 WHILE=(C,R5,LT,End),UNTIL=(CLI,0(R5),EQ,C' ')
     Scan
                    R5,1(,R5)
              LA
                                      Move along one byte
            ENDDO
HLASM Toolkit Feature
                        © IBM Corporation 1995, 2004. All rights reserved.
                                                                                     29
```

#### Structured Programming Macros: Example 2

This assembler program segment shows a simple loop that scans storage until either a blank is found or the end-of-string address is reached.


This DO/ENDDO structure is first coded using basic assembler language and then using the toolkit macros. The unstructured assembler language might appear as follows:

L	R5,=A(Start-1)	Address start-1 of expression
Top_of_Loop	DS OH	
C	R5,End	Test for end of expression
BNL	Leave_Loop	and exit if we've reached end
LA	R5,1(,R5)	Move along one byte
CLI	0(R5),C' '	Test for a blank
BNE	Top_of_Loop	not yet, repeat loop
Leave Loop	DS OH	

The same example could be coded using the DO and ENDDO macros as follows:

```
L R5,=A(Start-1) Address start-1 of expression
Scan DO WHILE=(C,R5,LT,End),UNTIL=(CLI,0(R5),EQ,C' ')
LA R5,1(,R5) Move along one byte
ENDDO
```

Note that in both examples the required COPY ASMMSP statement is not shown.



#### Structured Programming Macros: Iterative-Do Indexing Group

The iterative forms of DO statements can take five basic forms:

- the Count form loops a specified number of times, terminating the loop using a branch-on-count instruction
- four other forms use the FROM, TO, and BY keywords, as well as allowing explicitly selection of B(R)XH and B(R)XLE instructions to terminate the loop.

The Count form is simplest to specify, as shown in Figure 25:




Figure 25. DO-FROM Counting Control Structure

The general form of an indexing DO macro is more complex, requiring specification of various combinations of parameters, as shown in Figure 26:




Figure 26. DO-FROM Counting Control Structure

The many allowed combinations are described in the High Level Assembler Toolkit User's Guide.

# Structured Programming Macros: Exiting and Repeating Do Loops: ITERATE and ASMLEAVE

Often it is necessary to begin the next loop iteration before the remaining statements in the loop have been executed. This can be done with the ITERATE macro:

DO (various options)	
some code	
IF (a condition)	Then,
ITERATE ,	causes next loop iteration
ENDIF	
more code	skipped by ITERATE
ENDDO,	ITERATE "branches" here

The ITERATE macro also allows you to exit its immediately enclosing DO structure in order to cause an interation of an outer, enclosing DO structure. This is done by labeling the DO statement, and then using the appropriate label as an operand of ITERATE:

DoA	DO (various options)	
	some code in DoA	in outer loop
DoB	DO (other options)	
	some code in DoB	in inner loop
	IF (a condition)	Then,
	ITERATE DoA	causes next loop iteration in outer loop
	ENDIF	
	more code in DoB	skipped by ITERATE DoA
	ENDDO	
	final code in DoA	skipped by ITERATE DoA
	ENDDO ,	ITERATE DoA "branches" here

Note that ITERATE DoB would be equivalent to simply specifying ITERATE with no operand.


Similarly, the ASMLEAVE macro allows you to exit its immediately enclosing DO structure, whether or not all the loop's iteration conditions have been satisfied.

DO (various options)	
some code	
IF (a condition)	Then,
ASMLEAVE ,	causes loop termination
ENDIF	
more code	skipped by ASMLEAVE
ENDDO	
	ASMLEAVE "branches" here

\*

ASMLEAVE, like ITERATE, also allows you to specify an operand naming a DO statement: the specified DO loop is exited, and control passes to the statement following its matching ENDDO.

DoA		
	some code in DoA	in outer loop
DoB	DO (other options)	
	some code in DoB	in inner loop
	IF (a condition)	Then,
	ASMLEAVE DoA	Exits DoA loop (and DoB, also!)
	ENDIF	
	more code in DoB	skipped by ITERATE DoA
	ENDDO	
	final code in DoA	skipped by ITERATE DoA
	ENDDO .	
*	-	ASMLEAVE DoA "branches" here



#### Structured Programming Macros: General Form of Do Statements

The many DO options - WHILE, UNTIL, indexing, DOEXIT, ITERATE and ASMLEAVE, are sketched in Figure 27:





Figure 27. General Form of DO Control Structure

With them, you can write very flexible and complex looping structures.



#### Structured Programming Macros: Search Set

The macros in the SEARCH set provide for executing a search loop with flexible controls over exit and iteration conditions.

STRTSRCH	(any	DO-loop operands)		
Process	Code	Α		
EXITIF	(any	IF-type operands)		
Process	Code	В		repeatable clauses
ORELSE		─ last one	Í	clauses
Process	Code	☐ last one C ☐ optional		
ENDLOOP				
Process	Code	D		
ENDSRCH				

Any number of EXITIF-ORELSE clauses may be specified; the last ORELSE clause preceding the ENDLOOP macro may be omitted.

The control structure supported by the Search Set is shown in Figure 28 below:





Figure 28. SEARCH Control Structures



#### Structured Programming Macros: Case Set

These macros provide for executing a block of code selected from a set, based on an integer value contained in a general register. The integer value may also be a power of two, as specified by the optional POWER= keyword. The basic syntax is shown in Figure 29:

```
CASENTRY register[,POWER=p,VECTOR=B|BR]
CASE n1,n2,...
Process Code A
CASE n3,n4,...
Process Code B
----
ENDCASE
```

Figure 29. CASE Statement Syntax

The selected case is branched to directly, using one of two selection mechanisms depending on whether the branching should use a "vector" of addressable branch instructions (VECTOR=B) or a table of address constants (VECTOR=BR), one of which will be used by a BR instruction.

A contiguous set of CASE values need not be specified. Any "missing" cases between 1 and the largest case number simply generate a branch to the ENDCASE macro.

The CASE control structure is illustrated in Figure 30 below:




Figure 30. CASE Control Structures

A simple example of the CASE macros is the following:

```
CasEntry R1

Case (1,2,3,5,7)

MVI Flag,Prime

Case (4,6,8)

MVI Flag,NotPrime


EndCase

---

Flag DC X'0'

Prime Equ X'80'

NotPrime Equ X'40'
```




#### Structured Programming Macros: Select Set


The SELECT group of macros — SELECT, WHEN, OTHRWISE, and ENDSEL — provide flexible techniques for choosing among alternatives by sequential testing. Two types are supported:

- 1. Single comparison: one comparison test is specified on the SELECT macro, and is used for testing the values specified in each WHEN clause.
- Multiple comparison/test: no test is specified on the SELECT macro. Rather, each WHEN macro specifies the conditions that must be satisfied in order for its group of statements to be executed. This allows you to vary the sequence of tested conditions.

Note that the parentheses around SELECT comparison operands are usually optional, and no parentheses are required for a single WHEN operand.

(You may remember that testing for the most frequently occurring conditions first leads to increased efficiency.)





The SELECT with a single comparison provides a simple way to make selections among operands of the same type. For example, checking for the occurrence of a character that might occur in an arithmetic expression is shown in Figure 31 on page 49:


```
SELECT (CLI,Flag,eq)
When (C'*',C'/',C'+',C'-')
S1
When (C'(',C')',C'=')
S2
OTHRWISE
code
ENDSEL
```

Figure 31. Example of Single-Comparison SELECT

Another example of the SELECT macros using arithmetic comparisons:

```
Select C,R1,Eq
           When (=F'1',=F'2',=F'3',=F'5',=F'7')
              MVI Flag, Prime
           When (=F'4',=F'6',=F'8')
              MVI Flag,NotPrime
           Othrwise
              MVI Flag, Unknown
         EndSe1
         - - -
               X'0'
Flag
         DC
               X'80'
Prime
         Equ
NotPrime Equ
               X'40'
Unknown
         Equ
               X'01'
```

Figure 32. Example of Single-Comparison SELECT



The second style of SELECT group provides greater complexity in the test conditions used to choose the statements executed when the WHEN clause is true. The general format is shown in the following figure:





Figure 33. Multiple-Comparison SELECT Structure



An example using the second style of SELECT group is shown in Figure 34 below. It is similar in function to the example shown in Figure 31 on page 49, but uses more complex test conditions on each WHEN clause.

```
SELECT

When (CLI,Flag,eq,C'+'),Or,(CLI,Flag,eq,C' ')

S1

When (CLI,Flag,eq,C'-'),And,(LTR,R0,R0,M)

S2

---

OTHRWISE

code

ENDSEL
```

Figure 34. Example of Multiple-Comparison SELECT

As a final example of the SELECT group, the code fragment in Figure 32 on page 49 is revised to use multiple-comparison WHEN clauses:

```
ST R1,Temp
SELECT
When (LTR,R1,R1,P),And,(C,R1,lt,=F'4')
MVI Flag,Prime R1 contains 1, 2, or 3
When (TM,Temp,NZ,2) Is it even?
MVI Flag,NotPrime
OTHRWISE
MVI Flag,UnKnown
ENDSEL
```

The generated instructions from this code fragment is:

```
ST
            R1, Temp
      SELECT
        When
               (LTR,R1,R1,P),And,(C,R1,lt,=F'4')
+
                 LTR
                                  R1,R1
+
                 BRC
                                  15-2,#@LB2
+
                 С
                                  R1,=F'4'
+
            BRC
                          15-4,#@LB2
          MVI Flag, Prime
                                  R1 contains 1, 2, or 3
        When
               (TM,Temp+3,1,NZ) Is it even?
          BRC
                           15,#@LB1
                                                  SKIP TO END
+
+#@LB2
                         DC OH
                 ТΜ
                                  Temp+3,1
+
            BRC
                         15-7,#@LB4
+
          MVI Flag,NotPrime
        OTHRWISE
          BRC
                                                  SKIP TO END
                           15,#@LB1
+
+#@LB4
                        DC OH
          MVI Flag, UnKnown
      ENDSEL
+#@LB1
                        DC OH
```

The SELECT macros provide for executing a block of code selected from a set of blocks, based on a choice of ordered comparisons.

While they appear to be structurally similar to the CASE set, their behavior is quite different. Each WHEN clause is tested in the order specified until a "true" condition is found, when the corresponding block of statements will be executed; the optional OTHRWISE block is executed if no test in any WHEN clause is true.

Structured Programming Macros: Detailed Example				
An elaborate example is provided in the text				
- Illustrates all of the macros, and all their options				
- Nested	in various combinations			
Source See Appendix A, "Sample structured macro program"				
Listing	See Appendix B, "Listing of sample program"			
HLASM Toolkit Fea	© IBM Corporation 1995, 2004. All rights reserved.	3		


#### **Structured Programming Macros: Extended Example**

An extensive sample program is provided in Appendix A, "Sample structured macro program" on page 64. It shows the use of more complicated structures and the nesting of macros. (Note that no macros from the SELECT set are illustrated.)

The assembly listing is provided in Appendix B, "Listing of sample program" on page 67. The listing was created by the following (CMS) commands:

- 1. Access the High Level Assembler Toolkit disk
- 2. GLOBAL MACLIB ASMSMAC
- 3. ASMAHL SAMPLE (PROFILE(ASMMSP),NOESD,NORLD,NOXREF,NOMXREF,NOUSING

The expansion of the macros is shown in the listing; if this expansion is not desired then you may use the PC(NOGEN) option to suppress the generated lines.



#### **Structured Programming Macros: Notes**

The Structured Programming Macros can generate either based or relative branch instructions. To obtain the latter, just code the ASMMREL macro. You can switch back and forth between generating based and relative branches by coding the ON and OFF operands of ASMMREL.

Some minor points are worth remembering:

- Be very careful to place any continued operands in the correct column. The normal assembler rules apply (along with any changes that the ICTL statement may have introduced). The assembly-time option FLAG(CONT) can help determine where the rules have not been followed.
- Not only are the instructions generated by the macros nearly optimal, the macros do not need to evaluate all the terms in a Boolean expression before branching. In the following statement:


IF (LTR,R5,R5,P),AND,(LTR,R6,R7,P)

the second load and test (LTR) instruction will *not* be executed if the first LTR sets a negative or zero condition code, as the macros "know" that the expression must return false after only the first part has been evaluated.

A small reminder about Boolean logic: you can sometime simplify the operands of a test by rewriting expressions:

NOT (A AND B) is equivalent to ((NOT A) OR (NOT B))

- Most of the original limitations of these macros have been removed. (They were caused by previous assemblers having fixed array sizes; in HLASM, arrays are dynamic in nature and will grow as required.) One limitation remains: Boolean expressions are limited to fifty (50) operands. This count includes any operators such as AND, OR, etc.
- The use of parentheses in Boolean expressions is optional, but may assist with the understanding of the logic.
- Some "keys" required for correct operand parsing should not be used as ordinary program symbols: P, M, O, Z, H, L, E, NP, NM, NO, NZ, NH, NL, NE, GT, LE, EQ, LT, GE, AND, OR, ANDIF, ORIF.
- Four macros IF, DOEXIT, EXITIF, and WHEN support a CC= operand. If used, no other operands may be present.



### HLASM Toolkit Feature File Comparison Utility

The High Level Assembler Toolkit Feature File Comparison Utility, also known as Enhanced SuperC, is a versatile program that can be used to compare two sets of data (using the Comparison Facility) or to search a specific set of data for a nominated search string (using the Search Facility).

Enhanced SuperC executes in batch mode on MVS and VSE, and on VM via a CMS panel or command line interface. You can compare sequential files, or select multiple or all members of libraries. You can also compare VSAM files on MVS and VSE.

Enhanced SuperC's Comparison Facility requires only the names of the two items to be compared. The Search Facility requires only the name of the item to be searched and the search string to be used. You can tailor the comparison or search according to your requirements, using process statements and process options.

With the Comparison Facility, you can:

- · compare single files, or multiple files in one or more libraries
- specify the "level" of comparison (file, line, word or byte)
- exclude certain data from the comparison, such as specific sets of rows or columns, or records (such as page headings) containing specified character strings.
- · restrict the comparison to certain types of data
- · control the type of listing output produced
- · specify that an update file be produced
- compare two files that have been reformatted (reformatted files contain such differences as indentation level changes, spaces inserted or deleted)
- · detect word changes within documents
- stop immediately when a difference is detected.

Enhanced SuperC's Search Facility lets you specify:

- one or more search strings
- if multiple search strings are sought, whether they are independent of each other or if they must be present on the same line of the member/file being searched
- if the search string is a word, a prefix, or a suffix
- · the position in the line of a search string
- the number of lines to be listed which appear before and after the line where the search string was found.

Enhanced SuperC is also a valuable tool for managing post-Y2K date comparisons (such as for "windowing" of two-digit years). It supports:

- many different date formats (particularly in regard to 2-digit and 4-digit year representations)
- a fixed "window" where date comparisons will take place within fixed year boundaries
- a sliding "window" where the year range is based on the current year
- the ability to compare files where the fields have different formats, such as one file having 4-digit year values and the other having 2-digit year values
- · comparing year data where a year value is compressed in one file and uncompressed in the other
- the ability to successfully compare data, reports, forms, screens, and panels where data has moved within a line due to adding century digits to 2-digit years.


Complex date comparisons may be performed on dates in many formats, while including or excluding specified sets of rows (lines) and/or columns. (The description in the manual section titled "Year 2000 Date Definitions" is very generally useful, despite its title!)

The year Date Aging option "ages" all of the defined dates in either the new or old file: a specified number of years is added to the "year" portion of each designated date in the file before they are compared.<sup>1</sup>

Date Definition statements define the location and format of date fields in the input file. Dates may be described in a wide variety of formats, including allowing "separator" characters (such as : or /). Internal representations supported include character, zoned decimal, packed decimal, and unsigned packed decimal (hex).

The Y2PAST option uses a fixed or sliding window to specify a 100-year period for determining the century-part of a date when only a 2-digit year appears in the data.

<sup>&</sup>lt;sup>1</sup> Aging dates and comparing them is not always straightforward, due to leap years. See Appendix A ("Other Matters to Consider Before You Test") in the Redbook *VisualAge 2000 Test Solution: Testing Your Year 2000 Conversion*, SG24-2230-01.



## **HLASM Toolkit Feature Usage Scenarios**

We will describe how you might use the High Level Assembler Toolkit Feature for typical program recovery, development, analysis, conversion, and maintenance tasks. These three scenarios show how the challenges of such tasks can be completed with greater speed and simplicity using the Toolkit Feature.

The Toolkit Feature components will be described in three scenarios:

- · recovery and reconstruction of symbolic Assembler Language source code
- analysis and understanding of complex Assembler Language programs
- modification, testing, and validation of applications.




Figure 35. Typical Scenarios for Toolkit Feature Usage

- Recovery and reconstruction of Assembler Language source statements from object/load modules for which the original source is lost. The Disassembler initially produces non-symbolic Assembler Language source from object code. You can add control statements iteratively to help define code, data, USINGs, labels, and DSECTs symbolically.
- Analysis and understanding of Assembler Language source programs can benefit from three Toolkit components: the Cross-Reference Facility, the Program Understanding Tool, and the Interactive Debug Facility.
  - a. The Cross-Reference Facility source analyzer and token scanner can be used to locate important symbols, user-selected tokens, macro calls, inter-module references, and other helpful data. ASMXREF can also create an "impact-analysis" file for input to a spreadsheet application for effort estimation and impact assessment. Another ASMXREF output is a tagged Assembler Language source file: when assembled with the ADATA option, this file produces a SYSADATA file for you to use with the Program Understanding Tool.


- b. The Program Understanding Tool provides graphic displays of program structure, control flow, a simplified listing, and other views with any desired level of detail. With the ADATA file created from the tagged source produced by ASMXREF, key areas of the program can be rapidly located and analyzed.
- c. The Interactive Debug Facility is by design a "program understanding" tool that lets you monitor the behavior of programs at every level of detail. Data flows may be monitored and traced among registers and storage, even showing the operations of individual instructions!

This scenario is sometimes called the "Discovery" phase of application development, when program understanding and impact analysis are key activities.

Note that the combination of Disassembler, Cross-Reference Facility, and Program Understanding Tool can be used to help reconstruct lost source in compiled High Level Languages.

3. *Modification and testing* of updated programs is simplified by using the powerful Interactive Debug Facility. At the same time, program logic can be simplified by replacing complex test/branch logic with the Structured Programming Macros. These activities are typical of the "Development" phase of application development.

**Validation**: At each stage where the application has been changed, you will probably want to compare its "pre-modification" output to its "post-modification" output, retaining the output files (sometimes called "base logs") for subsequent validation tests. The File Comparison Utility Enhanced SuperC is designed specifically for such tasks. Validation, in the form of extensive testing, is the final important milestone on the road to application "Deployment".



#### **Recovery and Reconstruction**

During the Recovery and Reconstruction phase, you will typically begin with a program in object or executable format (except CMS MODULEs). Using the Disassembler and by providing suitable control statements, you can create an Assembler Language source program with as much structure and symbolic labeling as you like.





Figure 36. Toolkit Feature: Recovery and Reconstruction Scenario

The disassembly/analysis/description/assembly cycle may be repeated until satisfactory Assembler Language source code is obtained.

The initial steps do not require reassembly of the generated Assembler Language source, as appropriate control statements are usually easy to determine from the Disassembler's listing. As the recovered program approaches its final form, you should assemble it with HLASM to ensure the validity of your new source program.



#### Analysis and Understanding

The most complex aspect of application maintenance and migration is analyzing and understanding the code. There are three components of Toolkit Feature that can help:

- ASMXREF can locate all uses of a variable name or any character string. A tagged Assembler Language source program may also be produced.
- · ASMPUT provides graphical views of control flows within and among programs and modules.
- The Interactive Debug Facility helps you monitor and track the behavior of individual instructions and data items.





Figure 37. Toolkit Feature: Analysis and Understanding Scenario

While each of these components has valuable capabilities, using them in combination can provide great synergy in analyzing and understanding program behavior.



#### **Modification and Testing**

After you have used the Toolkit's disassembler, ASMXREF, and ASMPUT components to determine the needed modifications, the Structured Programming Macros can be added to simplify the coding and logic of the program.

The Enhanced SuperC comparison utility can then be used to compare the original and updated source files to validate the placement and coverage extent of all modifications.

You can then test the updated code using the rich and flexible features of the Interactive Debug Facility. After each assembly/debug cycle, you can further modify the source code, repeating the process until the completed application is accepted for installation in a production library.





Figure 38. Toolkit Feature: Modification and Testing Scenario




#### Validation

After some set of modifications has been made to the application, you will probably need to validate its operation. Typical steps in such a process include the following:

- 1. Run the original unmodified program with a representative set of "old data", and with the current date set to some manageable "current" date prior to the selected starting date.
- 2. Run the modified program with the same set of "old data" and the same current date. (There are many techniques available for setting chosen "current" dates on a system.)
- Use Enhanced SuperC to compare the outputs to ensure that no regressions have been introduced into the existing function of the application. If some date fields have been expanded (such as in report headings), use the date-format facilities of Enhanced SuperC to specify how they should be expanded and compared.
- 4. Run the modified program with the same "old data" and a new current date.

- 5. Use Enhanced SuperC to compare these new outputs with the previous two, using Enhanced SuperC's "aging" facilities to ensure correct current-date-dependent behavior.
- 6. Run the modified program with "new data" and the same new current date.
- 7. Use Enhanced SuperC to compare the outputs, using "aging" facilities to validate data-dependent behavior.

While not a complete support plan, the above steps are typical of date-sensitive and date-windowing migration and maintenance activities. At each stage, the File Comparison Utility can provide powerful insights into the extent and correctness of code modifications.



These scenarios illustrate how the High Level Assembler Toolkit Feature provides a varied and powerful set of tools supporting all aspects of application development, maintenance, enhancement, and testing. The following figure summarizes these capabilities:





Figure 39. Toolkit Feature: Summary of Usage Scenarios

HLASM Toolkit Feature: Full-Spectrum Application Support			
Activity	Toolkit Feature Components		
Inventory, assessment	Disassembler helps recover programs		
Locating key fields	Cross-Reference Facility pinpoints named fields, localizes references File Comparison Utility searches files for strings		
Application understanding	<ul> <li>Program Understanding Tool provides insights into program structures and control flows;</li> <li>Interactive Debug Facility monitors instruction and data flows at any level of detail</li> </ul>		
Decide on fixes			
Implement changes	Structured Programming Macros clarify source code; Enhanced SuperC helps validate source changes		
Unit test	Interactive Debug Facility provides powerful debugging and tracing capabilities		
Debug	Interactive Debug Facility debugs complete applications, including loaded modules		
Validation	Enhanced SuperC checks regressions, validates correctness of updates		
HLASM Toolkit Feature © IBM Corporation 1995, 2004. All rights reserved. 48			

## HLASM Toolkit Feature: Full-Spectrum Application Support

A typical process for managing the full spectrum of application recovery, development, debugging, and maintenance activities includes several steps. Figure 40 shows the Toolkit Feature tools useful in each step.

Figure 40. Toolkit Feature Component	s and Full-Spectrum Application Support		
Activity	Toolkit Feature Components		
Inventory and assessment	The <b>Disassembler</b> can help recover programs previously thought unretrievable or unmodifiable.		
Locating fields and their uses	The <b>Cross-Reference Facility</b> pinpoints named fields and localizes references to them in single or multiple modules. <b>Enhanced SuperC</b> provides powerful string-search facilities. The <b>Program Understanding Tool</b> provides powerful insights into program structures and control flows. The <b>Interactive Debug</b> <b>Facility</b> monitors instruction and data flows at any level of detail.		
Application understanding			
Decide on fixes and methods			
Implement changes	The <b>Structured Programming Macros</b> clarify source coding by reducing the need for coding branches and tests, replacing them with readable structures. <b>Enhanced SuperC</b> helps verify that source changes are complete.		
Unit test	The Interactive Debug Facility provides powerful debugging and tracing capabilities for verifying the correctness of changes.		
Debug	The Interactive Debug Facility helps debug complete applications, including dynamically loaded modules.		
Validation	Enhanced SuperC checks regressions, validates correctness of updates.		



## Summary

As the preceding examples have shown, the High Level Assembler Toolkit Feature provides a flexible, comprehensive, and powerful set of tools that support many of your application development and maintenance tasks.

## Appendix A. Sample structured macro program

SAMPLE	CSECT BALR R12,0 USING *,R12 IF AR,R2,R3,NZ,OR, (CLI,WORD1,EQ,X'C1'),ORIF, H,AND, CLM,R2,M1,LT,DEC(BASEREG)	X X X
	LA R3,X'01' DO WHILE=(7),UNTIL=(ICM,R2,M1,D2(B2),NZ) DOEXIT M LA R3,X'02' DOEXIT (CLCL,R2,NL,R4),ANDIF, ICM,R2,M1,D2(B2),Z,OR, LTR,R2,R3,M,ORIF, 10,AND, (CR,R2,NM,R3)	X X X X
	LA R3,X'03' STRTSRCH WHILE=(CLM,R2,M1,GE,D2(B2)),UNTIL=P EXITIF Z,AND, LTR,R2,R3,0,ORIF, (CLC,DEC(L,B),EQ,=C'WORD'),AND, NP LA R3,X'04' ORELSE	X X X
	LA R3,X'05' EXITIF CC=5 LA R3,X'06' ENDLOOP LA R3,X'07' ENDSRCH DOEXIT CC=10	
	ENDDO LA R3,X'08' IF (5),ORIF, (CR,R2,NE,R3),ANDIF, P,AND, (ICM,R2,M1,D2(B2),O),ORIF, CL,R2,LT,D2(B2),OR, (LTR,R2,R3,Z) LA R3,X'09' ELSE LA R3,X'0A'	X X X X X
*	ENDIF ENDIF IF AR,R2,R3,Z,OR, CR,R3,EQ,R4,AND, AR,R2,R4,NZ,OR, CR,R2,NE,R3 LA R3,X'10' ENDIF	X X X

	AR,R2,R3,Z,AND, CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 R3,X'11'
IF LA ENDIF	AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 R3,X'12'
	AR,R2,R3,Z,ANDIF, CR,R3,EQ,R4,ORIF, AR,R2,R4,NZ,ANDIF, CR,R2,NE,R3 R3,X'13'
DOEXI <sup>1</sup> LA DO L/ DOEX L/ DOEX L/ DOEX L/ DOEX L/ ENDI	R5,X'00' F (0) R5,X'05' FROM=(R3,10),T0=(R4,-1) A R5,X'0A' KIT (CR,R3,E,R5) A R5,X'0F' D WHILE=(NR,R2,R4,Z) LA R5,X'10' DEXIT (NZ) LA R5,X'15' NDDO A R5,X'1A'
CASE LA CASI L/ CASI L/ CASI CASI CASI L/ CASI L/ CASI	<pre>FRY R4,POWER=3 (16,32) R4,X'03' ENTRY R4,VECTOR=BR A R2,X'10' E 1,3,4 A R3,X'20' E 5 A R3,X'30' CASE ENTRY R4,POWER=1,VECTOR=B E 4 A R3,X'40' E (2) A R3,X'50' CASE</pre>

\*

\*

\*

\*

\*

X X X

X X X

X X X

```
CASE 24
          CASENTRY R4, POWER=0
          CASE 1
            SELECT C,R2,GE
              WHEN (=F'100')
                LA R0,3
              WHEN (=F'1000')
                LA RO,4
              WHEN (=F'10000')
                LA RO,5
              OTHRWISE
                LA R0,10
              ENDSEL
            LA R3,X'60'
          CASE 2
            LA R3,X'70'
          ENDCASE
         ENDCASE
         SELECT CLC,WORD1,EQ
          WHEN (=C'+',=C'-')
            LA
                 R0,1
          WHEN (=C'*',=C'/')
            LA
                  R0,2
          OTHRWISE
            SR
                  R0,R0
            CASENTRY R4, POWER=2
            CASE 8
              LA R3,X'80'
            ENDCASE
          ENDSEL
WORD1
        DC
              CL1'A'
         EQU
              4
BASEREG
        EQU
              5
B2
         EQU
              6
DEC
         EQU
              16
D2
         EQU
              32
         EQU
              64
LENGTH
         EQU
              4
М1
         EQU
              6
         EQU
              0
         EQU
              1
         EQU
              2
         EQU
              3
         EQU
              4
         EQU
              5
R6
         EQU
              6
R12
         EQU
              12
         END
              SAMPLE
```

\*

\*

В

L

R0

R1

R2

R3

R4

R5

## Appendix B. Listing of sample program

000018 47B0 COCC

000CE 1388+

BC

15-4,#@LB1

High Level Assembler Option Summary (PTF UQ72178) Page 1 HLASM R4.0 2003/01/29 12.02 No Overriding ASMAOPT Parameters Overriding Parameters- Profile(ASMMSP),LineCount(0),List(121) Process Statements-NoESD,NoRLD,NoXref,NoRXref,NoMXref,NoUsing,PControl(NoUHead) Options for this Assembly NOADATA ALIGN ASA BATCH CODEPAGE(047C) NOCOMPAT NODBCS NODECK DXREF 5 NOESD NOEXIT FLAG(0,ALIGN,CONT,NOEXLITW,NOIMPLEN,PAGEO,PUSH,RECORD,SUBSTR,USINGO) NOFOLD NOGOFF NOINFO LANGUAGE (EN) NOLIBMAC LINECOUNT(0) 3 LIST(121) 3 5 NOMXREF OBJECT OPTABLE(UNI,NOLIST) 5 PCONTROL (NOUHEAD) NOPESTOP PROFILE(ASMMSP) 3 NORA2 NORENT 5 NORLD 5 NORXREF SIZE(MAX, ABOVE) SYSPARM() TERM(NARROW) NOTEST NOTHREAD NOTRANSLATE 5 NOUSING 5 NOXREF No Overriding DD Names Page 2 Loc Object Code Addr1 Addr2 Stmt Source Statement HLASM R4.0 2003/01/29 12.02 1 \*PROCESS NoESD,NoRLD,NoXref,NoRXref,NoMXref,NoUsing,PControl(NoUHead) 2 COPY ASMMSP Generated for PROFILE option 1356 \* PRINT OFF,NOPRINT 1357 \* COPY ASMMSP 1358 \* PRINT ON, NOPRINT 000000 00000 002EE 1359 SAMPLE CSECT 000000 05C0 1360 BALR R12,0 R:C 00002 USING \*,R12 1361 1362 AR,R2,R3,NZ,OR, Х IF (CLI,WORD1,EQ,X'C1'),ORIF, Х H,AND, Х CLM,R2,M1,LT,DEC(BASEREG) 000002 1A23 1382+ 03-ASMMP AR R2.R3 000004 4770 C01A 0001C 1383+ BC 7,#@LB2 03-ASMMP 03-ASMMP 000008 95C1 C2D2 002D4 1384 +CLI WORD1,X'C1' 00000C 4780 C01A 0001C 1385+ BC 8,#@LB2 03-ASMMP 000010 47D0 COCC 000CE 1386+ BC 15-2,#@LB1 03-ASMMP 000014 BD26 5010 CLM R2,M1,DEC(BASEREG) 00010 1387+ 03-ASMMP

02-ASMMI

~							
0	00001C				1389+#@LB2	DC OH	02-ASMMI
0	)0001C	4130	0001	00001	1390	LA R3,X'01'	
					1391	DO WHILE=(7),UNTIL=(ICM,R2,M1,D2(B2),NZ)	
0	000020				1397+#@LB4	DC OH	02-ASMMD
		1700	000	00004			04-ASMMP
U	000020	4/00	090	0009A		•	04-ASMMP
					1415	DOEXIT M	
0	000024	4740	C098	0009A	1422+	BC 4,#@LB3	02-ASMMI
C	00028	4130	0002	00002	1423	LA R3,X'02'	
					1424	DOEXIT (CLCL,R2,NL,R4),ANDIF,	Х
						ICM, R2, M1, D2(B2), Z, OR,	X
							X
						LTR,R2,R3,M,ORIF,	
						10, AND,	Х
						(CR,R2,NM,R3)	
0	)0002C	0F24			1449+	CLCL R2,R4	03-ASMMP
C	)0002E	4740	C03E	00040	1450+	BC 15-11,#@LB12	03-ASMMP
0	000032	BF26	6020	00020		ICM R2,M1,D2(B2)	03-ASMMP
	000036			0009A		BC 8,#@LB3	03-ASMMP
	)0003A		0000	0005/1	1453+	LTR R2,R3	03-ASMMP
			0000	00004		•	
	00003C	4/40	098	0009A		BC 4,#@LB3	03-ASMMP
	000040				1455+#@LB12	DC OH	03-ASMMP
0	000040	4750	C048	0004A	1456+	BC 15-10,#@LB14	03-ASMMP
C	000044	1923			1457+	CR R2,R3	03-ASMMP
C	000046	47B0	C098	0009A	1458+	BC 11,#@LB3	02-ASMMI
	00004A				1459+#@LB14	DC OH	02-ASMMI
	00004A	4130	0003	00003		LA R3,X'03'	
U	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	110		00000			
~	00045				1461	STRTSRCH WHILE=(CLM,R2,M1,GE,D2(B2)),UNTIL=P	
	00004E	DDC -	c	00000	1468+#@LB17		02-ASMMD
	)0004E			00020		CLM R2,M1,D2(B2)	04-ASMMP
0	000052	4740	C088	0008A	1478+	BC 15-11,#@LB16	04-ASMMP
					1488	EXITIF Z,AND,	Х
						LTR,R2,R3,0,ORIF,	Х
						(CLC, DEC(L, B), EQ, =C'WORD'), AND,	X
						NP	X
0	000EE	4770	COEL	00060	16001		OS VEWND
	000056		CUSE	00060		BC 15-8,#@LB23	03-ASMMP
	)0005A				1509+	LTR R2,R3	03-ASMMP
0	)0005C	4710	C06C	0006E	1510+	BC 1,#@LB24	03-ASMMP
0	000060				1511+#@LB23	DC OH	03-ASMMP
0	000060	D53F	4010 C2D6 00010	002D8	1512+	CLC DEC(L,B),=C'WORD'	03-ASMMP
- U							
			C074		1513+		03-ASMMP
0	000066	4770		00076		BC 15-8,#@LB25	03-ASMMP
0	000066 00006A	4770			1514+	BC 15-8,#@LB25 BC 15-13,#@LB25	02-ASMMI
0 0 0	000066 00006A 00006E	4770 4720	C074	00076 00076	1514+ 1515+#@LB24	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH	
0 0 0	000066 00006A	4770 4720	C074	00076	1514+ 1515+#@LB24 1516	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04'	02-ASMMI
	000066 00006A 00006E 00006E	4770 4720 4130	C074 0004	00076 00076 00004	1514+ 1515+#@LB24 1516 1517	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04' ORELSE	02-ASMMI 02-ASMMI
	000066 00006A 00006E	4770 4720 4130	C074 0004	00076 00076	1514+ 1515+#@LB24 1516 1517	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04'	02-ASMMI
	000066 00006A 00006E 00006E	4770 4720 4130	C074 0004	00076 00076 00004	1514+ 1515+#@LB24 1516 1517	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04' ORELSE	02-ASMMI 02-ASMMI
	000066 00006A 00006E 00006E 000072 000076	4770 4720 4130 47F0	C074 0004 C08C	00076 00076 00004 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'O4' ORELSE BC 15,#@LB15 DS OH	02-ASMMI 02-ASMMI 01-00874
	000066 00006A 00006E 00006E	4770 4720 4130 47F0	C074 0004 C08C	00076 00076 00004	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04' ORELSE BC 15,#@LB15 DS OH LA R3,X'05'	02-ASMMI 02-ASMMI 01-00874
	000066 00006A 00006E 00006E 000072 000076 000076	4770 4720 4130 47F0 4130	C074 0004 C08C 0005	00076 00076 00004 0008E 00005	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04' ORELSE BC 15,#@LB15 DS OH LA R3,X'05' EXITIF CC=5	02-ASMMI 02-ASMMI 01-00874 01-00875
	000066 00006A 00006E 00006E 000072 000076 000076	4770 4720 4130 47F0 4130 47A0	C074 0004 C08C 0005 C084	00076 00076 00004 0008E 00005 00086	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04' ORELSE BC 15,#@LB15 DS OH LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26	02-ASMMI 02-ASMMI 01-00874
	000066 00006A 00006E 00006E 000072 000076 000076	4770 4720 4130 47F0 4130 47A0	C074 0004 C08C 0005 C084	00076 00076 00004 0008E 00005	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529	BC 15-8,#@LB25 BC 15-13,#@LB25 DC OH LA R3,X'04' ORELSE BC 15,#@LB15 DS OH LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06'	02-ASMMI 02-ASMMI 01-00874 01-00875
	000066 00006A 00006E 000072 000076 000076 00007A 00007A	4770 4720 4130 47F0 4130 47A0 4130	C074 0004 C08C 0005 C084 0006	00076 00076 00004 0008E 00005 00086 00006	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI
	000066 00006E 00006E 000072 000076 000076 00007A 00007A 00007E	4770 4720 4130 47F0 4130 47A0 4130	C074 0004 C08C 0005 C084 0006	00076 00076 00004 0008E 00005 00086	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628
	000066 00006A 00006E 000072 000076 000076 00007A 00007A 00007E	4770 4720 4130 47F0 4130 47A0 4130	C074 0004 C08C 0005 C084 0006	00076 00076 00004 0008E 00005 00086 00006	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629
	000066 00006E 00006E 000072 000076 000076 00007A 00007A 00007E	4770 4720 4130 47F0 4130 47A0 4130	C074 0004 C08C 0005 C084 0006	00076 00076 00004 0008E 00005 00086 00006	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628
	000066 00006A 00006E 000072 000076 000076 00007A 00007A 00007E	4770 4720 4130 47F0 4130 47A0 4130 47F0	C074 0004 C08C 0005 C084 0006 C08C	00076 00076 00004 0008E 00005 00086 00006	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1530 1532+ 1533+#@LB26 1535+#@LB20	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629
	000066 00006A 00006E 000072 000076 00007A 00007A 00007A 00007E	4770 4720 4130 47F0 4130 47A0 4130 47F0	C074 0004 C08C 0005 C084 0006 C08C	00076 00076 00004 0008E 00005 00086 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1533+#@LB26 1535+#@LB20 1536+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 00007A 00007A 00007A 000082 000086 000086 000086	4770 4720 4130 47F0 4130 47A0 4130 47F0 47D0	C074 0004 C08C 0005 C084 0006 C08C C04C	00076 00076 00004 0008E 00005 00086 00006 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP
	000066 00006A 00006E 000072 000076 00007A 00007A 00007A 00007E	4770 4720 4130 47F0 4130 47A0 4130 47F0 47D0	C074 0004 C08C 0005 C084 0006 C08C C04C	00076 00076 00004 0008E 00005 00086 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07'	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000078 000082 000086 000086 000086 000088	4770 4720 4130 47F0 4130 47A0 4130 47F0 47D0	C074 0004 C08C 0005 C084 0006 C08C C04C	00076 00076 00004 0008E 00005 00086 00006 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 00007A 00007A 00007A 000082 000086 000086 000086	4770 4720 4130 47F0 4130 47A0 4130 47F0 47D0	C074 0004 C08C 0005 C084 0006 C08C C04C	00076 00076 00004 0008E 00005 00086 00006 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 00007E 000082 000086 000086 000086 00008A 00008A	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007	00076 00076 00004 0008E 00005 00086 00006 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000078 000082 000086 000086 000086 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007	00076 00076 00004 0008E 00005 00086 00006 0008E	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 00007E 000082 000086 000086 000086 00008A 00008A	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007	00076 00076 00004 0008E 00005 00086 00006 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 00007E 000082 000086 000086 000086 00008A 00008A	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007	00076 00076 00004 0008E 00005 00086 00006 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006E 00006E 000072 000076 000076 000076 000078 000082 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47F0 4130 47F0 47A0	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098	00076 00076 00004 0008E 00005 00086 00008 00008E 00004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1552+#@LB7	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDDO DC 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 01-00758 02-ASMMI 02-ASMMI 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 000076 000078 000082 000082 000086 000086 000088 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47F0 4130 47F0 4130 8F26	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1523 1528+ 1529 1530 1532+ 1533+#@LB26 1535+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1559+#@LB7 1552+#@LB7	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDDO DC 0H ICM R2,M1,D2(B2)	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 01-00758 02-ASMMI 02-ASMMI 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 00007A 000082 000086 000086 00008A 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47F0 4130 47F0 4130 8F26	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020	00076 00076 00004 0008E 00005 00086 00008 00008E 00004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB20 1535+#@LB20 1535+#@LB20 1536+ 1538 1539 1542+#@LB15 1543 1548+ 1549 1552+#@LB7 1553+ 1554+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDDO DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 01-00758 02-ASMMI 02-ASMMI 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1559 1553+ 1554+ 1555+#@LB3	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 01-00758 02-ASMMI 02-ASMMI 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 00007A 000082 000086 000086 00008A 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530+ 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1554+ 1552+#@LB7 1555+ 1554+ 1555+#@LB3 1557+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H D0EXIT CC=10 BC 10,#@LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H LA R3,X'08'	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00628 01-00628 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1559 1553+ 1554+ 1555+#@LB3	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDDO DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H LA R3,X'08' IF (5),0RIF,	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 01-00758 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530+ 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1554+ 1552+#@LB7 1555+ 1554+ 1555+#@LB3 1557+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H D0EXIT CC=10 BC 10,#@LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H LA R3,X'08'	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00628 01-00628 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530+ 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1554+ 1552+#@LB7 1555+ 1554+ 1555+#@LB3 1557+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDDO DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H LA R3,X'08' IF (5),0RIF,	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 01-00758 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530+ 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1554+ 1552+#@LB7 1555+ 1554+ 1555+#@LB3 1557+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H LA R3,X'08' IF (5),0RIF, (CR,R2,NE,R3),ANDIF, P,AND,	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530+ 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1554+ 1552+#@LB7 1555+ 1554+ 1555+#@LB3 1557+	BC 15-8,#@LB25 BC 15-13,#@LB25 DC 0H LA R3,X'04' ORELSE BC 15,#@LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#@LB26 LA R3,X'06' ENDLOOP BC 15,#@LB15 DS 0H DC 0H BC 15-2,#@LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#@LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#@LB4 DC 0H LA R3,X'08' IF (5),0RIF, (CR,R2,NE,R3),ANDIF, P,AND, (ICM,R2,M1,D2(B2),0),ORIF,	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000078 000082 000086 000086 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 47D0 4130 47A0 8F26 4780	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1529 1530+ 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1554+ 1552+#@LB7 1555+ 1554+ 1555+#@LB3 1557+	BC 15-8,#0LB25 BC 15-13,#0LB25 DC 0H LA R3,X'04' ORELSE BC 15,#0LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#0LB26 LA R3,X'06' ENDLOOP BC 15,#0LB15 DC 0H BC 15-2,#0LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#0LB3 ENDDO DC 0H ICM R2,M1,D2(B2) BC 15-7,#0LB4 DC 0H LA R3,X'08' IF (5),ORIF, (CR,R2,NE,R3),ANDIF, P,AND, (ICM,R2,M1,D2(B2),O),ORIF, CL,R2,LT,D2(0,B2),OR,	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000072 000082 000086 000086 000088 000088 000088 000088 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 4130 47F0 4130 8F26 47A0 8F26 4780 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E 0008	00076 00076 0008E 00005 00086 00008 0008E 0004E 00007 0009A	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1530 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1542+#@LB15 1543 1548+ 1559 1553+ 1553+ 1555+ 1558	BC 15-8,#0LB25 BC 15-13,#0LB25 DC 0H LA R3,X'04' ORELSE BC 15,#0LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#0LB26 LA R3,X'06' ENDLOOP BC 15,#0LB15 DS 0H DC 0H BC 15-2,#0LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#0LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#0LB4 DC 0H LA R3,X'08' IF (5),ORIF, (CR,R2,NE,R3),ANDIF, P,AND, (ICM,R2,M1,D2(B2),0),ORIF, CL,R2,LT,D2(0,B2),OR, (LTR,R2,R3,Z)	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 000076 000076 000076 000076 000072 000076 000076 000076 000076 000076 000078 000088 000088 000088 000088 000088 000088 000088 000092 000092	4770 4720 4130 47F0 4130 47F0 4130 47F0 4130 47F0 4130 47A0 8F26 47A0 8F26 4780 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E 0008	00076 00076 0008E 00005 00086 0008E 0008E 0004E 00007	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1539 1532+ 1533+#@LB20 1536+ 1537+#@LB16 1538 1539 1542+#@LB15 1543 1548+ 1559+ 1553+ 1554+ 1555+#@LB3 1557 1558	BC 15-8,#0LB25 BC 15-13,#0LB25 DC 0H LA R3,X'04' ORELSE BC 15,#0LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#0LB26 LA R3,X'06' ENDLOOP BC 15,#0LB15 DS 0H DC 0H BC 15-2,#0LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#0LB3 ENDDO DC 0H ICM R2,M1,D2(B2) BC 15-7,#0LB4 DC 0H LA R3,X'08' IF (5),0RIF, (CR,R2,NE,R3),ANDIF, P,AND, (ICM,R2,M1,D2(B2),0),0RIF, CL,R2,LT,D2(0,B2),0R, (LTR,R2,R3,Z) BC 5,#0LB31	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP
	000066 00006A 00006E 000072 000076 000076 00007A 000072 000082 000086 000086 000088 000088 000088 000088 000088 000088 000088	4770 4720 4130 47F0 4130 47F0 4130 47F0 4130 47F0 4130 47A0 8F26 47A0 8F26 4780 4130	C074 0004 C08C 0005 C084 0006 C08C C04C 0007 C098 6020 C01E 0008	00076 00076 0008E 00005 00086 00008 0008E 0004E 00007 0009A	1514+ 1515+#@LB24 1516 1517 1520+ 1521+#@LB25 1522 1523 1528+ 1530 1532+ 1533+#@LB20 1535+#@LB20 1536+ 1537+#@LB16 1538 1542+#@LB15 1543 1548+ 1559 1553+ 1553+ 1555+ 1558	BC 15-8,#0LB25 BC 15-13,#0LB25 DC 0H LA R3,X'04' ORELSE BC 15,#0LB15 DS 0H LA R3,X'05' EXITIF CC=5 BC 15-5,#0LB26 LA R3,X'06' ENDLOOP BC 15,#0LB15 DS 0H DC 0H BC 15-2,#0LB17 DC 0H LA R3,X'07' ENDSRCH DS 0H DOEXIT CC=10 BC 10,#0LB3 ENDD0 DC 0H ICM R2,M1,D2(B2) BC 15-7,#0LB4 DC 0H LA R3,X'08' IF (5),ORIF, (CR,R2,NE,R3),ANDIF, P,AND, (ICM,R2,M1,D2(B2),0),ORIF, CL,R2,LT,D2(0,B2),OR, (LTR,R2,R3,Z)	02-ASMMI 02-ASMMI 01-00874 01-00875 02-ASMMI 01-00628 01-00629 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMI 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP 02-ASMMP

0000A4 4780 C0B2	000B4	1501+	BC 15-7,#@LB30	03-ASMMP
0000A8	00004		-	
		1592+#@LB31		03-ASMMP
0000A8 47D0 C0B2	000B4		BC 15-2,#@LB30	03-ASMMP
0000AC BF26 6020	00020	1594+	ICM R2,M1,D2(B2)	03-ASMMP
0000B0 4710 COCO	000C2	1595+	BC 1,#@LB32	03-ASMMP
0000B4		1596+#@LB30	DC OH	03-ASMMP
0000B4 5520 6020	00020			
			,	03-ASMMP
0000B8 4740 COCO	000C2	1598+	BC 4,#@LB32	03-ASMMP
0000BC 1223		1599+	LTR R2,R3	03-ASMMP
0000BE 4770 COC8	000CA	1600+	BC 15-8,#@LB33	02-ASMMI
0000C2		1601+#@LB32	DC OH	02-ASMMI
	00000			02-A5hini
0000C2 4130 0009	00009	1602	LA R3,X'09'	
		1603	ELSE	
0000C6 47F0 COCC	000CE	1606+	BC 15,#@LB34	01-00348
0000CA		1607+#@LB33	DS OH	01-00350
0000CA 4130 000A	0000A	1608	LA R3,X'OA'	
	000011	1609	ENDIF	
000005				01 00560
0000CE		1612+#@LB34	DS OH	01-00569
		1613	ENDIF	
0000CE		1616+#@LB1	DS OH	01-00569
		1617 *		
			IF AR, R2, R3, Z, OR,	Х
		1618		
			CR,R3,EQ,R4,AND,	Х
			AR,R2,R4,NZ,OR,	Х
			CR,R2,NE,R3	
0000CE 1A23		1639+	AR R2,R3	03-ASMMP
0000D0 4780 C0E4	000E6		BC 8,#@LB36	03-ASMMP
	UUUED			
0000D4 1934		1641+	CR R3,R4	03-ASMMP
0000D6 4770 C0E8	000EA	1642+	BC 15-8,#@LB35	03-ASMMP
0000DA 1A24		1643+	AR R2,R4	03-ASMMP
0000DC 4770 C0E4	000E6		BC 7,#@LB36	03-ASMMP
	00010		-	
0000E0 1923	00051	1645+	-	03-ASMMP
0000E2 4780 C0E8	000EA	1646+	BC 15-7,#@LB35	02-ASMMI
0000E6		1647+#@LB36	DC OH	02-ASMMI
0000E6 4130 0010	00010	1648	LA R3,X'10'	
		1649	ENDIF	
0000EA		1652+#@LB35	DS OH	01-00569
UUUULA			05 011	01-00309
		1653 *		
		1654	IF AR,R2,R3,Z,AND,	Х
		1654		X X
		1654	CR,R3,EQ,R4,OR,	Х
		1654	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND,	
000054 1422			CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3	X X
0000EA 1A23		1675+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3	X X 03-ASMMP
0000EC 4770 C104	00106	1675+ 1676+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#@LB37	X X 03-ASMMP 03-ASMMP
	00106	1675+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3	X X 03-ASMMP
0000EC 4770 C104 0000F0 1934		1675+ 1676+ 1677+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#@LB37 CR R3,R4	X X 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100	00106 00102	1675+ 1676+ 1677+ 1678+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24	00102	1675+ 1676+ 1677+ 1678+ 1679+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104		1675+ 1676+ 1677+ 1678+ 1679+ 1680+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923	00102 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104	00102	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923	00102 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104	00102 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38 1684	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11'	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11'	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1682+ #@LB38 1684 1685 1688+#@LB37 1689 *	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1682+ #@LB38 1684 1685 1688+#@LB37 1689 *	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1682+ #@LB38 1684 1685 1688+#@LB37 1689 *	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF,	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1679+ 1680+ 1681+ 1682+ 1682+ #@LB38 1684 1685 1688+#@LB37 1689 *	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC OH LA R3,X'11' ENDIF DS OH IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF,	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 02-ASMMI 02-ASMMI
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMI 02-ASMMI 02-ASMMI 01-00569 X X X X
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106	00102 00106 00106 00011	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R3	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMI 02-ASMMI 01-00569 X X X X X
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106	00102 00106 00106	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC OH LA R3,X'11' ENDIF DS OH IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R3 BC 8,#0LB40	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMI 02-ASMMI 01-00569 X X X X X
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106	00102 00106 00106 00011	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R3 BC 8,#0LB40 CR R3,R4	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMI 02-ASMMI 01-00569 X X X X X
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106	00102 00106 00106 00011	1675+ 1676+ 1677+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC OH LA R3,X'11' ENDIF DS OH IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R3 BC 8,#0LB40	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMI 02-ASMMI 01-00569 X X X X X
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000108 4780 C110 00010C 1934 00010E 4770 C116	00102 00106 00011 000112	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1685 1688 +#@LB37 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R3 BC 8,#0LB40 CR R3,R4 BC 15-8,#0LB39	X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000108 4780 C110 00010C 1934 00010E 4770 C116 000112	00102 00106 00011 000112	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R4 BC 8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC 0H	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMI 02-ASMMI 01-00569 X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000108 4780 C110 00010C 1934 00010E 4770 C116 000112 000112 1A24	00102 00106 00011 000112 00112	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R3 BC 8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC 0H AR R2,R4	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000F2 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000108 4780 C110 000108 4770 C116 000112 000112 1A24 000114 4770 C11C	00102 00106 00011 000112	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R4 BC 15-8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC 0H AR R2,R4 BC 7,#0LB41	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FC 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000108 4780 C110 00010C 1934 00010E 4770 C116 000112 1A24 000112 1A24 000114 4770 C11C 000118	00102 00106 00011 000112 00112	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R4 BC 8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC 0H AR R2,R4 BC 7,#0LB41 DC 0H	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 01-00569 X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000F2 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000108 4780 C110 000108 4770 C116 000112 000112 1A24 000114 4770 C11C	00102 00106 00011 000112 00112	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R4 BC 15-8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC 0H AR R2,R4 BC 7,#0LB41	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FC 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000106 4770 C110 000102 4770 C116 000112 1A24 000114 4770 C11C 000118 000118 1923	00102 00106 00011 000112 00118 0011E	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8,#0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC 0H LA R3,X'11' ENDIF DS 0H IF AR,R2,R3,Z,ORIF, CR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R2,R4 BC 15-8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC 0H AR R2,R4 BC 7,#0LB41 DC 0H CR R2,R3	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 01-00569 X X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000106 4770 C110 000102 4770 C116 000112 000112 1A24 000114 4770 C11C 000118 000118 1923 00011A 4780 C120	00102 00106 00011 000112 00112	1675+ 1676+ 1677+ 1679+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+ 1724+	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8, #0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC OH LA R3,X'11' ENDIF DS OH IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R R2,R3 BC 8,#0LB40 CR R3,R4 BC 15-8,#0LB39 DC OH AR R2,R3 BC 15-7,#0LB41 DC OH CR R2,R3 BC 15-7,#0LB41 DC OH CR R2,R3 BC 15-7,#0LB42	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 01-00569 X X X X X 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000106 4730 C110 000106 4770 C116 000112 1A24 000112 1A24 000112 1A24 000118 1923 00011A 4780 C120 00011E	00102 00106 00011 000112 00112 00118 0011E 00122	1675+ 1676+ 1677+ 1680+ 1681+ 1682+ 1683+#@LB38 1684 1685 1688+#@LB37 1689 * 1690 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+ 1724+ 1725+#@LB41	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R R2,R3 BC 15-8,#0LB37 CR R3,R4 BC 8, #0LB38 AR R2,R4 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 CR R2,R3 BC 15-7,#0LB37 DC OH LA R3,X'11' ENDIF DS OH IF AR,R2,R3,Z,ORIF, CR,R3,EQ,R4,ANDIF, AR,R2,R4,NZ,ORIF, CR,R2,NE,R3 AR R R2,R3 BC 15-8,#0LB40 CR R3,R4 BC 15-8,#0LB41 DC OH CR R2,R3 BC 15-7,#0LB42 DC OH	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 01-00569 X X X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 1A23 000106 1A23 000106 4770 C110 000102 4770 C116 000112 000112 1A24 000114 4770 C11C 000118 000118 1923 00011A 4780 C120	00102 00106 00011 000112 00118 0011E	1675+ 1676+ 1677+ 1680+ 1681+ 1682+ 1683+#@LB38 1685 1685 1688+#@LB37 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+ 1725+#@LB41 1726	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R CR,R2,NE,R3 AR R CR,R2,R4,R3 BC CR R R R CR R R R R R R R R R R R R R	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 01-00569 X X X X X 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 000106 000106 000106 000106 000106 000106 000106 000106 000106 000106 000106 000106 000107 000106 000107 000106 000107 000107 000107 000107 000107 000117 000118 000118 000118 000118 000118 000118 000118 000118 000118 000118 000118	00102 00106 00011 000112 00112 00118 0011E 00122	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1685 1685 1685 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+ 1725+#@LB41 1726 1727	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R CR,R2,NE,R3 AR R CR,R2,R4 BC CR R R R R CR R R R R R CR R R R R CR R R R R R CR R R R R CR R R R R R CR R CR R CR R CR R CR R CR C	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 000106 1A23 000106 4730 C110 000106 4770 C116 000112 1A24 000112 1A24 000112 1A24 000118 1923 00011A 4780 C120 00011E	00102 00106 00011 000112 00112 00118 0011E 00122	1675+ 1676+ 1677+ 1680+ 1681+ 1682+ 1683+#@LB38 1685 1685 1688+#@LB37 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+ 1725+#@LB41 1726	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R CR,R2,NE,R3 AR R CR,R2,R4,R3 BC CR R R R CR R R R R R R R R R R R R R	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 01-00569 X X X X X 03-ASMMP
0000EC 4770 C104 0000F0 1934 0000F2 4780 C100 0000F6 1A24 0000F8 4780 C104 0000FC 1923 0000FE 4780 C104 000102 000102 4130 0011 000106 000106 000106 000106 4780 C110 000106 1A23 000108 4780 C110 000106 1A23 000106 1A23 000112 1A24 000112 1A24 000112 1A24 000118 1923 00011A 4780 C120 00011E 00012	00102 00106 00011 000112 00112 00118 0011E 00122	1675+ 1676+ 1677+ 1678+ 1680+ 1681+ 1682+ 1683+#@LB38 1685 1685 1685 1689 * 1690 1715+ 1715+ 1716+ 1717+ 1718+ 1719+#@LB40 1720+ 1721+ 1722+#@LB39 1723+ 1725+#@LB41 1726 1727	CR,R3,EQ,R4,OR, AR,R2,R4,NZ,AND, CR,R2,NE,R3 AR R CR,R2,NE,R3 AR R CR,R2,R4 BC CR R R R R CR R R R R R CR R R R R CR R R R R R CR R R R R CR R R R R R CR R CR R CR R CR R CR R CR C	X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 02-ASMMI 02-ASMMI 01-00569 X X X X 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP 03-ASMMP

		1732	IF AR,R2,R3,Z,ANDIF, CR,R3,EQ,R4,ORIF,	X X
			AR,R2,R4,NZ,ANDIF,	Х
000122 1A23		1757+	CR,R2,NE,R3 AR R2,R3	03-ASMMP
000124 4770 C12C	0012E	1758+	BC 15-8,#@LB43	03-ASMMP
000128 1934		1759+	CR R3,R4	03-ASMMP
00012A 4780 C132	00134	1760+ 1761, #01 P42	BC 8,#@LB44 DC 0H	03-ASMMP
00012E 00012E 1A24		1761+#@LB43 1762+	DC OH AR R2,R4	03-ASMMP 03-ASMMP
000130 4780 C13C	0013E	1763+	BC 15-7,#@LB45	03-ASMMP
000134		1764+#@LB44	DC OH	03-ASMMP
000134 1923		1765+	CR R2,R3	03-ASMMP
000136 4780 C13C		1766+	BC 15-7,#0LB45	02-ASMMI
00013A 4130 0013	00013	1767 1768	LA R3,X'13' ENDIF	
00013E		1771+#@LB45	DS OH	01-00569
		1772 *		
		1773	DO INF	
00013E	00000	1779+#@LB48		02-ASMMD
00013E 4150 0000	00000	1781 1782	LA R5,X'00' DOEXIT (0)	
000142 4710 C184	00186	1789+	BC 1,#@LB47	02-ASMMI
000146 4150 0005	00005	1790	LA R5,X'05'	
		1791	DO FROM=(R3,10),TO=(R4,-1)	
00014A 4130 000A	0000A 002E8	1797+	LA R3,10	02-ASMMD 02-ASMMD
00014E 4840 C2E6 000152	00268	1798+ 1799+#@LB52	LH R4,=H'-1' DC OH	02-ASMMD 02-ASMMD
000152 4150 000A	0000A		LA R5,X'OA'	02 //31110
		1804	DOEXIT (CR,R3,E,R5)	
000156 1935		1812+	CR R3,R5	03-ASMMP
000158 4780 C17C		1813+	BC 8,#@LB51	02-ASMMI
00015C 4150 000F	0000F	1814 1815	LA R5,X'OF' DO WHILE=(NR,R2,R4,Z)	
000160 47F0 C16E	00170	1821+	BC 15,#@LB57	02-ASMMD
000164		1823+#@LB58	DC OH	02-ASMMD
000164 4150 0010	00010		LA R5,X'10'	
000168 4770 C174	00176	1833 1840+	DOEXIT (NZ) BC 7,#0LB56	02-ASMMI
00016C 4150 0015	00178	1841	BC 7,#@LB56 LA R5,X'15'	UZ-ASMM1
	00010	1842	ENDDO	
000170		1845+#@LB57	DC OH	02-ASMMP
000170 1424	00164	1846+	NR R2,R4	02-ASMMP
000172 4780 C162 000176	00164	1847+ 1848+#@LB56	BC 8,#@LB58 DC OH	02-ASMMP 02-ASMMP
000176 4150 001A	0001A		LA R5.X'1A'	02-ASPIN
		1851	ENDDO	
00017A		1854+#@LB53	DC OH	02-ASMMP
00017A 8734 C150	00152		BXLE R3,R4,#@LB52	02-ASMMP
00017E 00017E 4150 001F	0001F	1856+#@LB51 1858	DC OH LA R5,X'1F'	02-ASMMP
0001/2 4150 0011	00011	1859	ENDDO	
000182 47F0 C13C	0013E	1862+	BC 15,#@LB48	02-ASMMP
000186		1863+#@LB47	DC OH	02-ASMMP
		1865 * 1866	CASENTRY R4, POWER=3	
000186 8A40 0001	00001		SRA R4,3-2	01-00190
00018A 5A40 C192		1872+	A R4,#@LB65	01-00203
00018E 5840 4000	00000	1873+	L R4,0(,R4)	01-00204
000192 07F4		1874+	BCR 15,R4	01-00205
000194 00000260		1875+#@LB65 1876	DC A(#@LB63) CASE (16,32)	01-00206
000198		1879+#@LB66	DS OH	01-00115
000198 4140 0003	00003		LA R4,X'03'	01 00110
		1881	CASENTRY R4, VECTOR=BR	
00019C 8B40 0002		1885+	SLA R4,2-0	01-00188
0001A0 47F4 C1B2 0001A4 4120 0010	001B4 00010		BC 15,#@LB67(R4) LA R2,X'10'	01-00219
000174 4120 0010	00010	1888	CASE 1,3,4	
0001A8		1891+#@LB69	DS OH	01-00115
0001A8 4130 0020	00020	1892	LA R3,X'20'	
000140 4750 0104	00100	1893	CASE 5	01 00110
0001AC 47F0 C1CA	00100	1896+	BC 15,#@LB68	01-00113

0001B0				
000100 4100 0000		1897+#@LB70	DS OH	01-00115
0001B0 4130 0030	00030		LA R3,X'30'	
		1899	ENDCASE	
0001B4 47F0 C1CA	001CC	1901+#@LB67	BC 15,#@LB68	01-00415
0001B8 47F0 C1A6	001A8	1902+	BC 15,#@LB69	01-00430
0001BC 47F0 C1CA		1903+	BC 15,#@LB68	01-00440
0001C0 47F0 C1A6		1904+	BC 15,#@LB69	01-00430
0001C4 47F0 C1A6		1905+	BC 15,#@LB69	01-00430
0001C8 47F0 C1AE	001B0	1906+	BC 15,#@LB70	01-00430
0001CC		1907+#@LB68	DS OH	01-00445
		1909	CASENTRY R4, POWER=1, VECTOR=B	
0001CC 8B40 0001		1913+	SLA R4,2-1	01-00188
0001D0 47F4 C1DE	001E0	1914+	BC 15,#@LB71(R4)	01-00219
000104		1915	CASE 4	01 00115
0001D4 0001D4 4130 0040	00040	1918+#@LB73	DS OH LA R3,X'40'	01-00115
000104 4130 0040	00040	1919	CASE (2)	
0001D8 47F0 C1EA	001EC	1923+	BC 15,#@LB72	01-00113
0001DC	OUILC	1924+#@LB74	DS OH	01-00115
0001DC 4130 0050	00050		LA R3,X'50'	01 00115
000100 1100 0000	00000	1926	ENDCASE	
0001E0 47F0 C1EA	001EC	1928+#@LB71	BC 15,#@LB72	01-00415
0001E4 47F0 C1DA		1929+	BC 15,#@LB74	01-00430
0001E8 47F0 C1D2		1930+	BC 15,#@LB73	01-00430
0001EC		1931+#@LB72	DS OH	01-00445
		1933	CASE 24	
0001EC 5840 C25E	00260	1936+	L R4,#@LB63	01-00110
0001F0 07F4		1937+	BCR 15,R4	01-00111
0001F2		1938+#@LB75	DS OH	01-00115
		1939	CASENTRY R4, POWER=0	
0001F2 8B40 0002		1943+	SLA R4,2-0	01-00188
0001F6 5A40 C1FE		1945+	A R4,#@LB78	01-00203
0001FA 5840 4000	00000	1946+	L R4,0(,R4)	01-00204
0001FE 07F4		1947+	BCR 15,R4	01-00205
000200 0000024C		1948+#@LB78	DC A(#@LB76)	01-00206
		1949	CASE 1	
000204		1952+#@LB79	DS OH	01-00115
		1953	SELECT C,R2,GE	
000204 5020 6204	00200	1957	WHEN (=F'100')	01 01120
000204 5920 C2DA 000208 4740 C212		1961+ 1962+	C R2,=F'100' BC 15-11.#@LB81	01-01130 01-01138
000208 4740 0212	00214		BC 15-11,#@LB81 LA R0,3	01-01136
000200 4100 0003	00003	1963	WHEN (=F'1000')	
000210 47F0 C236	00238	1966+	BC 15,#@LB80 SKIP TO END	01-01106
000214	00230	1967+#@LB81	DS OH	
				01-01109
	002E0		C R2.=F'1000'	01-01109 01-01130
000214 5920 C2DE		1970+ 1971+	C R2,=F'1000' BC 15-11,#@LB83	01-01130
		1970+ 1971+		
000214 5920 C2DE 000218 4740 C222	00224	1970+ 1971+	BC 15-11,#@LB83	01-01130
000214 5920 C2DE 000218 4740 C222	00224 00004	1970+ 1971+ 1972	BC 15-11,#@LB83 LA R0,4	01-01130
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004	00224 00004	1970+ 1971+ 1972 1973	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000')	01-01130 01-01138
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236	00224 00004 00238 002E4	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS OH C R2,=F'10000'	01-01130 01-01138 01-01106
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 000224 5920 C2E2 000228 4740 C232	00224 00004 00238 002E4 00234	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS OH C R2,=F'10000' BC 15-11,#@LB85	01-01130 01-01138 01-01106 01-01109
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 000224 5920 C2E2	00224 00004 00238 002E4	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS OH C R2,=F'10000' BC 15-11,#@LB85 LA R0,5	01-01130 01-01138 01-01106 01-01109 01-01130
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005	00224 00004 00238 002E4 00234 00005	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS OH C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236	00224 00004 00238 002E4 00234 00005	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000220 47F0 C236 000234	00224 00004 00238 002E4 00234 00005 00238	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236	00224 00004 00238 002E4 00234 00005	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1982 1984+ 1985+#@LB85 1986	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H LA R0,10	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 4100 000A	00224 00004 00238 002E4 00234 00005 00238	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS OH C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS OH LA R0,10 ENDSEL	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937 01-00940
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 000226 4100 0005 000230 47F0 C236 000234 000234 4100 000A	00224 00004 00238 002E4 00234 00005 00238 0000A	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS OH LA R0,10 ENDSEL DS OH	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 4100 000A	00224 00004 00238 002E4 00234 00005 00238	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60'	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937 01-00940
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 000234 4100 000A 000238 000238 4130 0060	00224 00004 00238 002E4 00234 00005 00238 0000A 0000A	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2	01-01130 01-01138 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 000234 4100 000A 000238 000238 4130 0060 000235 5840 C24A	00224 00004 00238 002E4 00234 00005 00238 0000A 0000A	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#@LB76	01-01130 01-01138 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00110
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 000234 4100 000A 000238 000238 4130 0060 000235 5840 C24A 000240 07F4	00224 00004 00238 002E4 00234 00005 00238 0000A 0000A	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1996+	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#@LB76 BCR 15,R4	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 0000A 000238 000238 4130 0060 000238 4130 0060 000232 5840 C24A 000240 07F4	00224 00004 00238 00254 00034 00005 00238 0000A 0000A 00060 0024C	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1995+ 1996+ 1997+#@LB87	BC 15-11,#@LB83 LA R0,4 WHEN (=F'10000') BC 15,#@LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#@LB85 LA R0,5 OTHRWISE BC 15,#@LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#@LB76 BCR 15,R4 DS 0H	01-01130 01-01138 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00110
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 000234 4100 000A 000238 000238 4130 0060 000235 5840 C24A 000240 07F4	00224 00004 00238 002E4 00234 00005 00238 0000A 0000A	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1996+ 1997+#@LB87 1998	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70'	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 4100 000A 000238 000238 4130 0060 000238 4130 0060 000232 5840 C24A 000240 07F4 000242 00070	00224 00004 00238 00254 00005 00238 00000A 00000A 00060 0024C 00070	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1996+ 1998 1999	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70' ENDCASE	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111 01-00115
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 000220 47F0 C236 000230 47F0 C236 000234 4100 000A 000238 4130 000A 000238 4130 0060 000232 5840 C24A 000242 4130 0070 000246 5840 C24A	00224 00004 00238 00254 00005 00238 00000A 00000A 00060 0024C 00070	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1995+ 1996+ 1997+#@LB87 1999 2001+	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70' ENDCASE L R4,#0LB76	01-01130 01-01138 01-01138 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111 01-00115 01-00410
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 000226 4100 0005 000230 47F0 C236 000234 4100 000A 000238 4130 000A 000238 4130 0060 000232 5840 C24A 000240 07F4 000242 4130 0070	00224 00004 00238 00254 00005 00238 00000A 00000A 00060 0024C 00070	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1995+ 1997+#@LB87 1998 1999 1999 1999	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70' ENDCASE L R4,#0LB76 BCR 15,R4	01-01130 01-01138 01-01106 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111 01-00115
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 00022C 4100 0005 000230 47F0 C236 000234 4100 000A 000238 4130 0060 000238 4130 0060 000232 5840 C24A 000240 07F4 000242 4130 0070 000246 5840 C24A 00024A 07F4 00024A 07F4	00224 00004 00238 00254 00005 00238 00000A 00000A 00060 0024C 00070	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1995+ 1996+ 1997+#@LB87 1999 2001+	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70' ENDCASE L R4,#0LB76 BCR 15,R4 DC A(#0LB77)	01-01130 01-01138 01-01138 01-01130 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111 01-00115 01-00410 01-00411
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 000226 4100 0005 000230 47F0 C236 000234 4100 000A 000238 4130 000A 000238 4130 0060 000232 5840 C24A 000240 07F4 000242 4130 0070	00224 00004 00238 00254 00005 00238 00000A 00000A 00060 0024C 00070	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1996+ 1997+#@LB87 1998 1999 2001+ 2002+ 2003+#@LB76	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70' ENDCASE L R4,#0LB76 BCR 15,R4 DC A(#0LB77)	01-01130 01-01138 01-01138 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111 01-00115 01-00410 01-00411 01-00412
000214 5920 C2DE 000218 4740 C222 00021C 4100 0004 000220 47F0 C236 000224 5920 C2E2 000228 4740 C232 000226 4100 0005 000230 47F0 C236 000234 4100 000A 000238 4130 000A 000238 4130 0060 000235 5840 C24A 000240 07F4 000242 4130 0070 000246 5840 C24A 00024A 07F4 00024A 07F4 000258 0000258 000250 00000204	00224 00004 00238 00254 00005 00238 00000A 00000A 00060 0024C 00070	1970+ 1971+ 1972 1973 1975+ 1976+#@LB83 1979+ 1980+ 1981 1982 1984+ 1985+#@LB85 1986 1987 1989+#@LB80 1991 1992 1995+ 1996+ 1997+#@LB87 1998 1999 2001+ 2002+ 2003+#@LB76 2004+	BC 15-11,#0LB83 LA R0,4 WHEN (=F'10000') BC 15,#0LB80 SKIP TO END DS 0H C R2,=F'10000' BC 15-11,#0LB85 LA R0,5 OTHRWISE BC 15,#0LB80 SKIP TO END DS 0H LA R0,10 ENDSEL DS 0H LA R3,X'60' CASE 2 L R4,#0LB76 BCR 15,R4 DS 0H LA R3,X'70' ENDCASE L R4,#0LB76 BCR 15,R4 DC A(#0LB77) DC A(#0LB79)	01-01130 01-01138 01-01138 01-01109 01-01130 01-01138 01-00937 01-00940 01-00702 01-00702 01-00110 01-00111 01-00115 01-00410 01-00412 01-00428

	0000		
000258 5840 C25E 002	2008 60 2010+	ENDCASE L R4,#@LB63	01-00410
00025C 07F4	2011+	BCR 15,R4	01-00411
00025E 0000 000260 00000274	+ 2012+#@LB63	DC A(#@LB64)	01-00412
000264 00000274	2012+#@LB05	DC = A(#eLB64)	01-00412
000268 00000198	2014+	DC A(#@LB66)	01-00428
00026C 000001F2	2015+	$DC \qquad A(\#@LB75)$	01-00428
000270 00000198 000274	2016+ 2017+#@LB64	DC A(#@LB66) DS OH	01-00428 01-00445
	2019 *		
	2020	SELECT CLC, WORD1, EQ	
000274 D500 C2D2 C2E8 002D4 002	2024 EA 2028+	WHEN (=C'+',=C'-') CLC WORD1,=C'+'	01-01130
00027A 4780 C286 002	88 2029+	BC 8,#@LB90	01-01134
00027E D500 C2D2 C2E9 002D4 002		CLC WORD1,=C'-'	01-01130
000284 4770 C28E 002 000288	90 2031+ 2032+#@LB90	BC 15-8,#@LB89 DS 0H	01-01138 01-01141
	01 2033	LA RO,1	
000000 4750 0000 000	2034	WHEN (=C'*',=C'/')	01 01100
00028C 47F0 C2D2 002 000290	D4 2036+ 2037+#@LB89	BC 15,#@LB88 SKIP TO END DS OH	01-01106 01-01109
000290 D500 C2D2 C2EA 002D4 002		CLC WORD1,=C'*'	01-01130
	A4 2041+	BC 8,#@LB92	01-01134
00029A D500 C2D2 C2EB 002D4 002 0002A0 4770 C2AA 002		CLC WORD1,=C'/' BC 15-8,#@LB91	01-01130 01-01138
0002A4	2044+#@LB92	DS OH	01-01141
0002A4 4100 0002 000	02 2045	LA RO,2 OTHRWISE	
0002A8 47F0 C2D2 002	2046 D4 2048+	BC 15,#@LB88 SKIP TO END	01-00937
0002AC	2049+#@LB91	DS OH	01-00940
0002AC 1B00	2050 2051	SR RO,RO CASENTRY R4,POWER=2	
0002AE 5A40 C2B6 002		A R4,#@LB95	01-00203
0002B2 5840 4000 000		L R4,0(,R4)	01-00204
0002B6 07F4 0002B8 000002C8	2058+ 2059+#@LB95	BCR 15,R4 DC A(#@LB93)	01-00205 01-00206
	2060	CASE 8	01 00200
0002BC	2063+#@LB96	DS OH	01-00115
0002BC 4130 0080 000	80 2064 2065	LA R3,X'80' ENDCASE	
0002C0 5840 C2C6 002	C8 2067+	L R4,#@LB93	01-00410
0002C4 07F4 0002C6 0000	2068+ +	BCR 15,R4	01-00411
0002C8 000002D4	2069+#@LB93	DC A(#@LB94)	01-00412
0002CC 000002D4	2070+	DC A(#@LB94)	01-00425
0002D0 000002BC 0002D4	2071+ 2072+#@LB94	DC A(#@LB96) DS OH	01-00428 01-00445
000204	2072+#@LB94	ENDSEL	01-00445
0002D4	2076+#@LB88	DS OH	01-00702
0002D4 C1	2078 * 2079 WORD1	DC CL1'A'	
0000204 01	2080 B	EQU 4	
00005	2081 BASEREG	•	
00006 00010	2082 B2 2083 DEC	EQU 6 EQU 16	
00020	2084 D2	EQU 32	
00040	2085 L	EQU 64	
00004 00006	2086 LENGTH 2087 M1	EQU 4 EQU 6	
00000	2088 R0	EQU 0	
00001	2089 R1	EQU 1 EQU 2	
00002 00003	2090 R2 2091 R3	EQU 2 EQU 3	
00004	2092 R4	EQU 4	
00005 00006	2093 R5 2094 R6	EQU 5 EQU 6	
00008	2094 R6 2095 R12	EQU 6 EQU 12	
000000	2096	END SAMPLE	
0002D8 E6D6D9C4 0002DC 00000064	2097 2098	=C 'WORD' =F '100'	
0002E0 000003E8	2099	=F'1000'	
0002E4 00002710 0002E8 FFFF	2100 2101	=F'10000' =H'-1'	
VVVLU IIIF	2101	-11 -1	

0002EA 4E 2102	=C ' + '	
0002EB 60 2103	=C'-'	
0002EC 5C 2104	=C'*'	
0002ED 61 2105	=C'/'	
Diagnostic	Cross Reference and Assembler Summary	Page 3
		HLASM R4.0 2003/01/29 12.02
No Statements Flagged in this Assembly		
HIGH LEVEL ASSEMBLER, 5696-234, RELEASE 4.0,	, PTF UQ72178	
SYSTEM: CMS 16 JOBNAME:	(NOJOB) STEPNAME: (NOSTEP) PROCSTE	P: (NOPROC)
Datasets Allocated for this Assembly		
Con DDname Dataset Name	Volume Member	
P1 SYSIN SAMPLE2 ASSEMBLE A1	EHR191	
L1 SYSLIB OSMACRO MACLIB S2	\$CM019	
L2 ASMAFMAC MACLIB A1	EHR191	
L3 ASMSMAC MACLIB D1	EHR192	
L4 ASMAMAC MACLIB S2	\$CM019	
L5 CLASSMAC MACLIB L1	EHR195	
L6 OSMACRO1 MACLIB S2	\$CM019	
SYSLIN SAMPLE2 TEXT A1	EHR191	
SYSPRINT SAMPLE2 LISTING A1	EHR191	
SYSTERM TERMINAL		
	373K would be required for this to be an	
5 1	2663 Library Records Read	0 Work File Reads
	464 Primary Print Records Written	0 Work File Writes
18 Punch Records Written	0 ADATA Records Written	
Assembly Start Time: 12.02.48 Stop Time: 12.	.02.48 Processor Time: 00.00.00.0609	
Return Code 000		