



Cheap Generic Cialis 20mg Wholesale Supplier

Usage: Take this medicine by mouth with a glass of water. The dose is

usually taken 1 hour before sexual activity. You should not take the dose more than once per day. Do not take your medicine more often than directed.

Overdosage: If you think you have taken too much of this medicine contact a poison control center or emergency room at once.

NOTE: This medicine is only for you. Do not share this medicine with others.

Storage: 1.Keep out of reach of children.

2.Store at room temperature between 15 and 30 degrees C (59 and 86 degrees F). Throw away any unused medicine after the expiration date.

What should I tell my health care provider before I take this medicine?

They need to know if you have any of these conditions:

eye or vision problems, including a rare inherited eye disease called retinitis pigmentosa

heart disease, angina, high or low blood pressure, a history of heart attack, or other heart problems

kidney disease

liver disease

stroke

an unusual or allergic reaction to sildenafil, other medicines, foods, dyes, or preservatives

pregnant or trying to get pregnant

breast-feeding

How should I take this medicine?

Take this medicine by mouth with a glass of water. The dose is usually taken 1 hour before sexual activity. You should not take the dose more than once per day. Do not take your medicine more often than directed.

Overdosage: If you think you have taken too much of this medicine contact a poison control center or emergency room at once.

NOTE: This medicine is only for you. Do not share this medicine with others.

What may interact with this medicine?

Do not take this medicine with any of the following:

- cisapride**
- methscopolamine nitrate**
- nitrates like amyl nitrite, isosorbide dinitrate, isosorbide mononitrate,**
- nitroglycerin**
- nitroprusside**
- other sildenafil products (Revatio)**

This medicine may also interact with the following:

- certain drugs for high blood pressure**
- certain drugs for the treatment of HIV infection or AIDS**
- certain drugs used for fungal or yeast infections, like fluconazole,**
- itraconazole, ketoconazole, and voriconazole**
- cimetidine**
- erythromycin**
- rifampin**

This list may not describe all possible interactions. Give your health care providers a list of all the medicines, herbs, non-prescription drugs, or dietary supplements you use. Also tell them if you smoke, drink alcohol, or use illegal drugs. Some items may interact with your medicine.

What side effects may I notice from this medicine?

Side effects that you should report to your doctor or health care professional as soon as possible:

- allergic reactions like skin rash, itching or hives, swelling of the face,**
- lips, or tongue**
- breathing problems**
- changes in hearing**
- changes in vision, blurred vision, trouble telling blue from green**
- color**
- chest pain**
- fast, irregular heartbeat**
- men: prolonged or painful erection (lasting more than 4 hours)**
- seizures**





Item Name: Cialis

Status: brand new, expiration date in 3 years.

Price:USD 0.25-USD 2 per pill, order more, the price is lower

Payment terms:bank transfer, western union, paypal for some states

Shipping term:express mail (with registered tracking number, door delivery)

Delivery Time:5-7 working days to world

Return Policy:We will return your money if our products dont have good quality or effect.

Remark:

OEM service, private label,ODM service of sex pills are available,any of the customization are welcomed.

Low MOQ requirement, lowest price, best quality guaranteed here.

Semi-finished sex pills (loose tablets,capsules,soft gels)

Raw Material supply



Contact: Boking Sex Pill Factory

Address: No.810 Hetai Road, Baiyun District, Guangzhou City, China, 510000

Email: bokingfactory@hotmail.com

Hotmail: bokingfactory@hotmail.com

Yahoo: bokingfactory@yahoo.com

Skype: [bokingfactory](https://www.skype.com/name/bokingfactory)

Tel: 086-152-68131960

Web: <http://boking.webs.com/>