



Philosophical Transactions

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

Please click on "Next Page" (at the top of the screen) to begin viewing the article.

II. De Piscibus, Molluscis & Crustaceis Philippenfibus,
Ex MSS. R. P. Geo. Jos. Camelli ad D. Jacobum Petiver, S. R. S. transmissis.

1. **B**angsî, Hispanis *Volador*, est *Milvus marinus*.
2. *Basac*, vel *Tambasacan*, v. *Tambalo*, est pisciculus manatus amphibius, vivens mari & terra, in littore duabus quasi manibus innixus discurrere solitus.

3. *Afaasa*, v. *Humaban*, v. *Quiquicbuaya* Byfaianis, *Parolog* Tagalis, *Dumudum* Catanduanis, est *Hypocampus marinus*. An ab hoc distinctus *Talli* ?

4. *Talli* Byfaianis, *Hypocampus auriculatus*, caput equinum, corpus costis compactum, caudâ lacerti.

5. *Hipou*, v. *Dilis*. Species *Squille marinæ minime*, v. *Formica marina*. Narrant tempore foetationis in monstruosæ magnitudinis glomum conglomerari, ita ut nescio quale monstrum mentiatur, & tandem circa littus dissolvi. Eadem confirmat Fra. Ant. dela Zarza. Vide D. Petiver. GAZOPHYL. NATURÆ Tab. 43. fig. 13.

6. *Cobapo*. Piscis merum venenum spinis viridibus, quarum ictus viperâ quâvis immedicabilior.

7. *Manala*. Piscis Marinus, nocuus specificè Morbo Gallico laborantibus.

8. *Calambutan*, Tagalis *Nooz*, est *Sepia*, Hisp. *Xibia*. Os *Sepiæ*, Hisp. *Choca*, duarum spithamarum & trium invenitur.

9. *Pagi* est *Pastinaca marina*, Hisp. *Raya*. Radio seu aculeo, Indis *Bansul* gingivæ Scarificatæ in odontalgia dolorem tollit, sed oportet ut radius vivo Pisce exemptus sit. Hunc pulveratum cum *Eleboro albo* mixtum, facere dentes sine dolore excidere solent.

10. *Piscis Quadrangularis*, Orbibus annumerandus, *Hysp. Peje Caxon*, id est *Piscis Cista*, Indis Boholanis *Tabalong*, Leytenibus *Tabarong*, Tagalis *Botele cavan*, est species *Snot-colpi* secundi *Gesneri*, descriptionem vide fol. 84, Iconem *Tab. xxv. No. 7.* apud *Iohnstonium*. In Icone Pinna in fine ventris desideratur, & angulorum prostantia.

11. *Piscis Quadrangularis alter*, seu *Minor*, Facie *Tauri*, Clusio *Piscis Triangularis*, *Iohnstonio Piscis Tauriformis*, *Hysp. Peje Torote*, Indis *Botele Maysungay*. Vescus est ut prior. Clusii *Triangularis*, collatus cum *Luzonis Quadrangularem minori*, idem esse videtur, sed *Icon Clusiani* nimium globosa, cum quem resiccatum asservabam prolongatus sit, & quandoque sesquipalmaris. Quare an idem sit ignoro.

12. *Gadiamina*, *Ballæna Ambravoma Joloanis*.

13. *Tandayag*, & 14 *Tambobala*, *Balænae*.

15. *Bujhaca* Massa est alba quasi sævacea, à Mari in littus ejecta, colligitur circa *Tayawas* & *Tal*. Illitam *Bronchocele* dissolvere tradunt. *An Sperma Cœti Officinarum?*

16. *Bela Sinarum*, de fertur ex *Canchinchina*; sunt autem panes 20 circiter librarum, candidi, sævacei, solidiusculi, lapidis specularis ritu, quodammodo in bracteolas scissilis insipidi, & sævum olentis liquoris. Ad *Tusses*, & puerulorum diarrhæas commendant. *An Sperma Cœti Offic.?*

17. *Puquitan*, *Polypus monstruosus*, & tam exorbitantis magnitudinis, ut pedum quivis majorem adæquet *Pinnam*, quibus penè nullo negotio navim mergat. Latitat ad *Insulam Iolo*, *Batavis Insula Margaritifera*, in sinu *Mindanaï*, in sinu *Sibuco*, in *Freto Sibuco*. *An Piscis Remorans Iohnstonij, Nirembergij, Linschotani?*

18. *Colaloca*, *Retiarius tremendus*. Insultum facit in hujates *Biremes*, rete jactans, quo eas involvit, & demergit. *Indi* periculum eludunt objiciendo eparentiâ magna ex palmis compacta volumina, quæ divertitur & illudatur.

19. *Lavin-*

24. Remora seu Echeneis, *Indis* Boholanis & Zebuanis *Comi*, Leytentibus *Quini*. An Brasiliensium *Speruquiba*? Ordinariè piscibus majoribus, & navibus inhæret, quas in cursu impedit, & retardat, quamvis non eâ violentia, qua passim, & vulgò narratur. Longitudinis est spithameæ, & ultra, coloris ex albido fusci, subviolaceè relucens. Capite supino acetabula habet fimbriata, seu cirrata, transversaliter posita, ut strigilis denticulatæ series, quibus pertinacissimè hæret, ita ut omni conatu trahendo, citius corpus, relicto capite, detrahatur; antequam caput disjungatur, si verò corpus caput versùs adigas facillè ditunietur, & separatur à re cui inhæsit. vid. GAZ. NATUR. Tab. 44. fig. 12.

25. *Bangol*, Piscis *Catanduanus*, totus intra & extra ruberrimus, squamarum loco subverrucosus ut *Rana*, alatus ut *Hirundo*, alæ striatim pictæ ut *Timunculi*, setquispithameus, venenatus & non edulis. Suspendunt eum caudâ, brachijs infixo *Stylo*, & ita per noctem, omnis ejus caro, remanente tantummodo spinâ in sanguinem resolvitur, quem manè ex suppositis vasculis colligunt, & tincturis destinant; eo infecta coloris Laccæ sunt, floridæ, & constantis. Vide Fig. in GAZOPH. NATUR. Tab. 3c. fig. 2. *D. Peterer*.

26. *Pisciculus Tampal*, seu *Daledale*. Sesquipalmam longus, biunciam latus, planus est ut compressus, pronè argenteus, supinè terreus, Squammulæ crebræ, spinâ majori tantum donatus, edulis. Vid. Fig. in GAZOPH. NATUR. Tab. 26. fig. 10. *Jac. Peirver*.

27. *Bigo*, Sanguisuga marina, piscis. Pisciculus est tenuissimus, vix sesquiuncialis, applicitus sine morâ sanguinis filum educit, nec dolorem, inflammationem, aut tumorem inducit, aut causat.

28. *Comondajha* Byssianis. Species est Locustæ marinæ, sive *Tamara-guacu* Brasilianorum *Jobnstonij*, seu *Hippocampus Locustæ Mar. Spec.* Matthiol. Quam integrum vidi, formæ & magnitudinis erat, quâ à *Matthioli* depingitur. Asservo & alterius forfices, quarum unus solus articulus, digitam Indicem longus est. N. B. Longiusculè denticulatæ, falces brachijs

brachiis inferuntur foraminulatis, cultelli complicatilis in modum reflexæ.

29. *Olang*. *Locusta marina major*.

30. *Colagia*. *Locusta marina minor*.

In Provincia *Pangasinan*, circa Metropolim *Lingayen*, ex fluvio arbores conscendere narrant, Animalia spithamâ longiora equo phalerato familia. *Berd. Carasco. An Species Locustæ fluviatilis?*

31. *Manla Boholanis*, *Zebuanis* & *Panayensibus*, *Tila Leytenibus*, species est squillæ marinæ, quandoq; longitudinis bicubitalis.

32. *Banagan*. Species est *Astaci marini*, cornuti, echinati, paleari, luteo, & cinabarino variè & elegantissimè picturati. Vid. in GAZOPH. NATUR. *Jac. Petiver. Tab. 29. fig. 7.*

33. *Talangca*. *Astacus lacustris magnus*.

34. *Catung*. *Astacus fluviatilis parvus*.

35. *Bungcan*, *Cancellus parvus*, vix uncialis, vefcus, gaudens æstuariis, pulcherrimè omnibus coloribus variegatus: Forficula una pusilla, altera corpore quadruplo majore.

36. *Alimango*. *Cancer marinus major*.

37. *Alimafag*. *Cancer marinus minor*.

38. *Cancellum terrestrem*, hirsutum, qui gaudet *Palmetis Cocco-Nuciferis*, commendunt ut summopere proficuum diarrhæa laborantibus.

39. *Mentula marina*, Indis *Balat*, est *Zoophytum marinum* vefcum, formæ tubæ, bivalvis. *Sine illud pluris æstimant*, quàm *Tragacanthum Indicum Venereum*, seu *Nidos avium Salgan*, & ad eadem commendant.

40. *Timpalan*, *Zoophytum marinum*, species *Spongiæ*, vide in supplemento in *Hist. Plant. Joan. Raij lib. I. fol.*

77. titulo *Plantæ marinæ saxatiles*, & *Zoophyta*.