

Datos de efluentes – Estero La Catedral

DATOS	Muestra		Rango	No. Clase	Intervalo		
	4		467	2.99	156.35		
Sol. Sus. T.	Amplitud		f	fr	fa	(X;Y)	
302	262	418.35	3	0.23	3	262	
729	418.35	574.7	0	0	3	418.35	
262	574.7	731.05	1	0.08	4	574.7	
262	731.05	-		-	-	731.05	

DATOS	Muestra		Rango	No. Clase	Intervalo		
	4		102	2.99	34.15		
DBO5	Amplitud		f	fr	fa	(X;Y)	
145	85	119.15	1	0.08	1	85	0.08
85	119.15	153.3	2	0.15	3	119.15	0.15
122.6	153.3	187.45	1	0.08	4	153.3	0.08
187	187.45	-	-	-	-	187.45	



DATOS			Muestra	Rango	No. Clase	Intervalo		
			13	23	4.68	4.92		
N amoniacal	Amplitud		f	fr	fa	(X;Y)		
1.02 0.93	0.17	5.09	11	0.85	11	0.17	0.85	
0.87 1.13	5.09	10.01	0	0	11	5.09	0	
1.5 0.41	10.01	14.93	0	0	11	10.01	0	
2.4 0.84	14.93	19.85	0	0	11	14.93	0	
20.5 0.35	19.85	24.77	2	0.15	13	19.85	0.15	
23 0.68	24.77	-	-	-	-	24.77	-	
0.17	-	-	-	-	-	-	-	

ANALISIS ESTADISTICO – TABLAS DE FRECUENCIAS

DATOS	Muestra	Rango	No. Clase	Intervalo
	13	1.7	4.68	0.36

Estero La Catedral

pH		Amplitud		f	fr	fa	(X;Y)	
6.7	7.4	6.7	7.06	2	0.15	2	6.7	0.15
7	7.4	7.06	7.42	6	0.46	8	7.06	0.46
7.2	7.8	7.42	7.78	0	0	8	7.42	0
7.4	7.8	7.78	8.14	4	0.31	12	7.78	0.31
7.4	7.9	8.14	8.5	1	0.08	13	8.14	0.08
7.4	7.9	8.5	-	-	-	-	-	-
-	8.4	-	-	-	-	-	-	-