

Idea (1A)

- Rising Clock Edge
- Falling Clock Edge
-

Copyright (c) 2010 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".


Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using OpenOffice and Octave.

The Butterfly Operations

$$x'_0 = x_0 + \omega^k x_1$$

$$x'_1 = x_0 - \omega^k x_1$$



The Butterfly Operations


$$x'_0 = x_0 + \omega^k x_1$$

$$x_0 = x'_0 - \omega^k x_1$$

$$x'_1 = x_0 - \omega^k x_1$$

$$x'_1 = x'_0 - \omega^k x_1 - \omega^k x_1$$

$$x'_1 = x'_0 - 2\omega^k x_1$$



References

- [1] <http://en.wikipedia.org/>
- [2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003
- [3] A “graphical interpretation” of the DFT and FFT, by Steve Mann