

# Background (DFT.A0)

---

Copyright (c) 2009, 2010 Young W. Lim.


Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to [youngwlim@hotmail.com](mailto:youngwlim@hotmail.com).

This document was produced by using OpenOffice and Octave.

# Taylor Series

$$f(x) = f(a) + f'(a)(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \dots + \frac{f^{(n)}(a)}{n!}(x-a)^n + \dots$$



# Power Series Expansion

$$f(x) = f(0) + f'(0)x + \frac{f''(0)}{2!}x^2 + \cdots + \frac{f^{(n)}(0)}{n!}x^n + \cdots$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \cdots$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \cdots$$

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \frac{x^4}{4!} + \cdots$$

# The Euler Constant $e$

$$\frac{d}{dx} a^x = \lim_{h \rightarrow 0} \frac{a^{(x+h)} - a^x}{h} = a^x \lim_{h \rightarrow 0} \frac{a^h - 1}{h} \Rightarrow a^x$$

$$\frac{d}{dx} a^x = a^x \iff a = e \iff \lim_{h \rightarrow 0} \frac{a^h - 1}{h} = 1$$

$$\frac{d}{dx} e^x = e^x$$

$$e = 2.71828\dots$$

$$f(x) = e^x \Rightarrow f'(x) = e^x \Rightarrow f''(x) = e^x \dots$$

# Complex Number

$$i = \sqrt{-1}$$

$$i^2 = -1$$



$$i^3 = -i$$

$$i^4 = +1$$

$$\begin{aligned}x + iy &= r \cos \theta + ir \sin \theta \\ &= r(\cos \theta + i \sin \theta)\end{aligned}$$

$$x = r \cos \theta$$

$$y = r \sin \theta$$



# Complex Power Series

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \frac{x^4}{4!} + \dots$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \dots$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \dots$$



$$e^{i\theta} = 1 + (i\theta) + \frac{(i\theta)^2}{2!} + \frac{(i\theta)^3}{3!} + \frac{(i\theta)^4}{4!} + \frac{(i\theta)^5}{5!} + \dots$$

$$= 1 + i\theta - \frac{\theta^2}{2!} - i\frac{\theta^3}{3!} + \frac{\theta^4}{4!} + i\frac{\theta^5}{5!} + \dots$$

$$= \left( 1 - \frac{\theta^2}{2!} + \frac{\theta^4}{4!} + \dots \right) + i \left( \theta - \frac{\theta^3}{3!} + \frac{\theta^5}{5!} + \dots \right)$$


$$e^{i\theta} = \underline{\cos \theta} + i \underline{\sin \theta}$$

# Euler Formula

$$e^{i\theta} = \cos \theta + i \sin \theta$$

$$\Re\{e^{i\theta}\} = \cos \theta = \frac{e^{i\theta} + e^{-i\theta}}{2}$$

$$\Im\{e^{i\theta}\} = \sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}$$





# DeMoivre's Theorem

$$e^{i\theta} = \cos \theta + i \sin \theta$$

$$(e^{i\theta})^n = (\cos \theta + i \sin \theta)^n$$

$$(e^{i\theta})^{1/n} = (\cos \theta + i \sin \theta)^{1/n}$$

$$e^{in\theta} = \cos n\theta + i \sin n\theta$$

$$\begin{aligned} (e^{i\theta})^{1/n} &\Rightarrow \cos \frac{\theta}{n} + i \sin \frac{\theta}{n} \\ &= \cos \left( \frac{\theta + 2k\pi}{n} \right) + i \sin \left( \frac{\theta + 2k\pi}{n} \right) \end{aligned}$$

$$z = r e^{i\theta}$$



$$z^{1/n}$$

$$= r^{1/n} (e^{i\theta})^{1/n}$$



$$= \sqrt[n]{r} \left( \cos \frac{\theta}{n} + i \sin \frac{\theta}{n} \right)$$

$$= \sqrt[n]{r} \left( \cos \left( \frac{\theta + 2k\pi}{n} \right) + i \sin \left( \frac{\theta + 2k\pi}{n} \right) \right)$$

## References

[1] <http://en.wikipedia.org/>

[2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003