

BJT Bias



Copyright (c) 2012 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.


This document was produced by using OpenOffice and Octave.

Common Base (1)




Common Base (2)

Electron Flow





Common Base

Current Flow




Common Base




Common Emitter (1)

Electron Flow



Common Emitter


Current Flow




Common Emitter

Common Emitter (2)


Electron Flow




Common Emitter



Current Flow




Common Emitter




Common Collector (1)

Electron Flow



Common Collector


Current Flow




Common Collector

Common Collector (2)


Electron Flow




Current Flow




BJT Bias






Common Base




Common Emitter




Common Collector




Common Emitter (2)



Electron Flow




Current Flow




Maintain Magnetic Field

Before




Initial




Induced EMF

Final



No Energy in magnetic field

Storing Magnetic Energy



References

[1] <http://en.wikipedia.org/>

[2] J.H. McClellan, et al., Signal Processing First, Pearson Prentice Hall, 2003