fome ingenious Anatomist were appointed for this fervice, when it shall happen; for this case, if rightly enquired into, may be of use and satisfaction to the curious.

V. A Letter from Dr William Musgrave, F. R. S. to the Publisher, concerning some Experiments made for transmitting a Blue coloured Liquor ininto the Lasteals.

Exon, Sept. 24. 1701.

SIR,

He new Theory of Continual Fevers, lately publisht, speaking (page 54, 5,) of that considerable experiment of Dr Lister's, made for colouring the Lackcals; and Printed, Phil. Trans. N. 143; as if the Dr could never get the experiment done to his satisfaction; and intimating, That People may be deceived with Blue Tinctures; for [that] this is the natural colour of these Lackcals, when they are almost, or altogether empty. I have drawn out of my Adversaria the summ of what was, a little after that Transaction came out, done by me, in this matter.

Feb. 168; I injected into the Jejunum of a Dog, that had for a day before but little Meat, about 12 ounces of a folution of Indigo in Fountain water; and after three hours opening the Dog a fecond time, I observed several of the Lacteals of a Bluish colour; which upon stretching of the Mesentery, did several times disappear; but was most easily discern'd when the Mesentery lay loose; an Argument that the Bluish colour, was not properly of the Vessel; but of the Liquer contained in it.

A

A few days after this, repeating the Experiment in another Company, with the solution of Stone Blue in Fountain water, and on a Dog that had been kept fasting 36 hours; I saw several of the Lacteals become of a perfect Blue colour, within very sew Minutes after the Injection: For they appeared so, before I could sow up the Gut.

About the beginning of March following, having kept a Spaniel fasting 36 hours, and then Syringing a pint of a deep Decoction of Stone Blue with common Water into one of the small Guts; and after three hours, opening the Dog again, I saw many of the Lacteals of a deep Blue Colour. Several of them were Cut, and afforded a Blue Liquor, (some of the Decoction,) running forth on the Mesentery. After this I examin'd the Ductus Thoracieus, (on which, together with other Vessels near it, I had, upon my Return, made a Ligature) and faw the Reraptaculum Chyli, and that Ductus, of a Bluish Colour; not so Blue, indeed, as the Lacteals, from the Solution mixing, in and near the Receptaculum, with Lympha; but much Bluer than the Ductus uses to be, or than the Lymphatics under the Liver (with which I compared it) were.

I trusted not my own Eyes in any one of these Experiments; but in each of them had the Company and Assistance of several Physicians; who all agreed with me, as to the Colouring of the Lacteals.

I should not have insisted thus minutely on these Experiments, were I not convine d they do right to a Learned Man, (whose success in tinging the Lacteals is undefervedly questioned) and also established a proposition of extraordinary consequence, both in the regular and diffurbed Occonomy. For

The entrance into the Lacteals (which is much the narrowest part of all the way from the Mouth to the Mass of Blood) being thus beyond exception, proved

wide enough to admit so gross a Body as Stone-blue, we may here in part explain the admission of Liquors, (as of Diureric waters, &c.) into the Vessels in prodigious quantities, in a very little time.

The same wideness of the Pylæ Lastee, makes them easy to receive (rogether with proper Vehicles) those grafter Bodies, which atterwards compose the grumose

part of the Blood, the Carrilages and Bones.

And this open entrance being allow'd, it will no longer feem impossible, that with our nourishment, Eggs or Animalenta themselves, thould enter these Vessels, there being no manner of Question, but that of both the one and the other, some are much less in bolk, than the greatest Particles of Indigo, in the Decoction abovementioned seen in the Lactuals.

Add to this the many faccies there are of little Infects, and their great Fercility; so many and so great, that of the People of the Animal Kingdom, a very small proportion (perhaps not a quarter part) comes within view of the naked Eye; and then, we shall be the better able to account, for the great variety, as well as numbers of Insects, observed in the Juices of the Body Animal.

But the chiefest use of the wideness of the Lasteal Orifices, is in deducing from thence the reception of gross matters (such as are the effects of indigestion, &c.) which afterwards in the Blood and Genus Nervosum, many times

produce most severe Distempers.

Which notion being in some degree consisted by its first proposer (vide Clariss. Listeri de Fontibus medicatis Angliae exercitationem alteram, Ed. Lond. pag. 48.) will, bost of all, receive farther Illustration from the tame hand. The Foundation he builds on is certainly good and we have reason to hope the Superstructure will be such also.